

Index

- L_0 -norm, 20
- L_1 -norm, 8, 14, 163
- L_2 -norm, 3
- 1D, 261, 264–266, 276
- 2D, 264, 265, 267
- 2D rigid, 61, 67
- 3D, 139
- a priori, 265
- aberration, 161
- absolute, 157, 188
- acceleration, 16, 37–41, 62, 111, 218, 241–244
- accelerometer, 37–43, 106, 111, 170
- accessories, 184
- accuracy, 73
- acquisition, 100 101, 112, 184, 207–209, 211, 214, 225, 260
- adaptive, 11, 24, 141
- additive, 101, 117, 118, 169, 171, 260
- affine, 32, 148, 260, 262
- albedo, 258, 273, 274
- algorithm, 61, 63, 70
- aliased, 209
- align, 60, 61, 66, 79, 80, 106, 124, 127, 233, 234, 236
- alpha, 32, 71, 151–155, 163, 231
- alpha matte, 71
- alternate, 12, 16, 26, 36, 47, 48, 84, 103, 104, 150, 191, 215, 216
- alternating, 66
- alternating minimization, 66
- alternation, 66, 72
- ambiguity, 13, 14, 21, 85
- amplify, 111, 146, 147, 156, 157, 174, 225
- amplitude, 174, 231, 233, 234, 241
- angle, 79, 155
- angular speed, 111, 117, 242
- angular velocity, 37–40, 43, 111, 112, 118
- anisotropic, 106, 241
- aperture, 101, 113, 123, 134, 136–138, 154, 184, 259, 273–277
- apparent motion, 46
- approximate, 50, 51, 53, 75, 76, 87–91, 96, 97, 175–177
- arbitrary, 67, 80, 82, 87, 89, 108, 109, 227, 232
- architecture, 208, 211
- area, 63
- array, 61, 142, 145–147
- artifact, 1, 2, 7, 12, 18, 35, 46, 52, 67, 68, 108, 109, 113, 115, 119, 129, 132, 136, 161, 163, 171, 176, 179, 207, 226, 237–239, 242
- astronomy, 1, 142
- asymmetric, 60
- atmosphere, 101, 105
- attenuate, 145, 147, 154, 207, 265
- auto-flutter, 146, 159
- autocorrelation, 5
- autofocus, 146, 159
- autoregressive moving average, 105
- auxiliary, 10, 57, 106, 141, 142, 159, 164, 170, 171
- axis, 59–62, 67, 107, 111, 115, 185, 193, 195
- back-projection, 31, 65, 73
- background, 32, 46, 70, 71, 144, 147, 152, 218
- backward flow, 214
- banded-diagonal, 261
- bandlimited, 2, 268
- bandwidth, 123, 141, 209, 261
- bank of classifiers, 246–249, 251, 252, 256
- barcode scanning, 240, 241, 244
- Bartlett–Hann window, 88
- baseline, 124, 129, 135
- basis, 34, 35, 209, 210, 214
- Bayer, 134, 137, 159, 277
- Bayes’ rule, 34
- Bayesian, 16, 103, 119, 163
- Bayesian matting, 72
- beamsplitter, 59–61, 124, 211, 217
- bell-shaped, 253
- Bezout’s identity, 105
- bias, 4, 155
- bicubic, 150, 168, 181
- bilateral, 7, 84, 125, 129–132
- bilinear, 34, 82–84, 96, 97, 108, 129, 130, 194, 215
- bimodal, 241
- bin, 246, 247, 251–253
- binary, 17, 71, 105, 142–145, 152, 156, 159, 225
- binning, 60

- biometric, 222
- blend, 17, 70, 108, 112, 113, 147, 189
- blind, 75, 77, 83, 84, 86–88, 91, 94, 96, 97
- blind deblurring, 83, 84, 86, 88, 93–95
- blind deconvolution, 1, 12–16, 18–20, 25–28, 31, 32, 36, 40, 100, 103–109, 113, 117, 119, 120, 185, 259
- block, 102, 108, 135, 137, 277
- blur, 31–38, 40, 41, 43–52, 54, 55, 57, 61–66, 69–72, 75–79, 81–92, 94–97, 100–110, 112, 113, 115–117, 119, 120, 131, 141–155, 157–159, 161–165, 167–180, 184–187, 189, 191–204, 207–213, 216, 218, 222–226, 228, 229, 231, 233, 235, 239–241, 244, 246–254, 256, 259, 268, 275, 276
- blur angle, 252–254
- blur coefficient, 248
- blur function, 57, 61, 62, 70, 72
- blur invariant, 248
- blur kernel, 31–37, 43–47, 49–52, 83–85, 89, 92–94, 96, 105, 116, 118, 119, 127, 132, 161, 163, 164, 178, 179, 181, 185, 192, 195, 196, 233, 247–251, 253, 258, 260, 276
- blur matrix, 33, 34, 38, 41
- blur parameter, 252
- blurred face image, 246, 247, 249
- blurring, 62, 72
- BM3D, 135–137, 270–272, 275, 276
- book, 70
- borders, 113, 115
- bound, 91, 258, 259, 261, 264, 265, 267–270, 272–274
- boundary, 16, 17, 90, 129, 131, 173
- box, 142, 143, 146, 152, 153, 213
- brightness, 211, 212, 214, 273
- broadband, 142, 145, 146
- Bussgang algorithm, 105
- calibrate, 38, 43, 79, 81, 127, 132, 133, 236
- calibration, 59, 60
- camcorder, 60
- camera, 57–62, 65, 66, 71, 72, 75–83, 85, 86, 88, 91, 93–95, 97, 123–127, 129–138, 141–143, 146–148, 150–159, 161–165, 170, 171, 173–180
- camera array grid, 133
- camera motion, 2, 31–33, 35, 37, 38, 40, 41, 44–48, 52, 53, 75, 76, 78, 79, 82, 100, 101, 106, 109, 111, 115, 117, 119, 185, 193, 195, 207, 211, 214, 258, 260, 261, 265–267, 278
- camera response, 2, 54, 187–192, 196–199
- camera rig, 60
- camera settings, 66, 108
- camera shake, 31, 32, 37, 40, 43–45, 54, 72, 75–77, 81–83, 88, 91, 100, 108, 117, 119, 161, 185, 193, 195, 199, 201, 204
- camera shutter, 114
- capture, 143, 151, 152, 155, 158, 159, 226, 228
- CCD, 60
- center, 127, 131, 148, 150
- centripetal acceleration, 38
- centroid, 61, 62
- chip, 59, 60
- chirp, 142, 145
- chop, 144–146, 157, 158, 227, 228, 236
- chromatic aberration, 32
- circulant, 142–145, 233–235, 276, 277
- classical, 101, 103, 104, 106
- clear, 70, 71
- closed-form, 3, 10, 16, 23, 72, 104
- closeup, 72
- cluster, 154, 155
- cluttered background, 136
- CMOS, 60, 115, 141
- co-axial, 137
- coarse, 20, 23, 66, 84, 88, 96, 104, 105
- coarsest, 66
- code, 16, 26, 141–159, 258, 260, 278
- coded aperture, 210, 275
- coded blur, 143, 144, 148, 155
- coded exposure, 141–145, 147, 149–153, 155–159, 170, 180, 222, 223, 225, 226, 228, 230, 231
- coherence, 141
- colour, 2, 57, 71, 72, 131, 133–135, 138, 184, 260, 277
- commercial, 32, 46
- commute, 107
- compensate, 100, 141, 142
- complement, 70
- complex, 12, 59, 64, 67, 68, 76, 102, 120, 126, 152, 207–209, 211, 217
- complexity, 64, 65, 72
- component, 70, 71
- compose, 71
- composite, 126, 127
- compressed, 7, 114, 184, 191, 208–210, 214, 217
- computation, 1, 6, 10–12, 15, 61, 63, 64, 75, 76, 87, 91, 92, 95–97, 123, 141, 153, 159, 208, 258, 260, 261, 263, 269, 273, 274, 277, 278
- computational cameras, 244
- concatenate, 8–10, 12, 102, 126, 127, 198
- concave, 167
- concentric, 150
- condition, 7, 35, 85, 103–105, 144–146, 156, 166, 167, 211, 213
- configuration, 42
- conjugate, 11, 23, 25, 87, 90–92, 197, 199
- connected, 124, 125, 133
- conservation, 62, 63
- consistent, 115, 222, 239
- constant velocity, 51, 223, 231, 232, 236, 241–244

- constraint, 3, 9, 11, 13, 14, 23, 31, 32, 40, 62, 63, 76, 85, 96, 105, 106, 109, 145, 146, 151–153, 155, 212, 214, 215, 248–250
- consumer, 81, 156, 159
- continuous, 61–63, 142, 151, 153, 154, 156, 264, 268
- contour, 132, 135–137
- contrast, 123, 135–138, 223, 229, 231
- conventional, 142, 145, 159, 161, 163–166, 168–171, 176, 179–181, 259, 260, 275, 278
- converge, 6, 10, 11, 18, 20, 51, 52, 84, 162, 167, 169, 171, 173, 179, 216
- convex, 8, 211, 212, 216, 246–253, 256
- convolution, 2–4, 6, 10, 11, 17, 18, 25, 33, 62, 64, 68, 70, 75, 76, 81–85, 87–91, 100–102, 106–109, 142, 143, 145, 150, 161, 163, 166–169, 173, 185, 191, 196, 202, 203, 208, 210, 223, 224, 233, 234, 249, 261, 268
- coordinate, 79, 80, 82, 83, 102, 165, 168, 211, 233
- coprime polynomials, 105
- correction, 164, 179
- correlation, 6, 90, 167–169
- correspondence, 66, 125–127, 129, 171, 178
- couple, 57, 186
- covariance, 143, 146, 157
- crop, 149
- cross-correlation, 90
- cuboidal, 82
- cumulative, 158
- curve, 62
- cyclical, 144
- data, 85, 90–92, 134, 170, 175, 217, 218, 223, 224, 228, 239, 240, 246, 247, 252–256, 272
- deblur, 1, 12, 14–16, 21, 24, 26, 31, 32, 34–38, 40, 41, 43–46, 49, 51–54, 57, 63–67, 70–73, 75–77, 83, 84, 87, 88, 90–97, 100, 102, 106, 107, 112, 114, 115, 118–120, 123–125, 127, 128, 130–132, 134–139, 141–143, 145–159, 161–164, 168, 170, 171, 173–181, 207–209, 212, 213, 222–225, 228, 229, 231, 236–244, 246, 248, 258–262, 264, 269, 272–278
- deblurring, 57–61, 63–67, 70–73
- deblurring stage, 61
- decimation, 150
- decode, 142, 143, 145, 146, 148, 158, 241, 258–260, 263, 264, 266, 275, 278
- decompose, 68
- decomposition, 68, 69
- deconvolution, 63, 65, 70
- deconvolve, 1–7, 9, 12–16, 18–20, 23, 25–28, 31, 32, 34, 36, 40, 41, 44, 45, 47–49, 51, 52, 75, 84, 90, 92, 100, 104, 106, 113, 114, 118, 119, 127, 132, 135, 142, 144, 146, 150, 151, 153, 154, 159, 162, 163, 166, 171, 178, 179, 209, 224, 225, 236–239, 246–248, 258, 265
- defocus, 32, 46, 161, 163, 164, 179, 261, 273, 275, 276
- deformable, 180
- degradation, 75, 80, 100–102, 105, 106, 115, 223, 224, 240
- degrees of freedom, 106
- delta, 14, 18, 19, 68, 69, 95, 101–104
- denoise, 84, 134–138
- density, 33, 35
- depth, 36, 41, 45, 57, 73, 95, 106, 107, 110, 123–126, 128–132, 134, 137–139, 180, 184, 185, 273, 276, 277
- depth-dependent, 73
- derivative, 47, 49–51, 84, 87, 90, 103, 104, 107, 111, 163, 167, 235
- descriptor, 76, 77, 82
- design, 59–61, 72
- detector, 57–61, 63–65, 70–72
- determinant, 104, 226
- DFT, 145–147, 153, 154
- diagonal, 25, 48, 146, 147
- dictionary learning, 139, 210
- difference, 2, 4, 5, 16, 24, 40
- differences, 25
- differentiable, 62
- diffraction, 113
- digitization, 60
- dimensionality, 105, 106
- Dirac delta, 266
- direct, 64, 67, 87, 91, 170, 246–248
- direction, 150, 154, 155, 218, 247, 249–252, 254, 256, 261, 265, 266, 278
- discontinuity, 68, 152, 153, 170
- discrete, 15, 33, 36, 61–63, 82, 83, 88, 90, 95, 102, 107, 113, 127, 143, 145–147, 153, 154, 164, 165, 168, 180, 194, 233, 235, 251
- discrete time, 61
- discriminative, 247, 248, 256
- disocclusion, 180, 216
- disparity map, 125, 129
- displacement, 148, 214, 231
- display, 189, 199
- distance, 106, 107, 110, 111, 141, 226, 243, 244, 247, 248, 254
- distort, 180, 222
- distribution, 62, 64, 65, 166, 169, 229, 235, 241
- domain, 103, 143, 146, 161, 163, 179, 180, 223
- downsample, 41, 66, 106, 113, 125, 129, 132
- DRBF, 252–255
- drift, 40–42, 45
- DSLR, 269, 274
- dual, 18
- duration, 81, 142–145, 156, 158, 159
- duty cycle, 32, 47–54
- dynamic, 41, 123, 127, 128, 131, 134, 138, 184, 185, 187, 188, 191, 203, 204, 210

- E-step, 16
- edge, 7, 84, 94, 115, 130, 154, 155, 163, 222, 231, 238, 239, 244
- effectiveness, 173, 178, 179
- efficient, 9, 10, 12, 13, 16, 26
- egomotion, 161–164, 179
- eigenvalue, 144
- element-wise multiplication, 6
- embedded, 72
- empirically, 6, 171
- energy, 3, 7–9, 11, 15–17, 20, 21, 26, 35, 37, 40, 41, 47–51, 57, 59, 62–65, 126, 216, 267
- energy level, 62
- enhance, 72, 131, 132, 135–138, 150, 151, 184
- ensemble, 277
- error, 61, 66, 67
- estimate, 77, 84–86, 88, 91, 94–96
- estimation, 62–67, 70, 73, 141, 143, 147, 151–157, 159, 163, 167, 169–171, 178–180
- evaluation, 253, 254
- executable, 12, 95
- executables, 26
- EXIF, 81
- expectation–maximization, 16, 36
- exponent, 233–235
- exposure, 31–33, 37, 40, 42, 43, 45–47, 57, 58, 62, 64, 75–77, 79, 80, 100, 101, 109–112, 116, 117, 123, 130, 132, 134, 141–145, 147–159, 161, 163–165, 170, 171, 178, 179, 184, 186–189, 192–195, 198–204, 207, 209, 210, 223–228, 230–232, 236, 239, 258–262, 264–266, 268, 269, 273–278
- extrinsic, 38, 41, 110, 129
- face, 246–249, 251–256, 278
- factorization, 15
- failures, 94, 95
- false acceptance rate, 224
- false rejection rate, 224
- fast, 88, 90, 123, 133, 141, 142, 149, 154
- fast Fourier transform, 23, 108, 113
- feature, 32, 58, 70, 126, 134, 188, 248, 255
- field of view, 94, 217
- filter, 83, 88, 89, 130, 164, 249
- fine, 94, 129, 132, 135, 240
- finer, 66
- first-order, 8, 101
- fixed point continuation, 216
- flash, 61, 130, 141
- flat, 21, 143–146, 148, 157, 159
- flip, 6, 167
- flow, 214, 215, 218
- flow field, 57
- flutter, 141–144, 159, 209–211, 227, 261–265, 269, 270, 272, 274, 275, 278
- flux, 58, 59
- focal length, 35, 40, 73, 78, 80–82, 94, 97, 101, 109–111, 124, 135, 217
- focus, 101, 123, 129, 134–136, 261, 268, 273
- foreground, 32, 70–72, 125–127, 129, 131, 136, 147, 152, 153, 218
- formulation, 164, 165, 179, 180
- forward model, 88–92, 96
- Fourier, 2, 6, 10, 11, 75, 87, 143, 145, 223, 267, 268
- Fourier slice theorem, 266
- fractional, 71
- frame, 32, 47, 51, 57, 58, 61–66, 79, 80, 124–127, 134, 138, 139, 141, 142, 171, 178, 184, 188–190, 195–197, 201, 203, 208–218
- frame rate, 57, 58, 64, 127
- framework, 63–65, 69
- frequency, 2, 4, 5, 11, 16, 32, 87–90, 113, 142–146, 149, 154, 158, 159, 161, 163, 172, 173, 179, 180, 207, 213, 216, 227, 229, 233–235, 243, 244, 267
- frontal pose, 254
- fronto-parallel, 193
- fuse, 108, 123, 124, 134, 137, 138, 188
- fusing, 73
- Gabor, 244, 255
- gain, 259, 260, 262–264, 266, 269, 270, 272, 274, 277
- gallery, 246–248, 254, 255
- gamma, 54, 81, 142, 184, 187
- Gauss–Newton, 126
- Gaussian, 3, 7–9, 12, 15, 16, 20, 21, 31, 33, 48, 65, 96, 103, 104, 118, 131, 132, 135, 143, 157, 169, 173, 176, 224, 233, 243, 260, 262
- geometric, 59, 76, 97
- global, 10, 32, 43, 61, 67, 72, 75–77, 82, 94, 161, 163, 168, 171, 178, 179
- gradient, 3, 8, 14, 16, 18–23, 25, 34, 36, 47, 48, 50, 51, 85, 89, 103, 163, 169, 188, 271
- graph-cut, 125, 129
- gravity, 38, 39, 43
- gray, 134, 198
- greatest common divisor, 105
- grid, 95
- ground truth, 4, 5, 14, 19, 21, 42–45, 51, 52, 64, 65, 70, 72, 151, 155, 156, 171, 175, 178, 179, 230, 236, 238
- gyroscope, 37–43, 106, 111, 112, 114, 116–120
- Hadamard, 88, 260, 277
- half-quadratic, 9, 199
- hallucination, 207
- Hamming, 115, 224, 242
- handheld, 86, 185, 187, 192, 194, 201, 203
- hardware, 32, 36, 41, 42, 45, 100, 113, 115, 146, 157, 170, 171, 184, 223
- harmonic, 11, 241, 242
- Harris corner, 36
- Heaviside, 21

- heterogeneous, 133, 134, 138
- high dynamic range, 184–192, 197, 198, 200–204
- high frame-rate, 58, 65, 70, 71
- high resolution, 57–60, 63, 66, 70, 71, 123, 125, 129, 131–134, 137, 139, 211, 212
- high-speed monochrome, 133, 138
- Hilbert space, 248
- histogram, 228, 241, 255
- histogram of oriented gradients, 244
- homogeneous, 50, 51, 109, 110, 125, 129, 165
- homographic, 60, 67
- homography, 32, 34, 46, 50, 53, 75, 79, 81, 83, 85, 87, 97, 161, 162, 165, 166, 168–171, 175, 177–181, 193, 194
- horizontal, 87, 154, 155
- horizontally, 72
- hot mirror, 60
- HR-C camera, 124–126, 129, 130, 132–135, 138
- HS-C camera, 124–127, 129, 132, 138
- HS-C frame, 125
- hybrid, 32, 55, 57–61, 63–65, 67, 70, 72, 73, 123–125, 130–133, 137, 138, 142, 178
- hybrid imaging, 57–61, 63, 64, 67, 70, 72, 73
- hyper-Laplacian, 9, 10, 12, 14, 41, 163
- hysteresis, 23
- identically distributed, 7, 143, 156
- identity, 247, 248
- ill-conditioned, 101
- ill-posed, 31, 100, 101, 119, 142, 143, 150, 152, 185
- illumination, 33, 110, 113, 253–256, 258, 259, 269, 273–278
- image center, 110
- image statistics, 8
- implementation, 66
- impulse, 9, 259–264, 268, 270, 272–278
- in-plane, 35, 70, 79–82, 94, 150, 165, 175
- inaccuracy, 64
- incidental shake, 184
- independent, 7, 10, 15, 65, 66, 103, 104, 106, 110, 143, 156, 162, 164, 166, 173, 233
- independent and identically distributed, 66
- indicator, 152
- indirect, 105
- indoor, 133, 136, 137, 258, 274, 277, 278
- inertial, 36–38, 40, 42, 43, 45, 72, 73, 100, 106, 112, 116, 119, 141, 164, 170, 259
- inertial sensor, 73
- infinitesimal, 164
- inflections, 231, 241–243
- initial estimate, 73
- inlier, 155
- integrate, 15, 16, 33, 37, 40, 41, 124, 141, 143, 144, 153, 156, 159, 161, 163, 165, 179, 211, 266, 267
- integration, 57, 61, 62, 68
- inter-frame, 141
- inter-pixel, 244
- interference, 142
- interior point, 18
- interleaving, 159
- intermediate, 16, 18, 19, 172
- internal, 79
- interpolate, 82, 83, 96, 108, 127, 168, 181, 195
- interpolation, 62
- intersect, 126, 127, 248
- interval, 57, 62, 142
- intra-frame, 159
- intrinsic, 34, 38, 41, 43, 105, 109–111, 119, 129
- inverse, 32, 34, 90, 101, 102, 106, 141–143, 148, 151, 152, 155, 159, 168, 187, 189, 191, 192, 196, 198, 199, 207, 225, 227, 236, 242
- invertibility, 151, 153, 154
- invertible, 144, 152
- iris, 222–225, 236, 239, 240, 244
- irradiance, 184–199, 201, 203, 204
- irregular, 143
- ISO, 178
- isotropic, 10, 235
- iteration, 63, 66
- iterative, 6, 18, 24, 25, 51, 61, 63, 69, 84, 87–90, 104, 107, 113, 124, 126, 127, 167–173, 180, 215, 216
- Jensen’s inequality, 91
- Kalman filter, 2
- kernel, 4, 7, 15, 18–28, 31, 36, 62, 64, 68–70, 72, 76, 81–86, 88, 94–96, 101, 102, 104, 106–109, 125, 127, 128, 130–132, 137, 161, 163, 164, 166, 175, 177–179, 181, 212, 247–251, 253, 258, 260, 266, 267, 276
- Kronecker delta, 194
- Kuhn–Tucker condition, 167
- Kullback–Leibler divergence, 16
- Landweber method, 191
- Laplacian, 8, 9, 12, 14, 19, 21, 23, 103, 188
- lasso, 85
- latent, 2–4, 7, 8, 12–21, 23, 25, 31–33, 35, 36, 40, 47–49, 75, 84, 85, 87, 90, 91, 103, 107, 113, 185, 186, 194, 199, 203, 204, 222, 223, 225, 231, 233–235, 237, 239, 241
- lateral motion, 240, 242
- layer, 72
- LBP, 253–255
- learned, 248, 253
- least square, 2, 3, 9, 18, 25, 84, 85, 87, 92, 195, 236–239
- length, 62, 73, 142, 144–147, 149, 150, 153, 157–159
- lens, 59, 60, 62, 73, 101, 277
- lexicographical, 264
- light, 57–61, 100, 109, 110, 141, 142, 153, 154, 156, 158, 162, 164, 184, 187, 192, 209, 225, 236, 258–266, 269, 272–274, 277, 278

- likelihood, 2, 3, 7, 9, 13, 16, 34, 40, 41, 63, 65, 66, 166, 169
- limit, 94, 141, 156, 179, 180, 209, 211
- line-shaped, 266
- linear, 58, 70, 82–85, 87, 88, 101, 108, 109, 142, 144, 146–148, 150, 156, 159, 195, 203, 210, 211, 213–215, 223, 224, 229, 233–235, 241, 244, 247, 249, 250, 258, 260, 261, 272, 274
- linear motion, 261
- linear system, 147, 156
- local, 14, 15, 55, 75, 87, 88, 90, 96, 103, 105, 107, 136, 153, 186, 194, 195, 197, 203, 207, 212, 231, 248, 252, 254, 255
- log, 34, 41, 164
- lookup table, 10, 12
- low bandwidth, 123
- low dynamic range, 134, 188, 191
- low frame-rate, 58
- low light, 31, 123, 124, 132–138
- low pass, 152
- low resolution, 57–60, 65, 66, 71, 123, 125, 129–132, 134, 142, 150, 159, 170, 178
- LPQ, 248, 252, 254, 255
- Lucas–Kanade, 47
- luminance, 191
- m-sequence, 142
- M-step, 16
- machine vision, 156, 157, 269, 274
- magnified, 67
- magnitude, 69, 75, 79, 84, 88, 145, 146, 153, 154, 261, 266
- mapping, 185, 187–189, 193
- marginalize, 15, 103, 104
- maritime, 246, 247
- mask, 70, 71, 127, 187, 189, 196–199, 212, 213, 217, 263, 265, 275, 277
- matching, 126, 135, 137, 223–225, 235, 236, 239–242
- Matlab, 11, 16, 26, 28, 91
- matting, 71, 72, 151–154
- max–min, 228–230
- maximize, 103, 153, 170
- maximum a posteriori, 32, 34, 35, 43, 48, 49, 65, 84–88, 93–96, 103, 271
- maximum likelihood, 7, 13, 48, 143, 270
- mean, 15, 118, 228, 229, 235, 262, 268, 270–272, 274
- measurement, 208, 210
- mechanical, 32, 115, 225, 226
- median filter, 126, 130–132
- metric, 21, 224, 229, 230, 259, 260, 270–272, 274, 278
- micro, 43, 124, 156, 187
- microcontroller, 60, 61
- mid-range, 181, 195
- minimization, 2, 3, 9–11, 15, 16, 18, 20, 23–26, 34, 35, 37, 40, 41, 47, 49, 51, 66
- minimum, 145, 146, 153, 154
- misalignment, 189, 197, 201
- mixture, 68
- model, 60, 61, 63, 72, 76, 88, 92, 93, 95, 161, 162, 164–166, 168–171, 173–176, 179–181
- modulate, 141–143, 145, 212, 213, 223, 225, 226, 228, 229, 231, 242–244, 261
- moments, 16
- monochromatic, 57, 59
- monochrome, 133, 134, 138
- monotone, 173, 189, 192
- morphing, 109
- motion, 1, 2, 12–14, 16, 17, 21, 24, 25, 57–68, 70–73, 75, 76, 78, 80, 81, 123–128, 130–138, 141–145, 147–153, 155, 156, 158, 159, 161, 162, 164, 165, 168–170, 172–180, 258–262, 264–269, 272–275, 277, 278
- motion blur, 1, 13, 17, 21, 32, 37, 43, 46, 48, 51, 57, 61–65, 70–72, 123, 128, 132, 135, 137, 138, 141, 142, 144, 145, 147, 148, 150–153, 158, 159, 161–166, 168–180, 184, 185, 187, 189, 192, 195, 201, 203, 207–210, 212, 246–256, 258–261, 264–269, 273, 274
- motion deblurring, 1, 12, 16, 21, 123–125, 127, 128, 131, 138, 222, 223, 242, 244, 258, 260–262, 264, 269, 272–275, 278
- motion density function, 33–35, 107, 185
- motion direction, 233, 234, 236
- motion flow, 57, 61, 62, 125–127, 134, 135, 138
- motion invariant, 261, 265–269, 274, 276
- motion path, 127, 162, 164–166, 168, 170, 171, 175, 177–179, 181, 218, 266
- motion sensor, 112, 118
- motion vector, 61, 63
- mount, 124, 132, 133
- moving, 57, 70–72, 123, 124, 133, 135, 136, 141–145, 147–152, 162, 164, 180, 212, 254
- moving object, 70–72
- moving objects, 57, 72
- MPEG, 214
- multi-body, 217
- multi-camera, 209
- multi-frame, 32
- multi-image deconvolution, 32, 47, 48, 51, 52
- multi-scale, 7, 66, 69, 84, 94
- multi-sensor, 123, 124, 137, 138
- multi-spectral, 137
- multi-view, 135, 137
- multiple, 31, 52, 55, 82, 105, 106, 108, 119, 124–126, 137, 141, 156, 164, 165, 184, 185, 187, 189, 190, 208–210, 225, 259, 265
- multiplexing, 260, 265, 277
- narrowband, 277
- natural image statistics, 103, 228, 229, 233, 244, 278

- natural prior, 8, 34, 40, 231, 240, 241
- near-optimal, 228, 244
- neighborhood, 40, 153
- Nelder–Mead simplex method, 41
- noise, 1, 2, 4–7, 9, 12–14, 16, 23, 24, 33, 34, 37, 40, 42, 48, 49, 51, 95, 101, 103–106, 108, 111, 115, 118, 129, 132, 135–138, 141–144, 146, 147, 150, 153–158, 162, 163, 165, 171–174, 176, 179, 180, 184, 223, 225, 228, 233, 237, 239, 243, 244, 258–264, 266, 268, 269, 271, 272, 274–276, 278
- noisy, 57
- non-blind, 1–3, 5, 7, 9, 12, 13, 18, 23, 25, 31, 34, 75, 87, 90–92, 94, 95, 97, 105, 106, 135, 163
- non-blurred, 57, 70, 71, 259
- non-convex, 94, 246, 247, 249, 250, 255, 256
- non-invertible, 142, 155
- non-iterative, 90–92
- non-negative, 85, 127, 143, 248, 249
- non-overlapping, 32
- non-parametric, 187
- non-rigid, 217
- non-smooth, 151, 159
- non-uniform, 76, 77, 80, 81, 93–95, 185, 192, 201, 203
- non-visible, 60
- nonlinear, 36, 63, 81, 84, 85, 94, 143, 187, 192, 210, 216, 259, 271
- nonlocal, 7
- norm, 3, 8–10, 14, 20
- normalize, 62, 63, 113, 127, 131, 132, 153
- numerically stable, 225
- Nyquist frequency, 244
- object, 2, 16, 17, 20, 21, 25, 70–73, 124, 129, 132, 136, 141–145, 147, 150–153, 157, 159, 207, 244, 258, 259, 261, 265–268, 274
- observation, 66, 71
- occlusion, 31, 129, 132, 180, 216–218
- occupancy, 71
- off-diagonal, 157
- off-the-shelf, 156, 157
- offline, 10, 100, 106
- on the fly, 146, 159
- on-board, 209
- on-chip, 156, 159
- opaque, 16, 145, 147, 156
- operator, 101, 102, 106–108, 110, 143, 229, 233, 234
- optical, 57, 59–62, 65–68, 164, 170
- optical aberration, 108, 113
- optical axis, 79, 81, 107, 111
- optical center, 43, 78–80
- optical coding, 258, 274
- optical defocus, 195
- optical flow, 32, 47, 61, 65–68, 106, 146, 214, 215
- optical mask, 187
- optical path, 57, 61
- optical transfer function, 223, 267, 268
- optics, 60, 73
- optimal, 3, 10, 11, 15, 21, 126, 142, 145, 151, 153, 229, 230, 234, 244, 263
- optimization, 31, 35, 36, 40, 41, 49, 51, 64, 67, 69, 124, 211–213, 215, 216
- optimized, 67
- orientation, 76, 77, 79–84, 95, 110
- orthogonal, 36, 63
- orthographic, 44
- out-of-focus, 101, 102, 108, 134
- out-of-plane, 80, 81, 165, 180
- outdoor, 64, 65, 133, 141, 258, 274
- outlier, 113, 126, 185
- overdetermined, 190
- overlap, 88–90, 112, 115
- padded, 142, 145–147
- panorama, 32, 46, 47, 54, 164
- parallax, 123, 124, 135, 137, 185, 186, 204
- parallel, 141, 142, 148, 156, 223
- parameter, 35, 36, 38, 40, 45, 46, 48, 75, 76, 79, 85, 88, 95, 161, 171, 173, 246, 247, 251, 252
- parameterization, 62
- parametric, 15, 31, 47, 60, 61, 67, 106, 110, 119
- parametric motion, 60, 61, 67
- Parseval’s theorem, 23, 90
- partial derivative, 3, 7, 8, 11
- partial least squares, 254, 255
- patch, 32, 88–91, 107, 108, 112, 115, 116, 118, 135, 136, 186, 195–197, 201–203
- patch-based, 68
- pattern, 21, 141–145, 158, 261
- peak, 135
- penalize, 7–9, 24, 87, 104, 119, 141
- per-pixel, 37, 164, 168, 210, 212
- periodic, 113, 210
- periphery, 60
- permute, 144, 228
- person detection, 244
- perspective, 44, 51, 53, 148
- phase, 20, 25
- photo, 141, 142, 144, 145, 148, 149, 155, 158, 159
- photograph, 31, 75, 76, 95, 100, 141, 142, 159, 161, 164, 207, 222
- photon, 260, 262, 269, 272–276
- physical, 101, 102, 106, 179
- piecewise, 8
- piecewise linear, 46, 50
- pinhole, 79, 81, 109, 277
- pipeline, 125, 134
- pitch, 32, 79
- pixel, 57–61, 68, 69
- planar, 32, 33, 44, 51, 55, 107–111, 126, 141, 142, 148, 153, 155, 161, 164, 165

- Plancherel's theorem, 11
- PLS, 254, 255
- point source, 102, 265, 266
- point spread function, 1, 2, 4, 5, 7, 12–21, 23–25, 31, 37, 40, 41, 44, 45, 57, 61–71, 73, 77, 82, 84, 85, 88, 94, 101–103, 105–118, 120, 123, 125, 127, 131, 135, 137–139, 141–146, 148, 150–157, 159, 161–168, 171, 176–181, 192, 194, 195, 197, 209, 223–236, 238, 239, 241–244, 258, 261, 264, 266, 267, 274
- point trace, 110, 111
- point-and-shoot, 32, 54, 207
- Poisson, 7, 22, 166, 169, 173, 275, 276
- Poisson statistics, 63
- polar, 150
- polarization, 211
- polygon, 101, 152
- polynomial, 188
- pose, 75, 80, 253–256
- position, 76, 77, 79, 102, 108–112, 116, 117
- positivity, 103
- power spectrum, 5, 233–235, 243, 244
- predicted, 16, 19, 167, 168
- primal, 223
- primary, 57, 59–61, 63–65, 71
- principal component analysis, 68, 69
- principal point, 80, 81
- prior, 1, 2, 6–12, 16, 22, 31, 34, 35, 37, 40, 41, 48, 49, 51, 63, 72, 103–105, 107, 113, 119, 147, 159, 170, 210, 214, 222, 231, 236, 237, 258, 270–272, 274, 278
- probability, 2, 7, 14–16, 26, 34, 103, 166, 169, 170, 271
- probe, 247, 248, 251, 254, 255
- processing, 73
- programmable pixel compressive camera, 210–212, 217
- project, 82, 109, 110, 126, 127, 230, 233
- projective, 79, 80, 83, 109, 115, 126, 144, 161–165, 168–176, 178–181, 185, 230, 233, 234, 266
- prototype, 60, 61, 64, 211, 217
- pseudo, 135, 142, 147
- PSF, 57, 61–71, 73, 123, 125, 127, 131, 135, 137, 139, 141–146, 148, 150–157, 159
- PSNR, 118
- PTLens software, 81
- pulse, 142, 156
- pursuit, 20
- pyramid, 15, 20, 23, 66, 104, 189
- quadrant, 154
- quadratic, 8, 9, 11, 13, 14, 16, 23, 90, 92, 94, 107
- quality, 57, 73
- quality metric, 271, 272, 274, 278
- quantize, 2, 171
- quantum efficiency, 208, 259, 273, 274
- radial distortion, 81
- radiance, 62, 188
- Radon, 233, 235
- RAID 0, 134
- random, 102, 146, 212, 213, 228, 229, 233
- range, 36, 48, 52, 130, 131
- RANSAC, 107, 126
- ratio-based, 143
- read noise, 259, 262, 263, 269, 272–276, 278
- recognition, 222, 223, 242, 244, 246–248, 251–255
- reconstruction, 85, 90, 132, 143, 147, 150, 168, 181, 208, 210, 215–218, 270, 278
- recovery, 16, 17, 20, 124
- rectangle, 63
- rectification, 148
- recursive, 2
- redundant, 96, 142, 214
- reference, 195, 197
- refinement, 7, 15, 20, 23–25, 66, 69
- reflector, 61
- registration, 188, 189, 197, 254, 255
- regularization, 1–6, 8, 18, 20, 21, 24, 51, 72, 85–87, 91, 92, 94, 105–107, 161–163, 170–176, 178, 179, 186, 191, 199, 207, 209, 214, 215, 222, 237
- relative, 125, 141, 161, 165, 180, 189, 193
- rendering, 222
- representation, 67–69, 102, 161, 165, 166, 179, 180
- reprojected, 129–132
- resample, 127
- resampling, 33, 34
- residual, 167–170, 201, 203
- resizing, 114
- resolution, 15, 20, 36, 57–61, 63–66, 70, 71, 94, 96, 106, 113, 123–126, 128–135, 137–139, 141, 142, 145, 150, 151, 158, 159, 173, 207–212, 215, 233
- response, 94, 95, 142, 144–146, 185, 187, 191
- restoration, 19, 20, 24, 25, 52, 53, 75, 141, 185, 186, 201, 246, 248
- reverse, 161, 168
- Richardson–Lucy, 1, 2, 6, 7, 12, 13, 63, 77, 107, 125, 127, 132, 143, 147, 148, 161–163, 165–169, 171–176, 178–180, 185, 236
- ridge, 62
- rig, 59, 60, 123
- rigid, 38, 39, 59, 61, 67, 106
- ringing, 1, 2, 7, 12, 18, 46, 52, 113, 115, 118, 120, 132, 163
- RMS, 162, 171–174, 176, 177
- RMSE, 157
- robust, 7, 9, 12, 20, 22, 105, 107, 126, 138, 207, 222, 239, 240, 251, 252
- robustness, 72, 73
- ROC, 224, 239, 240
- roll, 44, 79, 115, 116, 120, 136, 210

- root, 171
- rotation, 25, 32–35, 38–40, 42–46, 52, 53, 61, 67, 75–82, 85, 94, 97, 102, 106, 107, 110, 111, 115, 148, 150, 155, 161, 164–166, 171, 173, 175–178, 180, 185, 192–194, 197, 201, 218, 223
- rotational, 70
- rotational drift, 40
- sample, 10, 36, 40–42, 44, 50–53, 83, 95, 112, 117, 118, 126, 127, 129, 153, 158, 165, 176–178, 180, 187, 194, 224
- saturation, 162, 180, 184, 185, 187, 188, 190, 198, 201, 202, 222
- scalar, 85
- scale, 43, 73, 123, 184, 232, 234
- scan, 101, 136, 144, 148, 261
- scene, 40, 41, 43, 75–80, 97, 102, 105–110, 113, 119, 123, 124, 128–138, 141, 142, 145, 161–163, 165, 179, 180, 184–187, 189–192, 194, 199, 203, 204, 208, 231, 244, 259
- search, 40, 41, 145, 146, 153, 154, 228–230, 242, 269
- second-order, 85
- secondary, 57, 59–61, 64, 65, 70, 71, 73
- segment, 31, 32, 68, 161, 164, 180
- segmentation, 70, 71
- semi-blind, 100
- semi-definite, 167
- sensing, 141
- sensitivity, 144, 162, 252, 253
- sensor, 32, 40, 42, 43, 45, 47, 55, 60, 72, 73, 75, 77–81, 107, 123–125, 130, 132–135, 137, 138, 141, 142, 150, 159, 165, 173, 176, 184, 207–211, 258, 259, 265, 268, 269, 273, 274, 277, 278
- sequence, 57, 61, 64, 65, 67, 70, 71
- set, 246–251, 255, 256, 258, 259, 261, 268, 273, 274
- setup, 212, 217
- shake, 75, 86, 88, 91, 93, 94, 97
- shape, 70, 101, 103, 104, 109, 167, 175, 225
- sharp, 16, 17, 23, 75–77, 80, 82–85, 88, 90, 91, 94, 97, 100, 103, 104, 106, 107, 112, 115, 117, 118, 141–143, 146, 147, 149, 156, 158, 159, 163, 164, 178, 208–210, 216, 218, 222, 223, 225, 227, 239, 246–249, 251, 253–255
- sharp image, 67, 70, 72
- shift, 247, 249–253
- shift invariance, 70
- shift invariant, 1, 12, 61, 62, 64, 67, 123, 137, 223, 265, 276
- shock filter, 19–22, 84
- short-exposure, 259, 262, 264, 269, 273, 274
- shot noise, 226
- shrinkage, 10
- shutter, 75, 77, 80, 86, 93, 109, 115, 141–143, 148, 156, 157, 223–226, 228–232, 236, 239–244
- SIFT, 126
- signal dependent, 260, 263
- signal independent, 260, 263
- signal-to-noise, 58
- signal-to-noise ratio, 5, 123, 134, 184, 259, 262–264, 266, 269, 270, 272, 274–278
- similarity metric, 271, 272
- simulated annealing, 104
- simulation, 70, 71
- sinc, 143, 146, 225
- single pixel camera, 210
- single-image deconvolution, 51, 52
- singular value, 144, 146
- slice, 144, 267
- SLR, 42, 43, 123, 124, 141, 156
- smartphone, 37, 100, 106, 107, 111–120
- smear, 143, 144, 150, 156, 157
- smooth, 3, 9, 20, 35, 85, 88, 145, 151–154, 172, 173
- smoothness, 62, 72
- solution space, 13
- space–time, 265, 266
- space-invariant, 31, 33, 36, 37, 41, 44, 75, 76, 81–84, 87, 88, 90, 96, 97, 101, 102, 105, 112, 114, 115, 118, 119, 161, 164, 165, 171, 175–177, 185, 186, 196, 208, 210, 260, 261, 264
- space-variant, 16, 25, 31, 32, 35–38, 40, 41, 43–45, 48, 54, 55, 75, 76, 79, 83, 85, 87–92, 94, 96, 97, 102, 110, 112, 115, 116, 118–120, 161, 162, 164, 168, 171, 177, 180, 185, 186, 197, 203, 207
- span, 144, 150, 155
- sparse, 1, 3, 14, 16, 20, 23–25, 34, 35, 43, 48, 82–85, 91, 94, 103, 104, 107, 113, 163, 195, 210–212, 214, 237, 254, 255
- spatial, 57–59, 61, 68, 70
- spatial frequency, 142, 143, 145, 146, 149, 158, 159, 223–225, 227, 229, 231, 244, 267
- spatial resolution, 57–59
- spatially-varying, 67–69
- spatio-temporal, 59, 209–212, 214, 215, 217
- spectrum, 55, 233, 235, 241, 243, 260, 268, 277
- specularity, 218
- speed, 62, 86, 87, 91, 93, 128, 130–133, 138, 141, 153, 264–267, 274
- spline, 62
- split, 60, 62
- spread spectrum, 142
- stability, 5, 15, 32, 69, 100, 141
- stable, 66
- standard deviation, 40, 118, 254, 259
- static, 60, 76, 79, 97, 129, 131, 135, 141, 145, 147, 148, 150, 151, 161, 165, 184, 188, 192–194, 203

- stationary, 40, 43, 70, 147
- stereo, 57, 124
- stitch, 46, 54
- storage, 67
- stream, 123, 133, 134
- stroboscopic motion, 32
- structure, 4–6, 9, 13, 21, 22, 24, 25, 94, 96, 270, 272
- structure from motion, 42, 43
- sub-pixel, 82, 83, 212, 215
- sub-problems, 84, 92
- subject, 207, 211, 222–224, 226, 228, 231, 233, 241, 246, 247, 250, 253, 254
- subsampling, 211, 213
- subset, 62
- subspace, 248
- super-resolution, 31, 106, 125, 128–130, 138, 139, 150, 209, 216
- support, 24, 25
- SVM, 246, 247, 251–253
- switching, 69
- symmetrical, 103
- synchronize, 60, 61, 124, 133, 134
- synthetic, 36, 51–53, 135, 136, 138, 152, 169, 171, 173, 176, 179
- target, 60
- template, 223, 236, 243, 244
- temporal, 41, 48, 50, 52, 54, 81, 142–144, 208, 210, 211, 214, 215, 261, 266, 268
- temporal resolution, 58, 59
- terrestrial, 101
- tessellation, 62, 63, 127
- text, 131, 132, 135–137
- texture, 21, 25, 94, 107, 135, 210, 216, 222, 223, 225, 231, 236, 240, 243
- textureless, 88
- thermal noise, 208
- threshold, 19–24, 36, 84, 85, 154
- throughput, 210
- Tikhonov, 3–6
- timestamp, 116
- Toeplitz, 102, 261, 264
- tone-map, 134–136, 188–191, 199–201
- total variation, 8–10, 21, 135, 163, 173–176, 184, 186, 199, 270–272
- trace, 109, 110, 157, 234, 262, 263
- tracking, 31, 32, 37, 43, 70, 123, 278
- traditional, 141, 144, 147, 148, 151–159
- training, 248, 251–253, 256
- trajectory, 81, 101, 126, 161, 170, 223, 258, 264, 265, 274
- transform, 2, 95, 143–145, 148, 150, 161, 165, 166, 168, 171, 178, 186, 192–199, 203, 209–211, 214
- transition, 153, 154, 156, 198
- translation, 33–35, 38–40, 42–44, 49, 50, 53, 60, 61, 77–79, 82, 95, 106, 107, 110, 111, 165, 176, 185, 193, 194, 197, 241, 244
- translational, 62, 72
- transparency, 4, 5, 14, 16, 17, 19–23, 237
- transparent, 156
- transpose, 25
- trapezoidal, 144
- trigger, 42, 43
- trimmed, 112
- tripod, 64, 65, 124, 133, 175, 184, 199
- Tukey window, 198
- turbulence, 101
- un-blurred, 1, 2, 5, 17, 161
- unconstrained, 76, 254, 255
- uncorrelated, 105
- under-determined, 208, 211, 214
- underexposed, 106, 108, 109
- uniform, 1, 12, 16, 25, 26, 36, 76, 81, 86, 89, 93–95, 142, 148, 161, 162, 164, 171, 178, 179
- uniformly, 65
- uniformly distributed, 65
- universal quality index, 270, 272
- unknown, 71
- unstable, 101
- update, 10–12, 17, 23, 48, 66, 69, 90, 104, 167, 168, 170
- update rules, 69
- upper triangular, 110
- upsample, 66, 96, 125, 129–132, 150, 151, 215, 217
- user assisted, 72
- vanishing, 148
- van Cittert, 6
- variable, 71
- variable splitting, 9
- variance, 7, 16, 103–105, 116, 135, 143, 144, 146, 157, 169, 173, 174, 188, 229, 235, 262, 268, 269, 278
- variational, 16, 104, 163, 171, 175, 180, 181
- velocity, 37–40, 43, 46, 51, 226, 231, 232, 234, 236, 242–244
- video, 51, 207, 208, 212, 214
- view-dependent, 33
- vignetting, 149, 156
- visual, 2, 7, 11–13, 26, 27, 44, 57, 172, 173, 176, 179, 217, 272
- Voronoi, 62, 63, 127
- voxel, 36, 211, 213
- Walsh–Hadamard, 145
- warp, 33, 66, 125, 126, 129–132, 138, 148, 181, 193, 194, 199
- wavelength, 60
- wavelet basis, 210
- weight, 3, 4, 10, 13, 18, 25, 49, 66, 68, 75, 81–83, 87, 88, 97, 102, 127, 154, 155, 171–173, 188–190, 193, 194, 197, 198, 229, 230, 249

wide-angle lenses, 115	yaw, 79
Wiener, 1, 2, 5, 6, 12, 112, 113, 115, 163	zero mean, 135, 173, 262
wiener filter, 63	zero-padding, 88, 145
window, 21, 69, 102, 109, 110, 117, 181	zoom, 60, 73, 82, 86, 162, 178, 201–203, 218
X-ray, 142	