

Index

- accessory feature, 126, 127, 188; *see also* secondary behaviour
- acoustic neuroma, 188, 201
- acoustic reflex test, 139, 188
- adduction, 194
- aetiology, 1, 4, 10, 15, 27, 28, 72, 73, 89, 111, 113, 126, 188, 194, 196
- agnosia, 2, 32, 33, 166, 188
- agrammatism, 176, 188, 199
- alogia, 198; *see also* poverty of speech
- Alzheimer's disease, 6, 93, 178, 188, 191, 193, 195, 199; *see also* dementia
- amplification, 81, 150, 151, 153
- amyotrophic lateral sclerosis, 79, 188, 196; *see also* motor neurone disease
- anomia, 177, 188
- Apert's syndrome, 188, 191
- aphasia
- acquired, 32
 - agrammatic, 88, 188
 - anomic, 102, 188
 - Broca's, 89, 99, 189
 - conduction, 189
 - crossed, 89, 191
 - fluent, 88, 89, 94, 96, 188, 195
 - global, 100, 189
 - jargon, 88, 101
 - non-fluent, 88, 89, 188, 189
 - transcortical motor, 189
 - transcortical sensory, 103, 189
 - Wernicke's, 96, 97, 100, 188
- apraxia of speech, 2, 72, 75, 76, 85, 86, 129, 189, 192
- articulation, 5, 8, 10, 11, 12, 14, 16, 19, 21, 49, 78, 80, 81, 130, 142, 147, 148, 152, 153, 158, 159, 171, 172, 185, 192, 199, 202
- articulatory groping, 15, 189
- artificial larynx, 111, 121, 189
- Asperger's syndrome, 50, 189; *see also* autism spectrum disorder
- attention deficit hyperactivity disorder (ADHD), 58, 61, 62, 69, 189
- audiology, 189
- auditory brainstem response, 138, 153, 154, 186, 188, 189
- augmentative and alternative communication (AAC), 83, 189
- aural atresia, 146, 189
- autism spectrum disorder (ASD), 2, 5, 8, 23, 25, 28, 29, 30, 42, 50, 51, 52, 53, 165, 189, 192, 195, 198, 201, 202; *see also* pervasive developmental disorder
- backing, 16, 36
- benign rolandic epilepsy, 189
- bifid uvula, 144
- bipolar disorder, 58, 60, 61, 68, 173, 189, 199
- birth anoxia, 10, 189
- bradykinesia, 190
- brain tumour, 6, 12, 72, 88, 198
- branchio-oto-renal syndrome, 143, 144, 184, 190
- Broca's area, 9
- cancer/carcinoma
- larynx, 115, 116, 121, 195
 - tongue, 72, 73, 77, 194
- capillary ectasias, 113, 201, 202; *see also* varices
- central auditory processing disorder, 138, 190
- cerebellum, 13, 131, 198
- cerebral palsy, 3, 10, 13, 189, 190, 194, 195, 196, 203
- cerebrovascular accident (CVA), 7, 72, 76, 81, 85, 88, 97, 101, 125, 136, 190, 200; *see also* stroke
- childhood apraxia of speech, 20, 189; *see also* developmental verbal dyspraxia
- cholesteatoma, 137, 139, 190, 197
- circumlocution, 46, 63, 102, 163, 176, 190, 203
- cleft lip and palate, 5, 8, 9, 10, 11, 12, 17, 136, 137, 143, 145, 147, 157, 181, 184, 190, 193, 194, 197, 198, 201, 202
- cluttering, 125, 129, 130, 134, 190
- cochlear aplasia, 190
- cochlear implant(ation), 140, 141, 144, 152, 153, 154, 184, 186, 190
- cognition, 66, 200
- cognitive-communication disorder, 92, 190
- cohesion, 8, 55, 64, 106, 168
- compensation, 73
- comprehension, 1, 4, 6, 25, 27, 59, 70, 88, 89, 96, 97, 103, 110, 145, 176, 188, 199, 200
- conduct disorder, 58, 62, 190, 197
- contact ulcer, 119, 191; *see also* granuloma
- conversion aphonia, 111, 113, 114, 191
- corpus callosum, 45, 131
- coughing, 119, 120, 191
- craniofacial syndrome, 189, 191, 201
- Creutzfeldt-Jakob disease (CJD), 191; *see also* dementia

Index

- cricothyroid approximation, 117, 191, 198
 cri du chat syndrome, 44, 191
 cytomegalovirus, 109, 153, 191
- delusion, 66, 199, 200
 dementia
 AIDS dementia complex, 88, 109, 188
 Alzheimer's, 88, 106
 frontal lobe, 107
 frontotemporal, 93, 193, 199, 200
 HIV, 93
 Lewy body, 93, 195, 199
 semantic, 93, 192, 193, 200
 demyelination, 196
 derailment, 60, 191, 193
 developmental period, 1, 10, 125
 developmental phonological disorder, 23, 24, 191
 developmental verbal dyspraxia, 10, 14, 15, 21, 189;
 see also childhood apraxia of speech
 diadochokinetic (DDK) rates, 15
 discourse
 deficit, 58, 60, 88
 egocentric, 51, 64, 88, 104, 164, 168
 impairment, 23, 92, 200
 production, 94, 106
 spoken, 64
 Down's syndrome, 4, 8, 10, 23, 28, 46, 48, 49, 141,
 192, 195
 dysarthria
 acquired, 72, 74, 75, 80
 ataxic, 75, 81, 200
 ataxic-hypokinetic-spastic, 83, 84
 developmental, 10, 12, 13, 14, 19, 196
 flaccid, 13, 74, 194
 hypokinetic, 81
 iatrogenic, 75
 mixed, 74, 81, 82
 spastic, 13, 194
 dysfluency, 128, 130, 192
 dysgraphia, 192
 dyslexia, 26, 27, 42, 93, 192
 dysphagia, 10, 72, 73, 83, 116, 192, 194, 198, 202,
 203
 dysphonia, 81, 111, 114, 118, 119, 120, 192, 193
- echolalia, 52, 54, 165, 192
 electroencephalography (EEG), 32, 56, 132, 151, 192
 electroglottography (EGG), 192
 electromyography (EMG), 192
 electropalatography (EPG), 12, 193
 embryological development, 136, 190, 191
 emotional and behavioural disorder, 58, 61, 193, 200
 epidemiology, 26, 126, 193
 executive dysfunction, 63, 88, 193
- fasciculation, 132, 193
 fat graft, 118, 180, 193
- festination, 83, 193
 FG syndrome, 45, 193
 fistula, 9, 11, 143, 197
 flight of ideas, 60, 61, 193, 196
 foetal alcohol syndrome, 8, 139, 193
 formal thought disorder, 191, 193
 fragile X syndrome, 23, 125, 129, 193
 functional communication, 194
- gastroesophageal reflux, 114, 145, 194, 195, 202;
 see also laryngopharyngeal reflux
 gender dysphoria, 194, 195; *see also* transsexual client
 gesture, 28, 46, 55, 82, 100, 101, 176, 201
 glomus jugulare tumour, 138, 194
 glossectomy, 72, 73, 77, 78, 194
 glossomania, 59, 194; *see also* schizophrenia
 Goldenhar's syndrome, 144, 146, 154, 194, 196
 granuloma, 113, 119, 194
 grommet, 11, 17
 group therapy, 90
- hallucination, 60, 199, 200; *see also* schizophrenia
 hearing loss
 conductive, 17, 45, 136, 138, 139, 144, 147, 148,
 184, 186, 188, 191, 194, 197, 198, 201
 sensorineural, 6, 136, 138, 139, 141, 144, 148, 149,
 150, 151, 154, 184, 190, 191, 196, 197, 199, 200
 hemianopia, 194
 hemiplegia, 194
 hyperadduction, 111, 194, 202
 hypernasality, 4, 16, 17, 81, 84, 144, 147, 148, 157,
 172, 184, 194, 199
 hypertonia, 194
 hyponasality, 194
 hypotonia, 16, 82, 157, 172, 191, 194, 199
- imagination, 29, 189
 intellectual disability, 23, 27, 28, 46, 47, 146, 188,
 191, 195, 198, 202; *see also* learning
 disability, mental retardation
 intelligence quotient (IQ), 26, 28, 195, 202
 intersex condition, 195
 intonation, 81, 82, 84, 123
 intubation, 111, 194
 iteration, 125, 192, 195, 201; *see also* stuttering
- Kabuki make-up syndrome, 16, 195
- Landau-Kleffner syndrome, 7, 23, 32, 33, 55, 56,
 156, 166, 188, 195, 196
- language
 acquisition, 154
 expressive, 1, 4, 6, 17, 39, 46, 52, 58, 65, 70, 107,
 132, 145, 147, 166, 199, 203
 receptive, 1, 6, 17, 32, 58, 102, 132, 145, 147, 176
 laryngectomy, 111, 115, 116, 121, 122, 195, 197, 202
 laryngitis, 111, 119, 120, 195

INDEX

- laryngopharyngeal reflux, 119, 120, 180, 195
 laryngoscopy, 9, 195
 larynx, 111, 112, 115, 121, 181, 191, 195, 198, 199, 203
 learning disability, 140, 146, 191, 192, 193, 195, 201;
 see also intellectual disability, mental retardation
- macroglossia, 195
 magnetic resonance imaging (MRI), 131, 132, 188, 195
 Makaton, 28
 mandible, 8, 10, 72, 196, 198, 201
 mandibulectomy, 73, 196
 mania, 60, 61, 64, 196, 199
 mean length of utterance (MLU), 52, 66
 memory, 27, 65, 191, 195
 Ménière's disease, 139, 196, 199, 201
 meningitis, 6, 72, 136, 149, 150, 151, 196, 200
 mental retardation, 146, 191, 193, 194, 195, 196, 200, 203; *see also* intellectual disability, learning disability
 microtia, 145, 146, 154, 184, 186, 194, 196
 Möbius syndrome, 6, 13, 196
 morphosyntax, 23
 motor neurone disease (MND), 72, 73, 75, 193, 196
 multiple sclerosis (MS), 5, 72, 73, 74, 75, 79, 131, 196, 200
 multiple subpial transection, 196
 muscle tension dysphonia, 114, 120, 180, 196, 200
 muscular dystrophy, 10, 196
 mutism, 23, 93, 196, 198, 199
 myelin, 196
 myringotomy, 136, 150, 185, 196
- narrative, 31, 39, 40, 54, 55, 61, 64, 88, 91, 92, 162, 165, 167, 168
 nasal
 polyp, 9, 194, 197
 reflux/regurgitation, 197
 nasendoscopy, 119, 121, 197
 nasometry, 148, 197
 neologism, 42, 43, 88, 96, 195, 197
 nervous system
 central, 12, 191, 192, 193, 198
 peripheral, 192
 neurodegenerative disease, 72, 131, 188, 191, 196, 198
 neurology, 1, 5, 8, 133, 200
 noise-induced hearing loss, 140, 197, 201
- oesophageal voice, 111, 115, 116, 121, 197, 202;
 see also laryngectomy
 oesophagus, 115, 195, 197, 202
 oppositional defiant disorder, 197
 oral
 candidiasis, 197
 cavity, 72, 189, 197
 ossicular reconstruction, 197
- otitis media, 11, 16, 45, 136, 137, 144, 147, 184, 185, 191, 196, 197
 otoacoustic emissions testing, 139, 197
 otolaryngologist, 111, 115, 136, 137, 150, 151, 185, 196, 197
 otosclerosis, 136, 137, 139, 191, 198, 200
- palate
 artificial, 193
 hard, 10, 17, 144, 190
 repair, 9, 11, 12, 17, 147
 soft, 10, 17, 144, 147, 172, 180, 184, 190, 195, 203
 palilalia, 54, 83, 165, 198
 papillomatosis, 198
 paralysis, 76, 79, 194
 paresis, 4
 parkinsonian facies, 133, 198
 Parkinson's disease (PD), 5, 73, 74, 75, 81, 83, 190, 193, 195, 198
 perception, 13, 66, 77, 117, 123, 152, 153, 197, 199, 200
 perseveration, 63, 65, 125, 131, 192, 198, 199, 201
 pervasive developmental disorder, 56, 166, 189, 198;
 see also autism spectrum disorder
 phenylketonuria, 198
 phonation, 14, 80, 111, 113, 118, 119, 120, 123, 172, 173, 180, 192, 199, 200
 phonemic paraphasia, 56, 95, 100, 198, 199
 phonetics, 1
 phonology, 1, 3, 5, 6, 8, 35, 47
 phonosurgery, 117, 118, 198
 Pierre Robin syndrome, 8, 10, 12, 198
 pitch, 81, 119, 122, 123, 132, 180, 181, 191, 198, 200
 posterior fossa tumour, 196, 198
 poverty of content of speech, 58, 69, 193, 198
 poverty of speech, 58, 61, 65, 69, 169, 198, 200;
 see also alogia
 Prader-Willi syndrome, 194, 198
 pragmatic language impairment, 23, 199
 pragmatics, 1, 5, 7, 23, 58, 166, 199, 200
 preauricular pits and tags, 143, 199
 presbycusis, 138, 199, 201
 presbylarynx, 199, 202
 pressured speech, 58, 61, 193, 199
 primary progressive aphasia, 107, 199; *see also* dementia
 prognosis, 33, 199
 progressive non-fluent aphasia, 93, 193, 199; *see also* dementia
 progressive supranuclear palsy, 193, 198, 199; *see also* Parkinson's disease
 prosody, 59, 74, 80, 89, 92, 152, 153, 172, 192
 protraction, 125, 199; *see also* stuttering
 psychiatry, 1, 8, 133
 psychology, 1
 psychosis, 199
 puberphonia, 111, 199
 pure tone audiometry, 138, 147, 199

Index

- reading, 26, 27, 42, 43, 44, 62, 97, 132, 140, 192, 194
- recruitment, 139, 199
- Reinke's oedema, 113, 199
- resonance, 81, 123, 147, 153, 186, 194, 197
- resonation, 14, 80, 153, 172, 192
- respiration, 13, 14, 80, 115, 119, 172, 173, 192, 198, 201
- Rett's syndrome, 166, 189; *see also* autism spectrum disorder
- right-hemisphere language disorder, 88, 91, 104, 200
- rubella, 10, 14, 148, 196
- scanning speech, 81, 200
- schizophrenia, 5, 7, 9, 58, 59, 60, 61, 63, 64, 65, 66, 191, 193, 197, 198, 199, 200, 201
- secondary behaviour, 125, 182, 188; *see also* accessory feature
- selective mutism, 58, 62, 188, 200
- semantic paraphasia, 95, 96, 100, 102, 165, 176, 200
- semantic-pragmatic disorder, 199
- semantics, 1, 5, 7, 23, 25, 30, 58, 156, 166, 178
- single photon emission computed tomography (SPECT), 133, 200
- social communication, 200
- socialization, 29, 127, 166, 189
- spasmodic dysphonia, 113, 180, 196, 200
- spasticity, 79, 81
- specific language impairment (SLI), 5, 8, 9, 23, 25, 26, 35, 36, 38, 39, 40, 41, 161, 200
- speech production, 6, 9, 10, 11, 12, 13, 14, 72, 73, 74, 76, 84, 132, 189, 202
- speech and language therapist, 3, 5, 6, 7, 10, 15, 28, 58, 73, 90, 102, 111, 114, 116, 117, 121, 127, 136
- speech and language therapy, 6, 7, 65, 116, 121, 150, 151
- speech-language pathologist, 32, 41, 52, 133, 143, 191, 194, 200
- stammering, 125, 201; *see also* stuttering
- stapedectomy, 198, 200
- stenosis, 143, 147, 184, 200
- stoma, 115, 116, 202
- stress, 28, 81, 82, 84, 125, 153, 173, 186
- stridor, 198, 200
- stroboscopy, 118, 119, 201
- stroke, 12, 72, 73, 76, 88, 91, 96, 101, 103, 190, 192, 194, 201, 202; *see also* cerebrovascular accident
- stuttering; *see also* stammering
 - acquired, 128, 201
 - covert, 191
 - developmental, 125, 126, 127, 128, 129, 131, 133, 182, 195, 199, 201
 - neurogenic, 125, 128, 129, 131, 132, 201
 - psychogenic, 125, 132, 133, 201
- substantia nigra, 198; *see also* Parkinson's disease
- sulcus vocalis, 113, 179, 193, 201, 202
- surgical voice reconstruction, 111, 115, 201
- swallowing, 10, 72, 73, 192, 196, 202, 203
- syntax, 1, 3, 4, 5, 6, 7, 8, 23, 42, 58, 93, 109, 110, 156, 166, 178
- theory of mind (ToM), 29, 30, 50, 51, 91, 92, 164, 201
- thought disorder, 9, 59, 60, 200; *see also* schizophrenia
- tinnitus, 140, 188, 194, 196, 201
- Tourette's syndrome, 129, 201
- tracheotomy, 201, 202
- transsexual client, 5, 116, 117, 122, 191; *see also* gender dysphoria
- traumatic brain injury, 4, 6, 8, 10, 23, 31, 32, 54, 72, 74, 88, 92, 93, 105, 128, 190, 193, 194, 196, 201
- Treacher Collins syndrome, 8, 10, 136, 189, 191, 201
- triad of impairments, 29, 189; *see also* autism spectrum disorder
- Turner's syndrome, 195, 201
- tympanometry, 138, 201
- varices, 201, 202; *see also* capillary ectasias
- velocardiofacial syndrome, 202
- velopharyngeal
 - closure, 84
 - incompetence, 74, 184, 194, 197, 202
 - port, 184, 197, 202
- videofluoroscopy, 78, 202
- visual field, 194
- vocabulary, 52, 168, 176
- vocal
 - abuse and misuse, 111, 114, 118, 119, 123, 180, 202
 - cyst, 113, 202
 - nodule, 111, 113, 198, 202
 - polyp, 9, 113, 198, 202
 - tract, 123
- vocal fold
 - bowing, 112, 202
 - haemorrhage, 111, 113, 202
 - paralysis and paresis, 111, 112, 113, 189, 193, 198, 202
- voice
 - prosthesis, 121, 202
 - therapy, 117, 122, 123, 124, 180, 194
- voice disorder
 - functional, 111, 119, 120, 180, 194
 - organic, 111, 112, 113, 117, 118, 180, 197
- weak central coherence, 202
- Williams syndrome, 23, 202
- Wilson's disease, 83, 84, 173, 202
- Wolf-Hirschhorn syndrome, 146, 147, 203
- word-finding difficulty, 165, 168, 176, 177, 178, 203
- Worster-Drought syndrome, 203; *see also* cerebral palsy
- writing, 97, 132, 133