CAMBRIDGE

Cambridge University Press & Assessment
978-1-107-05579-7 — Quaternary Environmental Change in Southern Africa
Edited by Jasper Knight , Stefan W. Grab
Index
More Information

Index

/Xam Bushmen, 392

Acheulean, 106, 349, 357, 362
Aeolian sand, 146
Aeolianite, 92, 209, 227
African Humid Period, 275
African Superswell, 32, 88
African Surfaces, 10, 26, 33, 35–36, 414
Afromontane forest, 313
Agropastoralism, 407
Agulhas Bank, 91, 94, 203, 225
Agulhas Current, 205
Albany thicket, 94
Alexandria dunefield, 206, 211
Algoa Bay, 25, 206
Alluvial fans, 38
Anabranching rivers, 173
Anthropocene, 339, 416, 424
Anthropological turn, 399
Ardipithecus, 49, 51
Aridity, 9
Australopithecus, 49–50, 52, 58, 74
Australopithecus sediba, 106
Avulsion, 175, 177
Awash Valley, 68

Barberton Supergroup, 20
Barrier dunes, 92, 213
Bauxite, 245
Beachrock, 207, 211, 227
Benguela Current, 204–205, 337
Benguela Upwelling Zone, 333–334
Biogeographic patterns, 289
Biomes, 270, 279, 286, 308
Black wildebeest, 285, 292
Blesbok, 291
Blockstreams, 130
Blombos Cave, 211, 376, 379
Blood Reef, 208
Blue wildebeest, 295
Bokoni, 401–402
Bond's springbok, 297, 299
Boomplaas Cave, 392
Border Cave, 77, 107, 379, 385
Bovids, 380
Braamhoek, 197, 311, 333–334
Breede River, 95
Bushveld Complex, 22

C_3/C_4 grasslands, 95, 273, 335, 337
Calcrete, 102, 111, 225, 242
Canteen Kopje, 355, 359, 362
Cape Fold Belt, 12, 89, 124
Cape Supergroup, 24, 124
Carbonate cementation, 211
Carbonate rocks, 251
Catenas, 238
Cave of Hearths, 362
Cave systems, 251, 420
Cederberg, 275, 313
Cenotes, 252
Cenozoic, 1, 8, 30, 39
Charaman Industry, 363
Charcoal, 307, 314
Chemical weathering, 235
Cirques, 124
Clarens Formation, 124
Climate aridity, 155
Climate change, 412
Climate feedbacks, 31
Climate modelling, 129
Climate reconstruction, 317
Coastal dunes, 204
Coastal plain, 89, 93, 96, 203, 225
Coccoliths, 333, 338
Cognitive complexity, 379
Cold Air Cave, 109, 258, 262
Colluvial sediments, 104, 137, 141, 144
Congo basin, 39
Continental shelf, 91

© in this web service Cambridge University Press & Assessment www.cambridge.org

CAMBRIDGE

Cambridge University Press & Assessment
978-1-107-05579-7 — Quaternary Environmental Change in Southern Africa
Edited by Jasper Knight , Stefan W. Grab
Index
More Information

Cornelia, 360
Cornelian mammalian assemblage, 285, 289
Cornelia-Uitzoek, 295
Cosmogenic dating, 5, 35, 100, 415
Cradle of Humankind, 77, 350
Cretaceous, 26
Crevice Cave, 258
Cultural landscapes, 419

Dansgaard-Oeschger cycles, 4, 95
Dante Cave, 263
Davisian theory, 10
Dendroclimatology, 406
Denudation rates, 140
Diatoms, 228, 329–331, 336–337
Diepkloof Cave, 107, 313
Dongas, 180
Drakensberg Group, 25
Drakensberg Range, 103, 124, 129
Duinefontein, 106, 361
Dune cordons, 205
Dune dynamics, 156
Durban Bay, 227
Durban Bluff, 208, 210
Duricrusts, 242
Dwyka Group, 25, 122
Dynamic equilibrium, 192

Early Stone Age, 349
Eccentricity, 295
Ecological functioning, 198
Ecological resources, 389
Ecosystem dynamics, 269
El Niño, 416
Elands Bay Cave, 388
Elandsfontein, 69, 77, 286, 361
Electron spin resonance dating, 101
Environmental change, 174
Environmental determinism, 398, 405, 413
Environmental resources, 413
Epeirogenesis, 140
Epeirogenic uplift, 33
Equilibrium profile, 191
Erfkroon, 177
Estuaries, 219
Estuary evolution models, 229
Etosha pan, 38, 154
Eustasy, 220

Faunal analysis, 397
Fauresmith Industry, 362
Ferricrete, 242–243
Fire, 279, 360, 379
Flood frequency, 180
Floodplains, 189
Florisbad, 197, 295, 373
Florisian, 285, 289
Fluvial climate records, 172
Fluvial systems, 174
Foraminifera, 330, 333, 337
Forcing–response, 413
Fynbos, 94, 273, 286, 311, 313

Gariep belt, 31
Geoarchaeology, 420, 422
Geochronology, 99
Geological history, 5
Geomorphic models, 141
Geomorphological sensitivity, 182, 415
Glacial moraines, 125
Glacial–interglacial cycles, 96
Glacioisostasy, 90
Gladysvale, 258, 292, 358
Gold reefs, 21
Golden Gate, 145
Goldsmith's, 358
Gondwana, 23–24, 26
Gondwana breakup, 90
Great Escarpment, 2, 35, 122, 138
Great Zimbabwe, 110, 401
Gullying, 144, 147

Heinrich events, 4
Herders, 393, 400
Hex River Mountains, 131
Highveld, 285
Historical archaeology, 421
Holocene Altithermal, 312
Holocene climate change, 180, 196, 258, 275, 311, 399
Holocene sea-level change, 224, 230
Hominidae, 68
Hominin dispersal, 55
Hominin evolution, 47, 421
Homo, 59
Homo cranium, 74
Homo dentition, 74
Homo erectus, 68, 71
Homo ergaster, 358, 363
Homo habilis, 69, 71, 73, 357
Homo sapiens, 78
Howiesons Poort, 107, 313, 376–378, 380
Human behaviour, 418
Human evolution, 69, 96
Human impacts, 279
Hunter-gatherers, 393–394, 399
hxaro, 392, 400, 402

Ichnofossils, 211
Incised valleys, 222, 227
Intertidal zone, 207
Intertropical Convergence Zone, 236
IPCC, 4
Iron Age, 108, 312, 418
iSimangaliso World Heritage Site, 191

© in this web service Cambridge University Press & Assessment www.cambridge.org

CAMBRIDGE

Cambridge University Press & Assessment
978-1-107-05579-7 — Quaternary Environmental Change in Southern Africa
Edited by Jasper Knight , Stefan W. Grab
Index
More Information

K2-Mapungubwe state, 401
Kaapvaal Craton, 18, 20, 31
Kalahari, 176, 400
Kalahari Desert, 154, 162
Karoo Supergroup, 25, 122
Karst environments, 250
Kathu Pan, 362
Khoe-San, 375
Klasies River, 107, 373–374, 377
Klip River, 177, 192
Kosi Bay, 225, 228
Kosi Bay Formation, 212
Kraals, 109
Kromdraai, 355
Kruger National Park, 5, 103
KwaZulu-Natal, 405

Lagoons, 219
Lake Groenvlei, 229
Lake Ngami, 337
Lake Sibaya, 223, 228, 312
Lake St Lucia, 191, 221, 228
Lake Tritrivakely, 334
Land Mammal Ages, 288
Land surface denudation, 103, 414
Land surface instability, 414
Landscape disturbance, 417
Landscape evolution, 11, 30, 102, 138, 415
Landscape geomorphology, 414
Landscape resources, 423
Langebaan Lagoon, 221, 229, 361
Langebaanweg, 55
Large Igneous Provinces (LIPs), 32
Large low shear velocity provinces (LLSVPs), 32
Last Glacial Maximum, 125, 128, 161, 225, 273, 336
Later Stone Age, 78, 385
Laterite, 37
Leqooa Valley, 126
Lesotho Highlands, 128
Levallois, 376
Likoaeng, 399
Limpopo, 423
Linear dunes, 156
Lithic technology, 355
Little Ice Age, 147, 264, 405
Littlefoot, 106
Livestock domestication, 392
Longshore drift, 206
Lowstand deltas, 225
Luminescence dating, 100, 104, 157
Lunettes, 160

Macassa Bay, 228
Macrofossils, 306
Madagascar, 252
Mahwaqa, 307, 311, 316
Makapansgat, 47, 253, 405
Makgadikgadi pan, 38, 155, 162, 336
Malapa, 75
Mammal faunas, 285
Mantle swells, 32–33
Mapungubwe, 112, 400, 405
Maputo Bay, 228
Marathodi, 401
Marine basins, 39
Marine Isotope Stages, 338
Marine resources, 96
Maropeng, 358
Masotcheni Formation, 141, 146
Mass movement, 137
Maunder Minimum, 264
Medieval Warm Period, 177, 275, 404
Melikane, 400
Meltwater pulses, 227
Mfabeni, 273, 312
mfecane, 403, 405
Microfossils, 324, 338, 340
Micromorphology, 420
Middle Stone Age, 77, 143, 314, 363, 371, 423
Miocene, 308
Modder River, 176
Monsoon, 4
Mossel Bay, 210
Mount Enterprise, 126
Mozambique Channel, 312

Nahoon Point, 105, 211–212
n-alkanes, 1
Namib Desert, 103, 105, 154, 156
Natal Bight, 91
Neogene, 8, 47
Neoproterozoic, 23
Nguni, 401
Non-material landscape resources, 418
Non-materiality, 423

Oakleigh Farm, 404
Obliquity, 95
Ochre, 379
Okavango Delta, 38, 176, 191, 336
Oldowan, 349
Olduvai, 71
Olifants River, 181
Open-air sites, 350, 360
Orange River, 25, 39, 203
Orrorin, 50
Ostracods, 332
Oxygen isotopes, 2

Pakhuis Pass, 316
Pakhuis Tillites, 125
Palaeoanthropocene, 416
Palaeo-anthropology, 2, 412
Palaeobotanical record, 314
Palaeo-cliff-line, 209
Palaeoenvironmental change, 122, 132, 193

© in this web service Cambridge University Press & Assessment www.cambridge.org

CAMBRIDGE

Cambridge University Press & Assessment
978-1-107-05579-7 — Quaternary Environmental Change in Southern Africa
Edited by Jasper Knight , Stefan W. Grab
Index
More Information

Palaeoenvironmental proxies, 325
Palaeoenvironmental reconstruction, 306, 339–340
Palaeolandscapes, 95
Palaeosols, 145, 177, 235
Palimpsest, 415
Pans, 198
Paranthropus, 68, 75
Paranthropus robustus, 357
Pedogenesis, 235–236
Peneplain, 10
Penhill, 361
Perched estuaries, 207
Periglacial landforms, 121, 130
Phanerozoic, 24
Phytoliths, 325, 329–330, 337
Pinnacle Point, 95, 211, 372, 380
Pleistocene climate, 295, 310
Pliocene, 26, 291
Podocarpus, 310, 312
Pollen, 306, 329
Pondoland, 205, 210
Pongola Supergroup, 21
Port Durnford Formation, 212, 225
Precambrian, 18
Principal Component Analysis, 196

Quaternary, 1, 4, 132, 413, 424
Quaternary deposits, 211
Quaternary ecosystems, 94
Quaternary environmental change, 1, 4, 270
Quaternary glaciation, 121
Quaternary sea-level change, 90, 212, 224

Radiocarbon dating, 101, 110–111, 128, 144, 312
Radiolaria, 332
Rain-fed agriculture, 401
Rain-making, 419
Raised beach, 212
Reflective beaches, 207
Refugia, 96
Regolith, 141, 234
Renosterveld biome, 9, 94
Rhizoliths, 211
Rietputs, 358
Rift valleys, 35
Rifting, 26, 34
Ritual landscapes, 419
River runoff, 172
River terraces, 105, 170, 175
Robberg Industry, 386
Rock art, 394, 418
Rock hyrax middens, 109, 275, 313
Rocky coast, 204
Rose Cottage Cave, 107, 112

Sahelanthropus, 50
Saldanha Bay, 229
Sand dunes, 105, 154
Sand ramps, 165
Sandy beaches, 206
Saprolite, 237
Schroda, 404
Sea-level change, 209, 220, 222
Sea-level lowstands, 212, 222
Sea-level transgression, 225
Sediment accumulation rates, 194
Sediment yield, 36
Sehonhong shelter, 399
Sesquioxides, 237
Shashe-Limpopo Confluence Area, 401, 403
Shongweni, 404
Sibudu Cave, 110, 314, 380–381, 417, 420
Silcrete, 242–243, 379
Silver Leaves, 400
Skeleton Coast, 155
Slope instability, 140
Slopewash, 245
Snow accumulation, 129
Soil classification, 238
Soil piping, 147
Spatial modelling, 419
Speleothems, 102, 250
Sterkfontein, 47, 69, 106, 251, 253, 350
Still Bay, 108, 313, 375
Stone tool technology, 381
Summer rainfall zone, 270, 273, 398, 403
Sundays River, 104, 175
Sustainable development, 4
Swartkrans, 10, 69, 77, 350, 355

Table Mountain Group, 205, 270
Taphonomy, 307
Tectonic uplift, 8
Thúfur, 130–131
Tidal range, 206
Transhumance, 403
Transience, 421
Transvaal Supergroup, 22
Tsatsa-La-Mangaung Range, 126
Tsauchab River, 176
Tsodilo Hills, 243, 387, 399, 423
Tswaing, 307, 311
Tswaing climate record, 109, 178
Tswana, 401, 407
Turf-banked lobes, 130
Turkana, 49

Ungulate fauna, 286, 379
Uniformitarianism, 4
Uranium series dating, 102, 257

Vaal River, 105, 176, 360
Vadose zone, 207
Valley-bottom wetlands, 189
Verlorenvlei, 229

© in this web service Cambridge University Press & Assessment www.cambridge.org

CAMBRIDGE

Cambridge University Press & Assessment
978-1-107-05579-7 — Quaternary Environmental Change in Southern Africa
Edited by Jasper Knight , Stefan W. Grab
Index
More Information

Victoria West Industry, 359, 362
Volcanism, 8

Wave climate, 206
Wave energy, 206
Wave-cut platform, 212
Weathering, 37, 234–235
Weathering products, 414
Wetland evolution, 191
Wetlands, 188, 298
Wilderness Lakes, 95, 205
Wilton technocomplex, 389, 399
Wind processes, 156
Winter rainfall zone, 270, 274
Witpan, 159
Witwatersrand Supergroup, 19, 21
Wonderkrater, 109, 273, 307, 310, 314
Wonderwerk Cave, 106, 253, 359
Woodland ecosystems, 310

Younger Dryas, 227, 275

Zooarchaeology, 419
Zululand Basin, 26

© in this web service Cambridge University Press & Assessment www.cambridge.org