

Index

- $\mathbb{A}$, 127
- Abel sum, 81
- abelian group, 222
- absolute, 376, 377, 380
 - infinite, 244
 - truth, 202, 232
 - value, 59, 82
- absolutely convergent, 80
- absoluteness, 377, 380
- abstract nonsense, 182
- abundant number, 63
- acceleration, 95
- addition
 - cardinal, 151, 325
 - Cauchy class, 60
 - complex, 107
 - integer, 40
 - natural, 29
 - order type, 136
 - ordinal, 303, 305
 - polynomial, 127
 - $\mathbb{Q}[\sqrt{2}]$, 52
 - rational, 45
 - real, 56
- additive
 - identity, 30, 84
 - inverse, 41
- affine plane geometry, 231
- aleph, 153, 172, 326, 356
- algebraic
 - closure, 129
 - number, 127, 129, 131
- algebraically closed field, 129
- aliquot sequence, 64
- almost universal, 386
- alternating series, 80
- alternative algebra, 126
- amicable pair, 64
- analytic function, 112
- antichain, 363
- Anti-foundation Axiom, 270
- antilexicographic order, 138, 139
- antisymmetric relation, 37
- Archimedean field, 105
- argument, 113
- arithmetic, 76, 181, 412
 - consistency, 421
 - theory, 421
- arithmetization, 75, 392
- arrow paradox, 95, 167
- associative laws, 190
- associativity of addition
 - cardinal, 151
 - natural, 29
 - order type, 137
 - PA, 412
- associativity of multiplication
 - cardinal, 151
 - natural, 30
 - order type, 138
 - PA, 412
- atom, 15, 197, 250
- atomic formula, 204, 210
- Axiom
 - of Abstraction, 209, 240
 - of Choice, 12, 13, 20, 85, 151, 171, 173, 176, 179, 197, 209, 281, 335–337, 339, 340, 342, 343, 346, 347, 349, 350, 352, 354, 374, 383, 387, 388, 390, 400, 408, 418
 - of Choice (strong form), 335, 387
 - of Constructibility, 334, 386–390, 397, 401

Index	463
of Countable Choice, 337	Boolean algebra, 409
of Countable Dependent Choice, 338	Borel set, 358
of Definable Determinacy, 362	bound variable, 204, 205
of Determinacy, 261, 347, 348, 361	bounded
of Extensionality, 209, 236, 380, 417	above, 57
of Foundation, 267	sequence, 77
of Infinity, 289, 380, 417	Bunyakovsky conjecture, 17
of Pairing, 256, 266, 380, 417	Burali-Forti paradox, 148, 241, 285, 322
of Powers, 260, 261, 380, 401, 417	$\mathbb{C}$, 107
of Regularity, 267–270, 274, 290, 298, 301, 380, 417	calculus, 15, 75, 77, 88–90, 92, 94, 95, 100, 102, 168, 169
of Separation, 262	Cantor normal form, 312, 313, 316
of Symmetry (Freiling), 357	Cantor’s
of Unions, 259, 380, 417	paradox, 322
of Weak Extensionality, 235	ternary set, 358, 359
Schema of Replacement, 246, 263–266, 290, 295, 380, 381, 398, 401, 417	Theorem, 134, 153, 322, 353, 389
axiom schema, 179, 213, 263, 375	Cantor–Bendixson Theorem, 358
axiomatic method, 181, 232	Cantor–Bernstein Theorem, 11, 70, 71, 133, 319, 342
axioms of infinity, 334	cardinal number, 149–153, 319, 325
back-and-forth, 140	cardinality, 10, 325
Baire	cartesian product, 34, 273
Class, 147	categorical theory, 373
line, 362	category theory, 182
Banach–Tarski paradox, 343, 344, 346–348, 361	Cauchy
generalized, 345	complete, 77
barber paradox, 178	sequence, 59, 60, 77, 87, 88
Basel problem, 96	Cauchy–Riemann equations, 113
basis, 84	Cayley’s Theorem, 220
Bell number, 281	Cayley–Dickson
Benacerraf’s problem	algebra, 125
epistemological, 257	process, 125
identification, 257	ccc partially ordered set, 363
Bernoulli number, 25	Cèsaro
Bernstein decomposition, 358	mean, 80
Berry’s paradox, 243	summable, 80
best approximation, 66	chain, 350
betweenness, 229	Chaitin’s Theorem, 243
bi-interpretable, 381	character of cofinality, 328
bijection, 10	choice function, 335
bijective, 10	Church–Kleene ordinal, 309
	class, 7
	name, 422
	closed curve, 118
	codomain, 10

cofinal, 328	real number, 362
commutativity of addition	set, 384–387, 390
cardinal, 151	universe, 383, 386, 401
natural, 29	Constructivist, 200
PA, 413	continued fraction, 65
commutativity of multiplication	continuity, 82
cardinal, 151	continuous, 147
natural, 30	function, 81, 82, 146
PA, 413	nowhere differentiable function, 99
Compactness Theorem, 370, 371	ordinal function, 308
compatible, 363	continuum, 54
complete	Continuum Hypothesis, 20, 104, 144,
Cauchy, 77	171, 172, 176, 179, 326, 334,
Dedekind, 87, 88	353, 354, 356–358, 362, 374,
induction, 23, 292	400, 408
line, 359	contradiction, 191, 290
logically complete, 370	contrapositive, 12
negation, 370	convergent
normal form, 312, 314, 316	sequence, 77
ordered field, 57, 59, 60	series, 80
sequence (of forcing conditions), 406	countable, 41
theory, 356, 370	chain condition, 363
Completeness Theorem, 370	cover, 333
completion, 78	cubic equation, 108
complex	cumulative hierarchy, 254
analysis, 107, 108, 111	curve, 118
conjugation, 111	cut, 54
differentiable, 111	
dynamics, 123	Darboux integral, 92
integration, 118	De Morgan’s Laws, 190, 207
logarithm, 120	de Moivre’s formula, 113
number, 18, 107, 108, 111, 114	decidable sentence, 424
plane, 114	decimal representation, 61
composite, 275	Dedekind
computable number, 231	complete, 57
computable set, 216	cut, 54, 105
conditionally convergent, 80	finite, 12, 323
conformal	set, 55
equivalence, 115	deficient number, 63
mapping, 115	definable
congruent by finite decomposition, 345	number, 231
conjunction, 188	set, 231
connected set, 111	definite integral, 88, 90
conservative extension, 179	definiteness, 262
consistent, 4, 20, 215, 339, 424, 426	definition, 189, 195
constructible	degree

of a formula, 403	ensembles extraordinaires, 268
of a polynomial, 128	Entscheidungsproblem, 215
Δ_n -formula, 217	epsilon-delta, 90, 92
dense, 359, 363	epsilon number, 309
ordered set, 140	equality, 34, 233
derivative, 88, 90, 95	equipollence, 11, 319
derived set, 145, 357	of $[0, \infty)$ and $[0, 1)$, 69
descriptive set theory, 357	of $[0, 1]$ and $[0, 1)$, 69
detachment, 207	of $[0, 1) \times [0, 1)$ and $[0, 1)$, 71
determined set, 361	of all intervals, 68
diagonal	of $\mathbb{N}$ and $\mathbb{A}$, 131
function, 423	of $\mathbb{N}$ and $\mathbb{Q}$, 47
proof, 73, 242	of $\mathbb{N}$ and $\mathbb{Z}$, 41
diagonalization, 73, 392, 420, 423	of $\mathbb{N}$ and $\mathbb{Z} \times \mathbb{Z}$, 42
dichotomy paradox, 164	of $\mathbb{N}$ and $\mathbb{Z}^n$, 42
differentiation, 88, 90, 94, 95	of $\mathbb{R}$ and $(-1, 1)$, 68
dimension, 84, 85	of $\mathbb{R}$ and $P(\mathbb{N})$, 133
Diophantine set, 216	of $\mathbb{R}$ and $\mathbb{R}^n$, 71
direct unity, 110	equivalence, 188, 208
directed	class, 35
graph, 270	relation, 34–36
set, 308	essential singularity, 116
discontinuity, 82	Euclid’s proof (infinitely many primes), 26
disjoint, 35	Euclid–Mullin sequence, 26
disjunction, 187, 255	Euclidean geometry, 102, 200, 225, 229, 230, 356
disprovable sentence, 422	Euler–Mascheroni constant, 129
distributive laws, 191	Euler’s
distributivity	formula, 112
natural, 30	number, 87, 93
PA, 412	eventually
divergent	null sequence, 127
sequence, 77	periodic representation, 63
series, 80	positive sequence, 60
divisible group, 222	everywhere discontinuous integrable
domain, 10, 275	function, 100
dyadic normal form, 312	exclusive or, 187
effective theory, 211, 371	existential quantifier, 189
element, 6	exponential function, 93
elementarily equivalent, 373	exponentiation
elementary theory of the successor function, 415	cardinal, 152, 325
elliptic geometry, 225	complex, 112
elucidation, 200	integer, 45
empty set, 14, 21, 249, 250, 254, 265, 376	naive Peano Arithmetic, 30
	PA, 414

- real, 93
- expressed (by a class name), 422
- expressible set, 423
- expression, 422
- extended real line, 78, 334
- extensional relation, 379
- field, 18, 45, 52, 84, 128, 129
 - Archimedean, 105
 - extension, 18, 52, 129
 - isomorphism, 57
- field of constructible points, 128
- filter, 363
- finite
 - character, 352
 - plane, 232
 - set, 286
 - simple group, 223
- finiteness, 6, 12, 13, 322
- Finitist, 160, 161, 163, 176
- First Principle of Generation, 143
- first uncountable ordinal, 309
- first-order
 - completeness axiom schema, 58
 - logic, 368, 370
 - theory, 210
- forcing, 390, 400, 404, 408
 - condition, 404, 408
 - set, 406
- Formalism, 215
- Formalist, 16, 20, 202
- foundational relation, 277
- Fourier
 - analysis, 80
 - coefficient, 95
 - series, 96, 97
- free variable, 204
- Freiling’s Axiom of Symmetry, 357
- full theory, 414
- function, 9, 273
- fundamental operation, 385, 386, 401
- Fundamental Theorem
 - of Algebra, 107
 - of Calculus, 90
- fusion, 14, 265
- fuzzy set, 236
- Galois theory, 128
- game theory, 105, 360
- Gelfond–Schneider Theorem, 130
- General Convergence Principle, 87
- General Principle of Limitation, 144
- Generalized Continuum Hypothesis, 134, 171, 172, 331, 353–355, 383, 387, 388, 390
- generalized well-formed formula, 248
- geometry, 53, 75, 76, 94, 111, 181, 202, 224, 229, 230
- Gibbs phenomenon, 98
- Gödel
 - number, 391, 393, 398, 423
 - number (limited), 403
 - number (unlimited), 403
 - numbering, 391, 393, 423
 - sentence, 424
 - sequence number, 393
- Gödel–Bernays set theory, 179, 180
- Gödel–Rosser sentence, 421
- Gödel’s Incompleteness Theorem, 73, 215, 231, 356, 370, 392, 419
 - first, 423
 - second, 293, 331, 375, 380
- Goldbach conjecture, 198
 - ternary, 198
- Goldbach’s comet, 200
- golden ratio, 65
- Goodstein sequence, 314–316
- Goodstein’s Theorem, 316
- graph, 81
- Great Picard Theorem, 116
- Grelling–Nelson paradox, 243
- Grothendieck universe, 329
- group, 219, 368
 - abelian, 222
 - divisible, 222
 - first-order theory, 220
 - theory, 219
 - torsion, 223
 - torsion-free, 223
- $\mathbb{H}$, 125
- Hartogs number, 340, 354
- Hartogs’ Theorem, 340

Hausdorff	inside, 118
dimension, 85	integer, 38–41, 46
space, 363	integrable, 90
Hausdorff’s maximal principle, 351	integration, 88, 90, 94
hereditarily finite sets, 381	interior point, 345
Hessenberg sum, 313	intersection, 35
heterologicality, 243	interval, 67
Hilbert’s	Intuitionism, 170, 198
Hotel, 13	Intuitionist, 170
tenth problem, 216	Intuitionistic logic, 198
holomorphic, 111	inverse unity, 110
homeomorphism, 85	inversion, 124
hyperbolic geometry, 225, 226	irrational number, 18, 55, 63
hyper-inaccessible cardinal, 331	irreducible formula, 204
hyperreals, 103	isolated singularity, 116
ideal, 103	isometry, 345
image, 275	isomorphism, 28, 57, 281
imaginary part, 111	
implication, 188	Jordan curve, 118
inaccessible cardinal, 329, 331, 333, 380	Jordan Curve Theorem, 118
incidence, 229	Jourdain’s paradox, 244
inclusion, 14	
incommensurable, 48, 49	κ -additive measure, 333
inconsistent, 370, 424	Khinchin’s constant, 67
independence, 176, 180, 230, 380, 390,	Kleene–Mostowski arithmetical hierar-
400, 401, 408	chy, 217
index, 119	Klein model, 225, 226
individuals, 15	Kuratowski’s principle, 351
induction, 22–24, 27, 28, 48, 268, 286,	large cardinal axiom, 332, 361
292, 293, 412	lateral unity, 110
inductive set, 57, 290	Laurent expansion, 120
infinite	least
cardinal, 323, 325, 330	number principle, 23, 24
dimensional vector space, 84	upper bound, 57
element, 103	Lebesgue
ordinal product, 317	integral, 90
ordinal sum, 317	measurable set, 333
set, 286	measure, 333
infinitesimal, 90, 102	left
element, 103	continuous, 83
injective, 10	distributivity (order type), 139
class, 275	Leibniz’s Law, 235
inner	lexicographic order, 139, 385
equality, 235	limit, 61, 77, 81, 87, 111
model, 368, 400	ordinal, 144, 285, 308

limitation of size, 252, 253	theory, 213, 368
limited	modulus, 111
Gödel number, 403	modus ponens, 207
quantifier, 403	monadic second-order logic, 213
Lindström’s Theorem, 374	Morley’s Theorem, 373
line, 47, 53, 54, 68, 100, 200, 225, 226, 229, 359	Morse–Kelley set theory, 179
linearly independent, 84	Mostowski Collapse
Liouville number, 130	Lemma, 379, 388
Liouville’s Theorem, 124	Mostowski collapse, 379
logical	multi-valued mapping, 120
axiom, 206	multiplication
paradox, 241, 245	cardinal, 151, 325
logically	Cauchy class, 60
complete, 370	complex, 107
equivalent, 207, 367	integer, 40
long line, 172	natural, 30
Löwenheim–Skolem Theorem, 372, 374, 375	ordered set, 138
Downward, 372	ordinal, 305
Upward, 372	polynomial, 128
lower	$\mathbb{Q}[\sqrt{2}]$, 52
integral, 90	rational, 45
sum, 90, 91	real, 57
Mandelbrot set, 121	multiplicative
manifold, 53	axiom, 336
many-valued logic, 199	identity, 30
Martin’s Axiom, 362, 363, 408	inverse, 45
mathematical paradox, 241	musical intervals, 50
Matiyasevich’s Theorem, 216	
maximal element, 350	$\mathbb{N}$, 29
measurable, 333, 346, 347	naive set, 16
cardinal, 333, 388	theory, 16
measure, 332, 333	NAND, 192
theory, 78, 332–334, 338	natural
mechanics, 95	logarithm, 93
membership, 14, 185	number, 13, 19, 21, 22, 24, 27, 28, 32, 72, 285–287
chain, 290	product, 313, 314
loop, 267, 268, 270	sum, 313, 314
mereology, 15	negation, 187, 197
Mersenne prime, 63	complete, 370
metric, 78	complete theory, 424
space, 77	incomplete theory, 424
minimal model, 389, 390, 400	negative number, 18, 38
model, 366, 368	net, 308
	n -gonal number, 25
	Nichomachus’ Theorem, 25

Index	469
no-class theory, 252	
Noetherian induction, 301	
non-constructible set, 390	
non-Euclidean geometry, 225, 229, 368	
non-logical axiom, 206, 207	
non-standard	
analysis, 102, 104	
model, 58, 103	
non-well-founded set, 270	
theory, 270	
NOR, 191	
norm, 82	
normal form, 312	
null sequence, 59, 77	
number base, 62	
Number Class, 143, 144, 153	
$\mathbb{O}$, 125	
object language, 245	
octonion, 125	
ω -consistent, 421	
$\mathcal{O}_n$, 142	
one-to-one, 10	
onto, 10	
open	
interval, 67, 359	
set, 82, 111, 358	
order	
equivalent, 135	
isomorphism, 135, 142	
of constructibility, 386	
topology, 308	
type, 135, 136, 140, 142, 283	
ordered	
pair, 34, 256, 257	
product, 138	
set, 135, 136, 138, 140, 142, 283	
sum, 136	
ordinal, 142	
class, 284	
division, 305	
limit, 308	
number, 96, 135, 142, 143, 145, 283–285, 312	
subtraction, 305	
ordinary finite, 12	
Ostrowski’s Theorem, 78	
outer	
equality, 235	
measure, 333	
outside, 118	
PA, 28	
p -adic	
absolute value, 78	
analysis, 78	
integer, 79	
number, 78, 79	
paradox, 148, 163–169, 177, 185, 209, 240–244, 248, 267, 285, 343, 344, 374	
Achilles and the tortoise, 164	
arrow, 95, 167	
Banach–Tarski, 343, 344, 346–348, 361	
Banach–Tarski (generalized), 345	
barber, 178	
Berry’s, 243	
Burali-Forti, 148, 241, 285, 322	
Cantor’s, 322	
dichotomy, 164	
Epimenides the liar, 241	
Grelling–Nelson, 243	
Jourdain’s, 244	
logical, 241, 245	
mathematical, 241	
Quine’s, 245	
Richard’s, 242	
Russell’s, 148, 177, 185, 241, 244, 248	
semantic, 241–243, 245	
Skolem’s, 374	
Smale’s, 346	
sorites, 155	
stadium, 166	
Zeno’s, 163, 168, 169	
paradoxical decomposition, 346	
parallel postulate, 202, 224–226, 335, 356	
parity of a formula, 403	
partial	
order, 363	

- sum, 80
- partition, 35
- path, 118
- pathological function, 98
- PCF theory, 331
- Peano
 - Arithmetic, 28, 58, 103, 293, 314, 370, 372, 392, 411, 412, 414, 415
 - curve, 85
- Peano’s Postulates, 27–29, 31, 285
- perfect
 - number, 63
 - set, 357, 358, 361
- Π_0 -formula, 217
- Π_1 -formula, 217
- Π_n -formula, 217
- plane, 53, 100, 111, 200, 226, 229
- Platonism, 16, 246
- Platonist, 16, 20, 200
- Playfair’s Axiom, 225
- point, 200, 226, 229
- pointwise limit, 146
- pole, 116
- Polish notation, 192
- polynomial, 107, 127, 128
- power set, 133, 134, 260, 261, 353
- predicate, 205
 - n -predicate, 205
- predicative
 - extension, 180
 - functions, 252
- Presburger Arithmetic, 415
- prime
 - formula, 397
 - number theorem, 300
- primes of the form $n^2 + 1$, 17
- primitive, 2
 - n -ary operator, 210
 - n -ary relation symbol, 210
 - recursive arithmetic, 293
- principal argument, 113
- principle
 - of finite induction, 23, 286, 292
 - of finite recursion, 294, 295
 - of purity, 197
- projective
 - determinacy, 362
 - plane geometry, 228, 232
 - set, 348, 362
- proper
 - class, 7
 - subset, 11
- provability predicate, 425
- provable sentence, 422
- punctured neighbourhood, 145
- Pythagoras’ Theorem, 48, 49
- $\mathbb{Q}$, 44
- quadratic
 - algebra, 126
 - equation, 108
- quartic equation, 108
- quaternion, 125
- Quine atom, 270
- Quine’s paradox, 245
- quintic equation, 109
- $\mathbb{R}$, 55
- ramified theory of types, 252
- Ramsey Theorem (finite), 316
- range, 275
- rank, 254, 298, 301
- Rasiowa–Sikorski Lemma, 363
- rational
 - function, 104
 - number, 44–48, 63
- real
 - algebra, 126
 - closed field, 230, 231
 - number, 18, 32, 49, 52–55, 59, 61
 - part, 111
- real projective plane, 228
- rearrangement of series, 80
- rectifiable curve, 118
- recursion with a parameter, 294
- recursive
 - ordinal, 309
 - sequences, 294
- recursively enumerable set, 216
- Reflection Principle, 375, 377
- reflexive relation, 34

Index	471
reflexivity of equality, 233	
region, 111	
regular cardinal, 329	
relation, 34, 274	
antisymmetric, 37	
equivalence, 34, 35	
foundational, 277	
reflexive, 34	
symmetric, 34	
transitive, 34	
relatively constructible set, 386, 387	
relativization, 367	
removable singularity, 116	
residue, 120	
restriction, 275	
reverse order type, 136	
Richard's paradox, 242	
Riemann	
Mapping Theorem, 115	
integrable, 90, 91	
integral, 90	
sphere, 121	
surface, 120	
right continuous, 83	
ring, 37, 103	
<i>R</i> -initial segment, 277	
<i>R</i> -minimal element, 277	
root, 128	
<i>R</i> -predecessor, 277	
rules of inference, 207	
Russell's paradox, 148, 177, 185, 241, 244, 248	
salient ordinal, 312	
satisfaction, 365	
sawtooth wave, 97	
schema	
of comprehension, 246	
of separation, 246	
Second Principle of Generation, 143, 144, 148	
second-order	
Peano Arithmetic, 414	
completeness axiom, 58	
logic, 212, 213	
sedenions, 125	
self-reference, 244	
semantic paradox, 241–243, 245	
sentence, 205, 422	
of Goldbach type, 217	
sequence, 59	
sequential convergence, 77	
sequentially compact, 309	
set, 7	
Sheffer stroke, 191	
sigma algebra, 333, 358	
Σ_1 -formula, 217	
Σ_n -formula, 217	
Silver's Theorem, 330	
singleton, 255	
single-valued class, 275	
singular cardinal, 329	
Singular Cardinals Hypothesis, 330	
singularity, 116	
essential, 116	
isolated, 116	
pole, 116	
removable, 116	
Skolem Arithmetic, 415	
Skolem's paradox, 374	
Smale's paradox, 346	
sociable number, 64	
sorites paradox, 155	
sound theory, 421, 423	
Soundness Theorem, 370	
Souslin line, 359	
Souslin's Hypothesis, 359, 363, 388, 408	
space-filling curve, 85	
span, 84	
sphere eversion, 347	
square wave, 97	
stadium paradox, 165, 166	
standard	
model, 368	
structure, 366	
transitive model, 377, 380, 384, 387, 388	
Standard Model Hypothesis, 388, 390, 398	
strategy, 361	
strong induction principle, 23	
subset, 11	

substitution schema, 234	theory, 178, 197, 252
substitutivity of equality, 234	Ultrafinitist, 160
subtraction (integer), 40	uncountability of $\mathbb{R}$, 73
successor, 27, 29, 286, 287, 290	uncountable, 73, 374
ordinal, 143, 285, 298	undecidable sentence, 424
superbase, 313, 316	uniform convergence, 148
surjective, 10	union, 35
surreal numbers, 105	unique, 274
syllogism, 196, 197	universal
symmetric relation, 34	choice function, 335, 387
symmetry of equality, 233	quantifier, 189
Tarski finite, 13, 323	unlimited Gödel number, 403
Tarski's Theorem, 424	unordered pair, 255
tautology, 191, 426	upper
Teichmüller–Tukey Lemma, 352	integral, 90
term, 210	sum, 90, 91
terminating decimal, 62, 63	urelements, 15
ternary Goldbach conjecture, 198	valuation set, 426
theory of types, 213	variable, 186, 204, 210
topological space, 82	Vaught's conjecture, 373
topology, 82	vector space, 84
topos theory, 182	velocity, 95, 168
torsion group, 223	vibrating string, 95
torsion-free group, 223	Vitali set, 358
transcendental number, 127, 129–131	von Neumann successor, 286, 287
transfinite	weak extensionality, 235
cardinal, 323	weak second-order logic, 213
induction, 147, 292, 293, 296, 349	weakly inaccessible cardinal, 329
recursion, 147, 295, 296, 303	Weierstrass Approximation Theorem, 83
transitive	well-formed formula, 203, 204, 210, 397
class, 284, 377	generalized, 248
closure, 381	well-founded
law, 191	relation, 280, 281
relation, 34	set, 298
set, 284	well-ordered set, 142, 284
transitivity of equality, 234	well-ordering, 135, 142, 173, 174, 279, 281, 336, 340, 349
triangle inequality, 78	Well-Ordering Theorem, 173, 174, 197, 281, 336, 349, 350
trichotomy, 173, 350	
trigonometric series, 145	$\mathbb{Z}$, 39
true arithmetic, 414	Zeno's paradoxes, 163, 168, 169
true sentence, 422	
truth table, 207	
tuple, 255, 257, 259	
type, 213	
of a formula, 403	

Index	473
Zermelo–Fraenkel set theory, 7, 15, 20, 179, 417	
zero, 14, 18, 21	
divisor, 30, 45, 125	
of a function, 128	
ZF, xxi, 7	
ZFC, 190	
Zig-Zag theory, 252	
Zorn’s Lemma, 104, 350, 351	