

Index

- acid rain, 116, 172, 198, 308, 314–17
- aerosol, 25, 99–100, 108, 110, 115, 119, 123, 133, 135, 140–1, 164, 166, 171, 197–200, 202, 204, 237, 239, 244, 247, 251, 260, 308, 312
- aerosol-climate model, 172–3, 203
- clouds, 24, 99, 135, 172, 199
- detection, 139, 142
- formation, 200
- lifetime, 237
- microphysical processes, 200
- microphysics, 313–14
- modelling, 313
- optical depth, 143, 199, 203
- radiative forcing, 204, 307
- size distribution, 313
- agriculture, 25
- ash, volcanic, 21–2, 98–9, 103, 111, 140, 168, 244, 260, 264–6
 - ash blanket, 22, 198, 261–2, 264–5
 - ash-leachate, 260, 262–3, 268
 - chemistry, 170, 251, 260, 263, 266, 270
 - cloud, 20, 23, 97, 106, 133, 138–9, 166
 - column, 11, 20, 133, 140, 167–8
 - composition, 101–2
 - deposits, 17, 22–3, 134, 265, 267
 - environmental effects, 24–5, 199, 230, 260, 262–3, 266–70
 - formation, 101, 216, 219
 - microphysical properties, 101, 103–4, 106, 111, 139
 - monitoring, 86, 98–9, 106, 212
 - plume. *See* ash, volcanic column
 - reflectance, 25, 264
 - remote sensing, 100, 104–6, 133, 135, 138–9
 - shards, 9
 - size, 260
 - transport modelling, 140
- Atilán Caldera, 248
- atmosphere–ocean circulation, 264
- atmosphere–ocean system, 236
- atmospheric lifetime, 121, 166, 173, 198, 212, 309
- atmospheric modelling, 166, 172
- autoclastic, 4
- biodiversity, 317
- biological pump, 267, 269
- bioturbation, 275
- Bishop Tuff, 18, 20
- breccia, 4–6, 8–9, 180
- breccia pipe, 181–2, 187
- bromine (Br), 116, 118, 120, 126–7, 197, 245, 249
- bromine explosion, 119
- bromine monoxide, 116
- caldera, 17, 21–2, 210, 247
- carbon, *See* biological pump. *See* organic matter
 - cycling, 159, 177, 181, 186, 188, 202, 208, 222, 236, 268–9, 271, 284
 - gases, 188
 - inorganic, 188
 - magmatic, 152, 156, 177, 187, 203, 208, 222
 - organic, 181, 187–8, 236, 267
 - reservoir, 187–8, 267
- carbon cycle modelling, 202, 221
- carbon dioxide (CO₂). *See* carbon isotopic value
 - anthropogenic, 170, 197
 - atmospheric concentration, 197, 208, 220–2, 267–70, 301, 314
 - climate effects, 234, 236–7, 291, 309–10, 312, 314, 317
 - consumption, 269–71, 285, 316
 - contact metamorphic emissions, 147, 157–9, 178, 185–6, 188, 238, 308
 - detection, 100, 116, 124, 141
 - fixation, 267
 - fluids, 186
 - hydrothermal emissions, 82
 - magmatic, 147–8, 152, 154–6, 160, 170, 177–8, 216, 239
 - mantle, 155, 188

- carbon dioxide (CO₂). (cont.)
 - metamorphic degassing, 177
 - ocean buffering, 292
 - oceanic crust, 155
 - pCO₂, 55, 59, 155, 236–7, 239, 284, 286, 292–3, 295–6, 298, 301, 309
 - residence time, 285
 - volcanic emissions, 82, 85–7, 89–90, 115, 128, 159, 166, 169–71, 187, 197, 202, 209, 212, 216, 220–2, 229, 236–7, 244, 284, 291–2, 308–9
- carbon isotope excursion, 155, 159, 203
- carbon isotopic value, 177, 185
- carbonaceous sediments, 188
- carbonate, 8, 147, 155, 157–9, 177–8, 180, 185, 189, 208, 216, 222, 236, 268–9, 276–7, 279–81, 285, 291–3, 303, 310, 316
- carbonate–silicate melts, 156
- Central American Volcanic Arc, 245, 253
- cerium (Ce), 276, 280, 282
- chemical lifetime, *See* atmospheric lifetime
- chlorofluorocarbons (CFCs), xiv, 197, 246, 252
- cloud condensation nuclei, 200
- Columbia River Basalt Group, 4, 38, 42, 44, 164–5, 196
- conodont, 280–1, 311–12
- contact metamorphism, 157, 159, 178–9, 181, 185–6, 188, 237, 239, 293, 315–16
- continental flood basalt(s), xiii, 164, 196, 219–20, 230, 239
- continental weathering, 275, 284, 308, 316
- core–mantle boundary, 30, 44, 232–3
- Deccan Traps, xiv, 6, 35, 55–6, 63, 134, 170–2, 195–7, 202, 210, 214, 219–20, 228–9, 232, 234, 236, 238–9, 309, 315
- disease, 25
- Earth system model(s), 24, 172, 275, 284–5, 292, 302–3, 310, 314, 317
- e-folding, 199, 315
- El Chichon, 140, 252, 255
- Emeishan Large Igneous Province, 6–8, 11, 31, 36, 41–3, 157, 238, 308
- environmental change, 48, 116, 164, 166, 170, 172, 174, 178, 188–9, 202, 230, 307–8; *See also* acid rain; *See also* agriculture; *See also* continental weathering; *See also* disease; *See also* famine; *See also* global cooling; *See also* global warming; *See also* mass extinction; *See also* ocean anoxia; *See also* ocean circulation; *See also* ozone depletion
- Etna, Mount, 83–4, 89, 116, 120, 127, 134, 167, 210
- evaporite, 147, 152, 157–8, 160, 178, 186–9, 238, 279, 282–3, 310, 316
- explosive basaltic volcanism, xv
- Eyjafjallajökull, 83, 101–2, 104, 267
- famine, 25
- Ferrar Large Igneous Province, 6, 11, 49, 52, 55–6, 308
- fossil
 - animal, 228
 - calcareous, 8
 - plant, 309
- fossil fuel, xvi, 302
- fossils
 - animal, 57, 283
- gas hydrates, 177–8, 202
- geochemical cycling, 317
- geochronology, xv, 47–8, 52, 58–9, 238, 285, 308
- geoengineering, 204
- geomagnetic secular variation, 234
- global climate model (GCM), 310–11
- global cooling, 177, 237, 270, 312, 317
- global warming, 157, 187–8, 203, 222
- groundwater contamination, 264
- halocarbons, 12, 147, 159, 178, 189, 310; *See also* chlorofluorocarbon. *See also* methyl bromide, *See also* methyl chloride
- halogen chemistry, *See* halogens
- halogens, xiii, xvi, 82, 87, 92, 116, 118, 120–2, 126, 128, 169, 197, 222, 244, 246–7, 250–3, 260; *See also* iodine; *See also* bromine monoxide; *See also* bromine; *See also* chlorine; *See also* fluorine; *See also* iodine
- heavy metals, 263
- hyaloclastic, 4–5, 8
 - deposits, 5
- hydrocarbons, 157, 159, 181, 186–7, 309, 316
- hydrochloric acid (HCl), 309
- hypercane, 11
- impact, asteroid, 178, 228–31, 238
- impacts, asteroid, 48
- iodine (I), 116, 118, 128
- Kīlauea, 89, 134, 166, 215
- Krakatau, 265–6
- La Garita caldera, 18
- Laki, 10, 167, 170, 172, 195–6, 198, 229, 264
- large igneous province(s) (LIP(s)), xv, 3–7, 11–12, 30–3, 41, 47, 156, 176, 179, 190, 192, 205, 207–10, 219, 222, 234, 243, 307–9, 314, 317; *See also* Columbia River Basalt Group; *See also* Emeishan Large Igneous Province; *See also* Ferrar Large Igneous Province; *See also* North Atlantic Igneous Province
- Long Valley caldera, 20
- Los Chocoyos, 248
- magma–sediment interaction, 5, 189
- mass extinction, 47–8, 54, 58, 157, 164, 171–2, 178, 189, 228, 230–1, 236, 238–9, 307–8
- end-Guadalupian, 157

- end-Permian, 55, 56, 147–8, 155, 160, 164, 172, 188, 275–7, 281, 304, 308, 316
 - Triassic–Jurassic, 236
- methane (CH₄), 82, 120–1, 129, 141, 148, 159, 178, 185–8, 237, 292–3, 298, 309–12, 315
- methyl bromide, 186
- methyl chloride, 186, 309
- microfossils, 8, 311
- molybdenum, 281–2
- Mont Pelée, 24
- Montserrat, 84, 89, 116, 125, 251, 268
- North Atlantic Igneous Province (NAIP), 6–7, 11, 38, 157, 237
- numerical modelling, 6, 112, 251, 284, 286
- ocean acidification, xvi, 236, 291–2, 301–3, 314
- ocean anoxia, xvi, 47, 275, 280, 283, 285
- ocean circulation, 178, 285, 308, 310, 314
- organic matter, 157, 270
 - contact metamorphism, 147, 158, 186–8
 - isotopes, 185, 236
- ozone, 115, 121, 128, 251, 255, 316
 - chemistry, 119, 188, 198, 244–7, 252, 310
 - depletion, 12, 119, 121, 133, 147, 159, 172, 188, 197, 215, 236, 244–7, 251–2, 255, 308, 315–17
 - mapping, 97
- palaeomagnetic direction, 63, 65–6, 69, 72–3, 75, 234
- palaeomagnetic poles, 36, 67, 69
- palaeomagnetic reversal, 58, 229
- palaeomagnetic secular variation, 239, 308
- palaeomagnetic studies, xiii, 63, 76, 228–9, 238
- Paraná–Etendeka Large Igneous Province, 35
- peperitic, 4, 9
 - deposits, 5
 - formation, 5, 9
- petrologic method, 24, 76, 81, 117, 209, 216–17, 239, 245–6, 249
- Pinatubo, Mount, 20, 24, 89, 98, 133, 166, 195–200, 215, 217, 246, 251, 255, 307
- Plinian eruption(s), 8, 11, 20–1, 89, 167, 244–7, 249, 251–2
- pyrite, 279, 282
 - framboidal, 276–7, 282
- pyroclastic, 4–5, 8
 - currents, 17, 20, 22, 24, 134
 - deposit, 17, 20
 - environmental effects, 314
 - eruptions, 9, 16, 313
 - hazards, 24
 - textures, 8
- radiative forcing, *See* aerosols
- remote sensing, 99, 101, 103, 111–12, 122, 125, 133–4, *See also* halogens, *See also* carbon dioxide (CO₂), *See also* sulfur dioxide (SO₂)
- catalogs, 143
- data, 139–40, 143–4
- instruments, 99, 111, 139, 141; *See also* ash, volcanic
- systems, 112
- techniques, 116, 121, 133–4, 138
- Rinjani, 20
- risk scenarios, 24
- Roza eruption, 4, 165, 167, 170, 172–3, 196, 198, 203, 219
- satellite retrievals, 104, 107, 201
- shale, 181, 185, 187, 189, 238, 276, 280
- Siberian Traps Large Igneous Province, 9–10, 37–8, 41–2, 55, 63, 118, 134, 147, 150, 152, 155–6, 178, 189, 232, 234, 239, 244, 275, 285–6, 291, 307–9, 312–13, 316
 - age, 37, 164, 285–6
 - Angara River, 9–10
 - degassing, xiv, 155, 170, 172, 219, 284, 303, 309, 315
 - intrusives, 158, 187, 238
 - Kata River, 9
 - lava, 150, 178
 - pyroclastics, 314
 - See also* environmental change
- Soufrière Hills, 84, 89, 116, 125, 251
- stratosphere, 10–12, 23, 25, 106, 115, 121, 133, 139, 166, 168, 173, 188, 196–202, 204, 215–17, 244, 246–7, 250–3, 255, 307, 309, 315–16
- sulfur dioxide (SO₂), 121, 126, 140–1, 208
 - absorption band, 106
 - anthropogenic emissions, 198
 - atmospheric background, 140
 - climate effects, 166, 197, 202, 234, 237, 239, 308–9
 - contact metamorphic emissions, 147, 157–9, 178
 - contact metamorphic production, 186
 - El Chichon emissions, 198
 - Laki emissions, 198
 - large igneous province emissions, 214, 219–20, 237
 - lifetime, 198, 202
 - magmatic, 89, 159
 - Nabro emissions, 204
 - oxidation, 197–8, 236–7
 - Pinatubo emissions, 98, 198
 - remote sensing, 81, 86–7, 97–9, 106–9, 111, 138–9
 - Roza emissions, 170, 173, 198
 - Siberian Trap emissions, 170
 - spectroscopy, 108, 110, 123–4
 - Tambora emissions, 216
 - Toba emissions, 218
 - volcanic emissions, 82, 87, 89–90, 110, 115, 168, 203, 212, 215–17, 239, 244, 313
- sulfuric acid, 198, 204, 315
- aerosol, 25, 119, 171, 197–9, 202, 204, 247
- super-volcano, 16–18, 21–2

324

Tambora, 20, 134, 195–6, 215–17
Taupo, 18, 20–1, 24, 270
tephra, 17–18, 21–2, 25, 179, 196, 198–9, 216, 245, 247–9, 262, 265, 269, *See* ash, volcanic.
Thermogenic, *See* carbon dioxide (CO₂)
thermogenic emissions, 311
Toba caldera, 210
Toba Tuff, 21, 24, 134, 203, 208, 216–18, 313
 Youngest Toba Tuff, 16–18, 22–4, 201, 210, 215–16, 265
troposphere, 10, 106, 109, 115, 121, 134, 139, 195–8, 204, 245, 251–2, 315

unmanned aircraft, 141
uranium, 48, 53, 276, 280–2
uranium–lead, 18
uranium–thorium, 18

volatile load, 9, 12, 218, 221, 248
volcanic aerosols, *See* aerosols
Volcanic Explosivity Index (VEI), 196
volcaniclastic
 deposits, xv, 3, 6, 8–10, 180, 308

Index

environmental effects, 12
formation, xv, 4, 11
mafic, 3, 11
physical properties, xiv, 5
See also autoclastic
See also hyaloclastic
See also peperitic
See also pyroclastic
volcaniclastics
 environmental effects, 12

water resources, 25
weathering, 6, 268–9, 271, 284–5, 303, 316–17
 basalt, 236, 316
 granite, 316
 lava flow, 71, 76
 rate, 202, 292, 296
 silicate, 208, 237, 239, 269–70, 317
 See also continental weathering
winter warming, 200, 204

Yellowstone, 22, 24–5, 134