

Index

- additive white Gaussian noise (AWGN), 254, 269, 283, 301, 321
- adjoint operator, 21, **32**, 36, 37, 51, 52, 54, 91, 94, 109
- alternating direction method of multipliers (ADMM), 262, 263, 319
- analysis window
  - arbitrary function in  $L_p$ , 80, 191, 195, 223
  - rectangular, 12, 58, 80
- analytic continuation, 329
- augmented Lagrangian method, 261, 319
- autocorrelation function, 12, 51, 54, 152, 153, 159, 161, 163, 167, 169
- B-spline factorization, 136–137
- B-splines, 21, **127**
  - exponential, 125–126, 138–139, 150
  - fractional, 139–141, 204
  - generalized, 127–142, 160, 197–198
  - minimum-support property, 21, 132, 134, 138
  - polyharmonic, 141
  - polynomial, 8, 137
- basis functions
  - Faber-Schauder, 13
  - Haar wavelets, 12
- Bayes’ rule, 254
- belief propagation, 279–282
- beta function, **345**
- BIBO stability, 93, 94
- binomial expansion (generalized), 204
- biomedical image reconstruction, 2, 24, 263, 276, 298
  - deconvolution microscopy, 265–269, 298–299
  - MRI, 269–272
  - X-ray CT, 272–276
- biorthogonality, 145, 250, 253
- Blu, Thierry, 204
- boundary conditions, 9, 92, 102–103, 167
- bounded operator, **41**
  - convolution on  $L_p(\mathbb{R}^d)$ , 40–43
  - Riesz–Thorin theorem, 41, 94
- Brownian motion, 4, 11, 163, 173, 220
- cardinal interpolation problem, 5
- Cauchy’s principal value, 62, 333, 334
- causal, **5**, 90, 95, 98, 105
- central-limit theorem, 245, 246, 312
- characteristic function, **45**, 192, 206, 225, 240, 251, 337
  - S&S, 234
- characteristic functional, **46**, 47, 85, 154, 156, 158, 164, 188, 194, 225
  - domain extension, 195–197
  - of Gaussian white noise, 75
  - of innovation process, 53, 73
  - of sparse stochastic process, 153
- compound-Poisson process, 10, 174, 185
- compressed sensing, 2, 255, 284, 288
- conditional positive definiteness, 62, **339**
  - of generalized functions, 340
  - Schoenberg’s correspondence, 69
- continuity, 27, 32, 45, 46
  - of functional, **85**
- convex optimization, 2, 263
- convolution, **39**, 40–43, 89, 92–94, 158–159, 161, 334
  - semigroup, 239–242
- correlation functional, 11, **50**, 81, 153, 155, 188
- covariance matrix, **215**, 216, 258
- cumulants, **209**, 213, 237–239
  - cumulant-generating function, 238, 239
- cycle spinning, 299
  - through averaging, 317–318
- Döblin, Wolfgang, 17
- decay, 132, 235
  - algebraic, 132–133, 235
  - compact support, 12, 125, 132, 134
  - exponential, 132, 235
  - supra-exponential, 235
- decorrelation, 202, 217
- decoupling of sparse processes, 23, 191
  - generalized increments, 20, 170–172, 197–205, 211, 251
  - increments, 11, 191, 193
  - increments vs. wavelets, 191–194,

- wavelet analysis, 21, 205–206,
- wavelets vs. KLT, 220
- denoising, 1, 24, 277, 290
  - consistent cycle spinning, 318–320,
  - iterative MAP, 318–320
  - MAP vs. MMSE, 283
  - MMSE (gold standard), 281
  - wavelet-domain
    - shrinkage/thresholding, 296
    - soft-threshold, 290
- differential entropy, **215**
- differential equation, 5, 89
  - stable, 95–97
  - unstable, 19, 97–103
- dilation matrix, 142, 206
- Dirac impulse, 6, 9, 34, **35**, 83, 121
- discrete AR(1) process, 211, 220, 278
- discrete convolution, **110**
  - inverse, 110
- discrete cosine transform (DCT), 1, 14, 211, **217**, 220
- discrete whitening filter, 202
- discretization, 194–195
  - deconvolution, 268
  - MRI, 270
  - X-ray CT, 273
- dual extension principle, **36**
- dual space
  - algebraic, **32**
  - continuous, **32**, 35, 46
  - of topological vector space, 32
- duality product, 33–35
- estimators
  - comparison of, 283–286, 303, 321
  - LMMSE, 258
  - MAP, 255
  - MMSE (or conditional mean), 278
  - pointwise MAP, 301
  - pointwise MMSE, 301–312
  - wavelet-domain MAP, 290, 292–293
- expected value, 44
- filtered white noise, 19, 53–54, 91, 159
- finite difference, 7, 192, 201
- finite rate of innovation, 2, 9, 78, 173
- fluorescence microscopy, 265
- forward model, 249, 264, 270
- Fourier central-slice theorem, 273
- Fourier multiplier, **40**, 93, 119
  - $L_p$  characterization theorem, 41
  - Mikhlin’s theorem, 43
- Fourier transform, 1, **34**
  - basic properties, 37
  - of generalized functions, **37**
  - of homogeneous distributions, 331
  - of singular functions, 332
- fractional derivative, **104**, 119, 176, 204
- fractional integrator, 185
- fractional Laplacian, **107**, 108, 135, 176, 185
- frequency response, 5, 7
  - factorization, 95
  - rational, 39, 95, 162
- function, 25
  - notion, 28
- function spaces, 25–32
  - complete-normed, 28–29
  - finite-energy ( $L_2$ ), 34
  - generalized functions ( $\mathcal{S}'$ ), 34
  - Lebesgue ( $L_p$ ), 29
  - nuclear, 29–32
  - rapidly decaying ( $\mathcal{R}$ ), **29**
  - smooth, rapidly decaying ( $\mathcal{S}$ ), 30–31
  - topological, 28
- functional, **32**
- gamma function, **344**
  - properties, 344–345
- Gaussian hypothesis, 1, 54, 258–259
- Gaussian stationary process, 1, 161–162
- generalized compound process, 78, 185–187
- generalized functions, 35–40
- generalized increment process, 160–161, 195, 198–199
- generalized increments, 199–205
  - probability law of, 199–200
- generalized random field, 47
- generalized stochastic process, 47–54, 84–87,
  - existence of, 86
  - isotropic, **154**
  - linear transform of, 51–52, 57, 84
  - self-similar, 154–155
  - stationary, 154–155
- Gibbs energy minimization, 287
- Green’s function, 7, 93, 95, 119–120
  - reproduction, 129–130
- Hölder smoothness, 9, 135
- Haar wavelets, 12, 114–116,
  - analysis of Lévy process, 12–15, 193–194,
  - synthesis of Brownian motion, 15–16
- Haar, Alfréd, 147
- Hadamard’s finite part, 106, 332–334, 343
- Hilbert transform, 42, 105, 334
- Hurst exponent, **154**, 156, 177, 178, 245
- impulse response, 5, 38, 41, 158–160, 162
  - first-order system, 90, 150
- impulsive Poisson noise, 76–78,
- increments, 11, 165, 178, 192
- independence at every point, 79, 164
- independent component analysis (ICA), 218–220

- infinite divisibility, 24, **60**, 80
  - heavy-tail behavior, 58, 235
  - Lévy–Khintchine representation, 61
  - link with sparsity, 59, 68
  - semigroup property, 239
- infinitesimal generator, 240
- inner product, 34, 194
- innovation model, 11–12, 19–22, 48, 57
  - finite-dimensional, 71–73
  - generalized, 84–87
- innovation process, 4, 9, 52–54, 73–75
- integrator, 10, 91
  - shift-invariant, 91
  - stabilized adjoint, 92, 165
  - stabilized, scale-invariant, 92
- interpolator, 3, 126, 144, 152, 159
- inverse operator, 19, 89, 91
  - left vs. right inverse, 84, 86, 100
  - shift-invariant, 92–97
  - stabilized, 98–101, 102
  - stabilized, scale-invariant, 108–109
- iterative MAP reconstruction, 261–263
- iterative solver
  - conjugate gradient (CG), 259
  - Landweber algorithm, 295
  - steepest descent, 295
- iterative thresholding, 24, 290, 295, 298
  - FISTA, 297–298
  - ISTA, 296–297
- joint characteristic function, 49, 200, 207, 209, 213
- Joint Photographic Experts Group
  - JPEG 2000, 1
  - JPEG compression standard, 1, 211
- Karhunen–Loève transform (KLT), 3, 14, 216, 220
- kriging, 18
- L-spline, 120–121
- $\ell_1$ -norm minimization, 2, 248, 255, 265, 276, 284
- left inverse, 92, 98, 99, 101, 102, 105, 108, 109
- Lévy density, **60**
  - modified, 223, 225
- Lévy exponent, 22, **59**, 60–64, 293
  - $p$ -admissible, **63**, 152, 196
  - Gaussian, 66
  - Lévy triplet, 62
  - Lévy–Schwartz admissible, 74, 152, 196
  - modified, 223, 256, 291
  - Poisson family, 64
  - S $\alpha$ S family, 64
- Lévy process, 4, 11, 163–166, 278, 283
  - alpha-stable, 11, 174, 220
  - classical definition of, 163–164
  - higher-order extensions, 166–167
- Lévy, Paul Pierre, 4, 16–18
  - continuity theorem, 46
  - synthesis of Brownian motion, 15–16
- Lévy–Khintchine formula, 61, 64–67, 70–71, 225, 228, 342–343
  - Gaussian term, 66
  - Poisson atoms, 66
- linear inverse problem, 248
  - Bayesian formulation, 252
  - discretization, 249–254
  - wavelet-based formulation, 291
  - wavelet-based solution, 294–298
- linear least-squares, 295
- linear measurements, 194, 253
- linear methods, 1, 2, 258, 263
- linear predictive coding (LPC), 211
- linear transform, 212
  - decoupling ability, 218, 220, 221
  - transform-domain statistics, 212–216
- localization, 21, 125, 129, 132–135, 203
- Loève, Michel, 17
- $M$ -term approximation
  - wavelets vs. KLT, 14
- magnetic resonance, 269
- Mandelbrot, Benoit B., 17
  - fractional Brownian motion, 178, 180–184
- marginal distribution, 213
- Matheron, Georges, 17
- maximum a posteriori (MAP), 24, 255–256, 293
- Minlos–Bochner theorem, 46, 74, 86
- modified Bessel functions, 344
- modulation transfer function, 267
- moments, 50, 235–238
  - generalized, 235, 236
- Mondrian process, 187
- multi-index notation, 30, **208**
- multiresolution analysis, 113, 142–144
- mutual information, 218–220
- negentropy, 215
- non-Gaussian stationary process, 158–159
- norm, **28**
- null space, 118–119
- operator, 20, 89
  - continuous, **27**
  - derivative, 6, 111, 164
  - differential, 19, 96, 125, 166, 191
  - discrete, 20, 197
  - factorization, 96, 97, 101–102, 162, 166
  - fractional, 89, 104, 107
  - linear, **27**
  - linear shift-invariant, **90**, 92, 156
  - partial differential, 120

- rotation-invariant, **90**, 107
- scale-invariant, **90**, 104–109, 143, 156
- spline-admissible, 118–120
- operator-like wavelets, 124, 142
  - fast algorithm, 314
  - first-order, 126–127, 221, 313
  - general construction, 144–146,
  - generalized, 142–147
- Ornstein–Uhlenbeck process, 150
- Paley–Wiener theorem, 134
- Parseval’s identity, 34, 161, 300, 316, 318
- partial differential equation, 240
  - diffusion, 241
  - fractional diffusion, 241
- partial differential operator
  - elliptic, 120
- partition of unity, 114, 132
- point-spread function (PSF), 266
  - Airy pattern, 266
  - diffraction-limited model, 266
  - resolution limit, 266, 268
- Poisson summation formula, 132
- poles and zeros, 95, 141, 162, 166
- polygamma function, 257, 345
- polynomial reproduction, 130–132
  - Strang–Fix conditions, 131
- positive definiteness, 45, **336**
  - Bochner’s theorem, 45, 337–338
  - of functional, 85
  - of generalized function, 338
- potential function, 256–258, 299
  - wavelet-domain, 293–294,
- power spectrum, 81, 152, 159, 163
- principal component analysis (PCA), 216
- probability density function (pdf), **43**
- probability law, 65
  - Cauchy, 58, 311
  - compound-Poisson, 58, 64, 67, 307
  - Gaussian, 58
  - hyperbolic secant, 305
  - Laplace, 58, 304
  - Meixner, 310
  - Poisson, 66
  - Student, 306
  - symmetric gamma (sym gamma), 309
  - symmetric-alpha-stable (S $\alpha$ S), 64, 234, 346
- probability measure
  - finite-dimensional, 43–44, 45
  - infinite-dimensional, 46, 47
- proximal operator, **259**, 263, 296
  - as MAP estimator, 301
- Radon transform, **272**
  - of polynomial B-spline, 275
- random field, 19
- reconstruction subspace, 249
- regularization, 2, 249, 255, 256, 286
  - parameter, 263, 284
  - quadratic, 287
  - total-variation, 284, 287
  - wavelet-domain, 295, 298–299
- regularizing singular integrals, 107, 329–331
- ridge regression, 287
- Riesz basis, 9, 114, **121**, 122, 129, 250
- Riesz transform, 335
- right inverse, 99, 101, 103, 105, 109
- sampling, 3
  - constant-rate, 3
  - generalized, 249
  - in Fourier domain, 270, 271
- sampling step, 249
- scaling function, **114**
- Schoenberg, Isaac Jacob, 9, 147
  - B-spline formula, 8
  - correspondence theorem, 69
- Schwartz, Laurent
  - kernel theorem, 38–39
  - Schwartz–Bochner theorem, 338
  - space of test functions ( $\mathcal{S}$ ), **30**
  - tempered distributions ( $\mathcal{S}'$ ), **34**
- score, 260
- self-decomposable distribution, **232**
- self-similar process, **154**, 176–180
  - wide-sense, **155**, 176
- seminorm, **28**
- sequence spaces ( $\ell_p$ ), 110
- Shepp–Logan phantom, 275
- shrinkage function, 259, 290, 300–313
  - asymptotic behavior, 260, 302
  - for Cauchy distribution, 311
  - for compound-Poisson, 307
  - for hyperbolic secant, 306
  - for Laplace distribution, 260, 304
  - for Meixner family, 310
  - for Student distribution, 306
  - for symmetric gamma (sym gamma), 309
  - linear, 260, 303
  - MAP vs. MMSE, 302
  - soft-threshold, 260
- signal
  - as element of a function space, 28
  - continuous-domain, 3
  - discrete (or sampled), 6, 195
- singular integral, 20, 61, 62, 100, 108, 328–335
- sinogram, 273
- Sobolev smoothness, 135–136
- sparse representations, 191
- sparse signal recovery, 248, 255

- sparse stochastic process, 3, 23, 150–187
  - bandpass, 174
  - CARMA, 162–163, 201
  - Lévy and extension, 163–175
  - lowpass, 173
  - mixed, 175
  - non-Gaussian AR(1), 150–152, 211
  - self-similar, 23, 176–187
- sparsity, 1, 68
- spectral mixing, 224, 229
- spline knots, 6, 121
- splines, 23, 113
  - cardinal, 5, 120
  - definition of, 120–121
  - non-uniform, 7, 121
  - piecewise-constant, 5–7, 113
- stable distribution, **234**, 246
- stationary process, 79, **154**, 158–160, 163
  - wide-sense (WSS), **155**
- stochastic difference equation, 201–202, 211
- stochastic differential equation (SDE), 4, 19, 84, 164
  - $M$ th-order, 162, 166
  - first-order, 91, 150, 166, 211
  - fractional, 176
- stochastic integral, 4, 163
- stochastic modeling of images, 264
- structure
  - algebraic, 27
  - topological, 27
- submultiplicative function, 235
- system matrix, 253, 259, 263, 292
- Taylor series, 208, 238, 239
- Tikhonov regularization, 248, 255, 286
- topological vector space, **28**
- total variation, 42, 284, 287, 288
- transform-domain statistics, 223
  - cumulants, 239
  - infinite divisibility, 224
  - rate of decay, 235
  - self-decomposability, 232
  - stability, 234
  - unimodality, 230, 231
- two-scale relation, 114, 143–144, 314
- unimodal, **230**, 231, 232, 256, 303
- vanishing moments, 147
- variogram, 179
- vector-matrix notation, 72, 212
- Vetterli, Martin, 9
- wavelet frame, 1, 315–318
  - improved denoising, 317
  - pseudo-inverse, 316
  - union of ortho bases, 316
- wavelet-domain statistics, 206
  - correlations, 207
  - cumulants, 208–210, 244, 245
  - evolution across scale, 242–247
  - probability laws, 206–207
- wavelets, 1, 113, 290
  - admissible, 124
  - Haar, 12, 114–116, 220
  - Haar 2-D, 298
  - orthogonal transform, 13, 116, 301
  - semi-orthogonal transform, 146
- white Lévy noise, 4, 10, 73–84
  - as limit of random impulses, 83–84
  - canonical id distribution, 80
  - definition, **73**
  - infinite divisibility, 80–81
- whitening operator, 19, 23, 113, 152
- Wiener, Norbert
  - Wiener filter, 3, 258
  - Wiener’s lemma, 111
  - Wiener–Khinchine theorem, 88, 152
- Young’s inequality, 40, 94, 110