

Index

- adjacency matrix, 60
 Adjusted Winner, 305
 affine equivalence, 28
 agenda, 79, 454
 in judgment aggregation, 402
 agenda control, 456, 457, 460
 for balanced binary trees, 459, 460
 #Agenda Control Problem, 462
 agenda-implementability, 80
 alternative vote, 37
 amendment procedure, 78
 anonymity, 31
 in judgment aggregation, 404
 anonymous game, 374
 antiplurality voting rule, 37, 147
 apportionment, 15
 appreciation of friends game, 373
 approval voting rule, 53, 147, 152, 154, 163
 sincere-strategy preference-based, 147, 154
 approximate manipulation, 140
 approximation algorithm, 118, 387
 Archimedean property, 40, 152
 argumentation, 423
 Arrovian social choice, 261
 Arrow's Theorem, 6
 in judgment aggregation, 419
 automated reasoning, 14, 425
 AV, *see* approval voting rule
 aversion to enemies game, 373
 axiomatic method, 30, 427
- Baldwin voting rule, 37
 Banks set, 68
 Banzhaf index, 382
 computational properties, 386
 belief merging, 206, 421
 binary aggregation, 422
 binomial arborescence, 463
 bipartisan set, 66
 of a weighted tournament, 101
 Black's rule, 97
 Black's Theorem, 51
- bloc voting, 207
 blocking coalition, 360
 blocking pair, 337
 Borda
 score, asymmetric, 28
 score, symmetric, 28
 voting rule (Borda count), 28, 97, 147, 154, 163, 164
 Borda, Jean-Charles de, 3
 bracket, 454, 465, 472, 473
 Brams-Taylor algorithm, 321
 BRIBERY, 161, 163
 \$BRIBERY, 161, 163, 164
 bribery, 159, 473
 approximability of, 158, 166
 in combinatorial domains, 166
 in judgment aggregation, 167, 425
 in path-disruption games, 167
 bribery problem, 161
 priced, 159
 with discrete price functions, 161
 with \$discrete price functions, 161
 with swap-bribery price functions, 161
 shift, 164
 BTT conditions, 132
 Bucklin voting, 148, 154, 163
 simplified, 148
 budgeted social choice, 209
 bye, 459
- C1 social choice function, 38, 57, 60
 C2 social choice function, 38, 85
 C3 social choice function, 39
 cake division problem, 265
 campaign management, 159, 168
 with truncated ballots, 168
 Campbell-Kelly Theorem, 35
 candidate cloning, 158, 168
 candidate decloning, 168
 Carroll, Lewis, *see* Dodgson, Charles Lutwidge
 CCAC, 150, 154
 CCAUC, 150, 154

530

CCAV, 151, 154
 CCDG, 150, 154
 CCDV, 151, 154
 CCPC-TE, 155, 154
 CCPC-TP, 155, 154
 CCPV-TE, 155, 154
 CCPV-TP, 155, 154
 CCRPC-TE, 155, 154
 CCRPC-TP, 155, 154
 Chamberlin and Courant, 208
 choice set, 60, 367
 claims problem, 265
 classical fair division problem, 264
 closure under complementation, 402
 closure under propositional variables, 412
 coalition, 402
 coalition structure, 357
 coalitional manipulation, 473
 coarsening of a tournament solution, 61
 Coleman index, 382
 collaborative filtering, 452
 collective combinatorial optimization, 16
 combinatorial domain, 198, 200
 connection with judgment aggregation, 423
 committee elections, 197, 198, 207
 communication complexity, 235
 compact preference representation language, 210
 compilation complexity, 143, 247
 complement
 of a coalition (\bar{C}), 402
 of a propositional formula ($\sim\varphi$), 402
 complement-freeness
 of a judgment set, 402
 of an aggregator, 405
 complete vs. incomplete information, 138
 completeness
 of a judgment set, 402
 of an aggregator, 405
 completion (extension) principle, 204
 complex competition format, 474
 complexity theory, 17
 component of a tournament, 60
 composition property, 277
 composition-consistency, 62
 computational complexity of manipulation, 131
 computer-assisted theorem proving, 14
 conditional preference table, 212
 conditional preferential independence, 211
 conditionally lexicographic preference, 213
 Condorcet
 consistency, 35, 61, 148, 453, 455
 domain ($D_{\text{Condorcet}}$), 35
 extension, 35, 453, 454
 generative model, 471
 in judgment aggregation, 403
 jury theorem, 184
 loser, 35, 63
 Marie Jean Antoine Nicolas de Caritat, Marquis de,
 4, 24
 non-losers, 63
 paradox, 4, 34, 57
 principle, 25
 voting rule, 152, 154
 winner, 34, 58, 103, 148, 454, 464
 winning set, 210
 consensus class, 174
 Condorcet, 175

INDEX

majority, 175
 strong unanimity, 174
 transitivity, 175
 unanimity, 174
 conservative extension, 81
 consistency, 40, 276
 of a judgment set, 402
 of an aggregator, 405
 constructive manipulation, 473
 CONSTRUCTIVE-CONTROL-BY-ADDING-AN-
 UNLIMITED-NUMBER-OF-CANDIDATES, 150
 CONSTRUCTIVE-CONTROL-BY-ADDING-
 CANDIDATES, 150
 CONSTRUCTIVE-CONTROL-BY-ADDING-VOTERS, 151
 CONSTRUCTIVE-CONTROL-BY-DELETING-
 CANDIDATES, 150
 CONSTRUCTIVE-CONTROL-BY-DELETING-VOTERS, 151
 CONSTRUCTIVE-CONTROL-BY-PARTITION-OF-
 CANDIDATES, 155
 CONSTRUCTIVE-CONTROL-BY-PARTITION-OF-
 VOTERS, 155
 CONSTRUCTIVE-CONTROL-BY-RUNOFF-PARTITION-
 OF-CANDIDATES, 155
 Contagion Lemma, 6
 contractual Nash stability (CNS), 360
 contractually individual stability (CIS), 361
 control, 149
 approximability of, 158
 constructive, 149
 by adding an unlimited number of candidates,
 150, 152, 153
 by adding candidates, 149, 150, 152, 153
 by adding voters, 149, 152, 153
 by deleting candidates, 149, 150, 152, 153
 by deleting voters, 149, 152, 153
 by partition of candidates, 154, 155
 by partition of voters, 154, 155
 by runoff partition of candidates, 154, 155
 destructive, 154
 by deleting candidates, 156
 experimental study of, 158
 in combinatorial domains, 158
 in judgment aggregation, 159, 425
 in sequential elections, 159
 online
 in sequential elections, 159
 control problem, 149
 counting variant of a, 167
 converse consistency, 276
 cooperative game, 13, 358, 378
 cooperative vs. noncooperative game theory, 144
 Copeland voting rule, 28, 63, 148, 153, 154, 163, 464
 cooperative game, with non-transferable utility, 358
 core, 360
 computational properties, 383
 definition, 380
 core stability, 360
 covering relation, 67
 deep, 82
 McKelvey, 82
 CP-net, 211
 crowdsourcing, 17, 424
 cumulative voting, 207

 DCAC, 154
 DCAUC, 154
 DCAV, 154

- DCDC, 154
 DCDC, 156
 DCDV, 154
 DCPC-TE, 154
 DCPC-TE, 158
 DCPC-TP, 154
 DCPC-TP, 158
 DCPV-TE, 154
 DCPV-TP, 154
 DCRPC-TE, 154
 DCRPC-TE, 158
 DCRPC-TP, 154
 DCRPC-TP, 158
 Debord's Theorem, 86
 decomposition of a tournament, 60
 Deegan-Packel index, 382
 descending demand procedure, 308
 destructive manipulation, 473
 dichotomous preferences, 55
 dichotomy result
 on control, 158
 on manipulation, 158
 on possible winners, 158, 164
 dictatorship, 31
 in judgment aggregation, 415
 discursive dilemma, 400
 distance, Hamming, 205
 distance, 175
 discrete, 176
 edge reversal, 177
 footrule, 176
 Kendall tau, 176
 Sertel, 177
 swap, 176
 vote insertion, 177
 votewise, 180
 distance rationalizability, 104
 distance-based aggregation
 in judgment aggregation, 410, 425
 distortion, 250
 distributed fair division, 308
 districting, 15
 doctrinal paradox, 400
 Dodgson approximation, 118
 Dodgson score, 104
 Dodgson voting rule, 45, 103, 125
 Dodgson winner problem, 109, 110
 Dodgson, Charles Lutwidge, 4, 103
 DodgsonScore problem, 111
 domain, 264
 domain restrictions, 29
 in judgment aggregation, 407
 dominance relation, 59
 double-elimination tournament, 474
 duality, 282
 Dubins-Spanier algorithm, 314
 Duggan-Schwartz Theorem, 50
 dummy player, 381
 dynamic programming, 116
 dynamic social choice, 17
 dynamics, 143

 ε -monotonic probability matrix, 460
 edit distance, 104
 effort, 472
 egalitarian-equivalence, 272
 election fraud detection, 159

 electoral control, *see* control
 electorate
 single-crossing, 158
 nearly, 158
 Elevator Lemma, 276
 envy
 cycle, 301
 maximal, 300
 possible / necessary, 303
 ratio, 302
 envy-freeness, 295, 313
 equal treatment of equals, 269, 278
 equal-division lower bound, 271
 equal-division Walrasian rule, 270
 equitability, 313
 essential set (*ES*), 82, 101
 even-number-negatable agenda, 417
 Even-Paz algorithm, 314
 expected quality of the winner, 472
 EXTENSION-BRIBERY, 168

 f -equivalence, 248
 fair allocation, 261
 fair division with single-peaked preferences, 264
 fallback voting, 148, 154, 163
 false-name-proofness, 144
 Field Expansion Lemma, 6
 Fishburn's classification, 38
 Fisher market, 327
 fixed electorate, 29
 fooling set, 236
 fractional hypergraph matching, 375
 frequency of manipulability, 141
 full P -agenda control, 457, 458
 full agenda control, 457
 fully proportional representation, 208

 Gale-Shapley algorithm, 334, 338, 339
 game-theoretic models of manipulation, 142
 Gamson's hedonic game, 374
 general agenda control, 457
 geometric reward mechanism, 443
 GETCHA, 71, 82
 Gibbard-Satterthwaite Theorem, 46, 76, 128
 quantitative versions, 141
 GOCHA, 83
 group activity selection game, 374
 group classification, 16
 Group Contraction Lemma, 6
 group recommendation, 16
 Groupthink, 439

 Hamming distance, 205
 between two judgment sets, 403
 Hare voting rule, 37
 hedonic coalition formation game, additively
 separable, 364
 hedonic coalition formation game, fractional, 357,
 374
 hedonic coalition formation game, with
 \mathcal{B} -preferences, 365
 hedonic coalition formation game, with
 \mathcal{W} -preferences, 366
 hedonic coalition net, 362
 heuristic algorithm
 frequently self-knowingly correct, 113
 highish outdegree, 467, 468

532

homogeneity, 122
 Hospitals/Residents problem (HR), 336, 337
 Hospitals/Residents problem with Couples (HRC), 344
 Hospitals/Residents problem with Ties (HRT), 343
 House Allocation problem (HA), 346, 349
 Housing Market (HM), 347, 349
 hybrid voting rules, 138
 hypercube, 205, 211

 idempotency of a tournament solution, 61
 IIA, *see* independence of irrelevant alternatives
 immediate acceptance rule, 270
 impartial culture, 226
 implementation by agenda, 456
 imposition, 32
 imputation, 380
 inapproximability
 of Dodgson score/ranking, 124
 of Strong Young score, 126
 independence
 in judgment aggregation, 404
 independence of irrelevant alternatives, 5
 individual rationality, 359
 Individually Rational Lists of Coalitions (IRLC), 362
 individual stability (IS), 360
 instant run-off voting (IRV) voting rule, 37
 integer programming, 19
 irresolute voting rules, 131
 issues, 200
 iterative voting, 14

 judgment aggregation, 159
 judgment aggregation axioms
 anonymity, 404
 complement-freeness, 405
 completeness, 405
 consistency, 405
 independence, 404
 monotonicity, 404
 neutrality, 404
 nondictatoriality, 415
 systematicity, 405
 unanimity, 404
 judgment aggregation rule, 403
 judgment set, 402

k-approval voting rule, 37, 147, 163
k-veto voting rule, 147, 163
 Kemeny's voting rule, 86, 45, 112
 approximation algorithms, 90
 computational hardness, 88
 in judgment aggregation, 410
 parameterized algorithms, 91
 practical algorithms, 93
 Kendall's tau distance, 44, 87
 Kendall-Wei method, 64
 king, 464
 knockout tournament, 454
 balanced, 459, 473

 linear programming, 19
 linear programming formulation
 of Dodgson score, 120
 link prediction, 452

INDEX

Llull, Ramon, 3
 lobbying problem, 166
 logic, 401, 425
 lower bound on welfare, 271
 LP-tree, 213

 majority cycle, 34
 majority graph, 456
 majority margin, 85
 majority relation, 58
 majority rule, 185
 in judgment aggregation, 403, 409, 414
 Mallows model, 227
 MANIPULATION, 163, 164
 manipulation
 approximability of, 158
 in judgment aggregation, 413
 online
 in sequential elections, 159
 manipulation as a computational problem
 basic variant, 132
 coalitional manipulation, 134
 coalitional weighted manipulation, 135
 margin-of-victory problem, 167
 marginal contribution net, 362
 marginal preference, 200
 Markov set, 65
 marriage game, 374
 match, 453, 454
 matching, 267, 337, 346, 353
 greedy maximum, 353
 individually rational, 347, 350
 maximum Pareto optimal, 351
 pairwise stable, 345
 Pareto optimal, 346, 349
 popular, 352, 353
 rank-maximal, 353
 setwise stable, 345
 stable, 337, 340, 344, 345
 strict core, 347, 349
 strongly stable, 343
 super-stable, 343
 weak core, 347
 weakly stable, 343
 matching representation of a seeding, 465
 maximal lottery, 66
 maximin voting rule, 148, 154, 163
 computation, 97
 maximin share, 297
 maximum likelihood estimator, 187
 for ranking (MLERIV), 189
 for winner (MLEWIV), 193
 maximum regret, 231
 maxmin fairness, 295
 May's Theorem, 34
 McGarvey's Theorem, 58
 mechanism, 340, 347
 core, 349
 Core from Fixed Endowments (CFE), 349
 Core from Random Endowments (CRE), 349
 Random Serial Dictatorship (RSD), 348
 Roth-Vande Vate, 342
 Serial Dictatorship (SD), 348
 strategyproof, 340, 341, 350, 351
 mechanism design, 13, 129
 median order, 87

- median property, 414
 - Min-Cut recommendation system, 440
 - minimal TC -retentive set, 74
 - minimal consistent enlargement, 282
 - minimal covering set
 - of a weighted tournament, 102
 - minimal covering set, 72
 - minimal extending set, 72
 - minimally inconsistent set, 403
 - minimax approval voting, 205
 - minimax regret, 231
 - misrepresentation, 208, 252
 - monotonic probability matrix, 459, 472
 - monotonicity, 122
 - down, 42
 - half-way, 42
 - in judgment aggregation, 404
 - Maskin, 42
 - of a tournament solution, 61
 - one-way, 42
 - strong, 42
 - weak, 41
- Monroe scheme, 208
 - Muller-Satterthwaite Theorem, 47
 - multi-level marketing, 441
 - multiagent systems, 423
 - multiple election paradoxes, 201, 221
 - multiple elimination tournament, 473
 - multiple referenda, 197, 198
 - multiwinner elections, 197, 207
- Nanson's voting rule, 37
 - computation, 97
 - Nash stability, 360
 - necessary winner, 228
 - net preference ($Net_P(a > b)$), 27
 - network analysis, 376
 - neutrality, 31, 455
 - in judgment aggregation, 404
 - no-domination of equal division, 271
 - no-envy, 269
 - for groups, 272
 - in trades, 269
 - noise model
 - Mallows, 186, 187
 - rankings, 187
 - winners, 193
 - nontrivial agenda, 402
 - nonunique-winner model, 160
 - norm, 180
 - null object, 266
- \mathcal{O} -legal, 216
 - object, 267
 - desirable, 266
 - undesirable, 266
 - object allocation
 - priority-augmented, 267
 - object-allocation problem, 266
 - objects-and-money allocation problem, 266
 - odd-max-clique, 108
 - opportunity, 272
 - optimal seeding, 472
 - order preservation in awards, 278
 - orthogonal decomposition into cyclic and cocyclic components, 39
- ownership
 - collective, 263
 - individual, 263
 - mixed, 263
 - semi-collective, 263
 - ownership data, 263
- P -agenda control, 457, 459, 460
 - PageRank, 430
 - pair-negatable agenda, 419
 - pairwise comparison, 225, 235, 453
 - pairwise majority
 - $>^\mu$, 27
 - pairwise majority rule (PMR), 34
 - paradoxes of power, 388, 389
 - parameterized complexity
 - of Dodgson score, 116
 - of Strong Young elections, 115
 - Pareto-optimality, 5, 32, 61, 68, 78, 295, 359, 455, 456
 - parity rule, 418
 - partial preference, 225
 - participation, 42, 455
 - party affiliation game, 369
 - peak amount, 265
 - perfect partition, 359
 - picking sequences, 307
 - pivotal player, 382
 - Pliny the Younger, 3
 - PLS (polynomial local search), 368
 - plurality with run-off voting rule, 37
 - plurality voting rule, 27, 147, 152, 154, 161, 163
 - polynomial hierarchy, 108
 - polynomial-time many-one reduction, 149
 - population monotonicity, 275
 - positional scoring rule, 147
 - pure, 158
 - positive responsiveness, 33
 - possible and necessary winner problems, 144
 - possible winner, 228
 - POSSIBLE-WINNER, 164
 - potential function, 365
 - PPAD, 375
 - preference agenda, 403
 - preference elicitation, 239
 - preference query, 235
 - preference ranking, 26
 - Preference Refinement Algorithm, 371
 - preferences, 264
 - additive, *see* modular
 - compact representation, 289
 - lifting, 287
 - modular, 287
 - monotonic, 294
 - responsive, 287
 - separable, 199, 200, 364
 - single-peaked, 51, 112, 130, 141, 158, 166, 238, 265
 - value-restricted, 52
 - premise-based rule, 411
 - price function, 159
 - discrete, 160
 - \mathcal{S} discrete, 160
 - family of price functions, 160
 - swap-bribery, 160
 - price of fairness, 296, 325

- principal ultrafilter, 416
- priority
 - absolute, 263
 - relative, 263
- priority data, 263
- priority order, 267
- probability distribution, 471
- probability matrix, 457
- probability of winning, 455
- probably approximately correct (PAC) learning, 254
- product of tournaments, 60
- profile, 26
 - in judgment aggregation, 402
- profile completion, 226
- profile of weak rankings, 26
- proper reward mechanism, 443
- proportionality, 313
- pseudodistance, 175
- Public Good index, 382
- punctual requirement, 271
 - with full coverage, 271
- quota, 378
- quota rule, 408
- Random Walk recommendation system, 439
- randomized social choice, 14, 130
- range voting rule, 148, 154, 163
 - normalized, 148, 154
- ranked pairs voting rule, 98, 148, 163
 - computation, 99
- ranking scoring rule, 45
- ranking system, 430
- ranking system axioms
 - Collapsing, 433
 - Isomorphism, 432
 - Proxy, 434
 - Self Edge, 433
 - Vote by Committee, 433
- rationalizable choice function, 245
- recommendation system, 436
- recommendation system axioms
 - Independence of Irrelevant Stuff, 437
 - Neighborhood Consensus, 437
 - No Groupthink, 440
 - Positive Response, 436
 - Scale Invariance, 438
 - Symmetry, 436
 - Transitivity, 438
 - Trust Propagation, 438
- referral reward axioms
 - Additivity, 444
 - Budget, 443
 - Child Dependence, 444
 - Depth Level Dependence, 444
 - Local Split Proof, 448
 - Monotonicity, 448
 - Split Proof, 448
 - SubTree, 442
 - Unbounded Reward, 443
- referral forest, 442
- referral tree, 441
- refinement of a tournament solution, 61
- reinforcement, 40, 455
- relational requirement, 273
- resoluteness, 29
- resource data, 263
- resource monotonicity, 274
- Robertson-Webb model, 316
- robust winner, 246
- robustness principle, 276
- roommate game, 374
- round-robin tournament, 473, 474
- Rural Hospitals Theorem, 339
- safe strategic voting, 144
- safety of the agenda, 419
- SCF, *see* social choice function
- School Choice problem (sc), 337, 341, 350
- Schulze's voting rule, 98, 148, 154, 163
 - computation, 98
- Schwartz set, 83
- Schwartz's conjecture, 74
- scoring rule, 37, 177, 189, 193
 - characterization, 194
 - compound, 40
 - continuity of, 40
- scoring vector, 147
- Seed Algorithm, 467
- seeding, 454, 455
- seeding efficiency, 474
- selection systems, 451
- Selfridge-Conway algorithm, 315
- Sen's Possibility Theorem, 52
- sequential majority comparison voting rule (SMC), 36, 454, 460
- sequential voting protocol, 216
- set extension, 77, 365
 - Fishburn's extension, 77
 - Kelly's extension, 77
- Shapley value, 381
 - characterization, 382
 - computational properties, 385, 386
- Shapley-Shubik voting index, 382
- SHIFT-BRIBERY, 164
- simple agenda, 78, 414
- simple game, 378, 390
- simple ranking scoring function, 187, 193
- simplified median property, 420
- Simpson's voting rule, *see* maximin voting rule
- simultaneous voting, 200
- sincere voting, 79
- single transferable vote, 37, 148, 163
- single-elimination tournament, 454, 465
- single-peakedness, *see* preferences, single-peaked
 - approximation, 15
- single-valuedness, 268
- skew-adjacency matrix, 60
- Slater rule, 64
 - in judgment aggregation, 411
- SMC-tree, 460, 473
- Smith set, 71, 82
- Smith-consistent, 454
- SNTV, 207
- social choice function, 29
- social distance games, 374
- social preference function, 44
- social welfare, 225, 250, 323
- social welfare function, 5, 29

- solidarity, 273
- sophisticated voting, 79
- SP-AV, *see* approval voting, sincere-strategy preference-based
- split proof reward mechanism, 448
- Splitting Lemma, 6
- stability, 279, 355
- stability of a tournament solution, 61
- Stable Marriage problem (SM), 337
- Stable Marriage problem with Incomplete lists (SMI), 337
- standard seeding, 472
- strategic sequential voting, 220
- strategyproofness, 127, 355
 - Fishburn-strategyproofness, 77
 - Kelly-strategyproofness, 77
 - of tournament solutions, 76
- strict core, 360
- strict strong Nash stability (SSNS), 360
- strong individual stability (SIS), 360
- strong superset property, 61
- Strong Young voting rule, 105
- Strong Young winner problem, 112
- STV, *see* single transferable vote
- subtournament, 59
- summary of a tournament, 60
- Summing Contributions property, 445
- superking, 466, 471
- Superseed Algorithm, 466
- SUPPORT-BRIBERY, 166
- SWAP-BRIBERY, 161, 164
- SWF, *see* social welfare function
- sybil attacks, 446
 - local split, 447
 - split, 446
- systematicity, 405

- Θ^p , 107, 112, 125
- TE, *see* ties eliminate
- tentative acceptance rule, 270
- Tideman's voting rule, 123
- ties eliminate, 155
- ties promote, 155
- Top Covering Algorithm, 370
- top cycle, 36, 71, 455, 457
- top responsive preferences, 367
- Top Trading Cycles (TTC) algorithm, 348, 349
- top- k voting (query), 243
- totally blocked agenda, 417
- tournament, 28, 59
- tournament equilibrium set, 74
- tournament fixing problem, 463, 464
- tournament graph, 456
- tournament solution, 60
- TP, *see* ties promote
- trade robustness, 391
- transferable utility cooperative game, 358
- trivial tournament solution, 62
- trust based recommendations, 435
- trust systems, 452
- truth-biased voters, 143

- ultrafilter, 415
- unanimity
 - in judgment aggregation, 404
- unavailable candidate model, 245
- uncovered set, 67, 464
 - of a weighted tournament, 102
- undercut procedure, 306
- uniform quota rule, 408
- uniform rule, 270
- unique-winner model, 112, 160
- upper bound on welfare, 271
- utilitarian optimality, 295
- utility function, cardinal, 250

- value density function, 312
 - piecewise constant, 312
 - piecewise uniform, 312
- variable electorate, 29
- vector weighted voting games, 393
- veto, 147, 163
- veto player, 383
- voter weight vs. voter power, 388
- voting equilibrium, 256
- voting network, 435
- voting protocol, 236
- voting rule, 147
 - Borda, voting rule (Borda count), 191, 192
 - Condorcet-consistent, 148
 - continuity, 152
 - distance rationalizable, 178
 - immune to a control type, 151
 - Kemeny's voting rule, 186, 192
 - resistant to a control type, 152
 - susceptible to a control type, 151
 - Tideman's voting rule, 191
 - vulnerable to a control type, 152
- voting situation, 27
- voting tree, 454, 472, 473

- weak composition-consistency, 62
- weak Condorcet winner, 103
- weak tournament, 81
- WeakDodgson voting rule, 104
- WeakDodgson winner problem, 112
- weight, 378
 - total weight of a coalition, 379
- weight vs. power, *see* voter weight vs. voter power
- weighted tournament, 28, 85
- weighted voting games, 377, 379
- WEIGHTED-BRIBERY, 161, 163, 164
- WEIGHTED-BRIBERY, 161
- WEIGHTED-MANIPULATION, 164
- welfare dominance under preference replacement, 275
- winning coalition, 405
- worst-case vs. typical-case hardness, 139

- yes/no voting systems, 378, 390
- Young score, 104
- Young winner problem, 112
- Young's voting rule, 103, 104