

Index

Locators in **bold** refer to figures and tables.

Species appear under their *Latin* names with cross-references from common names when these are used in the text. Broader phylogenetic groupings are also gathered together under common names where these come from different or unspecified genera (e.g., frogs).

- Acanthodactylus erythrurus* (spiny footed lizard) **231**
- Acanthodactylus* (lizard) spp. 139, **231**
- Acanthopplus speiseri* (armored ground cricket) 180, **183**
- Accipiter gentilis* (goshawk) 269
- Accipiter nisus* (sparrowhawk) 96, 98, 399
- accuracy vs. speed, escape responses 202, 203
- Achroia grisella* (wax moth) **231**, 244
- Acinonyx jubatus* (cheetah) 71, **72**, 277, 279
- Acomys cahirinus* (spiny mouse) 65
- Actinia equina* (sea anemone) 390
- Acyrtosiphon pisum* (pea aphid) 181, **362**, 369
- AD. *see* alert distance
- adaptations
 - heritability 369–370
 - predator–prey interactions as drivers 3
 - see also* morphological adaptations
- adrenocorticotropin hormone (ACTH) 345
- advertisement signals. *see* perception advertisement signals; quality advertisement
- African elephants. *see* *Loxodonta africana*
- Agalychnis callidryas* (tree frog) **165**
- Agama* (lizard) spp. **295**, 388, **389**, 398
- age, lizards 121–123
- Agelenopsis aperta* (desert grass spider) **362**, 369
- Agkistrodon* (snake) spp. 143
- alarm calling 57, 265, 272, 274, 281
 - about threat type 272–273, **273**
 - false alarms 273–274
 - mass flight 274–275
 - models 47–50
 - pursuit-deterrent signaling 219
- Alauda arvensis* (skylark) 217–218
- Alces alces* (moose) 66, 73–74
- alert behavior, sensory systems 335–336
- alert distance (AD)
 - birds 88–89
 - definition 9
 - fish and amphibians 155
 - heritability **362**
 - mammals 66–69, **68**
 - models 32, 34–41, **35**, **36**, **37**
 - reindeer 77, 77–78
 - statistical analysis of data 413–414
 - study of 409–411
- Alligator* spp. 145
- allostatic load 344
- alpine swifts. *see* *Apus melba*
- Amatitlania nigrofasciata* (convict cichlid) 392
- Amblyrhynchus cristatus* (marine iguana) 122, **134**
- Ambystoma barbouri* (salamander) **362**, 370, 390
- American bullfrog. *see* *Lithobates* spp.
- American crow. *see* *Corvus brachyrhynchos*
- American pika. *see* *Ochotona princeps*
- American robin. *see* *Turdus migratorius*
- amphibians. *see* fish and amphibians; tadpoles
- amygdala 345
- Anas platyrhynchos* (mallard) 212, 334
- androgens 375–376. *see also* testosterone
- angelfish. *see* *Pterophyllum* spp.
- angle of approach. *see* approach angle
- angle of flight. *see* escape angle
- “Animal camouflage” (Stevens & Merilaita) 4
- animal personalities. *see* personality differences
- Anolis* (lizard) spp. 114, **121**
 - arboreal habitats 305, 306
 - autotomy 301–302
 - body size and shape 295
 - environmental factors 291–292
 - escape strategies 139
 - habitat and environmental factors 308

- Anolis* (lizard) spp. (cont.)
 - locomotor performance 291–292
 - morphological adaptations 287–288, 298, 299
- anthropogenic disturbance. *see* human disturbance and hunting
- Antilocapra americana* (pronghorn antelope) 66
- “Antipredator defenses in birds and mammals” (Caro) 4
- antipredator tactics. *see* defenses
- anxiety-like behaviors. *see* fear-like behaviors
- appearance time 245
- approach angle
 - and cognition in birds 104–105
 - definition 12
 - study of 412
- approach distance. *see* flight initiation distance
- approach elevation. *see* gradient effects
- approach, repeated. *see* repeated approach
- approach speed. *see* speed of approach
- Apus melba* (alpine swift) **362**, 368
- aquatic habitats
 - sensory perception 153
 - speed of escape 159
 - turbidity 162
- arboreal habitats, lizards 305–306
- Argiope florida* (Orb weaver spider) 182–185, **183**
- Argopecten colbecki* (scallop) 191, **362**, 364–365, **365**
- armor. *see* body armor
- armored ground cricket. *see* *Acanthopplus speiseri*
- arthropod vision 185, **186**. *see also* invertebrates
- artificial selection
 - heritability studies 366–368, 369
 - locomotor performance in lizards 287
- Aspidoscelis* (lizard) spp. 21, 132
 - escape strategies 138
 - heritability **362**, 370
 - locomotor performance 309
- assassin bugs. *see* *Triatoma infestans*
- assessment time 32
 - definition 11
 - mammals **67–68**
- Athene cunicularia* (burrowing owl) **93**, 388, **389**
- attack angle, definition 12
- attention, prey species 266, 424–425
 - fish and amphibians 160
 - hermit crab 189
 - lizards 293
 - sensory systems 333
- see also* vigilance
- autotomy (shedding of body parts) 27–28
 - invertebrates 178, 182
 - lizards 123–124, **124**, **237**, 301–302
- “Avoiding attack: the evolutionary ecology of crypsis, warning signals and mimicry” (Ruxton *et al.*) 4
- away responses 200–202, **201**. *see also* directionality
- backswimmer. *see* *Notonecta maculata*
- Baetis tricaudatus* (mayfly) **231**
- Balanus glandula* (barnacle) 189, 191, **231**, 238–239, 242
- Balearic lizard. *see* *Podarcis lilfordi*
- banded killifish. *see* *Fundulus diaphranus*
- barn swallow. *see* *Hirundo rustica*
- barnacle. *see* *Balanus glandula*
- basal metabolic rate (BMR), birds 102
- Basiliscus* (basilisk lizard) spp. 287–288, 295, 305
- Bassiana duperreyi* (eastern three-lined skink) **362**
- bean beetle. *see* *Callosobruchus chinensis*
- Be’er Sheva fringe-fingered lizard. *see* *Acanthodactylus beershebensis*
- behavioral syndromes. *see* personality differences
- benzodiazepines (BZPs) 350, 351, 352
- best practice, study of escape behavior 407–417
- birds 88–90, **90**
 - assumptions/limitations of study 100–105
 - body size 94
 - costs and benefits of escape 105–106
 - diet 98
 - dispersal 99
 - disturbance by humans 97, 104–106,
 - effect sizes 99–100
 - escape trajectory 211
 - flight initiation distance **90**, 90–92, **91**
 - future research needs 106–107
 - habitat 99
 - heritability 92–94, **93**, 96, **362**
 - hiding time **231**, 242
 - hormonal status 97
 - individual variation 92
 - life history 95
 - models of starting distance 33–34
 - parasitism 98–99
 - population size 99, **101**
 - predators 98
 - pursuit-deterrent signaling 217–218
 - sensory systems **337**
 - social effects 98
 - song 96–97
 - three-dimensionality of escape 92
 - urbanization 95–96
 - see also* specific species by name
- Bitis schneideri* (dwarf adder) 144
- black swan. *see* *Cygnus atratus*
- black widow spider. *see* *Latrodectus* spp.
- blackbird. *see* *Turdus merula*
- Blepsias cirrhosus* (silver-spotted sculpin) 160
- blesbok. *see* *Damaliscus dorcas*
- blue crab. *see* *Callinectes sapidus*
- blue jay. *see* *Cyanocitta cristata*
- blue tit. *see* *Cyanistes cyaneus*
- bluehead wrasse. *see* *Thallosoma bifasciatum*
- BMR (basal metabolic rate), birds 102

- body armor
 - fish and amphibians 166, 371
 - lizards 371
- body size
 - birds 94
 - costs and benefits of escape 159
 - fish and amphibians **163**, 163–164
 - hiding time 238–239
 - invertebrates 191
 - lizards 121–123, 293–298, **295**, **297**
 - mammals 64
- body temperature
 - directionality 202–203
 - egg incubation regimes 377–378
 - invertebrates 191
 - lizards 118–119, **119**, 290–292
 - opportunity costs 244–246
 - snakes 144
- Bokermannohyla alvarengai* (frog) 166
- boldness. *see* personality differences
- Bostrychia hagedash* (haded ibis) 104
- Brachydanio rerio* (zebra danios) 162
- brains/cognition
 - birds 103–105
 - fish and amphibians 153–154, 160–162
 - physiology 344–349, **348**
 - sensory systems 333
- broad-headed skink. *see* *Plestiodon laticeps*
- broad-headed snake. *see* *Hoplocephalus bungaroides*
- brook stickleback. *see* *Culea incostans*
- brook trout. *see* *Salvelinus fontinalis*
- brown bear. *see* *Ursus arctos*
- brown-headed cowbird. *see* *Molothrus ater*
- buffer distance, definition 10
- Bufo bufo* (common toad) 159
- bullhead. *see* *Cottus gobio*
- burrowing owl. *see* *Athene cunicularia*
- butterflies (various)
 - hiding time **231**
 - pursuit-deterrent signaling 218
- Cacatua roseicapilla* (galah) 104
- caddis fly. *see* *Halesus radiatus*
- Calidris canutus* (red knot) 399
- California towhee. *see* *Melospiza crissalis*
- Callinectes sapidus* (blue crab) **209**, 212
- Callisaurus draconoides* (zebra-tailed lizard) 50, 115, 125
 - environmental factors 291–292
 - locomotor performance 297
 - pursuit-deterrent signaling 125
 - sandy habitats 304
- Callosobruchus chinensis* (bean beetle) 180
- camouflage. *see* crypsis
- Canis latrans* (coyote) 66
- Canis lupus* (gray wolf) 65, 69
- Canis lupus familiaris* (domestic dog) 71
- Canis mesomelas* (jackal) 71, **72**
- Cardinalis cardinalis* (northern cardinal) **93**
- Caribbean hermit crab. *see* *Coenobita clypeatus*
- caribou 64. *see also* *Rangifer tarandus*
- carotenoids, maternal provisioning 377
- cars. *see* vehicles
- catfish (various) 166
- Catharacta* (skua) spp. 394, **395**
- caudal autonomy. *see* autotomy
- Cephenemyia trompe* (nose bot fly) 69–70, **70**
- Cervus canadensis* (elk) 66
- Cervus elaphus* (red deer) 63, 65
- chaffinch. *see* *Fringilla coelebs*
- chameleon (various) 287–288
- changing flight patterns. *see* protean behavior
- Charadrius* (plover) spp. 98
- cheating, in signaling 48, 276–277
- checkered whiptail lizard. *see* *Aspidoscelis* spp.
- cheetah. *see* *Acinonyx jubatus*
- chemical defenses
 - fish and amphibians 166
 - pursuit-deterrent signaling 218–219
- chinook salmon. *see* *Oncorhynchus* spp.
- chintrap penguin. *see* *Pygoscelis antarctica*
- Chlorocebus pygerythrus* (vervet monkey) 272–273, **273**
- Chrysopa carnea* (green lacewing) 181
- chuckwalla lizard. *see* *Sauromalus* spp.
- citations, escape behavior studies 5, **6**
- clam. *see* *Corbicula fluminea*
- climate change 169
- Clupea harengus* (Atlantic herring) 162, 202, 203
- Cnemaspis* (gecko) spp. **297**
- Cnemidophorus* (whiptail lizard) spp. **136**, **295**
- Coccinella septempunctata* (ladybird) 181
- cockroach. *see* *Periplaneta americana*
- Coenobita clypeatus* (Caribbean hermit crab)
 - 182–185, **183**, 189, 389
- cognition. *see* brains/cognition
- Colisa lalia* (dwarf gourami) **231**, 246
- collared lizard. *see* *Crotaphytus collaris*
- collective vigilance 269–271
- colonial spiders. *see* *Metepeira incrassata*
- color patterns
 - fish and amphibians 160
 - invertebrates 187
 - snakes 143–144
- Coluber* (racer snake) spp. 143
- Columba palumbus* (wood pigeon) 269
- Columbian black-tailed deer. *see* *Odocoileus hemionus*
- common basilisk lizard. *see* *Basiliscus* spp.
- common frog. *see* *Rana* spp.
- common fruit fly. *see* *Drosophila melanogaster*
- common lizard. *see* *Zootoca vivipara*
- common toad. *see* *Bufo bufo*
- comparative studies of escape behavior 416, 421

- compound eye 185, **186**. *see also* sensory systems; vision
- computational simulations of escape behavior 415–416
- Condylactis gigantea* (sea anemone) 390
- confusion effect 216, 274–275
- conservation and management 424
 - fish and amphibians 169, **170**
 - mammals 79
 - marine reserves **161**, 161, 169, **170**
- conspecific effects. *see* group living group size
- convict cichlid. *see* *Amatitlania nigrofasciata*
- copying vigilance 269–271
- Corbicula fluminea* (Asian clam) **231**, 246
- Cordylus melanotus* (highveld crag lizard) 123
- Coronella austriaca* (smooth snake) 246
- corticosterone/cortisol (glucocorticoids) 345, 346
 - birds 97
 - lizards 422
 - maternal effects 375–376
- corticotropin-releasing factor (CRF) 345
- Corvus brachyrhynchos* (American crow) 104
- costs and benefits
 - birds 105–106
 - fish and amphibians 159, 162
 - fitness 17, **18**
 - hiding time 248–249, **250**
 - life history trade-offs hypothesis 398
 - lizards 135–138, **136**, **137**
 - nearest approach distance 52–56
 - pursuit-deterrent signaling 275–276
 - starting distance 34, 35–39, **37**, **39**
 - see also* models of escape behavior; opportunity costs
- Cottus gobio* (bullhead) 239
- covariate analysis of study data 413–414
- cowtail stingray. *see* *Pastinachus sephen*
- coyote. *see* *Canis latrans*
- crabs 179, 211. *see also* hermit crabs; *Uca* spp.
- Crangon crangon* (crayfish) 207
- Craugastor* (frog) spp. 166
- crayfish (various)
 - escape trajectory 207
 - food handling 190
- Crenicichla alta* (pike cichlid) 156
- crickets 191. *see also* *Gryllus*; *Teleogryllus oceanicus*
- crimson rosella. *see* *Platycercus elegans*
- crocodilian spp. 145
- Crocota crocuta* (hyena) 71, **72**
- Crotaphytus collaris* (collared lizard) **289**, 296
- crustaceans, hiding time **231**. *see also* crabs
- cypsis 4
 - fish and amphibians 160, 163, 165–166
 - game theory model 43–45, **44**
 - invertebrates **179**, 187
 - lizards **125**, **126**
 - snakes 140
- Cryptophis nigrescens* (small-eyed snake) 144
- Ctenophorus pictus* (painted dragon) **362**, 376
- Ctenosaura similis* (black iguana) 134–135
- Cuban tree frog. *see* *Osteopilus septentrionalis*
- Culea incostans* (brook stickleback) 167
- Culex* (mosquito) spp. 185–187, 212, **231**
- cultural transmission, escape behavior 361
- curlew. *see* *Numenius arquata*
- Cyanistes cyaneus* (blue tit) 331
- Cyanocitta cristata* (blue jay) 333
- Cynia tenera* (dogbane tiger moth) 182
- Cygnus atratus* (black swan) 96
- Cylas formicarius* (sweet potato beetle) 180
- Damaliscus dorcas* (blesbok) 73
- damselfish. *see* *Pomacentrus amboinensis*
- damselfly. *see* *Ischnura elegans*
- dark-eyed junco. *see* *Junco hyemalis*
- darters. *see* *Etheostoma* spp.
- data analysis/collection 413–416
- data files, electronic 13
- decision making, prey 4
 - and locomotor performance in lizards 290–292
 - hiding time 250–254, **251**, **253**
 - monitoring effects 34–35, **35**, **36**
- defenses against predation 3–4, 360–361
 - fear and anxiety-like behaviors **344**
 - fish and amphibians 164–166
 - morphological adaptations 247–248
 - physiology of 343–344, **344**
 - snakes 140, 143–144
 - vs. escape 371
 - see also* alarm calling; chemical defenses; physical defenses; physiology of escape; pursuit-deterrent signaling
- definitions, escape behavior terminology 8–13
 - motivation 292
 - performance 292
 - refuges 227
 - vigilance 267
- degus. *see* *Octodon degus*
- Dendrobates auratus* (poison dart frog) 166
- desert grass spider. *see* *Agelenopsis aperta*
- desert iguana. *see* *Dipsosaurus dorsalis*
- detection, sensory systems 327–333, **328**, **330**, **332**
- detection distance, definition 9
- detection latency, definition 10
- detection signals, to predators 275–276
- DF. *see* distance fled
- diet, birds 98
- Diplodus* (sea bream) spp. 161
- Dipsosaurus dorsalis* (desert iguana) 303

- direct approach
 - definition 12
 - effect on hiding time 235, **236**
 - lizard predators **126**, 127–129
- directionality 200–205
 - away and toward responses 200–202, **201**
 - definition 13
 - environmental factors 202–203
 - models 41–43, **42**
 - study of 412
 - terminology 11–13
 - to refuge, lizards 117
 - toward responses as mistakes 203–205, **204**
 - see also* protean behavior; reversals
- dispersal, birds 99
- Dissosteira carolina* (grasshopper) 182–187, **183**, **188**
- distance fled (DF)
 - definition 10
 - fish and amphibians **157**
 - heritability **362**, 366
 - invertebrates 185–187
 - lizards 117–118, 119, 120, 126–127, 128–129
 - reindeer 77–78
- distance to refuge
 - fish 162
 - lizards 114–117, **115**
 - mammals 69–70
- distance variables, terminology 9–10
- distraction. *see* attention, prey species
- distress calls 219
- disturbance. *see* human hunting and disturbance
- dogbane tiger moth. *see* *Cynia tenera*
- dogs, domestic. *see* *Canis lupus familiaris*
- Dolichonyx oryzivorus* (bobolink) **93**
- domestication
 - birds 88
 - mammals 74, 75–78
- dottyback. *see* *Pseudochromis fuscus*
- Draco taeniopterus* (Thai flying dragon) **289**
- dropping behavior 181–182, **362**
- Drosophila melanogaster* (fruit fly) **362**, 369
- dumpling squid. *see* *Euprymna tasmanica*
- dwarf adder. *see* *Bitis schneideri*
- early warning hypothesis
 - fish and amphibians 167
 - invertebrates 190
- eastern gray kangaroo. *see* *Macropus giganteus*
- eastern gray squirrel. *see* *Sciurus carolinensis*
- economic escape model (EEM) 5, 18–19, 162
 - defenses 164–166
 - fish and amphibians 152, 156–162
 - group size effects 167–168
 - locomotor performance in lizards 290–292
 - monitoring effects 34–35, **35**, **36**
 - predictions **157**
 - sensory perspective 338
 - starting distance 31–32
 - utility, range, and testability 422–424
 - see also* costs and benefits; models of escape behavior
- Egernia cunninghami* (Cunningham’s skink) 114
- egg size/quality, maternal provisioning 376–377
- eider duck. *see* *Somateria mollissima*
- electronic data files 13
- elephant, African. *see* *Loxodonta africana*
- elevated T-maze (ETM), physiology of escape 350–351
- elevation. *see* gradient effects
- elk. *see* *Cervus canadensis*
- emergence time. *see* hiding time
- empirical studies, escape behavior 5, 7
- endocrine mechanisms 421–422
 - birds 97
 - maternal effects 375–376
 - physiology of escape 344–346
- environmental factors 8
 - birds 99
 - directionality 202–203
 - distraction. *see* attention, prey species
 - lizards 114–119, **115**, **116**, **119**, 291–292
 - locomotor performance in lizards **291**, 292, **299**, 303–308, **308**
 - mammals 69–70, **70**
 - maternal effects 378
 - see also* epigenetics; genetic × environmental interactions
- Ephemerella subvaria* (mayfly) **231**
- epigenetics
 - escape behavior 375–376
 - stress response 346
 - see also* maternal effects
- Erithacus rubecula* (European robin) 105
- Erpeton tentaculatum* (tentacled snake) **204**
- escape ability, lizards 293, **294**. *see also* locomotor performance
- escape angle 205, **206**
 - definition 13
 - invertebrates 187, **188**
 - see also* escape trajectory
- escape distance. *see* flight initiation distance
- escape latency
 - definition 10
 - models 50–52, **51**
- escape strategies
 - lizards 138–139
 - snakes 143–144
- escape trajectory 205, **206**, 212–213, 219–220
 - birds 105
 - definition 12–13
 - group-living species 215–217
 - intermediate strategies 212
 - methodological challenges 205–207

- escape trajectory (cont.)
 preferred trajectories 209–211, **210**
 protean behavior 213–215
 pursuit-deterrent signaling 217–219
 random trajectories 211–212
 single/optimal trajectory 207–209, **208, 209**
 toward a refuge 212
- Etheostoma* (darter) spp. 165
- ETM (elevated T-maze), physiology of escape 350–351
- Eudorcas thomsonii* (Thomson's gazelle) 64, 71–72, **72**
 predator inspection behavior 278–280
 pursuit-deterrent signaling 277
 stotting **277, 277**
- Eulamprus* (water skink) spp. 122, **231, 244**
- Euprymna tasmanica* (dumpling squids) 393
- European minnow. *see Phoxinus phoxinus*
- European robin. *see Erithacus rubecula*
- European starling. *see Sturnus vulgaris*
- euros. *see Macropus robustus erubescens*
- evolution
 body size and shape in lizards 294, 296
 personality differences 393–394
 predator–prey interactions as drivers 3
 pursuit-deterrent signaling 217–218, 278
 see also heritability; natural selection
- exercise. *see* locomotor performance in lizards
- exposure, lizard habitats 117–118
- eye, arthropod 185, **186**. *see also* sensory systems; vision
- facial exposure, lizard predators 134–135
- Falco columbarius* (merlin) 217–218
- fall crickets. *see Gryllus* spp.
- falling silent, invertebrates 180
- false alarms 273–274
- familial effects **362, 368**. *see also* maternal effects
- fast burst escape responses 153, **154**, 154–155
- fathead minnow. *see Pimephales promelas*
- FEAR. *see* flush early and avoid the rush
- fear-like behaviors, physiology of escape **344, 350**
- fear screams 219
- Ficedula* (flycatcher) spp. **93, 362, 376**
- FID. *see* flight initiation distance
- fiddler crabs. *see Uca* spp.
- field cricket. *see Gryllus; Teleogryllus oceanicus*
- field studies 8, 407–417. *see also specific phylogenetic groups* (e.g., mammals)
- flight or flight response
 physiology of escape **344, 345**
 temperature effects in lizards 290
- fish and amphibians 152–153, 169
 body size **163, 163–164, 238–239**
 costs and benefits of escape 162
 defenses 164–166
 directionality 202–203
 economic escape model **157**
 environmental factors 162
 fast burst escape responses 155
 group size effects 167–168
 heritability **362**
 hiding time **231**
 Mauthner cells 154, 201
 methodological challenges 153–156, **156**
 opportunity costs 242
 predator inspection behavior 278–280
 prey characteristics 156–162, **161**
 risk of capture 156–162
 see also tadpoles and *see specific species by name*
- fishing by humans 161, 169. *see also* human disturbance and hunting
- fitness 3–4, 17, **18**
 and hiding time 46–47, 242
 vigilance/alarm-calling/signaling 48–50, **49**
 see also costs and benefits; models of escape behavior; opportunity costs
- fixed refuges, direction of approach 41–43, **42**
- fleeing distance. *see* flight initiation distance
- flight angle. *see* escape trajectory
- flight initiation distance (FID)
 birds **90, 90–92, 91**
 cryptic prey 43–45, **44**
 definition 9–10
 direction of approach **42**
 fish and amphibians **157**
 heritability **362**
 human disturbance in mammals 70–71
 invertebrates 182–185, **183**
 locomotor performance in lizards 290–292
 mammals 63, 66–69, **67, 68, 72–73**
 personality differences 386–387, **387**
 physiology of 343
 reindeer **77, 77–78**
 statistical analysis of data 413–416
 study of 411
 Thomson's Gazelle **72**
 vigilance/alarm-calling/signaling 47–50
 see also lizards; models of escape behavior
- flocking. *see* group living; group size effects
- Florida scrub lizard. *see Sceloporus* spp.
- flush distance. *see* flight initiation distance
- flush early and avoid the rush (FEAR) 338, 424–425
- flush early hypothesis 31, 34
- flycatchers. *see Ficedula* spp.
- food handling, invertebrates 190
- foraging, opportunity costs 135, **136, 239–242, 241**
- forest habitats, lizards 305–306
- freezing behavior 343–344, **344, 347, 348**
- freshwater clam. *see Corbicula fluminea*
- freshwater pearl mussels. *see Margaritifera margaritifera*

- fringe-toed lizard. *see* *Uma* spp.
- Fringilla coelebs* (chaffinch) 392
- frogs (various) 166, 167
 - costs and benefits of escape **165**
 - crypsis 166
 - hiding time **231**, 235
 - predators 218
 - see also* *Rana* spp.
- fruit fly. *see* *Drosophila melanogaster*
- Fundulus diaphanus* (banded killifish) 167, **231**
- GABA (gamma aminobutyric acid) 352
- Gadus morhua* (Atlantic cod) 162
- galah. *see* *Cacatua roseicapilla*
- game theory
 - models 43–46, **44**
 - vigilance/alarm-calling/signaling 48–50, **49**, **50**
- garter snakes. *see* *Thamnophis* spp.
- Gasterosteus aculeatus* (three-spined stickleback) 155
 - heritability **362**
 - hiding time **231**
 - maternal effects 378
 - personality differences 392
 - predator inspection behavior 279–280
- gaze direction, lizard predators 134–135
- gecko (various)
 - autotomy 301
 - locomotor performance 296, **297**
 - morphological adaptations 287–288
 - multiple predators 246–247
 - sandy habitats 304
 - saxicolous (rock-dwelling) 307
- Gekko gekko* (tokay gecko) **289**
- genetic × environmental interactions (G×E) 361, 380. *see also* heritability of escape behavior
- genome-wide association (GWA) studies 380
- geometric models, escape trajectory 207–209
- Gerris remigis* (water strider) **183**, 190, **231**
- gila monster. *see* *Heloderma suspectum*
- Giraffa camelopardalis* (giraffe) 63
- Gloydus blomhoffii* (mamushi snake) **362**, 368
- Gloydus shedaoensis* (viper) 143
- glucocorticoids. *see* corticosterone/cortisol
- glutamate receptors, physiology of escape 352
- golden dwarf cichlids. *see* *Nannacara anomala*
- goshawk. *see* *Accipiter gentilis*
- gourami. *see* *Colisa lalia*
- gradient effects
 - escape behavior in lizards 305
 - lizard predators 130
 - mammals 69
- graphical escape models 423
 - flight initiation distance 17–23, **18**, **20**, **21**, 57–58
 - hiding time 22–24, **23**, **24**
 - vs. optimality models 28–31, **30**
- grasshoppers (various)
 - angle of flight 187, **188**
 - color patterns 187
 - distance fled 185–187
 - flight initiation distance 182–185, **183**
 - pursuit-deterrent signaling 218–219
- gray wolf. *see* *Canis lupus*
- great tit. *see* *Parus major*
- green frog. *see* *Rana* spp.
- green iguanas. *see* iguanian lizards
- green lacewing. *see* *Chrysopa carnea*
- grey partridge. *see* *Perdix perdix*
- group living
 - escape trajectory 215–217
 - fish 155, 203
 - invertebrates 190
 - mammals 66
 - pursuit-deterrent signaling 219
- group size effects
 - birds 98
 - fish and amphibians 167–168
 - mammals 72–73
 - study of 409
 - vigilance 268–269
- Gryllus* (cricket) spp.
 - distance fled 185–187
 - heritability **362**, 369
 - hiding time **231**, 238, 254
 - maternal effects 378
 - personality differences 388
 - retreating/hiding 188
- gulls. *see* *Larus* spp.
- guppy. *see* *Poecilia reticulata*
- habitat. *see* environmental factors
- habituation
 - and vigilance 266
 - lizards 120–121, **121**
 - mammals 70–71
 - personality differences 390–391, **391**
 - reindeer 75–78, **77**
- haded ibis. *see* *Bostrychia hagedash*
- haematophagous bug. *see* *Triatoma infestans*
- Halesus radiatus* (caddis fly) **231**, 239
- Halobates robustus* (ocean skater) 187, 190
- harbor seal. *see* *Phoca vitulina*
- head positioning 267–268, 323–327, **325**, **326**
- health differences 394–398. *see also* quality advertisements
- height. *see* gradient effects

- Heloderma suspectum* (gila monster) **289**
Helogenes marmoratus (catfish) 166
Hemidactylus garnotii (gecko) 296
herds. *see* group living; group size effects
heritability, escape behavior 8, 360–364, **362**, 371, 379–380
 artificial selection studies 366–368, 369
 birds 92–94, **93**, 96
 familial effects 368
 garter snakes 366, **367**
 population-level comparisons 369–370
 reindeer 75–78
 scallops 364–365, **365**
 species-level comparisons 370–371
 stress response 346
hermit crabs (various)
 food handling 190
 morphological adaptations 247, **248**
 opportunity costs 241
 personality differences 389, 390
 retreating/hiding 188–189,
 see also *Pagurus* spp.
herring. *see* *Clupea harengus*
Heteromurus nitidus (springtail) 212
hiding time (HT) 227, 423
 across different taxa **231**
 costs and benefits 248–249, **250**
 definition 11
 effects of risk factors on refuge use **236**
 experimental data 228–230, **230**
 future research needs 255
 game theory 45–46
 heritability **362**
 models 22–24, **23**, **24**
 monitoring behavior 253–254
 morphological adaptations 247–248, **248**
 opportunity costs 239–247, **240**, **241**, **243**
 optimal 28, 227–228, **229**, 250–251
 predator behavior 235–237
 predator–prey waiting games 239
 previous capture **237**
 prey characteristics 238–239
 pursuit-deterrent signaling 275
 repeated attacks 250–254, **251**, **253**
 stochastic dynamic modeling 46–47
 temporal variables 254
Himantura uarnak (whipray) 167, **168**
Hirundo rustica (barn swallow) **93**, 100
Hogna carolinensis (wolf spider) **183**
Holbrookia propinqua (keeled earless lizard) 123, **130**
Hoplocephalus bungaroides (broad-headed snake) 144
 hormonal status. *see* endocrine mechanisms
 horned lizards. *see* *Phrynosoma* spp.
 house sparrow. *see* *Passer domesticus*
 HT. *see* hiding time
human disturbance and hunting
 birds 97, 104–106
 fishing 161, 169
 mammals 70–72, **72**, 75–78
 reindeer 75–78, **77**
hyena. *see* *Crocuta crocuta*
Hyla arborea (European tree frog) 159
hypocretins, physiology of escape 352
hypothalamic–pituitary–adrenal (HPA) axis 345–346
Iberian frog. *see* *Rana* spp.
Iberian wall lizard. *see* *Podarcis* spp.
Iberolacerta (rock lizard) spp.
 hiding time 228–230, **230**, **231**, 235, 238, 249, 250–251, **251**
 monitoring behavior 253–254
 opportunity costs 240–241, **241**, 242–243, **243**, 244, 245
 repeated attacks **253**, 252–253
 state dependence in personality 395–397, **396**
 temporal variables in hiding time 254
iguanian lizards **295**, 301, 303. *see also* *Amblyrhynchus cristatus*; *Anolis* spp.
inclines. *see* gradient effects
incubation regimes, eggs 377–378
individual variation
 birds 92
 study of 420–421
 see also personality differences
induced vigilance 267. *see also* vigilance
insects
 escape trajectory 211
 mammal harassment 69–70, **70**
 opportunity costs 242
 signaling, pursuit-deterrent 218–219
 vision 185, **186**
 see also invertebrates and *see specific phylogenetic groups* (e.g., crickets)
intergenerational transmission, escape behavior 361
interspecific/intraspecific studies 421
invertebrates 177–178, **179**, 181–189, **188**, 192
 angle of flight 187, **188**
 body size 191
 cessation of movement 179–180
 distance fled 185–187
 falling silent 180
 flight initiation distance 182–185, **183**
 food handling 190
 group living 190
 hiding time **231**
 locusts **178**
 methodological challenges 177
 monitoring behavior 179
 positioning behavior 180–181
 retreating/hiding 187–189
 temperature 191

- vision 185, **186**
see also crustaceans; insects; spiders *and see specific species by name*
- Ischnura elegans* (damselfly) 180
- jackal. *see Canis mesomelas*
- Japanese mamushi snake. *see Gloydius blomhoffii*
- jumping abilities, lizards 301–302
- jumping spider. *see Servaia incana*
- Junco hyemalis* (dark-eyed junco) 94, 267, **268**
- keelback snake. *see Tropidonophis mairii*
- kin selection, alarm calling 48
- kinematics, locomotor performance in lizards 291–292
- knife-fish. *see Steatogenys duidae*
- Lacayon pictus* (African wild dog) 71, **72**, **277**, 277
- Lacerta* (lizard) spp. **289**
 - approach elevation 130
 - autotomy 301
 - hiding time **231**
 - maternal effects 375
 - opportunity costs 245
 - see also Iberolacerta* spp.
- ladybird. *see Coccinella septempunctata*
- Larus* (gull) spp. **270**
- latency to flee 57–58
 - and nearest approach distance 53
 - definition 11
 - escape latency model 50–52, **51**
 - heritability **362**
 - lizards 129, 139, **140**
- lateralization (side preferences) 130, 202
- Laticauda colubrina* (laticaudine seasnake) 143
- latitudinal differences, birds 99
- Latrodectus* (black widow spider) spp. 29
- lava lizard. *see Tropidurus* spp.
- Leiocephalus carinatus* (northern curly-tailed lizard) 114, 212
- leopard. *see Panthera pardus*
- Lepomis gibbosus* (pumpkinseed sunfish) 393
- Liasis fuscus* (water python) **362**, 377
- life history, birds 95. *see also* reproductive condition
- life history trade-offs hypothesis 398
- limb morphology, lizards 298–301, **300**
- Liolaemus* (lizard) spp. 118, 139, 306–307
- lion. *see Panthera leo*
- Lithobates* (frog) spp. 163–164, 218, **231**, 235
- lizards **122**
 - autotomy 27–28
 - corticosterone 422
 - costs and benefits 135–138, **136**, **137**
 - egg incubation regimes 378
 - environmental factors **291**, 292
 - escape behavior **289**
 - escape decision making 290–292
 - escape strategies 138–139
 - escape trajectory **209**, 212
 - habitat and environmental factors 114–119, **115**, **116**, **119**
 - heritability **362**, 371
 - hiding time **231**, 235, **250**
 - latency to flee 139, **140**
 - models of starting distance 31, 33, 36–38
 - morphological adaptations 287–288
 - opportunity costs 242, **243**
 - predator approach factors **126**, 126–135, **130**, **131**, **132**, **133**, **134**
 - prey traits 120–125, **121**, **122**, **124**, **125**, **126**
 - temperature effects 290–292
 - see also below and see specific groups by name*
- locomotor performance in lizards 7–8, 287–289, **288**
 - and escape decision making 290–292
 - autotomy 301–302
 - body size and shape 293–298, **295**, **297**
 - environmental factors 291–292, **299**, 303–308, **308**
 - escape ability 293, **294**
 - flight initiation distance 290–292
 - future research needs 308–309
 - limb and muscle morphology 298–301, **300**
 - motivation 292–293
 - muscle physiology 302–303
 - temperature effects 290–292
- Locusta migratoria* (locust) **178**, 181, 185
- log skink. *see Pseudemoia* spp.
- Lophognathus temporalis* (striped water dragon) 119
- Loxodonta africana* (African elephant) 66
- Macropus eugenii* (tammar wallaby) 73
- Macropus giganteus* (eastern gray kangaroo) 272
- Macropus robustus erubescens* (common wallaroo) 69, 74
- Macropus rufus* (red kangaroos) 69, 74
- maggie. *see Pica pica*
- mallard. *see Anas platyrhynchos*
- mammals 63–64, 80
 - conservation and management planning 79
 - disturbance type 71–72, **72**
 - domestication 74
 - environmental factors/distance to refuge 69–70, **70**
 - future research needs 79–80
 - group size effects 72–73
 - hiding time **231**
 - human disturbance 70–71
 - local extinction of predators 73
 - neonate predation 65–66
 - predators and escape options 64–66
 - reindeer and caribou 74–79

- mammals (cont.)
 - scanning for predators/risk assessment 66–69, **67**, **68**
 - social and reproductive effects 73–74
 - see also specific species by name*
- mamushi snake. *see Gloydius blomhoffii*
- management planning. *see* conservation and management
- maneuverability in predators, escape trajectory 213–215
- maneuverability in prey, heritability **362**
- mantis (preying mantis) spp. 29
- Margaritifera margaritifera* (freshwater pearl mussel) **231**, 238–239
- margin of safety (MOS), definitions 10, 11
- marine iguana. *see Amblyrhynchus cristatus*
- marine reserves **161**, 161, 169, **170**
- Marlangius merlangus* (whiting) 208
- Marmota* (marmot) spp. 32, **42**, 46–47, 65, 69, **74**, **231**
 - alarm calling 273–274
 - hiding time 228, 235, 238–239
 - opportunity costs 242
 - personality differences 388, 397, **397**
- mass flight, alarm calling 274–275
- Masticophis* spp. (whipsnake) 143
- maternal effects, escape behavior 361, **362**, 368, 372, 378–379, **379**
 - endocrine mechanisms 375–376
 - environment and maternal condition 378
 - incubation regimes 377–378
 - provisioning effects 376–377
 - side-blotched lizards 372–375, **373**
- Mauremys* (turtle) spp. 145, **231**, 248, 249
- Mauthner cells, fish 154, 201
- mayflies (various)
 - body size 191
 - flight initiation distance **183**
 - hiding time **231**
 - multiple predators 246–247
- MBD. *see* minimum bypass distance
- MDTB (mouse defense test battery) 350
- mealworm beetles. *see Tenebrio molitor*
- Melospiza melodia* (song sparrow) **93**, 101
- Melozona crissalis* (California towhee) 327
- Mephitis mephitis* (striped skunk) 66
- merlin. *see Falco columbarius*
- Meroles* (sand lizard) spp. **289**
- meta-analyses, study of escape behavior 416, 421
- Metopeira incrassata* (colonial spider) 181, **183**, 190
- methodological challenges. *see* study of escape behavior
- microhabitats, lizards 117
- Micropterus salmoides* (largemouth bass) 156
- Mictyris longicarpus* (soldier crab) 211
- mimicry, pursuit-deterrent signaling 218
- minimum approach distance. *see* flight initiation distance
- minimum bypass distance (MBD)
 - definition 9
 - lizard predators **126**, 127–129
 - models 56
- Mimosa pudica* (plant) **231**, 242
- minnows (various) 162
 - hiding time **231**
 - opportunity costs 240
 - predator inspection behavior 279
- mobbing by prey species 275
- models of escape behavior 5–7, 17, 57–58
 - assumptions/limitations 24–25
 - direction of approach 41–43, **42**
 - escape latency model 50–52, **51**
 - escape variables 55–57, **56**
 - flight initiation distance 17–23, **18**, **20**, **21**, 57–58
 - game theory 43–46, **44**
 - graphical vs. optimality models 28–31, **30**
 - hiding time 22–24, **23**, **24**
 - nearest approach distance 52–56, **53**, **56**
 - optimality models 25–28, **26**, **27**, **28**, 57
 - starting distance 31–41, **35**, **36**, **37**, **39**
 - stochastic dynamic modeling 46–47
 - utility, range, and testability 422–424
 - vigilance/signaling 47–50, **49**, **50**, 57
 - see also* economic escape model
- mollusks, hiding time **231**
- Molothrus ater* (brown-headed cowbird) 335
- monitoring behavior 4
 - escape decision making 34–35, **35**, **36**
 - hiding time 253–254
 - opportunity costs 33–34, **35**–**39**
- moose. *see Alces alces*
- morphological adaptations
 - birds 102
 - hiding time 247–248
 - lizards 120, 287–288, 293–301, **297**, 307. *see also* muscle morphology
- MOS (margin of safety), definitions 10, 11
- mosquito. *see Culex* spp.
- moths (various) 181, 182, **231**, 244
- motion. *see* movement
- motivation
 - definition 292
 - locomotor performance in, lizards 292–293
 - risk assessment 335
- mountain lion. *see Puma concolor*
- mourning dove. *see Zenaida macroura*
- mouse defense test battery (MDTB) 350
- movement
 - relative to predator **56**
 - sensory systems 331–332

- speed. *see* speed of approach; speed of escape
- thanatosis, invertebrates 179–180
- mule deer. *see* *Odocoileus hemionus*
- multidisciplinary approaches, personality differences 399
- multiple predators, hiding time 246–247
- muscle morphology/physiology, lizards 298–301, **300**, 302–303
- musk oxen. *see* *Ovibos moschatus*
- Namibian rock agama. *see* *Agama* spp.
- Nannacara anomala* (golden dwarf cichlid) 160
- Nannoscincus maccoyi* (McCoy’s skink) **362**
- natural selection 360–361
 - birds 92–94, **93**, 96
 - locomotor performance in lizards 287
 - personality differences 398
 - see also* evolution
- nearest approach distance 52–56, **53**, **56**, 57
 - definition 10
- negative frequency-dependent selection, personality differences 398
- Nemobius sylvestris* (wood cricket) 191
- Nerodia sipedon* (northern water snake) 140, **141**, 142–143,
- neural control of escape behavior. *see* brains/cognition
- neuroanatomy 346–349, **348**
- neuroendocrine mechanisms. *see* endocrine mechanisms
- neurotransmitter mechanisms 350–353
- NMDA (n-methyl-d-aspartic acid) 352
- northern garter snake. *see* *Thamnophis* spp.
- northern leopard frog. *see* *Lithobates* spp.
- nose bot fly. *see* *Cephenemyia trompe*
- Notonecta* (aquatic bug) spp. **231**, 237, 238–239, 244
- null models, statistical analysis of data 415–416
- Numenius arquata* (curlew) **93**, 93, 95
- observation, single observer studies 408
- ocean skater. *see* *Halobates robustus*
- Ochotona princeps* (American pika) 69
- Octodon degus* (degus) 69, 73
- Odocoileus* (deer) spp. 22, 65, 66, 67–69, **68**
- Oedipoda caerulea* (grasshopper) 187, **188**
- Oedura lesueurii* (gecko) 246–247, 287–288
- olfaction, mammals 69. *see also* sensory systems
- Oncorhynchus* (salmon) spp. 160, 161
- Oophaga pumilio* (poison dart frog) 166
- openness, lizard habitats 117–118
- opioides, effect on escape 353
- opportunity costs 18, **23**, **24**, 24–25, 34, **44**, 45
 - and alert distance 36–38
 - escape latency model 50–52, **51**
 - fish and amphibians **157**, 164
 - hiding time 227, **231**, 239–247, **240**, **241**, **243**
 - invertebrates 182, 185
 - mammals 66, 67
 - monitoring behavior 33–34, **35–39**
 - nearest approach distance 52–56, **53**
 - reptiles 113, 122, 139
 - vigilance 265
 - see also* costs and benefits; fitness
- optimality models 25–31, **26**, **27**, **28**, **28**, **30**, 423
 - hiding time 228, **229**, 242, 250–251
 - sensory perspective 338
- Orb weaver spider. *see* *Argiope florida*
- orexins, physiology of escape 352
- Orgyia leucostigma* (white-marked tussock moth) 181
- Ormia ochracea* (parasitic fly) 181
- Osteopilus septentrionalis* (Cuban tree frog) 168
- Ourebia ourebi* (oribis) 63
- Ovibos moschatus* (muskoxen) 66
- oxidative stress, maternal provisioning 377
- oxygen levels
 - directionality 202–203
 - fish and amphibians 159
 - invertebrates 185
 - opportunity costs 246
- Pagurus* (hermit crab) spp. 389
 - food handling 190
 - hiding time **231**, 241
 - morphological adaptations 247, **248**
 - personality differences 390
 - retreating/hiding 188–189
- painted dragon. *see* *Ctenophorus pictus*
- PAL (prey approach latency) **56**
- Panthera leo* (lion) 71, **72**, 270
- Panthera pardus* (leopard) 272, **273**
- parasitism 98–99, 159
- Paroxya atlantica* (grasshopper) 181, 182–185, **183**, 187
- parrotfish (various), body size **163**, 163–164
- partners, predator inspection behavior 280
- Parus major* (great tit) 392
- Passer domesticus* (house sparrow) **93**, 330
- passive behavior, physiology of escape 349
- Pastinachus sephen* (cowtail stingray) 167, **168**
- Pavo cristatus* (peafowl) 333
- pea aphid. *see* *Acyrtosiphon pisum*
- penguin. *see* *Pygoscelis antarctica*
- perception. *see* sensory systems
- perception advertisement signals, prey species 275–276
- perceptual limits hypothesis 338, 385, 392. *see also* personality differences
- perch height, lizards 115–116, **116**
- Perdix perdix* (grey partridge) **362**, 377
- performance, definition 292. *see also* locomotor performance in lizards
- Periplaneta americana* (cockroach) 187, **206**, 207, **209**, 211

- personality differences 8, 385–387, **387**
 - Columbian black-tailed deer 67–68, **68**
 - consistency/repeatability of 388–390, **389**
 - correlations with other behavioral traits 391–393
 - evolution 393–394
 - future research needs 399
 - hiding time 238
 - life history trade-offs hypothesis 398
 - locomotor performance in lizards 293
 - negative frequency-dependent selection 398
 - plasticity and habituation 390–391, **391**, 399
 - state dependence 394–398, **395**, **396**, **397**
 - yellow-bellied marmot 242
 - see also* sex differences
- Phoca vitulina* (harbor seal) 71
- Phoxinus phoxinus* (European minnow) **231**, 279
- Phrynosoma* (lizard) spp. 45, **125**, 137
 - locomotor ability **289**, **297**, 297, 303
- phylogenetic relationships 144
- physical defenses, pursuit-deterrent signaling 218–219
- physiological costs
 - hiding time 244–246
 - monitoring effects **35**
- physiology of escape 8, 343, 353, 421–422
 - anatomy/neurochemistry 346–349, **348**
 - defensive behavior 343–344, **344**
 - effect of systemic drugs 350–353
 - endocrine system 344–346
 - muscle physiology, lizards 302–303
- Pica pica* (magpie) 104
- pied flycatcher. *see Ficedula* spp.
- pike cichlid. *see Crenicichla alta*
- Pimephales promelas* (fathead minnow) 162
- planning, conservation. *see* conservation and management
- plant species. *see Mimosa pudica*
- plasticity 390–391, 399. *see also* personality differences
- Platycercus elegans* (crimson rosella) 98, 101
- Platysaurus intermedius* (common flat lizard) **122**
- playing dead, invertebrates 179–180
- Plestiodon laticeps* (broad-headed skink) **137**, 139, **231**, 235
- plover. *see Charadrius* spp. 98
- plumed basilisk. *see Basiliscus* spp.
- Podarcis* (lizard) spp. 120, **132**, 132
 - hiding time **231**, 235, **236**, 244, 249, 254
 - latency to flee **140**
 - locomotor performance 292–293
 - multiple predators 246, 253
 - personality differences 390, **391**
 - predation pressure 133
- Poecile montanus* (willow tit) **231**
- Poecilia reticulata* (guppy) 156, 160
 - heritability **362**, 368
 - hiding time 254
 - opportunity costs 164
 - predator inspection behavior **279**, 279
- poison. *see* chemical defenses
- poison dart frogs (various) 166
- polar bear. *see Ursus maritimus*
- pollution, effect on fish and amphibians 159, 169
- polychaete worm. *see Serpula vermicularis*
- Pomacentrus amboinensis* (damselfish) 159
- population level comparisons, heritability **362**, 369–370
- population size, birds 99, **101**. *see also* group living
- positioning behavior, invertebrates 180–181
- predation, defenses against. *see* defenses against predation
- predation pressure, lizards 133, **134**
- predation risk. *see* risk of capture
- predator approach factors, lizards **126**, 126–135, **130**, **131**, **132**, **133**, **134**
- predator inspection behavior 266, 278, 281
 - fish 161–162
 - partners for inspection 280
 - reasons for 278–280, **279**
- predator–prey interactions 4
 - birds 98
 - evolution 3
 - hiding time 235–237
 - lizards 134
 - mammals 64–66
 - models of starting distance 33–34
 - monitoring. *see* monitoring behavior
 - predator detection signals 275–276
 - reindeer 78–79
 - relative movement 55–57, **56**
 - sensory perspective 336–338. *see also* sensory systems
 - waiting games 239
- pre-detection distance, definition 9
- previous experience of capture
 - fish and amphibians 160–162, **161**
 - hiding time **237**
 - lizards 130–131
 - see also* repeated approach
- prey approach latency (PAL) **56**
- preying mantis (various) 29
- Procambarus clarkii* (crayfish) 190
- pronghorn antelope. *see Antilocapra americana*
- proportions 9–10
 - that emerge 10
 - that enter refuge 10
 - that flee 9, 155

- protean behavior 201, 203
 - escape trajectory 211–212, 213–215
 - invertebrates 187
 - see also* reversals; zigzagging
- provisioning effects, maternal 376–377
- Psammotromus algirus* (lizard) 207
- Pseudochromis fuscus* (dottyback) 159
- Pseudemoia* (skink) spp. **231**, 247, 378
- Pseudonaja textilis* (eastern brown snake) 140, **141**, 142, 143, 144
- Psinidia fenestralis* (grasshopper) 182–185, **183**, 187, **188**
- Pterophyllum* (angelfish) spp. 207
- publications, escape behavior 5, **6**
- Puma concolor* (mountain lion) 65
- pumpkinseed sunfish. *see* *Lepomis gibbosus*
- pursuit-deterrent signaling 32, 57, 217, 266, 275, 281
 - and physical or chemical defenses 218–219
 - evolution 278
 - game theory 47–50, **49**, **50**
 - lizards 125
 - perception advertisement signals 275–276
 - to conspecifics 219
 - vigor 217–218
 - see also* predator inspection behavior; quality advertisements
- Pygoscelis antarctica* (chinstrap penguin) 98–99, **395**
- quality advertisements 217–218, 276–277, **277**, 279–280
- quantitative-trait loci (QTL) 380
- racer snakes. *see* *Coluber* spp. 143
- rail (bird family), pursuit-deterrent signaling 278
- rainbow trout. *see* *Oncorhynchus* spp.
- Rana (frog) spp. 163–164, 167, 169
 - heritability **362**
 - speed of escape 159
- Ranatra* (water scorpion) spp. 191
- random trajectories. *see* protean behavior
- Rangifer tarandus* (reindeer and caribou) 65, 74–75
 - environmental factors 69–70, **70**
 - group size effects 72–73
 - habituation 75–78, **77**
 - predators 78–79
 - social and reproductive effects 73–74
- reaction distance. *see* flight initiation distance
- red deer. *see* *Cervus elaphus*
- red drum fish. *see* *Sciaenops ocellatus*
- red kangaroo. *see* *Macropus rufus*
- red knot. *see* *Calidris canutus*
- refuges
 - definition 227
 - direction of approach 41–43, **42**
 - effects of risk factors **236**
 - selection and entry, snakes 143
 - type, and hiding time 247–248, **248**
- Regina septemvitta* (queen snake) 140, **141**, 144
- regression models, statistical analysis of data 414
- reindeer. *see* *Rangifer tarandus*
- relative movement **56**
- repeated approach
 - hiding time 250–254, **251**, **253**
 - lizard predators 130–131, **131**, 236–237
 - see also* previous experience of capture
- reproductive condition
 - birds 95
 - lizards 124, 296
 - mammals 73–74
 - opportunity costs 242–244, **243**
 - residual reproductive value 3
 - snakes 142
 - see also* state dependence in personality
- reptiles 113–114
 - crocodilians, sphenodontidans, and turtles 145
 - future research needs 145
 - see also* lizards; snakes and *see specific species by name*
- residual reproductive value 3
- response latency, fish 155
- retinal configurations 323–327, **325**, **327**. *see also* sensory systems
- reversals during escape
 - heritability **362**, 366, **367**
 - maternal effects 373, 374, 375, 378
- Rhoptropus afer* (day Gecko) **297**
- risk assessment
 - and vigilance 271
 - mammals 66–69, 79–80
 - repeated attacks **251–253**, 252–253
 - sensory systems 333–335, **337**
- risk of capture
 - birds 100–102
 - fish and amphibians **157**
 - predictions of economic escape model 156–162, **157**
- risk taking. *see* personality differences
- robins. *see* *Erithacus rubecula*; *Turdus migratorius*
- rock-dwelling lizards 306–307. *see also* *Iberolacerta* spp.
- round-tailed horned lizard. *see* *Phrynosoma* spp.
- routine vigilance 267. *see also* vigilance
- safe-habitat hypothesis, birds 96, 98
- salamander. *see* *Ambystoma barbouri*
- salmon. *see* *Oncorhynchus* spp.
- Salvelinus fontinalis* (brook trout) 164
- sand lizard. *see* *Meroles* spp.
- sandfish, *see* *Scincus scincus*
- sandy habitats, lizards 304–305

- Sauromalus* (chuckwalla lizard) spp. **289**
saxicolous (rock-dwelling) lizards 306–307
scallop. *see* *Argopecten colbecki*
scanning for predators. *see* vigilance
Sceloporus (lizard) spp. 117, **124**, 124, **126**, 137
 body size and shape 296
 distance to refuge **115**
 endocrine system 346
 habitat and environmental factors 307, **308**
 hiding time **237**, 238, 244, 249
 locomotor performance 292–293, 298, 302–303, 309
 opportunity costs 241
 personality differences 388
 repeated predator approaches **131**
 sensory systems 334
 shadows **133**
Schistocerca alutacea (grasshopper) 182–187, **183**, **188**
schools of fish 155, 203. *see also* group living
Schreiber's green lizard. *see* *Lacerta* (lizard) spp.
Sciaenops ocellatus (red drum fish) **362**, 376
Scincus scincus (sandfish) **297**, 304
Sciurus carolinensis (eastern gray squirrel) 69
SD. *see* starting distance
sea anemones (various), personality differences 390
sea bream. *see* *Diplodus* spp.
selection. *see* artificial selection; natural selection
selfish herd hypothesis 215–216, 274–275
Semotilus atromaculatus (minnow) **231**, 240
sensory systems 8, 322–323, 422
 alert behavior 335–336
 and predator–prey interactions 336–338
 birds 102–103
 detection/spatial maps 327–333, **328**, **329**, **330**, **332**
 fish and amphibians 153
 head positioning **326**
 locusts **178**
 retinal configuration **325**, **327**
 risk assessment 333–335, **337**
 sequence of events to avoid predation **324**
 vigilance behavior 323–327, **325**
 see also vision
serotonin (5-HT) 351–352. *see also* SSRIs
Serpula vermicularis (polychaete worm) 189, **231**, 239, **240**
Servaea incana (jumping spider) 191
set-back zones 424
sex differences
 lizards 121–123, 296
 mammals 74
shadows, effect on lizards 132–133, **133**
short burst escape responses 153, **154**, 154–155
shyness. *see* personality differences
side preferences. *see* lateralization
side-blotched lizards. *see* *Uta stansburiana*
signaling, by prey species. *see* perception
 advertisement signals; pursuit-deterrent
 signaling; quality advertisements
silence, invertebrate strategy 180
silver-spotted sculpin. *see* *Blepsias cirrhosus*
single observer studies 408
size. *see* body size
skinks (various) 66, 114, 117, 122
 approach elevation 130
 autotomy 301
 heritability **362**
 hiding time **231**, 235
 maternal effects 378
 multiple predators 247
 opportunity costs 244
 state dependence in personality 397
skua. *see* *Catharacta* spp.
skylark. *see* *Alauda arvensis*
slider. *see* *Trachemys scripta*
smooth snake. *see* *Coronella austriaca*
snakes (various) 140–143, **141**, 246
 escape strategies 143–144
 refuge selection and entry 143
social effects
 birds 98
 costs and benefits 135–137, **136**, **137**
 fish **161**, 161
 mammals 73–74
soldier crab. *see* *Mictyris longicarpus*
Somateria mollissima (eider) **93**, 95, 395
song in birds 96–97
song sparrow. *see* *Melospiza melodia*
southern Leopard frog. *see* *Lithobates* spp.
Spanish terrapin. *see* *Mauremys* spp.
sparrowhawk. *see* *Accipiter nisus*
spatial detection maps 327–333, **329**, 330
species-level comparisons, heritability **362**
speed of approach
 escape trajectory 213–215
 fish predators 162
 lizard predators **126**, 127, **132**
 study of 412
speed of escape
 fish and amphibians 156–160, **157**
 heritability **362**, 366
 locomotor performance in lizards 292–293, **294**
 vs. accuracy 202, 203
spiders (various) 29
 body size 191
 flight initiation distance 182–185, **183**
 group living 190
 heritability **362**, 369
 personality differences 392
 retreating/hiding 188
spiny footed lizard. *see* *Acanthodactylus erythrurus*
spiny mouse. *see* *Acomys cahirinus*

- spontaneous behaviors
 - starting distance 31–32, 33–34, 38–40
 - statistical analysis of data 415
 - study of 410
- springtail. *see* *Heteromurus nitidus*
- squirreling, positioning behavior 180–181
- SSRIs (selective serotonin reuptake inhibitors) 351, 353
- standing distance, definition 9
- starting distance (SD)
 - birds 88–89
 - definition 9
 - lizards 131–132, **132**
 - mammals 66–69, **67**, **68**
 - models 31–41, **35**, **36**, **37**, **39**
 - sensory systems 335
 - statistical analysis of data 413–414, 415
 - study of 409–411
- state dependence, personality differences
 - 394–398, **395**, **396**, **397**. *see also* reproductive condition
- statistical analysis of data 413–416
- stealth, mammal predators 64–65
- Steatogenys duidae* (knifefish) 166
- Stellio stellio* (lizard) **295**
- stickleback. *see* *Culea incostans*; *Gasterosteus aculeatus*
- stimulation (stimulus) angle, definition 12
- stochastic dynamic models of escape behavior 46–47
- stotting, Thomson’s gazelle **277**, 277. *see also* pursuit-deterrent signaling
- stress response
 - endocrine system 346
 - maternal effects 375–376
- striped plateau lizards. *see* *Sceloporus* spp.
- striped skunk. *see* *Mephitis mephitis*
- study of escape behavior 424–425
 - baseline study conditions 407–408, 415–416
 - best practice 407–417
 - citations 5, **6**
 - escape trajectory 205–207
 - field studies 8, 407–417
 - fish and amphibians 153–156, **156**
 - invertebrates 177
 - personality differences 399
 - see also* specific phylogenetic groups (e.g., birds)
- Sturnus vulgaris* (European starling) 330
- submissive behavior 349
- suboptimal scanning hypothesis, mammals 66–69, **67**
- substrate characteristics, effect on lizards **291**, **299**
- surgeonfish family **161**
- sweet potato beetle. *see* *Cylas formicarius*
- swift. *see* *Apus melba*
- tadpoles (larval amphibians) 152–153
 - body size 163–164
 - costs and benefits of escape **165**, 165
 - crypsis 166
 - fast burst escape responses 155
 - group size effects 168
 - speed of escape 159
- tail shedding. *see* autotomy
- tammar wallaby. *see* *Macropus eugenii*
- tangential approach, definition 12
- Teleogryllus oceanicus* (field cricket) **231**, 238
- temperature. *see* body temperature
- temporal variables
 - hiding time 254
 - terminology 10–11
 - vigilance 269–271, **270**
- Tenebrio molitor* (mealworm beetle) 390
- tentacled snake. *see* *Erpeton tentaculatum*
- terminology, escape behavior 8–13. *see also* definitions
- territoriality, male lizards 135–137, **136**
- testosterone
 - birds 97
 - maternal effects 375–376
 - personality differences 392
- Tetranematichthys quadrifilis* (catfish) 166
- Thallosoma bifasciatum* (bluehead wrasse) 163–164
- Thamnophis* (garter snake) spp. **141**, 142–143, 144
 - body temperature 144
 - heritability **362**, 366, **367**, 368
 - maternal effects 375
 - refuge selection and entry 143
- thanatosis (playing dead) 179–180
- Thomson’s gazelle. *see* *Eudorcas thomsonii*
- threat-sensitivity hypothesis 249
- three-spined stickleback. *see* *Gasterosteus aculeatus*
- time to contact, risk assessment 334
- toad, common. *see* *Bufo bufo*
- tokay gecko. *see* *Gekko gekko*
- tourism, human disturbance of reindeer 75–78
- toward responses 200–202, 203–205, **204**. *see also* directionality
- Trachemys scripta* (slider) **231**, 248
- trade-offs, life history 398
- trajectory, risk assessment 334–335
- treefrog. *see* *Agalychnis callidryas*
- tree lizards. *see* *Lacerta*; *Urosaurus ornatus*
- Triatoma infestans* (assassin bugs) 187, 208, **209**
- Tropidonophis mairii* (keelback snake) **141**, 142, **362**, 378
- Tropidurus* (lizard) spp. **231**, 244, 292–293, 303
- trout. *see* *Salvelinus fontinalis*
- tuatara reptiles 145
- tubeworm. *see* *Serpula vermicularis*
- turbidity, water 162
- Turdus merula* (blackbird) 95–96, 97, 105

- Turdus migratorius* (American robin) 104
turn angle, definition 13
turn direction, lizard predators 129, **130**
turtles (various) 145
 hiding time **231**
 morphological adaptations 248
 personality differences 392
- Uca* (fiddler crab) spp. 179
 escape trajectory 215–216
 flight initiation distance 182–185, **183**
 hiding time **231**, 235
 opportunity costs 241, 243
 retreating/hiding 187–189
- Uma* (fringe-toed lizard) spp. **289**, 291–292
ungulates, neonate predation 65–66. *see also*
 mammals
unpredictability. *see* protean behavior
urbanization, birds 95–96. *see also* human
 disturbance
- Urosaurus ornatus* (tree lizard) **136**, 136
Ursus arctos (brown bear) 69
Ursus maritimus (polar bear) 71, 75, 78–79
Uta stansburiana (side-blotched lizard)
 escape strategies 139,
 escape trajectory **209**, 212
 heritability **362**
 maternal effects 372–375, **373**, 376
- Varanus* (lizard) spp. 291–292, **300**
vehicles, adaptations to
 birds 104
 mammals 71–72
vertical escape behaviors 92, **362**
vervet monkeys. *see* *Chlorocebus pygerythrus*
vigilance, antipredator 57, 265–267, 280–281
 copying 269–271
 definition 267
 group size effects 268–269
 head positioning **326**
 individual differences. *see* personality differences
 mammals 66–69, **67**
 models 47–50
 other factors affecting 271–272
 reindeer **77**, 77–78
 sensory systems 323–327, **325**
 temporal variables 269–271, **270**
 while engaging in other activities 267–268, **268**
vigor. *see* health differences; quality advertisements
viper. *see* *Gloydius shedaoensis*
- vision
 arthropods 185, **186**
 lizard predators 134–135
 retinal configurations 323–327, **325**, **327**
 see also sensory systems
- waiting games, predator–prey 239
waiting time 245
wall lizards. *see* *Podarcis* spp.
wallaby. *see* *Macropus eugenii*
warble fly. *see* *Hypoderma tarandi*
watchful babbler game 48–50, **49**, **50**
water. *see* aquatic habitats
water python. *see* *Liasis fuscus*
water scorpion. *see* *Ranatra* spp.
water skink. *see* *Eulamprus* spp.
water strider. *see* *Gerris remigis*
whipray. *see* *Himantura uarnak*
whipsnake. *see* *Masticophis*
whiptail lizards (various)
 body size **295**
 costs and benefits **136**
 heritability 370
white-crowned sparrow. *see* *Zonotrichia leucophrys*
white-tailed deer. *see* *Odocoileus* spp.
whiting. *see* *Merlangius merlangus*
wild dogs. *see* *Lacayon pictus*
wind speed, lizard habitats 119
wolf. *see* *Canis lupus*
wolf spider. *see* *Hogna carolinensis*
wood cricket. *see* *Nemobius sylvestris*
wood pigeon. *see* *Columba palumbus*
woodchuck. *see* *Marmota* spp.
- Xanthodius sternberghii* (crab) 179
- yellow-bellied marmots. *see* *Marmota* spp.
- zebra danios. *see* *Brachydanio rerio*
zebra-tailed lizard. *see* *Callisaurus draconoides*
Zenaida macroura (mourning dove) 335
zigzagging 213
 escape trajectory 213
 maternal effects 373, 374
 see also protean behavior
zone of awareness, mammals 66–68, **67**, **68**
Zonotrichia leucophrys (white-crowned sparrow)
 327
Zootoca vivipara (common lizard) **362**