

# Index

- algorithm
  - $\alpha$ BB, 244
  - extraction, 96
  - global optimization, 90
  - local optimization, 118
- almost-uniform convergence, 225
- Artin, 15
- atom, 36
  
- basic semi-algebraic lifting, 167
- Borel  $\sigma$ -field, 36
  
- canonical basis, 17
- Carleman, 40, 52
- certificate
  - Farkas, 23
  - nonnegativity, 16
  - positivity, 141
  - Putinar, 26
  - Schmüdgen, 25
  - Stengle, 23
- completely positive matrix, 188
- constraint qualification, 117
  - Mangasarian–Fromovitz, 117
  - Slater, 117
- convex, 202
  - pseudoconvex, 203
  - quasiconvex, 203
  - SOS, 205
  - strictly, 202
- convex underestimator, 10, 243
- convexity
  - algebraic certificate, 200
- copositive matrix, 180, 188
- copositive program, 188
  
- cubature rule, 48
- Curto–Fialkow, 52
  
- duality
  - conic, 191
  - strong, 307
  - weak, 307
  
- eigenvalue problem, 186
  - generalized, 176
- entropy
  - Boltzmann–Shannon, 230
  - maximum, 230
- Euler identity, 288
- extension
  - flat, 42
  - positive, 42
  
- Farkas Lemma, 23
- Fritz–John, 124
  
- gap
  - duality, 108, 307
  - integrality, 115, 149
- GloptiPoly, 95, 102, 112, 309
- Goursat Lemma, 49
  
- Hilbert, 15
  
- ideal, 23, 32
  - radical, 33, 113
  - real radical, 93, 121, 202
  - vanishing, 93, 121
  - zero-dimensional, 32, 33, 104, 113
  
- Jacobi–Prestel, 52
- Jensen’s inequality, 209
- joint+marginal approach, 9

- Karush–Kuhn–Tucker (KKT), 7, 116, 147, 257
- Krivine, 124
- Lagrangian, 118
  - generalized, 120
- LMI, 210, 213, 281, 300, 301, 306
- Löwner–John ellipsoid, 11, 286
- Löwner–John problem, 11
- LP, 2, 146
- matrix
  - localizing, 41
  - moment, 39
- matrix inequality
  - linear, 61, 210
  - polynomial, 281
- measure
  - atomic, 36, 37
  - Borel, 36
  - determinate, 37
  - Dirac, 37
  - indeterminate, 37
  - representing, 37
- MINLP, 10
- moment determinate, 155
- moment problem
  - full, 37
  - one-dimensional, 37
  - truncated, 37
- moment-LP approach, 5, 6
- moment-SOS approach, 5, 6, 145, 164, 197, 214, 244
- multipliers
  - generalized Lagrange KKT, 120, 123
  - Lagrange KKT, 117, 207
- Newton polytope, 287
- Nussbaum, 52
- optimality conditions
  - first-order KKT, 116, 117, 122, 123
  - Fritz John, 125
  - global, 7, 9, 116, 120, 122
  - KKT, 7, 9
  - local, 124
  - local first-order, 116
- optimization
  - 0/1, 33
  - combinatorial, 7
  - conic, 71
  - convex polynomial, 9
  - inverse, 258
  - inverse polynomial, 10
  - parametric polynomial, 9
  - polynomial, 3, 16
  - semidefinite, 16, 34, 81
- P-BDR property, 212
- persistence, 229
- PMI, 281
- Polyà, 22
- polynomial
  - homogeneous, 287
  - Lagrangian, 118, 147, 208
  - quasi-homogeneous, 11, 287
  - SOS convex, 197
- Positivstellensätze
  - matrix version, 27
  - Putinar, 26
  - Schmüdgen, 25
  - Stengle, 24
- preordering, 22, 198, 200
- program
  - conic, 189, 306
  - linear, 9, 216, 306, 307
  - mixed-integer nonlinear, 10
  - nonlinear, 179
  - semidefinite, 9, 18, 28, 306
- quadratic module, 25
- quotient ring, 33
- rank sufficient condition, 94
- relaxation
  - convex, 10, 16
  - Lagrangian, 137
  - linear, 85, 138
  - LP, 6, 137
  - RLT, 137
  - semidefinite, 6, 9, 85
  - Sherali–Adams, 137
  - sparse semidefinite, 132
- representation
  - lifted semidefinite, 210
  - Putinar, 26
  - Putinar bounded degree, 211
  - Schmüdgen, 25
  - semidefinite, 64, 210
  - sparse, 34
- Riesz linear functional, 38, 88, 138
- Riesz–Haviland, 38
- running intersection property, 35
- SDP, 2, 112, 306
- SDr set, 210
  - lifted, 210

|                                             |                                                   |
|---------------------------------------------|---------------------------------------------------|
| second-order sufficient conditions,<br>118  | sparsity pattern, 130, 131<br>structured, 34, 131 |
| semi-algebraic function, 165<br>basic, 166  | spectrahedron, 64, 65, 181                        |
| semi-algebraic set, 22<br>basic, 15, 25, 46 | Stengle, 23, 124                                  |
| semidefinite constraint, 140, 213, 306      | sublevel set, 11, 286                             |
| Slater’s condition, 117                     | sum of squares, 15–17, 19                         |
| SOOSTOOLS, 323                              | support, 175                                      |
| SOS, 5, 16                                  | support (of a measure), 36, 54, 58                |
| SparsePOP, 323                              |                                                   |
| sparsity, 34                                | variety, 32, 33<br>finite, 32, 33<br>real, 32     |