

Index

- absolute coequalizer, 80
- G -absolute pair, 80
- abstract basis, 362
 - ordered, 364
- action, 92, 99
 - left, 99
 - right, 100
- additive category, 111
- adjoint
 - left, 23, 49, 106
 - left-inverse, 452
 - right, 23, 49, 106
- adjunction, 23, 49, 106
 - descent type, 95
 - functor, 45
 - rules, 148
 - vs. Galois correspondence, 23
- admissible, 181
- Alexander's subbase lemma, 269
- Alexandroff
 - space, 136
 - topology, 136
- $(\mathbb{T}, \mathcal{V})$ -algebra, *see* $(\mathbb{T}, \mathcal{V})$ -category
- $\mathbb{T}$ -algebra, 76
 - free, 76
- algebraic
 - closure space, *see* finitary
 - functor, 207
- antisymmetric, *see* separated
- approach distance, 192
- approach space, 192
 - 0-compact, 378
 - core-compact, 277
 - pre-, 220
 - pseudo-, 220
 - stable, 277
- arrow, *see* morphism
- associated monad, 74
- associative lax extension, 165
- associativity law, 42
- $\llcorner$ -atomic, 33
- auxiliary relation, 317
- Barr extension, 194, 200, 312
- base
 - filter, 34
 - ideal, 34
 - for a topology, 29
- BC condition
 - for a functor, 173
 - for a natural transformation, 173
- BC-square, 172
- Beck criterion, 80
- Beck–Chevalley condition, *see* BC condition
- Beck–Chevalley square, *see* BC-square
- bicontinuous map, 200
- bicoreflective, 117
- $\mathcal{V}$ -bimodule, *see* $\mathcal{V}$ -module
- bimorphism, 97
- biproduct, 108
- bireflective, 117
- birelation, 147
- bitopology, 200
- bottom, 28
- bound
 - greatest lower, 26
 - least upper, 26
 - lower, 26
 - upper, 26
- Cartesian
 - lifting, 129
 - monad, 185
 - morphism, 127
 - product, 18
 - square, 128
- Cartesian closed
 - category, 101
 - locally, 227
 - quantale, 225

- category, 43
 - additive, 111
 - Cartesian closed, 101
 - cocomplete, 61
 - has coequalizers, 61
 - comma, 55
 - comma, lax, 306
 - complete, 61
 - concrete, 57
 - connected, 73
 - has coproducts, 61
 - discrete, 56
 - dual, 43
 - Eilenberg–Moore, 76
 - enriched, 105
 - has equalizers, 61
 - finite, 61
 - has finite coproducts, 61
 - has finite products, 61
 - finitely cocomplete, 61
 - finitely complete, 61
 - functor, 46
 - Kleisli, 84
 - locally small, 45
 - meta-, 44
 - monadic, 77
 - monadic, strictly, 77
 - monoidal, 96
 - monoidal closed, 101
 - monoidal, strict, 97
 - opposite, 43
 - ordered, 104
 - has partial products, 228
 - has products, 61
 - has pullbacks, 61
 - has pushouts, 61
 - self-dual, 45
 - small, 42
 - small-cocomplete, 61
 - small-complete, 61
 - symmetric monoidal, 96
 - thin, 105
- $(\mathbb{T}, \mathcal{V})$ -category, 158
 - discrete, 163
 - separated, 263
- $\mathcal{V}$ -category, 150
 - tensoring, 215
 - underlying, 207
- $\mathcal{V}$ -category, 111
- 2-category, 105, 111
- Cayley representation, 45
- Čech–Stone compactification, 267, 380
- cell, 178
- chain, 21
 - three-, 30
 - two-, 30
- change-of-base functor, 210
- chaotic structure, *see* indiscrete
- characteristic morphism, 238
- class, 17, 38, 43
 - large, 17
 - proper, 17
 - small, 17
- classifier
 - partial-map, 241
 - regular, 241
 - $\mathcal{M}$ -partial-map, 240
 - subobject, 239
 - regular, 239
 - $\mathcal{M}$ -subobject, 238
- clique, 299
 - monad, 299
 - ultra-, 318
- closed, 24
 - Cartesian category, 101
 - $(\mathbb{T}, \mathcal{V})$ -functor, 418
 - inversely, 418
 - under limits, 64, 115
 - monoidal category, 101
 - under $\mathcal{M}$ -morphisms, 134
 - under products, 115
 - under $\mathbb{M}$ -sources, 134
 - stably, 420
 - subobject, 123
- closure, 123
 - finitary, 199
 - grand, 415
 - Kuratowski, 39
- v -closure, 415
- closure operation, 24
 - down-, 25
 - finitely additive, 39
 - metric, 200
 - up-, 26
- closure operator, 122
 - continuous, 122
 - extensive, 122
 - hereditary, 124
 - weakly, 123
 - idempotent, 123
 - monotone, 122
- closure space, 25
 - algebraic, *see* finitary
 - finitary, 199
 - metric, 200
- cloven fibration, 129
- co-Cartesian
 - lifting, 129
 - morphism, 127
- co-dcpo, 356
 - cocontinuous, 356
- coarser, 285
- cocomplete, 61
 - finitely, 61
- $\mathbb{T}$ -cocomplete, 264
- cocone, 60
- cocontinuous
 - co-dcpo, 356
 - functor, 63
 - lattice, 345

- ordered set, 356
- codomain, 42, 113
 - functor, 128
- coequalizer, 60
 - absolute, 80
- cofibration, 129
- cogenerating class, 126
- cogenerator, 126
- coherence conditions
 - for Cartesian product, 19
 - for tensor product, 97
- cokernel pair, 60
- colax idempotent monad, 110
- colimit, 60
 - creation, 78
 - directed, 63
- comma category, 55
 - lax, 306
- commutative
 - monoid, 19
 - quantale, 30
- comonoid, 99
- compact, 191
 - core-, 268
 - locally, 270
 - Hausdorff, 451
 - $(\mathbb{T}, \mathcal{V})$ -space, 376
 - stably, 270
 - super-, 377
- 0-compact, 378
- $\mathcal{P}$ -compact, 437
- compactification, Čech–Stone, 267, 380
- companion
 - left, 116
 - right, 116
- comparison functor, 77
- compatible, 210
 - strictly, 332
- complement, 25
- complemented, 148
- complete
 - category, 61
 - finitely, 61
 - large-, 132
 - lattice, 29
 - ordered set, 25
 - small-, 61
- completely distributive, 32
 - constructively, 34
- completely prime, 366
- composite monad, 88
- composition, 42, 111
 - of functors, 44
 - horizontal, 47, 106
 - Kleisli, 84
 - vertical, 46, 106
- concrete category, 57
- cone, 56
- confluent, 278
- conglomerate, 17
- conjugate ordered category, 105
- connected
 - category, 73
 - component, 73, 460
 - limit, 133
 - locally, 460
 - object, 457
- constant
 - diagram, 56
 - sequence, 41
- constructively completely distributive, *see* completely distributive
- continuous
 - closure operator, 122
 - dcpo, 356
 - functor, 63
 - lattice, 344
 - map, 25, 29
- $(\mathbb{T}, \mathcal{V})$ -continuous, 376
- $\mathcal{V}$ -continuous, 376
- contravariant
 - hom-functor, 45
 - powerset functor, 50
- convergent sequence, 41
- convolution
 - distance distribution maps, 186
 - Kleisli, 161
- coproduct, 60
 - disjoint, 227
 - injection, 60
 - pullback stable, 226
 - totally disjoint, 453
 - universal, 453
- core-compact, 268, 277
- coreflection, 54
- coreflective
 - bi-, 117
 - mono-, 117
- $\mathcal{M}$ -coreflective, 117
- coreflective subcategory, 54
- coreflector, 54
- coseparator, *see* cogenerator
- counit, 49
- couniversal
 - arrow, 52
 - property, 52
- covariant hom-functor, 45
- cowellpowered, 122
- creation
 - of colimits, 78
 - of limits, 78
- dcpo, continuous, 356
- dense
 - finally, 135
 - functor, 69
 - initially, 135
 - map, 443
 - morphism, 123
 - subobject, 123

$\mathcal{P}$ -dense, 442
 densely generating, 140
 derived
 class, 435
 topology, 435
 descent type, 95
 diagonal morphism, 46
 diagram, 56
 constant, 56
 shape, 56
 diamond lattice, 40
 Dirac morphism, 211
 direct limit, 63
 directed
 colimit, 63
 down-, 34
 graph, 113
 limit, 63
 up-, 34
 disconnected
 extremally, 399
 topology, 398
 totally, 463
 discrete
 category, 56
 $(\mathbb{T}, \mathcal{V})$ -category, 163
 object, 127
 order, 29, 50
 presheaf monad, 323
 structure, 203
 topology, 50
 $\mathcal{P}$ -discrete, 451
 disjoint coproduct, 227
 disjointness preservation, 246
 distance
 approach, 192
 distribution map, 185
 distributive law, 86
 lax, 182
 $\mathcal{V}$ -distributor, *see* $\mathcal{V}$ -module
 domain, 42, 113
 functor, 141
 double category, 179
 double-powerset monad, 75
 down
 -closed, 25
 -closure, 25
 -directed, 34
 -interior, 40
 down-set, 25
 functor, 45
 monad, 110
 down-set-filter monad, 345
 dual
 category, 43
 $\mathcal{V}$ -category, 154
 lax extension, 183
 relation, 20
 $\mathcal{V}$ -relation, 146
 statement, 53

dualization, 52
 functor, 45
 Duskin criterion, 82
 edge, 113
 Eilenberg–Moore
 algebra, *see* $\mathbb{T}$ -algebra
 category, 76
 embedding
 full, 44
 open, 224
 order-, 28
 Yoneda, 48
 enriched category, 105
 epi
 -reflective, 117
 regular, 117
 -sink, 122
 extremal, 126
 strict, 140
 epic, 60
 epimorphism, 60
 extremal, 116
 regular, 71
 split, 71
 strong, 138
 equalizer, 58
 generalized, 66
 equivalence, 23, 54
 equivalent categories, 54
 equivariant, 92, 100
 evaluation, 50, 228
 functor, 65
 exponentiable, 101
 $\otimes$ -exponentiable, 101
 exponential, 101, 234
 extension, 109
 of a functor, 93
 Kleisli, 292
 lax, *see* lax extension
 of a monad, 90
 operation, 85
 extensive, 453
 category, 227
 finitely, 453
 closure operator, 122
 extremal
 epi-sink, 126
 epimorphism, 116
 mono-source, 126
 monomorphism, 115
 factorization class
 left, 116
 right, 116
 factorization system
 for morphisms, 114
 proper, 114
 for sinks, 119
 for sources, 122

- trivial, 116
- faithful functor, 44
- fiber, 20, 129, 413
 - finite, 247
- fibered product, 59
- fiberwise
 - pretopology, 435
 - topology, 435
- fibration, 129
 - mono-, 130
- $\mathcal{E}_0$ -fibration, 130
- $\mathcal{M}_0$ -fibration, 130
- filter
 - base, 34
 - coarser, 285
 - finer, 285
 - functor, 75
 - image, 34
 - inverse image, 34
 - monad, 75
 - neighborhood, 41
 - open, 366
 - in ordered set, 34
 - principal, 34, 35
 - proper, 34
 - restriction, 35
 - round, 364
 - ultra-, 35
 - vs. sequence, 41
 - on a set, 34
- filtered sum, 35
- finally dense, 135
- finer, 285
- finitary
 - closure, 199
 - closure space, 199
 - metric, 151
 - $\mathcal{V}$ -relation, 151
 - up-set, 299
 - up-set monad, 299
- finite-powerset monad, 198
- finitely additive, 39, 193
- fixpoints, 24
- flat lax extension, 156, 157
- forgetful functor, 44
- fork, 92
 - split, 79
- frame, 29
 - homomorphism, 29
 - sub-, 29
- free
 - group functor, 67
 - monoid functor, 49
 - monoid monad, 75
 - $\mathbb{T}$ -algebra, 76
- Frobenius law
 - left, 226
 - right, 226
- full
 - functor, 44
 - subcategory, 44
 - fully faithful
 - functor, 44
 - monotone map, 21
- functor, 44
 - adjunction, 45
 - algebraic, 207
 - category, 46
 - change-of-base, 210
 - cocontinuous, 63
 - codomain, 128
 - comparison, 77
 - composition, 44
 - continuous, 63
 - contravariant powerset, 50
 - dense, 69
 - domain, 141
 - double category, 179
 - down-set, 45
 - dualization, 45
 - evaluation, 65
 - extension, 93
 - faithful, 44
 - filter, 75
 - forgetful, 44
 - free-group, 67
 - free-monoid, 49
 - full, 44
 - full embedding, 44
 - fully faithful, 44
 - hom-, contravariant, 45
 - hom-, covariant, 45
 - identity, 44, 75
 - inclusion, 44
 - inverse image-, 117
 - Kuratowski-closure, 45
 - lax, 105
 - lifting, 93
 - module, 45
 - monadic, 77
 - open-set, 45
 - oplax, 105
 - $\mathcal{V}$ -powerset, 180
 - powerset, contravariant, 45, 50
 - powerset, covariant, 44
 - preserves colimits, 63
 - preserves disjointness, 246
 - preserves isomorphisms, 70
 - preserves limits, 63
 - preserves monomorphisms, 63
 - pseudo-, 105
 - reflects isomorphisms, 54
 - reflects limits, 63
 - reflects monomorphisms, 63
 - representable, 72
 - self-adjoint, 50
 - set-of-objects, 141
 - topological, 130
 - $\mathcal{M}_0$ -topological, 131
 - transportable, 132

- ultrafilter, 75
- underlying-order, 45
- up-set, 75
- whiskering, 46
- $(\mathbb{T}, \mathcal{V})$ -functor, 160, 217
 - closed, 418
 - open, 406
 - proper, 406
- $\mathcal{V}$ -functor, 150
- $\mathcal{V}$ -functor, 111
- 2-functor, 105
- functorial, 123
- Galois correspondence, *see* adjunction
- generating, 125
 - densely, 140
 - strongly, 126
- generator
 - as a class, 126
 - as an object, 126
 - strong, 126
- generic point, 264
- graph
 - directed, 113
 - edge, 113
 - of a map, 20
 - vertices, 113
- $(\mathbb{T}, \mathcal{V})$ -graph, 216
- greatest lower bound, 26
- group, 45
 - topological, 137
- Hausdorff
 - metric, 254
 - $(\mathbb{T}, \mathcal{V})$ -space, 376
 - topology, 130
- $\mathcal{P}$ -Hausdorff, 437
- morphism, 437
- hereditary
 - closure operator, 124
 - weakly, 123
 - morphisms class, 433
 - sink, 245
- $\mathcal{M}$ -hereditary, 118
- hom
 - functor, contravariant, 45
 - functor, covariant, 45
 - functor, internal, 101
 - object, 111
 - set, 42
- homeomorphism, 367
 - local, 447
- homomorphism
 - of $\mathbb{T}$ -algebras, 76
 - of frames, 29
 - of join-semilattices, 28
 - lax, 160
 - of meet-semilattices, 28
 - of monoidal categories, 98
 - of monoids, 19, 99
 - of quantales, 30
 - of quantales, lax, 30
 - of quantaloids, 107
 - of semilattices, 29
- $\mathbb{T}$ -homomorphism, 76
- horizontal composition, 47, 106
- hull, idempotent, 443
- ideal, 34
 - base, 34
 - principal, 34
 - proper, 34
- idempotent, 28
 - closure operator, 123
 - hull, 443
 - monad, 95
- identity, 42, 111
 - functor, 44, 75
 - law, 42
 - lax, 162
 - monad, 75
- $\mathcal{M}$ -image, 118
- image filter, 34
- inclusion functor, 44
- indiscrete
 - object, 127
 - order, 50
 - structure, 203
 - topology, 50
- induced
 - monad, 74
 - order, 29, 204
- induction, 37
- inf-map, 27
- infimum, 26
 - preservation, 27
- initial
 - extension, 301
 - lifting, 130
 - object, 55
 - strict, 453
 - pre-, 454
 - source, 127
- initially dense, 135
- injection of coproduct, 60
- $\mathcal{M}$ -injective, 140
- injective, locally, 439
- $\mathcal{P}$ -injective, locally, 451
- integral, 148
- interior
 - down-, 40
 - operation, 24
- internal hom-functor, 101
- interpolating, 304, 305
- $\mathcal{M}$ -intersection, 120
- $\nu^{\mathbb{T}}$ -invariant, 338
- inverse
 - image functor, 117
 - image, 117
 - image filter, 34

- limit, 63
- $\mathcal{M}$ -inverse image, 117
- irreducible, 268, 276
- isomorphism, 23, 43
 - natural, 48
 - preservation, 70
 - reflection, 54
- join, 26
- join-semilattice, 28
 - homomorphism, 28
- joint kernel pair, 82
- jointly surjective sink, 122
- Kan extension
 - left, 69
 - pointwise, 68, 69
 - right, 67
- kernel pair, 59, 82
 - joint, 82
- Kleisli
 - category, 84
 - composition, 84
 - convolution, 161
 - extension, 292, 313
 - monoid, *see* $\mathbb{T}$ -monoid
 - $(\mathbb{T}, \mathcal{V})$ -tower, 315
 - triple, 85
 - morphism, 85
- KM-test space, 419
- Kock–Zöberlein monad, 109
 - dual, 110
- Kowalsky sum, 35
- Kuratowski
 - closure functor, 45
 - closure, 39
- large class, 17
- large-complete, 132
- lattice, 29
 - cocontinuous, 345
 - complete, 29
 - completely distributive, 32
 - continuous, 344
 - diamond, 40
- law
 - associativity, 42
 - distributive, 86
 - lax, 182
 - identity, 42
 - middle unit, 88
 - middle-interchange, 18, 47, 179
 - multiplication, 74
 - unit, 74
- lax
 - algebra, *see* $(\mathbb{T}, \mathcal{V})$ -category
 - comma category, 306
 - distributive law, 182
 - functor, 105
 - homomorphism, 160
 - compatible, 210
 - of quantales, 30
 - idempotent, 109
 - identity, 162
 - transformation, 106
- lax extension
 - associative, 165
 - dual, 183
 - flat, 157
 - of functor, 155
 - of functor, flat, 156
 - initial, 301
 - of monad, 157
 - morphism, 207
 - symmetric, 397
- lean, 148
- least upper bound, 26
- left
 - adjoint, 23, 49, 106
 - companion, 116
 - factorization class, 116
 - unitary, 163
- left-cancellable, 115
 - weakly, 115
- lifting, 108
 - Cartesian, 129
 - co-Cartesian, 129
 - of a functor, 93
 - initial, 130
 - of a monad, 87
- limit
 - closed under, 64, 115
 - connected, 133
 - creation, 78
 - of a diagram, 57
 - direct, 63
 - directed, 63
 - inverse, 63
 - preservation, 63
 - reflection, 63
- list monad, 75
- locally
 - Cartesian closed, 227
 - compact, 270
 - $\mathcal{P}$ -compact Hausdorff, 448
 - injective, 439
 - $\mathcal{P}$ -injective, 451
 - $\mathcal{P}$ -perfect, 448
 - small, 45
- lower bound, 26
- lower-Vietoris space, 274
- map, 106
 - $(\mathbb{T}, \mathcal{V})$ -continuous, 376
 - $\mathcal{V}$ -continuous, 376
 - pointed, 243
- mate, 51
- maximal, 35, 41
- maximum, 28
- meet, 26

498

topological, 357
 meet-semilattice, 28
 homomorphism, 28
 metacategory, 44
 metric, 151
 closure operation, 200
 closure space, 200
 finitary, 151
 Hausdorff, 254
 probabilistic, 186
 relation, 147
 separated, 151
 symmetric, 151
 ultra-, 199
 metric space, 151
 probabilistic, 186
 ultra-, 199
 middle
 -interchange law, 18, 47, 179
 unit law, 88
 minimum, 28
 modular, widely, 424
 module, 22
 functor, 45
 $\mathcal{V}$ -module, 153
 monad, 74
 associated, 74
 Cartesian, 185
 clique, 299
 composite, 88
 discrete presheaf, 323
 double-powerset, 75
 down-set, 110
 down-set-filter, 345
 extension, 90
 filter, 75
 finitary-up-set, 299
 finite-powerset, 198
 free-monoid, 75
 idempotent, 95
 identity, 75
 induced, 74
 lifting, 87
 list, 75
 morphism, 74
 multiplication, 74
 open-filter, 341
 ordered-filter, 345
 power-enriched, 288
 powerset, 75
 $\mathcal{V}$ -powerset, 150, 180
 terminal, 92
 trivial, 92
 ultraclique, 319
 ultrafilter, 75
 unit, 74
 up-set, 75, 110
 monadic
 category, 77
 strictly, 77

Index

functor, 77
 pre-, 95
 strictly, 77
 monic, 59
 mono
 -coreflective, 117
 -coreflective, regular, 117
 -fibration, 130
 -source, 122
 extremal, 126
 monoid
 in a category, 98
 commutative, 19
 homomorphism, 19, 99
 ordered, 102, 255
 separated, 343
 in **Set**, 19
 $\mathbb{T}$ -monoid, 290
 monoidal category, 96
 closed, 101
 homomorphism, 98
 strict, 97
 symmetric, 96
 monomorphism, 59
 extremal, 115
 regular, 71
 split, 71
 strong, 138
 monotone, 21
 closure operator, 122
 morphism, 42
 bi-, 97
 Cartesian, 127
 couniversal, *see* couniversal arrow
 diagonal, 46
 epi-, 60
 epic, 60
 iso-, 43
 of Kleisli triples, 85
 of lax extensions, 207
 of monads, 74
 monic, 59
 mono-, 59
 quotient, 116, 140
 universal, *see* universal arrow
 multi-ordered set, 353, 387
 multiple pullback, 59
 stable, 115
 multiplication
 law, 74
 of a monad, 74
 natural
 isomorphism, 48
 number object, 37
 transformation, 46
 lax, 106
 oplax, 106
 pseudo-, 106
 $\mathbf{V}$ -natural transformation, 112

- naturality diagram, 46
- nearly open, 223
- neighborhood, 41
 - filter, 41
- non-expansive map, 151, 192, 199, 200
 - probabilistically, 186
- norm, H -valued, 386
- normal
 - $(\mathbb{T}, \mathcal{V})$ -space, 398
 - topology, 268
- object, 42
 - discrete, 127
 - hom-, 111
 - indiscrete, 127
 - initial, 55
 - terminal, 55
 - trivial, 92
 - zero-, 55
- observable specialization system, 362
- open, 24, 223
 - closed interchange, 449
 - filter monad, 341
 - set functor, 45
 - embedding, 224
 - $(\mathbb{T}, \mathcal{V})$ -functor, 406
 - nearly, 223
 - neighborhood filter, 366
 - neighborhood filter map, 366
 - Scott-, 356
- $\mathcal{P}$ -open, 443
- $(\mathbb{T}, \mathcal{V})$ -open map, 406
- 2-open, 444
- opfibration, 129
- oplax
 - functor, 105
 - transformation, 106
- opposite
 - category, 43
 - relation, 20
 - $\mathcal{V}$ -relation, 146
- order, 21
 - compatible topology, 356
 - embedding, 28
 - preserving, *see* monotone
- antisymmetric, *see* separated
- discrete, 29, 50
- indiscrete, 50
- induced, 29, 204
- partial, 21
- pointwise, 22
- pre-, *see* order
- refinement, 285, 289
- separated, 21
- specialization, 29
- total, 21
- underlying, 29, 204
- ordered
 - filter monad, 345
 - category, 104
 - conjugate, 105
 - hull, 21
 - monoid, 102, 255
- ordered set, 21
- cocontinuous, 356
- complete, 25
- discrete, 29
- multi-, 353, 387
- ordinal recursion, 38
- orthogonal
 - factorization system, *see* factorization system
 - morphism, 114
 - sink, 119
- partial
 - map classifier, 241
 - regular, 241
 - order, *see* separated order
 - product, 228
- $\mathcal{M}$ -partial
 - map classifier, 240
 - map, 239
- $\mathcal{P}$ -perfect, 437
- locally, 448
- point
 - separating source, 122
 - of a frame, 366
- pointed, 37
 - map, 243
 - set, 243
- pointwise order, 22
- power-enriched
 - monad, 288
 - morphism, 288
- powerset
 - functor, contravariant, 45
 - functor, covariant, 44
 - monad, 75
 - finite-, 198
- $\mathcal{V}$ -powerset, 180
 - functor, 180
 - monad, 150, 180
- pre-approach space, 220
- premonadic, 95
- preorder, *see* order
- preservation
 - of colimits, 63
 - of infima, 27
 - of isomorphisms, 70
 - of limits, 63
 - of suprema, 27
- pretopological space, 219
- $\mathcal{E}$ -pretopology, 433
- pretopology, fiberwise, 435
- prime, completely, 366
- principal
 - filter, 34, 35
 - filter monad morphism, 287
 - ideal, 34
- probabilistic

- metric, 186
- metric space, 186
- probabilistically non-expansive map, 186
- product
 - bi-, 108
 - Cartesian, 18
 - in a category, 57
 - closed under, 115
 - fibered, 59
 - partial, 228
 - projection, 57
 - tensor, 97
- $\mathcal{V}$ -profunctor, *see* $\mathcal{V}$ -module
- projection, 228
 - of product, 57
- projective object, 140
- proper
 - class, 17
 - factorization system, 114
 - filter, 34
 - $(\mathbb{T}, \mathcal{V})$ -functor, 406
 - ideal, 34
 - quasi-, 432
 - super-, 423
- $(\mathbb{T}, \mathcal{V})$ -proper map, 406
- $\mathcal{P}$ -proper morphism, 437
- pseudo
 - approach space, 220
 - functor, 105
 - natural transformation, 106
- pseudotopological space, 213
- pullback, 58, 60
 - multiple, 59
 - stable, 115, 226
 - multiple, 115
- pushout, 60
- quantale, 30
 - Cartesian closed, 225
 - commutative, 30
 - homomorphism, 30
 - integral, 148
 - lax homomorphism, 30
 - lean, 148
 - non-trivial, 147
 - superior, 376
- quantaloid, 107
 - homomorphism, 107
 - right-sided, 321
- quasi-proper, 432
- quasitopos, 245
- quotient morphism, 116, 140
- recursion, ordinal, 38
- refinement order, 285, 289
- reflection, 53
 - of colimits, 63
 - of isomorphisms, 54
 - of limits, 63
 - separated, 21
- reflective
 - bi-, 117
 - epi-, 117
 - subcategory, 53
- $\mathcal{E}$ -reflective, 117
- reflector, 53
- reflexive
 - Kleisli morphism, 290
 - relation, 21, 233
 - numerical, 233
- regular
 - subobject classifier, 239
- completely, Hausdorff, 450
- epi-reflective, 117
- epimorphism, 71
- mono-coreflective, 117
- monomorphism, 71
- partial-map classifier, 241
- $(\mathbb{T}, \mathcal{V})$ -space, 394
- topology, 394
- relation, 19
 - auxiliary, 317
 - bi-, 147
 - dual, 20
 - metric, 147
 - opposite, 20
 - order, 21
 - reflexive, 21, 233
 - numerical, 233
 - transitive, 21
- $(\mathbb{T}, \mathcal{V})$ -relation, 161
 - reflexive, 158
 - transitive, 158
- $\mathcal{V}$ -relation, 145
 - dual, 146
 - finitary, 151
 - opposite, 146
 - reflexive, 150
 - separated, 151
 - symmetric, 151
 - transitive, 150
- replete subcategory, 54
- representable functor, 72
- restriction of a filter, 35
- retraction, 71
- right
 - cancellable, weakly, 119
 - adjoint, 23, 49, 106
 - companion, 116
 - factorization class, 116
 - unitary, 163
 - unitary $(\mathbb{T}, \mathcal{V})$ -graph, 217
- round filter, 364
- Scott
 - open, 356
 - topology, 347, 356
- section, 71
- self
 - adjoint, 50

- dual, 45
- semilattice, 28
 - homomorphism, 29
 - join-, 28
 - meet-, 28
- separated, 21
 - metric, 151
 - monoid, 343
 - order, 21
 - reflection, 21
 - $\mathcal{V}$ -relation, 151
 - $(\mathbb{T}, \mathcal{V})$ -space, 263, 389
- separator, *see* generator
- sequence, 41
 - constant, 41
 - eventually constant, 42
 - sub-, 41
- set, 17
 - of-objects functor, 141
 - pointed, 243
- Sierpiński space, 258
- sink, 119
 - epi-, 122
 - hereditary, 245
 - jointly surjective, 122
- slice
 - over, 56
 - under, 56
- small
 - category, 42
 - class, 17
- sober, 268, 277, 367
 - weakly, 268, 277
- sobrification, 367
- solution set, 65
- source, 119
 - initial, 127
 - mono-, 122
 - point-separating, 122
- space
 - Alexandroff, 136
 - approach, 192
 - bitopological, 200
 - closure, 25
 - KM-test, 419
 - metric, 151
 - Sierpiński, 258
 - T_0 -, 29
 - topological, 29
 - ultrametric, 199
- $(\mathbb{T}, \mathcal{V})$ -space, 158, 376
 - compact, 376
 - connected, 460
 - extremely disconnected, 399
 - Hausdorff, 376
 - normal, 398
 - R_0 , 391
 - R_1 , 391
 - regular, 394
 - separated, 263, 389
 - T_0 , 391
 - T_1 , 391
 - totally disconnected, 463
- $\mathcal{V}$ -space, 376
- span, 169
- spatialization, 366
- specialization order, 29
- specialize, 357
- split
 - epimorphism, 71
 - fork, 79
 - monomorphism, 71
 - pair, 80
- splitting morphism, 79
- stable, 270, 277
 - under multiple pullbacks, 115
 - under pullbacks, 115
- stably
 - closed, 420
 - compact, 270
- v -stratum, 310
- strict
 - finitely, 247
 - initial object, 453
 - monoidal category, 97
- strictly monadic, 77
- strong
 - epimorphism, 138
 - generator, 126
 - monomorphism, 138
- strongly generating, 126
- structure
 - discrete, 203
 - indiscrete, 203
 - morphism, 76
- subbase, 269
- subcategory, 72
 - coreflective, 54
 - $\mathcal{M}$ -coreflective, 117
 - full, 44
 - reflective, 53
 - $\mathcal{E}$ -reflective, 117
 - replete, 54
- subframe, 29
- subobject, 117
 - classifier, 239
 - regular-, 239
- $\mathcal{M}$ -subobject, 117
 - classifier, 238
- subsequence, 41
- sup
 - dense, 304
 - map, 27
- sup-dense, 304
- supercompact, 377
- superior, 376
- superproper, 423
- supremum, 26
 - preservation, 27
- symmetric

- Cartesian product, 19
- extension, lax, 397
- metric, 151
- monoidal category, 96
- $\mathcal{V}$ -relation, 151
- taut, 225
- tensor
 - in a monoidal category, 97
 - of a quantale, 30
- tensored $\mathcal{V}$ -category, 215
- terminal
 - monad, 92
 - object, 55
 - weakly, 249
- thin category, 105
- three-chain, 30
- top, 28
- topological
 - functor, 130
 - group, 137
 - meet, 357
 - pre-, space, 219
 - pseudo-, space, 213
 - space, 29
 - space, bi-, 200
- $\mathbb{M}_0$ -topological
 - functor, 131
- topology, 29
 - Alexandroff, 136
 - base, 29
 - on a category, 433
 - compact, 191
 - locally, 270
 - connected, 459
 - derived, 435
 - discrete, 50
 - extremally disconnected, 398
 - fiberwise, 435
 - Hausdorff, 130
 - normal, 268
 - order-compatible, 356
 - R_0 , 392
 - R_1 , 392
 - regular, 394
 - Scott, 347, 356
 - subbase, 269
 - T_0 , 29, 389
 - T_1 , 392
 - Tychonoff, 451
 - Zariski, 317
- $\mathcal{E}$ -topology, 433
- topos, 245
 - quasi-, 245
- total order, 21
- totally below, 32
- transfinite induction, *see* ordinal recursion
- transitive
 - Kleisli morphism, 290
 - relation, 21
- transportable functor, 132
- triangular identity, 49
- trivial
 - factorization system, 116
 - monad, 92
 - object, 92
- two-chain, 30
- Tychonoff
 - space, 451
 - theorem, 380, 442
- $\mathcal{P}$ -Tychonoff, 448
- ultraclique, 318
 - monad, 319
- ultrafilter, 35
 - functor, 75
 - monad, 75
- ultrametric, 199
 - space, 199
- underlying
 - order functor, 45
 - order, 29, 204
- unique diagonalization property, 114
- unit
 - of an adjunction, 49
 - law, 74
 - middle, 88
 - of a monad, 74
- unitary
 - $(\mathbb{T}, \mathcal{V})$ -graph, 217
 - left, 163
 - $(\mathbb{T}, \mathcal{V})$ -relation, 164
 - right, 163
- universal, 226
 - arrow, 52
 - weakly, 66
 - property, 52
- up
 - closed, 26
 - closure, 26
 - directed, 34
- up-set, 26
 - finitary, 299
 - monad, 299
 - functor, 75
 - monad, 75, 110
- upper bound, 26
- vertical composition, 46, 106
- vertices, 113
- Vietoris space, lower-, 274
- way-below, 268
- weak
 - pullback, 173
 - preservation, 184
- weakly
 - left-cancellable, 115
 - right-cancellable, 119
 - sober, 268, 277

universal arrow, 66	Yoneda
wellpowered, 121	embedding, 48
whiskering	Lemma, 48
functor, 46	
left-, 409	Zariski topology, 317
right-, 409	zero-object, 55
	Zorn’s Lemma, 41