

Index

Bold face denotes a primary entry or an extended discussion.

- Abbe, Cleveland, 442
- Absolute humidity, 675
- Abyssal ocean circulation, **818–828**
 - wind driven, 829
- ACC, **836–845**
 - adiabatic model of, 843
 - and mesoscale eddies, 837
 - form drag in, 844
 - momentum balance, 837, 839, 841
- Acoustic-gravity waves, **293–296**
- Adiabatic lapse rate
 - dry, 99
 - moist, 692
- Adiabatic lapse rate, 48
- Advection-diffusion-condensation models, 686
- Advective derivative, 4
- Anelastic approximation, **75–78**
- Anelastic equations, 76, 78
 - energetics of, 78
- Angular momentum, 67
 - spherical coordinates, 67
- Antarctic Circumpolar Current, **836–845**
- Antisymmetric turbulent diffusivity, 491
- APE, 137
- Arnold stability conditions, 406
- Asymptotic models
 - conservation properties of, 187
 - quasi-geostrophy, 188
- Atmospheric stratification, **572–581**
- Auto-barotropic fluid, 14
- Available potential energy, **137–140**
 - Boussinesq fluid, 138
 - ideal gas, 139
- Balanced dynamics
 - tropics, 711
- Baroclinic adjustment, 576
- Baroclinic circulation theorem, 151
- Baroclinic eddies, **464–471**
 - effect on Hadley Cell, 528
 - in atmosphere, 465
 - in ocean, 468
 - magnitude and scale, 464
- Baroclinic eddy diffusivities, 494
- Baroclinic fluid, 14
- Baroclinic instability, **335, 347–367**
 - beta effect in continuous model, 369
 - beta effect in two-layer model, 360
 - Eady problem, 351
 - effect of stratosphere, 372
 - energetics of, 367
 - high-wavenumber cut-off, 343, 360, 410, 459
 - in ocean, 373
 - interacting edge waves, 363
 - linear QG equations, 349
 - mechanism of, 347
 - minimum shear, 361
 - necessary conditions for, 351, 408, 410
 - neutral curve in two-layer problem, 362
 - non-uniform shear and stratification, 372
 - sloping convection, 347
 - two-layer problem, 356
- Baroclinic lifecycle, 466
- Baroclinic lifecycles
 - in atmosphere, 465
 - in ocean, 468, 470
- Baroclinic term, 145
- Baroclinic triads, 457
- Barotropic fluid, 14, 20
- Barotropic instability, **335**
- Barotropic jet, **540–549**
 - and Rossby waves, 542
 - and the EP flux, 547

- numerical example, 548
- Barotropic triads, 457
- Batchelor scale, 439
- Batchelor spectrum, 439
- Bernoulli function, 44
- Bernoulli's theorem, 44
 - and potential vorticity flux, 167
- Beta effect, 154, 155
 - in two-dimensional turbulence, 445
- Beta plane vorticity equation, 156
- Beta scale, 446, 447
- Beta-plane approximation, 69
- Beta-Rossby number, 559, 735
- Bjerknes, Jacob, 907
- Bjerknes, Vilhelm, 169
- Bjerknes-Silberstein circulation theorem, 151
- Boiling point, 678
- Bolus velocity, 500, 503
- Bottom pressure stress, 755
- Boundary layers
 - Ekman, 201
- Boussinesq approximation, 70–75
- Boussinesq equations, 71
 - asymptotic derivation, 101
 - energetics of, 74
 - potential vorticity conservation, 163
 - relation to pressure coordinates, 82
 - strong and weak versions, 78
 - summary, 74
- Box ocean models, 813–818
 - many boxes, 817
 - two boxes, 814
- Breaking waves, 599
- Bretherton's boundary layer, 191
- Brewer–Dobson circulation, 631–643, 644, 669
- Brunt–Väisälä frequency, 97
- Buoyancy frequency, 73, 97
 - ideal gas, 99
 - ocean, 99
- Buoyancy-driven ocean circulation, 801, 813
- Burger number, 173
- Cabelling, 39
- CAPE, 695
- Centrifugal force, 57
- Chaos, 433, 435
 - a brief history, 443
- Charney problem, 369
- Charney, Jule, 376
- Charney–Drazin condition, 599, 601, 603
- Charney–Eliassen problem, 609
- Charney–Green number, 370
- Charney–Stern–Pedlosky criterion for instability, 351
- Chemical potential, 16, 17
- CIN, 695
- Circular reference, *see* Reference, circular
- Circulation, 143–153
- Circulation theorem, 150, 147–156
 - baroclinic, 151
 - barotropic fluid, 150
 - beta effect, 154
 - hydrostatic flow, 152
 - rotating flow, 152
- CISK, 727
- Clausius–Clapeyron equation, 678–679
 - ideal gas, 679
- Closure problem of turbulence, 413
- Compensating subsidence, 716
- Compressible flow, 41
- Concentration and mixing ratio, 10
- Condensation-diffusion models, 681
- Condensation-diffusion-advection models, 686
- Conditional instability, 695, 696
- Conservative temperature, 36, 39
- Conservative tracers, 10
- Convection, 699
 - energetics of, 696
 - moist, 695
- Convective adjustment, 697, 706
- Convective instability, 261
- Convective plumes, 805
- Convective quasi-equilibrium, 698
- Conventional equation of state, 13
- Coriolis acceleration, 57
- Coriolis force, 57–58
- Coriolis, Gaspard Gustave de, 103
- Critical layers, 594
 - gravity wave, 597
 - Rossy wave, 594
- Critical levels, 634
- Critical line, 593, 594, 607
- Cyclostrophic balance, 91, 95, 96
- Deacon Cell, 833, 841, 843, 852
- Deacon cell, 834
- Deformation radius, 124, 125
- Delayed oscillator model of El Niño, 904
- Density
 - neutral, 32
 - potential, 24
- Dew point, 724
- Diffusion
 - equation of, 473
 - potential vorticity, 505
 - turbulent, 473
- Diffusion-condensation models, 681
- Diffusive fluxes, 490
- Diffusive thermocline, 779–785, 805
- Diffusive transport, 473
- Diffusivity tensors, 490

- Dispersion relation, 215, 216, **219**
 - Rossby waves, 228
- Divergence equation, 96
- Downward control, 648
- Dry adiabatic lapse rate, 29, 48, 99
- Dumbbell in beta-plane turbulence, 448
- Eady problem, **351–356**, 357
 - eddy effect on mean-flow, 399
 - secondary circulation, 399
 - with beta, 371
- Eady, Eric, 376
- Eddy diffusion, 475
 - two-dimensional, 483
- Eddy transport
 - and the TEM, 506
 - velocity, 500
- Eddy viscosity, 202
- Edge waves, 340, 341, 343
 - Eady problem, 365
 - in shear flows, 340
- Effective gravity, 59
- Egg, boiling, 678
- Ekman layers, **201–211**
 - integral properties of, 204
 - momentum balance, 203
 - observed, 209
 - stress in, 201
- Ekman number, 202
- Ekman spiral, 206, 209
- El Niño, **886–904**
 - toy models, 898
- Elephant, 610
- Eliassen–Palm flux, **383–387**, 568
 - and barotropic jets, 547
 - and form drag, 397
 - observed, 568
 - primitive equations, 581
 - spherical coordinates, 581
- Eliassen–Palm relation, 384
- Energetics
 - of quasi-geostrophic equations, 198
- Energy budget, 42
 - constant density fluid, 42
 - variable density fluid, 43
 - viscous effects, 45
- Energy conservation
 - Boussinesq equations, 74
 - primitive equations, 65
 - shallow water equations, 122
- Energy flux, 234
 - Bernoulli function, 44
 - Rossby waves, 234–236
- Energy inertial range
 - in two-dimensional turbulence, 429
- Energy transfer in two-dimensional flow, 424
- ENSO, 886
- Enstrophy inertial range, 424, 429
 - passive tracer in, 439
- Enstrophy transfer in two-dimensional flow, 424
- Enthalpy, 17, 45, 49
 - dynamic, 37
 - fluxes in convection, 705
 - generalized, 45
 - ideal gas, 21
 - of vaporization, 677
 - potential, 36, 37, 49
 - potential, generalized, 46
- Enthalpy of vaporization, 722
- Entropy, 14, 24, 48
 - moist air, 721
- Equation of State, **14**
- Equation of state, **13**
 - conventional or thermal, 13
 - fundamental, 14, 15, 20
 - ideal gas, 13
 - moist air, 674
 - seawater, 13, 33
- Equations of motion, **3**
 - for tropics, 711
 - rotating frame, 55
 - tropical atmosphere, 708
- Equatorial undercurrent, **865**, 867, 874
 - ideal fluid model, **876–885**
 - local model, **865–876**
- Equatorial waves
 - stratosphere, 634
- Equivalent potential temperature, 680, **694**, 723
- Equivalent topography, 617
- Euler, Leonard, 52
- Eulerian and Lagrangian, 3
- Eulerian derivative, 4
- Eulerian viewpoint, 4
- Exner function, 136
- Explication, 156, 170
- f-plane approximation, 69
- Ferrel Cell, **534–536**, 571
 - eddy fluxes in, 536
 - surface flow in, 535
- Ferrel, William, 537
- Field or Eulerian viewpoint, 4
- First law of thermodynamics, 15, **49**
- Fjørtoft's criterion for instability, 347, 408
- Fluid element, 4
- Fofonoff model, 751
- Force
 - centrifugal, 57
 - Coriolis, 58
- Form drag, 119
 - and Eliassen Palm flux, 397

- at ocean bottom, 755
 - in ACC, 839, 844
- Form stress, **119–120**
- Four-thirds law, 482
- Free energy, 17
- Free-slip condition, 741
- Frequency, 216
- Frictional–geostrophic balance, 202
- Froude number, 86, 173, 494
- Frozen in property of vorticity, 147
- Fundamental equation of state, 14, 15, 20
 - ideal gas, 25, **47–49**
- Fundamental postulate of thermodynamics, 14
- Fundamental thermodynamic relation, 16

- Gas constant, 674
- Generalized enthalpy, 46
- Gent–McWilliams scheme, 499
- Geopotential surfaces, 60
- Geostrophic adjustment, **127–134**
 - energetics of, 130
 - Rossby problem, 128
- Geostrophic balance, **87–93**, 95, 118
 - a variational perspective, 133
 - frictional, 202
 - in shallow water equations, 118
 - pressure coordinates, 91
- Geostrophic contours, 764
- Geostrophic scaling, 171
 - in continuously stratified equations, 174
 - in shallow water equations, 171
- Geostrophic turbulence, **445**, 460
 - Larichev–Held model, 460
 - stratified, 454
 - two layers, 455
 - two-dimensional, beta-plane, 445
- Gibbs function, 17, 18
 - equilibration, 677
 - for seawater, 33
 - ideal gas, 25, **47**
 - moist air, 720
- Gradient wind balance, 91, 96, **94–97**
 - in Eulerian equations, 96
- Gravity waves, 100, 101, **251**
 - acoustic, 293
 - critical line, 594
 - hydrostatic, 261
 - stratosphere, 634
- Green and Stone turbulent transport, 494
- Group velocity, **220–224**, **240**
 - internal waves, 264
 - property for wave activity, 384
- Group velocity property, **242–246**
- Gyres, 731

- Hadley Cell, **516–534**
 - angular-momentum-conserving model, 516
 - effects of eddies on, 528, 532
 - effects of moisture on, 522
 - poleward extent, 517
 - radiative equilibrium solution, 523
 - seasonal effects and hemispheric asymmetry, 525
 - shallow water model of, 524
 - strength of, 517
- Hadley, George, 537
- Haney boundary condition, 802, 858
- Heat capacity, 21
- Held–Hou model of Hadley Cell, 516
- Helmholtz function, 18
- Hermite polynomials, **330**
- Hide’s theorem, 523, 537
- Holton, Jim, 104
- Homentropic fluid, 14, 20, 53
- Homogenization of a tracer, **487–489**
- Horizontal convection, **802–813**
 - maintenance of, 808
- Humidity
 - measures of, 675
- Hurricanes, 727
- Hydrostasy, 12
 - accuracy, 86
 - scaling for, 83, 84
- Hydrostatic approximation
 - accuracy, 86
 - in deriving primitive equations, 64
- Hydrostatic balance, 12, **87**
 - effects of rotation, 92
 - effects of stratification, 85
 - scaling for, 84, 93, **83–93**
- Hydrostatic equations
 - potential vorticity conservation, 164
- Hydrostatic internal waves, 261

- Ideal gas, 20
 - buoyancy frequency, 99
 - enthalpy, 21
 - equation of state, 13
 - fundamental equation of state, 25, 47
 - heat capacity, 21
 - simple and general, 20
 - thermodynamics of, 23
- Impermeability of potential vorticity, 165
- Incompressible flow, 41, **41–42**
 - conditions for, 41
- Inertial flow, 96
- Inertial oscillations, 126
- Inertial range, **418**, 423
 - 3D, 418
 - energy in 2D, 429
 - energy in 3D, 419

- enstrophy, 429
 - two-dimensional turbulence, 427
- Inertial western boundary currents, 747
- Inertial-diffusive range, 441
- Inflection point criterion, 346
- Instability
 - baroclinic, 335, 347
 - barotropic, 335
 - Kelvin–Helmholtz, 335
 - necessary conditions in baroclinic flow, 351
 - necessary conditions in shear flow, 345
 - parallel shear flow, 337
- Intermediate models, 186
- Intermittency, 423
- Internal energy, 20, 48
- Internal thermocline, 779–785
- Internal waves, 100, 259–261
 - energetics, 267
 - group velocity, 264, 268
 - polarization properties, 261
 - polarization relations, 261
 - rays, 273
 - reflection, 268
 - stratosphere, 634
 - topographic generation, 283
- Inverse cascade, 424, 429
 - energy-enstrophy argument, 425
 - similarity theory, 426
 - vorticity elongation, 424
- Inversion, 147
 - of vorticity, 147
- Inviscid western boundary currents, 753–757
- Isentropic coordinates, 134–137
 - and quasi-geostrophy, 196
 - Boussinesq fluid, 135
 - ideal gas, 136
- Isopycnal coordinates, 135
- JEBAR, joint effect of baroclinicity and relief, 756
- Jets, 448–453, 540–549
 - and the pseudomomentum budget, 544
 - and the vorticity budget, 541
 - atmospheric, 540
 - eddy-driven, 540
 - in beta-plane turbulence, 448
 - numerical simulation of, 449
- Joint effect of baroclinicity and relief, 756
- Joint effect of beta and friction, 449
- Jump conditions, 339
- JWKB approximation, 247, 623
- K41 theory, 416, 418
- Kelvin cat's eye, 597
- Kelvin waves, 126, 636
- Kelvin's circulation theorem, 150, 156
- Kelvin–Helmholtz instability, 335, 340
- Kinematic stress, 202
- Kinematic viscosity, 12
- Kinematics
 - of waves, 215
- Kolmogorov scale, 420
- Kolmogorov theory, 416–422
- Kolmogorov theory of turbulence, 418
- Kolmogorov, A. N., 441
- Lagrange, Joseph-Louis, 52
- Lagrangian derivative, 4
- Lagrangian viewpoint, 3, 4
- Lamb waves, 295
- Lapse rate, 99
 - adiabatic, of density, 27
 - adiabatic, of temperature, 29
 - dry adiabatic, 29, 99
 - dry ideal gas, 99
 - of seawater, 34
 - saturated, 692
- Latent heat, 722
- Latent heat of evaporation, 677
- Level of free convection, 695
- Lifecycle of baroclinic waves, 466
 - in atmosphere, 465
 - in ocean, 468, 470
- Lifting condensation level, 695
- Liouville–Green approximation, 247
- Locality in turbulence, 423
- Log-pressure coordinates, 82
- Lorenz equations, 433
- Lorenz, Edward, 141, 142
- LPS model, 785
- Luyten–Pedlosky–Stommel model, 785
- M equation, 779
 - one-dimensional model, 780
- Mach number, 42
- Macro-turbulence, 445
- Madden–Julian oscillation, 717
- Main thermocline, 774
- Margules relation, 119
- Mass continuity, 7–10
 - Eulerian derivation, 7
 - in a rotating frame, 58
 - in Boussinesq equations, 72
 - Lagrangian derivation, 9
- Mass continuity equation
 - shallow water, 107
- Material derivative, 4–7
 - finite volume, 5
 - fluid property, 5
- Material viewpoint, 4
- Maxwell relations, 17, 19
- Mercator coordinates, 621
- Meridional overturning circulation, 801

- atmospheric, Eulerian, 514
- of atmosphere, 514
- of ocean, 801
- wind-driven, ocean, 829
- Mid-latitude atmospheric circulation, **549–571**
- Minimum shear for baroclinic instability, 361
- Mixing length theory, **484–487**
- Mixing ratio, 675
- Mixing ratio and concentration, 10
- MJO, 717
- MOC, 514, 801
 - stratosphere, 644
 - wind-driven, ocean, 829
- Moist convection, **695–700**
- Moist thermodynamics, 720
- Moisture
 - effect on potential vorticity, 160
 - effects on Hadley Cell, 522
- Momentum equation, **11–13**
 - in a rotating frame, 58
 - shallow water, 106
 - vector invariant form, 66
- monsoons, 717
- Montgomery potential, 136
- Mountain waves, 283
- Multi-layer QG equations, 185
- Munk wind-driven model, 740
 - properties of, 741
- Natural coordinates, 94
- Navier, Claude, 53
- Necessary conditions for baroclinic instability, 408, 410
- Necessary conditions for instability, **403–411**
 - baroclinic flow, 351
 - Charney–Stern–Pedlosky criterion, 351, 404
 - Fjørtoft’s criterion, 347, 408
 - Rayleigh–Kuo criterion, 346, 404
 - relation to eddy fluxes, 564
 - shear flow, 345
 - use of pseudoenergy, 406
 - use of pseudomomentum, 403
- Neutral density, 32, 33, 53, 774, 799
- No-slip condition, 741
- Non-acceleration result, 379, 639
- Non-acceleration theorem, **394–399**
- Non-homentropic term, 145
- Nondimensionalization
 - in rotating flow, 171
- nondimensionalization, **46–47**
- Oblate spheroid, 59, 60
- Observations
 - MJO, 718
 - abyssal ocean, 829
 - Atlantic Ocean, 803
 - atmospheric meridional overturning circulation, 514, 572
 - atmospheric stratification, mean, 572
 - atmospheric wind and temperature, 513
 - deep ocean circulation, 801
 - deep western boundary current, 827
 - Ekman layers, 209
 - Eliassen–Palm flux, 568, 570
 - Eliassen–Palm flux divergence, 570
 - equatorial ocean currents, 861
 - Global Ocean, 735
 - global ocean currents, 732
 - main thermocline, 774
 - North Atlantic, 827
 - North Atlantic currents, 733
 - ocean stratification, 802
 - oceanic meridional overturning circulation, 801
 - of the atmosphere, 511
 - potential vorticity, ocean, 770
 - reanalysis, 537
 - relative humidity, 682
 - surface winds, 514
 - zonally-averaged atmosphere, 515
 - zonally-averaged zonal wind, 570
- Ocean circulation
 - abyssal, 821
 - laboratory model of, 818
 - scaling for buoyancy-driven, 813
 - wind-driven, 733
 - wind-driven abyssal, 829
- Ocean currents, 732
- Ocean gyres, 731
- Omega equation, 192
- Outcropping, 788
- Parabolic cylinder functions, 330
- Parcel method, **97–99**, 695
- Passive tracer, **437–441**
 - in three dimensions, 439
 - in two dimensions, 439
 - spectra of, 437
- Perfect gas, 47
- Phase speed, 217, **216–219**
- Phase velocity, 219
- Phillips instability problem, 356
- Piecewise linear flows, 338
- Plane waves, 216
- Planetary waves, 585
- Planetary-geostrophic equations, **176–180**
 - for shallow water flow, 176
 - for stratified flow, 178
- Planetary-geostrophic potential vorticity equation, 178, 179
 - shallow water, 178

- stratified, 179
- Poincaré waves, 124, 125, 244
- Poincaré, Henri, 141
- Polar vortex, 629
- Polarization properties of internal waves, 261
- Polarization relations, 261
- Polytropic fluid, 14
- Potential density, 24, 25, 27, 30, 32
 - and static instability, 97
 - of seawater, 27, 32
- Potential enthalpy, 36, 46, 49
- Potential temperature, 24, 30, 49
 - equivalent, 694
 - ideal gas, 25
 - moist air, 722
 - of liquids, 28
 - seawater, 28, 34
- Potential vorticity, 143, **156–168**
 - and Bernoulli's theorem, 167
 - and the frozen-in property, 158
 - Boussinesq equations, 163
 - concentration, 165
 - conservation of, 156
 - diffusion of, 505
 - for baroclinic fluids, 157
 - for barotropic fluids, 156
 - homogenization of, 793
 - hydrostatic equations, 164
 - impermeability of isentropes, 165
 - mixing, 575, 576
 - moisture effect, 160
 - ocean observations, 770
 - on isentropic surfaces, 164
 - planetary-geostrophic, 178
 - quasi-geostrophic, 190
 - relation to circulation, 156
 - salinity effect, 160
 - shallow water, 120, 162, 182
 - staircase, 451–453
 - substance, 165
- Potential vorticity flux, 566
- Potential vorticity fluxes, atmospheric, 566
- Potential vorticity homogenization, 487
- Potential vorticity transport
 - and tropospheric stratification, 574
- Prandtl number, 439, 804
- Predictability, **433–437**
 - of Lorenz equations, 433
 - of turbulence, 435
 - of weather, 437
- Pressure, 11, 17
- Pressure coordinates, 79, 81
 - and quasi-geostrophy, 192
 - relation to Boussinesq equations, 82
- Primitive equations, 64
 - potential vorticity conservation, 164
 - vector form, 65
- Pseudoenergy, 406
 - and hydrodynamic instability, 406
 - and wave activity, 407
- Pseudomomentum, 384
 - and hydrodynamic stability, 403
 - and zonal jets, 544
- QBO, **652–662**
 - essentials, 655
- Quasi-biennial oscillation, **652–662**
- Quasi-equilibrium, 698, 699
- Quasi-geostrophic
 - wave–mean-flow interaction, 380
- Quasi-geostrophic potential vorticity
 - equation, 190
 - relation to Ertel PV, 195
- Quasi-geostrophic turbulence, 454
- Quasi-geostrophy, **180–195**
 - asymptotic derivation, 188
 - buoyancy advection at surface, 191
 - continuously stratified, 187
 - energetics, 198
 - in isentropic coordinates, 196
 - informal derivation, 193
 - multi-layer, 185–186
 - pressure coordinates, 192
 - shallow water, 180
 - sheet at boundary, 191
 - single layer, 180
 - stratified equations, **187–194**
 - two-layer, 184–185
 - two-level, 194
- Radiation condition, 543
- Radiative equilibrium temperature, 511
- Radiative equilibrium, 700–703
- Radiative transfer, 724
- Radiative-convective equilibrium, 703–706
- Radius of deformation, 124, 125
- Random walk, 476
- Ray theory, **224–226**, 621
- Ray tracing, 621
- Rayleigh criterion for instability, 345
- Rayleigh equation, 338
- Rayleigh number, 804
- Rayleigh's equation, 338
- Rayleigh–Kuo criterion, 346, 404
- Rayleigh–Kuo equation, 338
- Rays, 226, 273
 - equatorial, 314
 - in internal waves, 273
- Reanalysis, 537, 537
- Recharge-discharge oscillator, 901
- Reduced gravity equations, **110–112**

- Reference, circular, *see* Circular reference
- Reflection
 internal waves, 268
 Rossby waves, 237
- Refractive index, 587, 599
- Relative humidity, 675, 676, **680–690**
 in mid-latitudes, 688
- Relative vorticity, 152
- Residual circulation, 388
 and thickness-weighted circulation, 391
 atmospheric, mid-latitude, 571
 atmospheric, observations of, 572
 stratospheric, 642
- Resonance of stationary waves, 610
- Reynolds number, 46
- Reynolds stress, 415
- Reynolds, Osborne, 253
- Rhines length, 447
- Rhines scale, 446
- Rhines–Young model, 761
- Richardson number, 494
- Richardson’s four-thirds law, 482
- Richardson, Lewis Fry, 442
- Rigid body rotation, 144
- Rigid lid, 108, 111
- Rossby number, **87**
- Rossby wave trains, 611
- Rossby waves, **226–240**, 585
 and barotropic jets, 542
 and ray tracing, 621
 and turbulence, 446
 barotropic, 227
 breaking, 599, 642
 continuously stratified, 231, 599
 critical layers, 594
 dispersion relation, 228
 energy flux, **234–236**
 finite deformation radius, 229
 group velocity property, 384
 horizontal propagation, 588
 mechanism of, 229
 meridional propagation, 621
 momentum transport in, 542
 planetary geostrophic, 302
 propagation, 585
 reflection, 237
 topographic, 602
 two layers, 230
 vertical propagation, 599, 603, 605, 606
- Rossby, Carl-Gustav, 212
- Rotating frame, **55–59**
- Salinity, 13, 33
 effect on potential vorticity, 160
 in box models, 814
- Salt, 13
- Sandström’s effect, 809
- Saturated adiabatic lapse rate, 692, 695
- Saturation vapour pressure, 676
- Scale height
 atmosphere, 42
 density, 27
 temperature, 28
- Scale height, atmosphere, 83
- Scaling, **46–47**
 geostrophic, 171
 in rotating shallow water equations, 171
 in rotating stratified equations, 174
- Schwarzschild equations, 724
- Seawater, 13, **33**
 adiabatic lapse rate, 34
 equation of state, 13, 33, 34
 heat capacity, 34
 potential temperature, 34
 thermodynamic properties, 33
- Shadow zone, 791
- Shallow water
 quasi-geostrophic equations, 180
- Shallow water equations
 multi-layer, 112
 potential vorticity conservation, 162
 reduced gravity, 110
 rotation effects, 121
- Shallow water model of Hadley Cell, 524
- Shallow water systems, **105–123**
 conservation properties of, 120
 potential vorticity in, 120
- Shallow water waves, **123–127**
- Shallow-fluid approximation, 65
- Sideways convection, **802–813**
 conditions for maintenance, 809
 energy budget, 808
 limit of small diffusivity, 811
 maintenance of, 808
 mechanical forcing of, 812
 phenomenology, 807
- Sigma coordinates, 82
- Singing in the rain, 673
- Single-particle diffusivity, 478
- Skew diffusion, 491
- Skew flux, 491
- Skew fluxes, 490
- Sloping convection, 347
- Solenoidal term, 145
- Solenoids, 146, 151
- Sound waves, 40
- Southern Ocean, 836
- Southern Oscillation, 888
- Specific heat capacities, 20
- Specific humidity, 675
- Spectra of passive tracers, 437

- Spherical coordinates, **59–68**
 - centrifugal force in, 59
- Squire's theorem, 375
- Stacked shallow water equations, 112
- Staircases of potential vorticity, 451–453
- Standard atmosphere, 572
- State estimate, 537
- Static instability, **97–99**, 695
- Stationary phase, 223
- Stationary waves, **609–625**
 - adequacy of linear theory, 614
 - and ray tracing, 621
 - Green function, 613
 - in a single-layer, 609
 - meridional propagation, 621
 - one-dimensional wave trains, 611
 - resonant response, 610
 - thermal forcing of, 615
- Stokes, George, 53
- Stommel box models, 813
- Stommel wind-driven model, **733**
 - boundary layer solution, 737
 - properties of, 741
 - quasi-geostrophic formulation, 736
 - the nonlinear problem, 745
- Stommel, Henry, 758
- Stommel–Arons model, **821**
 - single-hemisphere, 821
 - two-hemisphere, 826
- Stommel–Arons–Faller model, 818
- Stratification
 - in mid-latitudes, 579
 - of the atmosphere, 572
- Stratified geostrophic turbulence, 454
- Stratosphere, 514, 572, **627**
 - polar vortex, 629
 - sudden warming of, 631
- Stratospheric dynamics, **627–669**
- Stratospheric sudden warmings, 663
- Stress
 - Ekman layer, 201
 - kinematic, 202
- Stretching, 149
- Sudden warming, 631
- Sudden warmings, 663
- Super-rotation, 523
- Surf zone, 629
- Surface drifters, 483
- Surface westerlies, 540
- Surface winds, 567
 - observed, 514
- Sverdrup balance, 737
 - near the equator, 863
- Sverdrup interior flow, 738
- Symmetric diffusivity tensor, 490
- Tangent plane, 69
- Taylor–Goldstein equation, 597
- Taylor–Proudman effect, 90
- TEM, 379, 387, 389, 392
- TEM equations, **387**
 - for primitive equations, 581
- Temperature, **17**, 724
 - dew point, 724
 - potential, 24, 724
 - wet-bulb, 724
- Thermal equation of state, 13, 47
 - moist air, 721
- Thermal wind, 87
 - in shallow water equations, 118, 119
- Thermal wind balance, **87–93**
 - pressure coordinates, 91
- Thermobaric effect, 14, 33
 - on potential density, 36
 - on potential vorticity, 161
- Thermocline, 761, **774–798**
 - advective scaling, 777
 - boundary-layer analysis, 782
 - diffusive, 805
 - diffusive scaling, 777
 - internal, 779
 - kinematic model, 775
 - main, 774
 - one-dimensional model, 780
 - reduced-gravity, single-layer model, 786
 - scaling for, 776
 - summary and overview, 790
 - ventilated, 785
 - wind-influenced diffusive scaling, 778
- Thermodynamic equation, **21–30**
 - Boussinesq equations, 72
 - for liquids, 25, 30
 - summary table, 26
- Thermodynamic equilibrium, 21
- Thermodynamic potentials, 17–19
- Thermodynamic relations, **14–21**
 - fundamental, 16
 - Maxwell, 17
- Thermodynamics
 - first law, 15
 - fundamental postulate, 14
 - moist, 720
- Thermohaline circulation, 801
- Thickness, 83
- Thickness diffusion, **502**, 504
- Thomas, Dylan, 3
- Tilting and tipping, 149
- Topographic effects
 - atmospheric stationary waves, 609
 - JEBAR, 756
 - oceanic western boundary current, 753

- Toy models, 908
 - El Niño, 898
- Tracer continuity equation, 10
- Tracer homogenization, 487
- Traditional approximation, 65
- Transformed Eulerian Mean, 379, 392, **387–392**
 - and eddy transport, 506
 - isentropic coordinates, 389
 - primitive equations, 581
 - quasi-geostrophic form, 387
 - spherical coordinates, 581
- Triad interactions, 415
 - two-layer geostrophic turbulence, 457
- Tropics, 673
- Tropopause, 572–581, **706–708**
 - definition, 572
- Tropopause height
 - in mid-latitudes, 579
 - theory of, 706, 707, 725
- Troposphere, 514, 572
 - and potential vorticity transport, 574
 - stratification, 572, 574, 578
 - ventilation and moist convection, 577
- Truesdell, Clifford, 52
- Turbulence, **413**
 - beta-plane, 448
 - closure problem, 413
 - degrees of freedom, 422
 - fundamental problem, 413
 - predictability of, 433
 - three-dimensional, 416
 - two-dimensional, 423
- Turbulent diffusion, **473, 475, 490**
 - and the TEM, 506
 - in the atmosphere and ocean, 493
 - macroscopic perspective, 487
 - requirements for, 485
 - thickness, 502
 - two-dimensional, 483
- Turbulent diffusivity, 478
- Turning line, 589, 607
- Two-box model, 814
- Two-dimensional turbulence, **423–433**
 - beta effect, 445
 - eddy diffusion in, 483
 - energy and enstrophy transfer, 424
 - numerical solutions, 432
- Two-dimensional vorticity equation, 147
- Two-layer instability problem, 356
- Two-layer model
 - of atmospheric mid-latitudes, 554
- Two-layer QG equations, 184
- Two-level QG equations, 194
- Two-particle diffusivity, 480, 482
- Under Milk Wood, 3
- Unit vectors
 - rate of change on sphere, 62
- Vapour pressure
 - saturation, 676
- Vector invariant momentum equation, 66
- Ventilated pool, 794
- Ventilated thermocline, **785–798**
 - reduced-gravity, single-layer model, 786
 - two-layer model, 788
- Vertical coordinates, **79–83**
- Vertical vorticity equation, 155
- Virtual temperature, 674, 676
- Viscosity, 12
 - effect on energy budget, 45
- Viscous scale, 420
- Viscous-advective range, 439
- Vorticity, 96, **143–153**
 - equation for a barotropic fluid, 146
 - equation on beta plane, 156
 - evolution equation, **145**
 - evolution in a rotating frame, 153
 - frozen-in property, 147
 - in two dimensional fluids, 147
 - stretching, 151
 - stretching and tilting, 149
 - vertical component, 155
- Vorticity equation, 96
- Vorticity, relative, 152
- vr vortex, 144
- Walker Cell, 717
- Walker circulation, 328, 888, **891**
- Water, 673
- Water vapour, 673–676
 - measures of, 675
- Wave activity, 384
 - and pseudomomentum, 384
 - group velocity property, 384
 - orthogonality of modes, 385
- Wave breaking, 642
- Wave packet, 221
- Wave propagation, 585
- Wave trains, 611
- Wave–mean-flow interaction, **379, 382**
 - quasi-geostrophic, 380
- Wave–turbulence cross-over, 446
- Waveguides
 - for equatorial waves, 314
 - for internal waves, 274
- Wavelength, 217
- Waves, **215**
 - acoustic-gravity, 293
 - barotropic Rossby, 227
 - breaking, 642

- frequency, 216
- group velocity property, 240
- hydrostatic gravity, 261
- inertial, 126
- Kelvin, 126, 636
- kinematics, 215
- Lamb, 295
- Poincaré, 124, 125, 244
- Rossby, 226
- Rossby dispersion relation, 228
- Rossby wave mechanism, 229
- Rossby, continuously stratified, 231
- Rossby, single-layer, 227
- Rossby, two-layer, 230
- rotating shallow water, 124
- shallow water, 123
- sound, 40
- wavevector, 216
- Wavevector, 216
- Weak temperature gradient approximation, 712, 714
 - adjustment to, 716
 - for stratified flow, 717
 - in shallow water equations, 716
- Weather predictability, 437
- West, Mae, 156
- Western boundary currents
 - topographic and inviscid, 753
- Western boundary layer, 739
 - frictional, 738
 - inertial, 747
- Western intensification, 731
- Western pool, 793
- Wet-bulb temperature, 724
- Wind-driven gyres, 731
- Wind-driven ocean circulation, **733–770**
 - continuously stratified, 767
 - homogeneous model, 733
 - two-layer model, 761
 - vertical structure, 761
- WKB approximation, **247–249**, 623
 - internal waves, 271
 - Rossby waves, 589, 590, 598
- Zonal boundary layers in ocean gyres, 744
- Zonal flow in turbulence, 446
- Zonal flows in beta-plane turbulence, 448
- Zonally-averaged atmospheric circulation, 539