

Index

- accelerating flow, 244
- acidising front, 103
- acidising reaction, 176
- adsorption, 79
- advection–diffusion equation, 187
- aeolian deposits, 20
- agriculture, 227
- along slope component of gravity, 178
- anisotropy, 51
- anomalous spreading, 76
- aquifer thermal energy storage, 249
- axisymmetric instability, 99
- axisymmetric radial flow, 271
- background flow, 189
- baffles, 45
- Barenblatt, 169, 176
- barium sulfate, 103, 128
- Bear, 116, 195, 199
- Bear and Cheng, 70
- Berkowitz, 70
- Bickle, 198
- Bilijvic, 78
- binomial distribution, 209
- Boait *et al.*, 197
- boiling, 230
- boiling front, 230
- boiling front instability, 235
- boiling front stability, 104
- boundary layer, 229
- Bridport sandstone, 15, 217
- Brooks and Corey, 116
- Buckley–Leverett, 118
- buoyancy-driven dispersion, 196, 223, 224
- buoyancy-driven flow, 3, 156, 203
- buoyancy-driven reaction fronts, 174, 247
- buoyancy-driven speed, 157
- buoyancy flows driven by temperature differences, 161
- buoyancy parameter, 199
- buoyancy ratio, 171
- buoyancy reversal, 156, 238, 242
- buoyancy speed, 163
- buoyancy stabilisation, 133
- buoyant plume, 202
- bypass, 38, 188
- capillary entry pressure, 169
- capillary imbibition, 127
- capillary number, Ca , 114
- capillary pressure, 98, 112, 116, 125
- capillary trapped wake of CO_2 , 181
- capillary trapping, 159, 176, 179, 217
- capillary tube, 123
- carbon emissions, 4
- carbon sequestration, 2, 156
- Cardoso and Woods, 102
- channels, 13, 105
- Clausius–Clapeyron equation, 230, 233, 234
- clay barriers, 161
- coal, 6
- compaction, 21
- complex potential, 204
- complex variables, 30
- compositional dispersion, 251
- compositional plume, 238
- compressibility, 3, 262
- compressibility factor, Z , 264
- compressible flow, 183, 230
- compression phase, 250
- confined gravity current, 181
- connate saturation, 114
- conservation of heat, 240
- conservation of mass, 117
- conservation of salt, 133
- constant flux gravity current, 166
- contact angle, 110
- convective flux, high Rayleigh number, 220
- convective mixing, 200
- convective transport, 220
- conventional resource, 7
- convoluted flow, 45
- core experiments, 121
- Corey and Brooks, 121
- correlation, 59, 65

- cost of uncertainty, 62
- cost of wells, 269
- cross-bedding, 18, 49
- cross-layer average, 85
- cross-layer gas diffusion, 273
- cross-slope component of gravity, 178
- curvature of interface, 97
- cycles of injection, 251
- cylindrical lens, 81
- Dagan, 70
- Darcy flow, 105
- Darcy speed, 28
- Darcy's law, 28, 117
- decelerating flow, 244
- decompression drive, 264
- decorrelation, 71
- deformation, 105
- Del Ioio and Woods, 105
- Delgado, 77
- DeLoubens and Ramakrishnan, 192
- deltaic deposits, 13
- density change on reaction, 247
- diffusion time, 76
- diffusion-controlled transport, 129
- dimensionless equations, 42
- Dingle peninsula, 18
- dipole moment, 169
- dipole solutions, 169
- discount rate, 33
- dispersion, 3, 70, 185
- dispersion by lenses, 79
- dispersion coefficient, 77
- dispersion in bead pack, 72
- dispersive flux, 74
- dispersive transport, 88
- dispersive wave, 120
- dissolution, 159, 198, 219
- dissolution channels, 249
- dissolution front, 103
- dissolution rate, 225
- dissolving gravity current, 175
- DNAPL (dense non-aqueous phase liquid), 70, 161
- double advection, 238
- double-advective instability, 238
- drainage, 111, 167
- drainage experiment, 266
- drainage radius, 262
- drainback, 169
- Dudfield and Woods, 182, 198
- Dullien, 122
- Eames and Bush, 80
- economic time, 269
- effective diffusivity, 264
- effective diffusivity, layered reservoir for gas flow, 275
- effective permeability, 33
- effective stress, 104
- effective thermal advection speed, 253
- effective thermal diffusivity, 232
- efficiency of heat recovery, 228
- encapsulant, 143
- encapsulation, 129
- energy sources, 4
- energy storage, 249
- energy supply, 4
- enhanced oil recovery, 157
- Ennis-King, 210
- entry pressure, 112
- equation of state, 230
- error function, 79
- exchange flow, 126, 156, 160, 219, 221, 258
- expansion phase, 250
- expected recovery, 56, 59
- experiment on instability of sand packs, 106
- experiment on macroscopic dispersion, 82
- exponential decay, 126
- Farcas and Woods, 192
- fast boiling, 233
- faults, 47
- fingering, 3
- five-layer gravity current, 215
- flow diversion, 151
- flow in parallel, 33
- flow in series, 32
- flow partitioning, 207
- fluid mixing, 257
- fluid-matrix reactions, 133
- fluvial deposits, 18
- fracking, 7, 270
- fractional flow, 35, 118, 122, 123
- fractional recovery, 60
- fracture width, 106
- fractured reservoir, 126
- fractured rock, 72
- fractures through impermeable rock, 160
- Fried and Combarnous, 199
- full dissolution reaction, 141
- Furtney, 60
- gas, 10
- gas cap, 114, 222
- gas drainage, 277
- Gaussian distribution, 209
- Gelhar, 70, 79
- geological waste repository, 4, 160
- geometric controls, 216
- geothermal heat, 2
- geothermal power, 156
- Geysers, northern California, 227
- grain junctions, 74
- grain-grain motion, 105

- gravity and viscous fingering, 95
- gravity-driven boiling front, 236
- gravity tongue, 188
- Green River Basin, 7
- growth rate of instability, 100
- Gunn and Woods, 185
- heat exchanger, 250
- heat loss, 255
- heat pump, 250
- heat transfer, 128
- heating, 227
- Hele–Shaw cell, 96, 164, 203, 207, 258
- Hesse, 159
- Hesse and Woods, 209
- heterogeneous rock, 18
- Hewitt, 221
- high permeability channels, 247
- high-temperature vapour, 227
- Hinch and Bhatt, 92, 103
- Homsy, 92
- horizontal baffles, 207
- horizontal boundaries, 156
- hot dry rock, 227
- hydrates, 7
- hydrocarbons, 4
- hydroelectric power, 4
- hydrogen gas, 160, 197
- hydrological flow, 161, 197, 226
- hydrostatic pressure, 162, 171, 186
- hysteresis, 113
- Iceland, 227
- image source, 30
- imbibition, 111, 125
- immiscible displacement, 97
- immiscible flow, 92
- impermeable boundary, 162
- In Salah, Algeria, 159
- inclined baffles, 210
- inclined porous layer, 178
- Indonesia, 227
- injection of wastewater, 227
- injection temperature, 233
- injection well, 230
- injection–extraction cycle, 252
- interest rate, 268
- interface, 171
- interfacial tension, 110
- intermingling, 70
- intermittent generation, 249
- interstitial speed, 28
- Juanes, 159
- Kilbaha Bay, 13
- Kim, 97
- Kimmeridge Bay, 11
- kinematic boundary condition, 103
- kinematic viscosity, 235
- kinetic delay, 143
- King and Woods, 170
- Koch and Brady, 70
- Kozemy-Carmen relation, 29
- Lajeunesse, 124
- Lake, 116, 127, 129
- Langmuir isotherm, 275
- Laplace’s equation, 99
- Larderello, Tuscany, 227
- latent heat, 232, 234
- lateral diffusion, 241
- lateral exchange flows, 221
- Lauwerier, 256
- layered porous media, 209
- layered strata, 10
- layered turbidite, 66
- layering in sedimentary deposits, 207
- leakage, 192
- leakage flow, 41
- lens of low permeability, 252
- lenses, 35
- liquid crystal, 131
- liquidus, 137
- LNAPL (light non-aqueous phase liquid), 70, 161
- longitudinal dispersion, 74, 77, 213, 224, 255
- long-term dispersion, 88
- Loop Head Cliffs, 13
- loss of thermal energy, 249
- low permeability layers, 207
- Ma, 127
- macroscopic dispersion, 80
- mass conservation, 28
- mass conservation in advancing region, 176
- mass conservation in trailing region, 176
- Mathias, 263
- maximum principle stress, 132, 271
- Maxworthy, 97
- McKibben and Juanes, 185
- mean thermal advection speed, 254
- mean buoyancy, 223
- mean flow speed, 253
- mechanical dispersion, 70
- Menand and Woods, 199
- method of characteristics, 184, 245
- Mexico, 227
- miscible fingering experiment, 92
- miscible flow, 92
- Mitchell and Woods, 184
- mixing, 70
- molecular dispersion, 71
- molecular transport, 220

- Monte Carlo method, 59
multiple states of convection, 221
- natural gas, 264
Netherlands, 249
neutrally buoyant reacting plume, 248
no slip, 75, 116
non-conventional resource, 7
non-linear dispersion, 224
non-linear finger, 106
non-linear wave equation, 108
non-uniform velocity, 212
nuclear energy, 4
- oil shales, 7
onset of convection, 220
optimisation, 59
oscillatory dispersive mixing, 89
oscillatory flow, 89, 258
- partial dissolution reaction, 137
Paterson, 97
Peclet number, 77, 86, 199
permeability, 28
permeability ratio, 153
permeability reduction with polymer, 153
permeable rocks, 1
perturbation concentration, 88
perturbation expansion, 43
Pfannuch, 199
Philippines, 227
Phillips, 70, 74, 128, 238
plume mixing, 202
plume shape near source, 204
plume width, 206
plumes, 156
PNIPAM, 147
point source, 157
Poiseuille flow, 97
polymer, 128, 143
polymer floods, 103
polymer rheology, 129
pore pressure, 104, 263
pore space, 28
pore throats, 111
porosity, 28
potential, 29
power generation, 227
precipitating gravity current, 175
precipitation of salt, 235
precipitation reaction, 104
pressure-adjustment zone, 234
pressure diffusion equation, 263
pressure diffusivity, 231, 233, 263
pressure-driven flow, 71
pressure gradient, 94
pressure wave, 262
- primary production, 264
production well, gas, 264
- radial flow, 99
radioactive contaminants, 70
radioactive material, 160
radius of curvature, 112
random walk, 72
rarefaction wave, 120
Raw and Woods, 176
Rayleigh number, porous, 220
Rayward-Smith and Woods, 179, 211, 247
reaction front, 133, 135, 173, 175
reaction-front speed, 133
reaction time, 129
recovery temperature, 249, 252
refrigerant, 250
Reinelt, 97
relative permeability, 117, 121
reservoir fluid, 238
residual saturation, 111
reversing buoyancy, 228, 242
reversing buoyancy through reaction, 248
Reynolds number, 28
Riolfo, 92
run out distance, 219
- Saffman, 70, 75
Saffman–Taylor instability, 92
salt powder, 247
sand bars, 39
sand pack, 230, 233
saturation, 117
saturation front, 110
scale, 246
scale formation, 103, 227
scaling analysis, 162
Scandinavia, 249
Schmidt number, 77
seal layer, 39
secondary displacement, 158
self-similar solution, 163, 172, 183
self-similar solutions of second kind, 177
sensitivity, 67
sensitivity analysis, 63
sensitivity of model predictions, 52
separable solution, 265, 267
shale gas, 10, 264, 275
shape function, 241
shear dispersion, 84
shear stress, 123
shock, 118, 124
shock front, 3
shock solution, 185
similarity solution, 169, 225, 232, 241, 264
similarity variable, 163, 229, 232, 236, 263
sink, 185

- sink flow, 30
- Sleipnir, Norway, 159, 193, 197
- sloping boundaries, 156
- slow boiling, 232
- slug of chemical, 101
- Sorbie, 129
- source, 30, 185
- source–sink flow, 63
- specific heat capacity, 229, 255
- speed of characteristics, 187
- speed of shock, 119
- stable density interface, 199
- static stability, 238
- steady-state plume, 239
- Stefan condition, 232, 233
- storage capacity, 219
- streamfunction, 29, 204, 240
- structural trapping, 217
- structural traps, 159
- sugar–salt solutions, 247
- supercritical CO₂, 159
- superheated rock, 230
- surface tension, 99, 114
- sweep efficiency, 53
- swept area, 30
- swept volume, 54
- tar sands, 7
- Taylor, 84
- Taylor dispersion, 71, 223, 253
- temperature–composition plane, 238
- thermal-advection speed, 129, 131
- thermal battery, 228
- thermal-diffusion scale, 231
- thermal diffusivity, 229
- thermal dispersion, 251, 253
- thermal energy, 227
- thermal energy conservation, 130, 251
- thermal energy storage, 9, 228
- thermal equilibrium, 129, 252
- thermal fractures, 132
- thermal front, 148, 228
- thermal inertia, 132, 228, 238
- thermal Peclet number, 131
- thermal plume, 203, 239
- thermal trigger, 147
- thermally driven reactions, 128
- three-dimensional gravity current, 190
- tight gas, 264
- time of flight, 35
- topographic trapping, 218
- tortuosity, 72
- total wetting, 111
- tracer tests, 213
- transition zone, 115, 125
- transverse diffusion, 203
- transverse dispersion, 74, 78, 210, 223
- transverse mixing, 79
- trapped pools, 217
- travel time, 80, 215
- travelling wave, 133
- trigger, 143
- Tullig Point, 13
- turbidite, 11, 195
- turbine, 227
- two-fluid gravity currents, 170
- two-layer flow, 245
- Typskin and Woods, 235
- uncertainty, 24, 56
- unconsolidated media, 92
- unconsolidated rock, 104
- ungelled polymer, 150
- unsaturated formation water, 221
- unstable density interface, 199
- unstable wavelength, 95
- upslope buoyancy speed, 243
- utility function, 57
- vadose zone, 161, 162, 213
- value, 33
- value of production, 268
- van Genuchten, 121
- van Triet, Routh and Woods, 143, 148
- vapour flow, 230
- variance, 58, 82
- velocity correlation, 74
- velocity potential, 204
- Verdon, 159
- vertical exchange flows, 221
- vertically averaged transport, 224
- viscosification, 92
- viscosifier, 102
- viscosity ratio, 171
- viscous fingering, 92
- volume ratio, 171
- waning flow, 259
- water flooding, 7, 23, 157
- wavy boundary experiment, 217
- wavy horizon, 39
- wavy layers, 217
- well spacing, 54, 268
- West Bay, Bridport, 15
- Weyburn, Canada, 159
- wind power, 249
- Wooding, 203, 239
- Woods and Espie, 159, 222
- Woods and Farcas, 169
- Woods and Mason, 173
- Woods and Norris, 160
- Yih, 204
- Yortsos and Salin, 195
- Young and Jones, 70, 75
- Young’s law, 110