

Index

- Abrikosov vortex, 446
- activated state and equilibrium, 73
- activated state rate theory, 70
- activation barrier, 494
- activation energy, 208, 209, 240
- activation entropy, 240
- activation volume, 208
- activity (chemical), 403
- adatom, 271
- adiabatic approximation, 537
- Ag, 386
- Al, 386, 525
- Al–Li, 187
- Al–Pb, 80
- allotriomorph, 80, 160, 282
- alloy phases, 20
- alloy supercooling, 110
- alumina, 116
- aluminum, 116
- amorphization, 114
- amorphous phase, 120, 387
- anharmonicity, 190, 532
- anisotropy, 151, 197
- anisotropy energy, 429
- anisotropy gap energy, 425
- annealing, 262
- anomalous diffusion, 14
- antibonding, 129, 202
- antiferromagnetism, 405, 423
- antiphase boundary profile, 326
- antiphase domain boundary (APDB), 165, 218, 323
- antisite atom, 455
- antisymmetric wavefunction, 410
- APDB width, 323
- aspect ratio, 282
- athermal, 364
- atom configurations, 32
- atomic ordering, 44
- Atomium, 379
- attempt frequency, 240, 494
- Au, 386
- austenite, 286, 362
- austenitizing, 289
- autocatalytic, 285
- autocorrelation function, 509
- average, 146
- Avrami equation, 292
- $b(k)$, 343
- B2, 168, 353, 354, 463, 502
 - second order, 348
- B32, 463, 502
- Ba, 251
- bainite, 286, 290
- ball milling (high energy), 98
- ballistic jump, 232, 237
- band structure, 136, 137, 142, 143, 205
- basis vector, 336
- BaTiO₃, 427
- bcc, 335, 458, 463
 - 2nn forces, 378
- BCS theory, 440
- Becker and Döring, 85
- Bessel function, 67
- bin, 17, 496
- binary alloy, 31
- binomial expansion, 33, 181
- binomial probability, 241
- Bloch $T^{3/2}$ law, 423
- Bloch wall, 400, 429
- Bloch’s theorem, 135, 420
- blocking temperature, 401
- Bogers–Burgers double shear, 367
- Boltzmann, 163
- Boltzmann factor, 15, 206
- Boltzmann substitution, 60
- bond counting, 280
- bond energy, 131
- bond integral, 129, 136
- bond length, 187, 189
- bond proportion model, 179
- bond stiffness, 180
 - chemical effects, 189
- bond stiffness vs. bond length model, 187
- bonding, 129, 142, 202
- Born–Oppenheimer approximation, 176, 443
- Born–von Kármán model, 176, 180
- Bose–Einstein condensation, 432, 433
- Bose–Einstein factor, 432
- bosons, 175, 422, 432
- boundary conditions, 61, 88, 138
- Bragg–Williams approximation, 45, 46, 185
- branch, 525
- Brillouin zone, 333, 525
- bulk modulus, 146, 197, 262, 529
- Burgers vector, 357

- conservation of, 360
- C_V and C_P , 528
- Cahn, John Werner, 305
- Cahn–Hilliard equation, 303
- calculus of variations, 305, 486
- calorimetry, 380, 528
- carbon dioxide, 9
- carbon nanotubes, 391
- casting, 318
- Cauchy’s first law, 487
- Cayley tree, 431
- Ce, 8, 210, 536
- cementite, 286
- characteristic width, 326
- charge density, 411
- chemical bonding, 32, 127
- chemical environment, 493, 494
- chemical factor, 231
- chemical potential, 17, 227, 229, 432
- chemical spinodal, 312
- chemisorption, 397
- chessboard, 169, 423, 456
- classical vs. quantum behavior, 438
- Clausius–Clapeyron equation, 200, 381
- cluster, 85, 86
- cluster expansion, 169, 190
- Co, 386
- coarse-graining, 474
- coarsening, 284, 293, 330
- coherence, 517
- coherence length, 446, 451
- coherent spinodal, 312
- coincidence boundary, 385
- collector plate, 282
- collision cascade, 99
- collisions, 86, 227
- colonies, 287
- combinatorial factor, 190
- common tangent construction, 28
- commutation, 518
- completeness, 519
- complex conjugate, 342
- complex exponential, 337
- complex material, 409
- composition fluctuation, 233, 299, 300
- compressibility, 197
- computer program
 - complexity and entropy, 449
- computer simulation, 282, 322
- concentration gradient, 309
- concentration profile, 106
 - stability of, 298
- concentration wave, 332
 - infinitesimal, 350, 352
 - stability, 353
- condensate wavefunction, 437
- conduction electron polarization, 426
- conductivity, 229
- configurational coordinates, 163
- configurational energy, 33
- configurational entropy, 33, 35, 141
 - nanostructure, 392
- confined electrons, 390
- conservation of solute, 27
- conservative dynamics, 326
- constitutional supercooling, 111
- constraint, 41, 307, 495
- continuous, 74
- convection, 52
- convolution, 352, 490
- cooling rate, 96
- Cooper pair, 4, 440, 532
- cooperative transition, 417, 468
- coordinate systems, 52, 66
- coordinates, 163
- coordination number, 32
- core electron polarization, 413
- correlated electrons, 414
- correlation
 - entropy of liquid, 258
- correlation factor, 239, 241
 - heterogeneous alloy, 216
 - table, 216
 - tracer, 215
- correlation function, 169
- correlation length, 470, 472
- Coulomb correlation, 415
- Coulomb energy, 412
- covalency, 132
- Cr, 536
- critical condition, 195
- critical field, 446
- critical free energy of formation, 79
- critical nucleus, 76, 94
- critical point, 8
- critical radius, 78, 79, 118
 - strain effects, 84
- critical slowing down, 470
- critical temperature, 36, 38, 46, 179, 180, 184, 351, 418, 468, 498
 - change with ΔS_{vib} , 179
 - displacive transition, 373
 - ordering, 186, 189
 - unmixing, 181, 183, 234
- critical undercooling, 91
- critical wavevector, 310
- cry of tin, 362
- crystal field theory, 129, 203
- crystal instability, 377
- crystallization, 120, 348
- crystallographic variant, 374

- CsCl, 336
- Cu, 251, 386
- Cu₃Au, 336
- Cu–Al, 363
- Cu–Co, 13, 76
- Cu–Zn, 363
- CuAu, 336
- CuPt, 354
- Curie temperature, 286, 405, 417, 418, 426
- Curie–Weiss law, 420
- curvature, 277, 327, 329
- curvilinear coordinates, 328
- CuZr, 121
- cylindrical coordinates, 67
- Debye model, 527
- Debye–Waller factor, 519
- decimation, 474
- deformation potential, 442
- degrees of freedom, 41, 235, 474
 - microstructure, 392
- dendrite, 110, 319
- density, 469
- density of states, 137, 139, 422
- determinant, 129
- deuterium, 230
- devitrification, 120
- diatomic molecule, 127
- diffraction, 490
- diffraction, 11, 96, 100, 294, 309, 363, 516
 - anomalous, 14
 - chemical potential, 295
 - distance, 61
 - ideal gases, 220
 - in inhomogeneous alloy, 220
 - liquid, 105
 - marker velocity, 221
 - zone, 117
- diffusion coefficient, 220, 239, 509
- diffusion equation, 55
- diffusionless transformation, 363
- dilation, electron energy, 442
- dilute impurity, 49
- dimensionality, 94, 327, 391
- dimensionless integral, 422
- Dirac δ -function, 57, 59
- Dirac notation, 128
- discontinuous, 74
- dislocation, 76, 265, 274, 285, 356, 384
 - Burgers vector, 357
 - core, 358
 - core radius, 265
 - edge, 356
 - fcc and hcp, 359
 - glide, 357
 - groups of, 384
 - mixed, 357
 - partial, 360
 - plastic deformation, 356
 - reactions, 358
 - screw, 276, 357
 - self energy, 358
 - tilt boundary, 384
- dispersion, 525
- dispersion forces, 397
- displacement parameter, 374
- displacement vector, 150
- displacive ferroelectric, 408
- displacive instability, 370
- dissipation, 508, 512
- distribution coefficient, 102
- divacancy, 459
- divergence, 328, 469
- DO₃, 336, 502
- domain, 165, 428
- domain boundary, 326
- domain wall, 445
- driven systems, 232
- driving force, 72
- Duwez, Pol, 264
- dynamical coordinates, 163
- dynamical matrix, 526
- Dzyaloshinskii–Moriya interaction, 426
- Edisonian testing, 5
- Ehrenfest’s equations, 201
- eigenvalues, 527
- eigenvectors, 527
 - of dynamical matrix, 526
- Einstein convention, 484
- Einstein model, 180, 181, 372
- elastic
 - anisotropy, 401
 - energy, 197, 280, 311, 401, 483, 529
 - field, 285
 - scattering, 520
 - waves, 525
- elasticity, 149
- electric dipole moment, 427
- electrical conductivity, 142, 229
- electron energy, 146
- electron gas, 137
- electron levels, 205
- electron transfer, 132
- electron–phonon coupling parameter, 444
- electron–phonon interaction, 441, 531, 536
- electron-to-atom ratio, 25, 145
- electronegativity, 25, 133, 189
- electronic DOS, 137, 142, 444
- electronic energy
 - dimensionality, 390
- electronic entropy, 530

- electronic heat capacity, 140
- electronic oxides, 416
- electronic structure, 21
- electrons, 3
- Eliashberg coupling function, 443
- embryo, 74
- emergent phenomenon, 4
- energy, 15, 36, 183
 - elastic, 152
 - surface, 77, 159
- energy gap, 444
- energy landscape, 235, 262
- energy versus matter, 433
- ensemble average, 213, 509
- enthalpy, 48
- entropy, 14, 17, 36, 48, 183, 363
 - configurational, 48, 363
 - electronic, 49, 140
 - magnetic, 49, 363
 - microstructure, 383
 - vibrational, 363, 516
- equation of state, 195
- equations of motion, 524
- equiaxed, 84
- equilibrium, 498
 - kinetic, 70, 71
 - nonthermodynamic, 232
 - thermodynamic, 69
- equilibrium interatomic separation, 148
- equilibrium shape, 77
- error function, 60
- Eshelby cycle, 153
- Euler equation, 307, 323
- eutectic, 39, 50, 100
- eutectoid, 42, 286
- evaporation, 108
- exchange energy, 399, 410
 - spin, 475
- exchange hole, 412
- exchange interaction, 418, 481
- extreme conditions, 202
- fcc, 335, 458
- Fe, 25, 386, 413
 - nanocrystal, 395
- Fe₃Al, 336
- Fe₃O₄, 407
- Fe–C, 363
- Fe–Cr, 13
- Fe–Ni, 363, 365, 521
- Fermi
 - energy, 140
 - Golden Rule, 518
 - level, 143, 426
 - surface, 143, 443
 - thermal smearing, 538
 - wavevector, 140
- Fermi–Dirac statistics, 349
- ferrimagnetism, 405
- ferrite, 286
- ferroelectric, 408, 426, 427
- ferromagnetism, 405, 413, 417, 474
- Fick’s first law, 56
- finite element methods, 52
- first Brillouin zone, 333
- first phase to form, 118
- first-order transition, 7
- fluctuation, 76, 299
 - concentration, 310
- fluctuation–dissipation theorem, 513
- fluid, 52, 471
- flux, 55, 57, 309
- fluxon, 446
- force, 227
- force constants, 522
- forging, 289
- Fourier series, 61
- Fourier transform, 352
- Fourier–Bessel expansion, 67
- Fowler correction factor, 166
- Frank–Van der Merwe growth, 278
- free electron model, 138, 146
- free energy, 26
 - alloy phases, 22
 - curvature, 38
 - k*-space, 341
 - phonon, 177
 - spinodal unmixing, 233
 - thermal expansion, 530
- free energy vs. composition, 26
- freezing, 6, 7, 100, 247
- Friedel, 267, 380
- Friedel oscillation, 426
- frustration, 406
- functional, 306
- G–P zone, 268
- gases, 194
- Gauss integrals, 236, 251
- Gauss’s theorem, 487
- Gaussian, 89, 517
- Ge, 536
- generating function, 241
- Gibbs, 85, 164
- Gibbs free energy, 16
- Gibbs phase rule, 41, 42, 317
- Gibbs–Thomson effect, 82, 387
- Ginzburg–Landau equation, 319, 325
- Ginzburg–Landau theory, 445
- glass, 112, 120
 - strong or fragile, 120, 263
- transition, 120

- glide, 357
- Goodenough–Kanamori rules, 426
- Grüneisen parameter, 187, 189, 200, 209, 532
- gradient, 56, 328
- gradient energy, 301, 303
- grain boundary, 79, 160, 282, 283, 383, 384
 - energy, 386
 - width, 386
- grain boundary allotriomorph, 80, 160
- gravity, 209
- Green’s function, 59, 483, 490
- ground state, 434
- ground-state maps, 457
- growth equation, 291
- growth rate
 - interface, 109
- Guinier–Preston zones, 83
- H_2^+ molecular ion, 131
- H_2 , 435
- H_2 molecule, 161
- habit plane, 363
- Hamiltonian, 522
- hard core repulsion, 147
- harmonic approximation, 179, 523, 532
- harmonic model, 175, 238
- harmonic oscillator, 177, 371
- Hartree–Fock wavefunction, 411
- hcp, 381
- He, 433, 435
- He II, 436
- heat, 520
- heat capacity, 201, 527
 - quasiharmonic, 528
- heat of formation, 26
- heat treating, 289
- Heisenberg model, 264, 410, 420
- Helmholtz free energy, 15, 182
- heterogeneous nucleation, 75, 284
- heteronuclear molecule, 132
- HfO_2 , 536
- high-temperature expansion, 465
- high-temperature limit, 179
- high-vacuum evaporation, 107
- homogeneous nucleation, 75
- homogeneous precipitate, 284
- Hooke’s law, 151, 484
- Hubbard model, 416
- Hume–Rothery rules, 24
- Hund’s rule, 413
- hydrogen, 14, 175, 397
- hydrogen atom, 161
- hyperbolic functions, 466
- hypereutectoid steel, 290
- hyperfine interaction, 4, 413
- hyperspace, 172, 174, 235
- hypoeutectoid steel, 290
- hysteresis, 363
- ice, 209
- iced brine quenching, 98
- ideal gas, 194, 229
- ideal solution, 35
- imaginary frequency, 372
- incoherent approximation, 519, 520
- inconsistency
 - pair approximation, 166
- incubation time, 92
- independent variables, 501
- indistinguishability, 257
- inelastic scattering, 508, 515
- infinitesimal displacement, 373
- infinitesimal order, 347
- initial conditions, 61
- instability eigenvector, 377
- insulator, 143
- integration by parts, 306
- interatomic potential, 147
- interchange, 493
- interchange energy, 33
- interdiffusion, 117
- interface concentration, 117
- interface energy, 279, 304
- interface velocity, 119
- interference, 438
- intergranular fracture, 284, 318
- internal interface, 284
- internal stress, 402
- interstitial, 13, 362
- interstitialcy mechanism, 14
- Invar, 207
- inversion, 338
- ion beam bombardment, 99
- ionicity, 132, 133
- Ising lattice, 9, 181, 392, 417
 - ordering, 184
- Ising model, 265, 417
- island growth, 277
- isoelectronic, 133
- isothermal, 364
- isothermal compressibility, 201
- isotope, 175
- isotopic fractionation, 192
- isotropy, 151
- iteration, 477
- Josephson junction, 440
- jump rate, 494
- jump sequence, 215
- jumping beans, 240
- K, 147, 161, 251
- k -space, 138, 336

- k*-vector
 - as quantum number, 134
- Kauzmann paradox, 120
- KCl, 161
- kinetic arrest, 505
- kinetic energy, 131, 146, 237, 536
- kinetic master equation, 17, 69, 495
- kinetic path, 500, 501, 504
- kinetic stability, 383
- kinetics, 5, 71, 211, 492
- kink, 271, 450
- Kirkendall voids, 221
- Kopp–Neumann rule, 165
- Kosterlitz–Thouless transition, 265
- Kurdjumov–Sachs, 365
- $L1_0$ structure, 336
- $L1_1$, 354
- $L1_2$, 336
 - first order, 348
- laboratory frame, 221
- Lagrange multiplier, 307
- lamellar spacing, 289
- Landau theory, 370
 - first order, 374
 - function, 371
 - potential, 375
 - vibrational entropy, 376
- Landau–Lifshitz criterion, 347
- Langevin equation, 512
- Langmuir isotherm, 397
- Laplacian, 52, 328
 - separable, 66
- laser processing, 98
- latent heat, 7, 18, 247, 287
- lattice connectivity, 480
- lattice dynamics, 522, 523
- lattice gas, 403
- lattice mismatch, 76
- Laue condition, 335
- layer-by-layer growth, 277
- ledburite, 286
- ledge, 271
- ledge growth, 276
- ledges at surfaces, 270
- length scale, 479
- Lennard–Jones potential, 147, 161
- lenticular precipitate, 160
- lever rule, 26, 100
 - differential form, 102
- levitation melting, 98
- Li, 258
- Lifshitz, Slyozov, Wagner, 295
- Lindemann rule, 261
- linear elasticity, 149
- linear oxidation, 116
- linear response, 71, 233, 511
- linearize near T_c , 498
- liquid, 6, 196, 257, 468
- liquid free energy, 27
- liquidus, 31, 51
- local chemical environment, 500
- local spins, 418
- long-range interactions, 352
- long-range order, 44, 185, 472
- longitudinal branch, 525
- Lorentzian, 517
- lower bainite, 286
- LRO, 492
- LRO parameter, 418
- M_f and M_s , 364
- magnetic
 - field, 41
 - flux, 428
 - nanoparticles, 403
 - order, 321
 - phase transitions, 404
 - susceptibility, 407, 424
 - systems, 468
 - torque, 425
- magnetism, 207, 399, 445
- magnetite, 406, 407
- magnetization, 381, 420, 471
- magnetocrystalline anisotropy, 400
- magnetoelastic energy, 322
- magnon, 422
- many-body theory, 238, 535
- marker velocity, 221
- martensite, 12, 285, 286, 291, 355, 380
 - crystallography, 368
 - magnetic field effect, 409
- martensite transformation mechanism, 367
- Martin, Georges, 232
- master equation, 17, 69, 492, 493
- matrix stress, 155
- Maxwell construction, 196
- Maxwell relationship, 16, 202
- McMillan expression for T_c , 444
- mean field approximation, 349, 423
- mean-squared displacement, 211
- mechanical attrition, 387
- melt spinning, 98
- melting, 6, 7, 209, 247, 348
 - atom displacements, 260
- melting point, 31
- melting temperatures, table of, 249
- memory, 214
- Mendeleev number, 26
- metallic bond, 145
- metallic glass, 113, 120
- metallic radius, 25

- metastable, 271, 299, 505
- methane, 397
- Metropolis algorithm, 506
- Mg, 25
- microstructure, 5, 293, 316, 383
 - in steels, 290
- midrib, 363
- Miedema, A.R., 26
- misfit energy, 484
- misfitting particle, 153
 - ellipsoid, needle, plate, 157
- Mo, 251, 536
- mobility, 72, 228, 327, 501
- molecular dynamics, 240
- molecular orbital, 128
- molecular wavefunction, 130
- monomer, 86
 - attachment to cluster, 87
- Monte Carlo, 504
- morphology, 84
- Morse potential, 147
- moving boundary, 105
- multicomponent alloy, 501
- multiphonon scattering, 520
- Néel temperature, 424
- Na, 147, 198
- Nabarro, Frank, 157
- nano-dots, 391
- nanomaterial, 383
- nanostucture, 390
 - low-energy modes, 394
 - phonon broadening, 396
- NaTi, 336
- Nb₃Sn, 363
- neutron, 518
- Newton's law, 512
- Nishiyama, 365
- NiTi, 380, 387
- nonconservative dynamics, 327
- nonconserved quantity, 321
- nonequilibrium, 500
- nonequilibrium cooling, 102
- nonlinear oscillator, 372
- normal coordinates, 177, 235, 535
- normal modes, 173, 181
- nose, 111
- nucleation, 12, 38, 74, 85, 91, 111, 117, 268, 300
 - and growth, 12, 74, 111, 268
 - edges and corners, 80
 - elastic energy, 83
 - grain boundary, 79
 - heterogeneous, 75, 79
 - homogeneous, 75
 - in concentration gradient, 117
 - temperature dependence, 91
 - time lag, 92
 - time-dependent, 92
- nucleus, 3
 - coherent, incoherent, 75
 - critical, 76
- numerical calculations, 481
- occupancy variable, 349
- Ohm's law, 229
- Olson–Cohen model, 367
- omega phase, 379
- Onnes, 440
- optical mode, 525
- optical phonon, 428
- orbitals, 203
- order parameter, 317, 338, 494, 501
- ordered domain, 165
- ordering, 44, 336
- orientation relationship, 365
- orthogonality
 - Bessel functions, 68
 - sine functions, 64
- overcounting, 32, 181
- overlap integral, 128
- oxidation, 115
- oxides
 - electronic, 416
- Péclet number, 319
- pair approximation, 470, 492
 - consistency, 165
- pair potentials, 33
- pair variable, 166, 492
- parabolic oxidation, 116
- paraelectric, 408
- parallelopipedon, 490
- paramagnetism, 405
- parent phase, 77
- partial differential equation, 61
- partial dislocation, 360
- particle in a box, 138, 433
- partition function, 14, 177, 455
 - at low *T*, 460
 - configurational, 32, 181
 - harmonic oscillator, 177
 - high temperature, 465
 - ordering, 185
 - spin, 475, 479
- partitioning ratio, 102
- passivation of surface, 116
- Pauling, Linus, 133
- Pd, 386
- Pd–V, 187
- pearlite, 285
- percolation threshold, 330
- periodic boundary condition, 134, 524

- periodic box, 421
 periodic minimal surface, 329, 330
 peritectic, 40
 peritectoid, 42
 perovskite, 427
 Pettifor, David, 26, 133
 phase, 439
 compositions, 100
 definition, 315
 fractions, 100
 phase boundary with T , 462
 phase diagram
 T - c , 9
 peritectic, 41
 phase diagram, chemical
 continuous solid solubility, 30
 eutectic, 39, 41
 peritectic, 39
 unmixing, 37
 phase factor, 134, 438
 phase field theory, 315
 phase space, 257
 phase stability, 20
 phase transition
 concept, 10
 ordering vs. unmixing, 10
 transition vs. transformation, 11
 Phillips–Van Vechten, 133
 phonon, 508, 518
 damping, 396
 density of states, 178
 dispersion, 525
 entropy, 177, 528
 free energy, 177
 polarization, 526
 thermodynamics, 175, 532
 phonon dispersion, 536
 phonon DOS, 178, 527
 phonon–phonon interaction, 531, 532, 536
 physical vapor deposition, 98
 physisorption, 397
 pipe diffusion, 285
 piston-anvil quenching, 98
 Planck distribution, 177, 527
 plastic deformation, 362, 402
 plate precipitate, 280, 484
 PMN, 408
 point approximation, 44, 349, 423, 470, 492, 493, 495
 Poisson ratio, ν , 149
 polariton, 428
 polarization vector, 524
 polaron, 416
 pole mechanism, 361
 polycrystalline material, 392
 polymer, 134
 position-sensitive atom probe, 12
 potential energy, 131, 536
 potential gradient, 227
 potential well, 236
 Potts model, 264
 pre-melting, 248
 precipitate, 75, 101, 484
 ellipsoidal, 83, 157
 growth, 101
 lens shape, 84
 needle, 157
 shape, 280, 487, 488
 space, 484
 strain effects, 83
 precipitate-free zone, 283
 pressure, 8, 17, 146, 194
 thermal, 199
 primitive lattice translation vector, 334
 probability, 15
 probability density, 438
 processing of materials, 5
 product rule for derivatives, 486
 proeutectoid ferrite, 290
 prototype structures, 336
 pseudostable state, 504
 Pt, 386
 Pythagorean theorem, 328
 Python code, 478
 PZT, 408

 quadratic formula, 375
 quantum dot structures, 278
 quantum level separation, 138
 quantum matter, 432
 quantum volume, 257
 quartic, 374
 quasielastic scattering, 517
 quasiharmonic model, 193, 200, 252, 532
 quasistatic, 240
 quench, 75

 r -space, 336
 radiation defects, 506
 random solid solution, 32
 random walk, 90, 211, 508
 rare earth metals, 161
 reaction coordinates, 262
 recalescence, 248
 reciprocal lattice, 334
 reciprocal space, 332
 reconstruction (surface), 270
 recursion relation, 477
 reflection, 338
 relativistic self energy, 362
 relaxation, 508
 relaxation (surface), 270
 relaxation time, 511

- relaxor ferroelectric, 408
- renormalization group, 477
- rescaling, 476
- Richard's rule, 95, 259
- Richards, Allen, Cahn ground states, 458
- Riemann zeta function, 422
- right and wrong neighbors, 46
- rigid band model, 145
- roots of Bessel function, 68
- Rose equation of state, 250
- rotation, 338
- roton, 437
- roughening transition, 274
- Ruderman–Kittel–Kasuya–Yosida, 426
- Rushbrooke inequality, 471
- Sackur–Tetrode equation, 258
- saddle point, 236, 263, 344, 505
- scaling of interatomic potential, 250
- scaling theory, 472, 474
- scattering law, 515
- Scheil equation, 104
- Schrödinger equation, 128, 438
- Schwarz P-surface, 329, 330
- second order, 373
- second sound, 437
- second-order phase transition, 347
- self-force constant, 524
- self-similar, 295, 386, 474
- semiconductor, 143
- separation of variables, 61
- sextic, 374
- shape factor
 - strain effects, 83
- shape memory alloy, 380
- shear transformation, 365
- shell model, 537
- shock wave processing, 98
- Shockley partial dislocation, 360, 361
- short-range order, 166, 472
- short-range structure, 170
- shuffle, 367
- Si, 14, 119, 258, 271, 536
- singularity, 3, 172, 468, 469
- SiO₂, 120
- Slater–Pauling curve, 145
- Sm, 251
- small displacements, 523
- SnO₂, 536
- social network, 431
- soft mode, 377, 379
- solid mechanics, 149
- solid solution, 10, 23, 31
- solid-on-solid model, 274
- solid-state amorphization, 114
- solidification, 317, 319
 - practical, 107
- solidus, 31, 51
- solute conservation, 27, 418
- solute partitioning, 112
- special points, 340, 344
- sphere, misfitting, 154
- spherodite, 286
- spin, 3, 169
- spin exchange energy, 475
- spin excitations, 164
- spin wave, 420, 421, 425
- spin–orbit coupling, 426
- spinodal decomposition, 13, 36, 39, 184, 232, 298, 343
- spinwave, 405
- spiral growth, 276
- splat quenching, 98
- spring, 152, 197
- sputtering, 98
- square gradient energy, 13, 280, 446
- square lattice, 44, 184, 479
- SRO, 168, 492
- stability, 142
- stabilization of austenite, 366
- stacking fault energy, 360
- star of wavevector, 339
- state variable, 14, 69, 501
- static concentration wave, 332
- statistical kinetics, 211
- statistical mechanics, 33, 175
- statistical variations, 515
- steady state, 87
- steel, 285, 362
- Stirling approximation, 33, 176, 182, 393
- Stoner criterion, 413
- strain, 149
- strain field, 322
- Stranski–Krastanov growth, 278
- stress, 150
- stress-free strain, 483
- stress-free transformation strain, 281
- striped structure, 456
- structure factor rules, 335
- structure map, 26
- structure of solids, 4
- structure–property relation, 170
- strukturbericht, 336
- sublattice, 44, 184
- substrate mismatch, 278
- superconductor, 4, 532
- superexchange, 425
- superferromagnetism, 401
- superfluid, 433, 435
- superparamagnetism, 401
- supersaturation, 75
- surface energy, 13, 77, 157–159, 278, 280, 388, 488

- chemical contribution, 278
- surface growth, 276
- surface reactions, 115
- surface-to-volume ratio, 303
- symmetry, 6, 374, 525
 - breaking, 504
 - operations, 338
- tanh, 419
- Taylor series, 523
- ternary alloy, 501
- ternary phase diagram, 42
- terrace, 271
- Th, 258
- thermal conductivity, 97
- thermal de Broglie wavelength, 257, 433
- thermal electronic excitations, 441
- thermal expansion, 148, 252, 402, 471, 529
 - coefficient, 201
 - free energy, 530
- thermal pressure, 199
- thermodynamic identity, 16
- thermodynamic square, 17
- thermodynamics, 5, 48
- thin film, 107
 - growth, 277
 - reactions, 115, 118
- thin plate, 491
- third law of thermodynamics, 436
- Ti, 378
- Ti–Nb, 363
- tie-lines, 43
- tight binding, 136
- tiling, 32
- time average, 213
- time constants, 500
- time–temperature–transformation diagram, 111
- time-dependent nucleation, 92
- TiO₂, 536
- tracer, 215
- transient structure, 502
- transition metal, 147
- transition metal silicides, 119
- transition rate, 69, 518
- translation, 338
- translational invariance, 345
- translational symmetry, 134
- transverse branch, 525
- truncation of cluster expansion, 170
- TTT diagram, 111
- twinning, 355, 365, 381
 - mechanism, 361
- two-level system, 205
- two-phase mixture, 436
- umklapp process, 536
- undercooling, 111
- unit cell, 336
- universal behavior, 469
- universal potential curve, 250
- unmixing, 298, 343
- upper bainite, 286
- V, 536
- V₃Si, 363
- vacancy, 215, 271, 459
 - concentration, 49
 - diffusion, 52
 - jump, 493
 - mechanism, 13
 - ordering, 499
 - relaxation, 495
 - trap, 218, 241
- Van der Waals, 195, 397
- Van Hove function, 515
- Van Hove singularity, 394, 526
- vapor pressure, 108
- variational calculus, 305
- vector identity, 486
- velocity
 - of boundary, 329
 - of interface, 318
- velocity–velocity correlation function, 508
- Verwey transition, 407
- vibrational entropy, 239
 - concept, 172
- vicinal surface, 159, 384
- Vineyard, George, 235
- virtual phonon, 443
- viscosity, 120
- void and vacancies, 296
- Volmer–Weber growth, 85, 278
- vortex tube, 446
- W, 386, 536
- W-matrix, 69, 496
- Walser–Bené rule, 119
- water, 9
- wave, 337
- waves in crystals, 333
- Weiss theory, 207
- Wigner–Seitz radius, 260
- Wulff construction, 159
- X-ray diffraction, 336
- x*–*y* model, 264
- Young’s modulus, 148
- Zeldovich factor, 87, 89
- zero-point energy, 192, 435
- zone refining, 122
- Zr, 379
- ZrO₂, 533, 536