

Index

- $|\varphi\rangle$, 52
 $(\mathbb{X}, \mathcal{B}(\mathbb{X}), \mu)$, 11
 (\mathcal{A}, ρ) , 69
 $(\mathcal{A}, \varphi, \mathcal{A}_1)$, 225
 $(\mathcal{A}_*)_+(\mathbf{0}; 1)$, 63
 (π, \mathbb{H}) , 38
 (π, \mathbb{H}, v_π) , 39
 $(\pi_1, \mathbb{H}_1) \cong (\pi_2, \mathbb{H}_2)$, 38
 A^\perp , 15
 A_t , 100
 $C_0(\text{Sp}(\mathcal{A}; \mathbb{C}))$, 38
 $E_P[\cdot \cdot \cdot]$, 69
 $L^2(\mathbb{X}, \mathcal{B}(\mathbb{X}), \mu; \mathbb{C})$, 11
 $L^2(\mathcal{P}; \mathbb{K})$, 85
 $P(\rho, \mathbf{a}, E)$, 74
 $POVM_{\mathbb{H}}(\mathbb{X})$, 68
 $Q: A \rightarrow \mathbb{C}$, 346
 S^\perp , 22
 $\text{Sp}(A)$, 36
 $X_{t \wedge \tau_m}$, 308
 $[A]$, 10
 $[\pi(A)\mathbb{H}]$, 39
 $[\mathbf{a}, \mathbf{b}]$, 52
 $[\mathbf{a}]$, 363
 $\Gamma(\mathbb{H})$, 83
 $\Gamma(\mathbb{H}) = \Gamma(L^2(\mathbb{R}_+; \mathbb{K}))$, 86
 $\Gamma_{[0,t]}$, 88
 $\Im(z)$, 9
 $\Phi(\mathbb{H})$, 85
 $\Phi_{[s,t]}$, 88
 $\Phi_{[t,\infty]}$, 88
 $\Pi(\mathcal{A}, \mathcal{L}^\infty(\mathbb{H}))$, 38
 $\Re(z)$, 9
 Σ_n , 84
 \bar{A} , 10
 \bar{z} , 9
 $\bigvee S$, 22
 \cdot , 9, 21
 $\epsilon(\phi)$, 86
 $l = \sqrt{-1}$, 9
 l , 69
 $\langle \cdot, \cdot \rangle_\phi$, 85
 $\langle \cdot, \cdot \rangle_{\mathbb{H}}$, 9
 $\langle \psi, | \rangle$, 52
 $\mathbb{C}\phi$, 25
 \mathbb{C}^N , 10
 \mathbb{H} , 9
 $\mathbb{H} \otimes \mathbb{K}$, 50
 \mathbb{H}^* , 12
 \mathbb{H}^{on} , 82
 $\mathbb{H}^{\wedge n}$, 82
 \mathbb{H}_ω , 41
 \mathbb{N} , 10
 \mathbb{R}_+ , 9
 \mathcal{A}' , 34
 $\mathcal{A}/\mathcal{N}_\omega$, 40
 \mathcal{A}^* , 38
 \mathcal{A}_+^* , 38
 \mathcal{A}_* , 61
 $\mathcal{D}(\mathcal{U})$, 161
 $\mathcal{D}(\mathbf{T})$, 13
 $\mathcal{E}(\mathbf{a})$, 373
 $\mathcal{I}(g)$, 94
 $\mathcal{L}(\mathbb{X})$, 13
 $\mathcal{L}^1(\mathbb{H})$, 21
 $\mathcal{L}^\infty(\mathbb{H})$, 17
 $\mathcal{L}_f^\infty(\mathbb{H})$, 17
 $\mathcal{M}(\mathbb{X}, \mathcal{B}(\mathbb{X}))$, 68
 $\mathcal{O}_{\mathbb{H}}(\mathbb{X}, \mathcal{B}(\mathbb{X}))$, 69
 \mathcal{P} , 84
 \mathcal{P}_n , 84
 $\mathcal{S}(A)$, 63
 $\mathcal{U}(\mathbf{x})$, 348
 $\mathcal{U}_t(\mathbf{x})$, 351
 $\mathcal{Z}(A)$, 35
 \mathfrak{L} , 161
 \mathfrak{L}_* , 332
 $\mathfrak{L}_{\mathbf{x}}$, 234
 $\mathfrak{R}_{\mathbf{x}}$, 234
 \mathfrak{T} -integrable, 348
 \mathfrak{T}^* , 78
 \mathfrak{T}_t^p , 343
 $\mathfrak{T}_\infty(\mathbf{x})$, 349
 $\mathfrak{U}(\mathbf{x})$, 346
 μ_ν , 68
 $\frac{\omega_{\mathbf{a}}}{\text{Sp}(A)}$, 41
 π , 33
 $\pi(\mu_1, \mu_2)$, 314
 $\pi_\omega(\mathbf{x})$, 41

408

$\psi(a)$, 75
 $\psi \perp \phi$, 10
 $\rho_1 \ll \rho_2$, 66
 σ -finite, 335
 τ -regular, 286
 \tilde{Y}_j , 243
 $\vee_{\alpha} \mathbf{a}_{\alpha}$, 31
 $\{\mathcal{A}_t, t \geq 0\}$, 225
 $\{\mathfrak{T}_t^{(min)}, t \geq 0\}$, 216
 $\{\theta_t, t \geq 0\}$, 229
 $\{j_t, t \geq 0\}$, 227
 $*$ -automorphism, 33
 $*$ -homomorphism, 72
 adapted, 229
 $*$ -isomorphism, 33
 $\text{graph}(\mathbf{T})$, 13
 $j(\mathbf{t}, \mathbf{X})$, 234
 $j: \mathcal{B} \rightarrow \mathcal{A}$, 72
 $\ker(\mathbf{T})$, 15
 $l^2(\mathbb{N}; \mathbb{C})$, 10
 $l^{\infty}(\mathbb{N}; \mathbb{C})$, 65
 $\text{range}(\mathbf{T})$, 15
 $\text{supp}(\mathbf{T})$, 15
 t -adapted, 100
 $\text{tr}(\mathbf{T})$, 20
 $\text{tr}_{\mathcal{A}}[\cdot]$, 76
 $\mathbf{B}: A \times A \rightarrow \mathbb{C}$, 346
 $\mathbf{D}: L^2(\mathcal{P}; \mathbb{K}) \rightarrow L^2(\mathcal{P} \times \mathbb{R}_+; \mathbb{K})$,
 94
 \mathbf{D}_t , 92
 $\mathbf{E}[\cdot | \mathcal{A}_t]$, 225
 \mathbf{I} , 16
 $\mathbf{M}(\mathbf{a})$, 37
 \mathbf{P}_{φ} , 64
 \mathbf{P}_{α} , 75
 $\mathbf{P}_{\mathbf{a}}(\lambda)$, 28
 $\mathbf{S}(\omega)$, 337
 \mathbf{T} , 20, 21
 \mathbf{T}^* , 15
 $\mathbf{a}(E)$, 68
 \mathbf{a}_{ϕ}^+ , 98
 \mathbf{a}_t^+ , 99
 \mathbf{a}_{ϕ}^- , 99
 \mathbf{a}_t^- , 99
 $\mathbf{a}_{\phi}^{\circ}$, 99
 \mathbf{a}_t° , 99
 \mathbf{p}_R , 362
 \mathbf{p}_T , 364
 \mathbf{p}_{ϕ} , 25
 \mathbf{p}_{R_0} , 363

 $(\mathbb{X}, \mathcal{B}(\mathbb{X}), \mathbf{a})$, 68

 algebra
 C^* -, 32
 *, 32
 *- , 34

Index

Lie, 169
 predual, 173
 von Neumann, 34
 approximation
 finite-dimensional, 149
 Trotter-Kato, 143

 backaction, 75
 barycenter, 65, 66
 basis
 orthonormal, 10
 bounded
 positive linear functional, 38
 bra, 52
 bracket
 Lie, 169
 bracket, 52

 calculus
 quantum stochastic, 115
 center, 35
 character, 36
 closure, 10
 cocycle, 140
 contraction, 140
 dual, 142
 Markov, 230
 quantum Markov, 229
 unitary, 140
 vector, 231
 codimension, 21
 commutator, 52
 commutant, 34
 compactness
 weak, 314
 compatible
 \mathbf{X} , 77
 complete positivity
 conditional, 195
 computation
 moment, 234
 condition
 H-P, 120
 Mohari-Sinha, 130
 stability, 292
 conditional expectations
 projective family, 225
 conjugate
 complex, 9
 constant
 Planck, 170
 continuity
 σ -weak, 57
 absolute, 66
 ultra-weak, 36
 convergence
 narrow, 314
 strong, 11

- vague, 314
- weak, 11
- decomposition
 - canonical convex, 64
 - Kolmogorov, 241
 - polar, 21
- determinant, 83
 - Vandermonde, 88
- differential equation
 - quantum stochastic, 120
- domain
 - adapted, 93
- element
 - lower-bound, 388
 - mean lower-bound, 388
 - normal, 69
- endomorphism, 259
- equation
 - Heisenberg, 170
 - Heisenberg motion, 170
 - Lindblad, 198
 - Parsaval, 11
 - Schrödinger, 172
 - stationary Schrödinger, 172
- equivalence
 - unitary, 38
- ergodic, 373
 - mean, 373
- event, 69, 70
- events
 - compatible, 70
- expectation
 - conditional, 80
 - weak conditional, 78
- factor, 35
- filtration
 - weak, 232
- finite
 - σ , 35
- flow
 - center, 254
 - conservative, 232
 - minimal, 232
 - quantum, 152
 - subordinate, 232
 - unital, 232
 - weak quantum Markov, 232
- form
 - quadratic, 346
 - sesquilinear, 40, 346
- form potential, 346
- formula
 - Born–von Neumann, 75
 - Dynkin, 306
 - Feynman-Kac, 230
 - polarization, 87
- function
 - Lyapunov, 309
- functional
 - bounded linear, 12
 - linear, 12
 - normal, 57
 - sublinear, 52
- generator
 - infinitesimal, 122
- GNS construction, 46
- gradient
 - stochastic, 92
- graph, 13
- group
 - permutation, 82
- Hermitian, 41
 - skew-, 41
- Hilbert-Schmidt norm, 20
- homomorphism
 - $*$, 33
- ideal
 - maximum, 36
- identity
 - approximate, 39
 - polarization, 11
 - resolution of, 27
- inequality
 - Cauchy-Schwarz, 11, 15
 - Gronwall, 123
 - Schwarz, 184
- infinitesimal generator, 161
- inner product
 - Hilbert-Schmidt, 20
- instrument
 - CP, 77
- integrable
 - stochastically, 141
- integral
 - Bochner, 85
 - Itô, 93
 - quantum stochastic, 109
- interval, 9
- involution, 32
- irreducible
 - topologically, 46
- isometry, 137
 - Itô, 96
- isomorphism
 - C^* , 33
 - order, 184
- Itô formula
 - first fundamental, 125
 - second fundamental, 125

410

kernel
 positive definite, 241
 reproducing, 242
ket, 52

lemma
 Dini, 205
 integral summation, 90
linear span, 22

manifold
 linear, 10

map
 dual, 78

Markov process
 conservative, 247
 minimal, 247
 quantum, 227

Markov property
 strong, 288

martingale, 272
 complete, 272

matrix
 density, 3

mean lower bound, 388

measurable
 strongly, 272

measure
 σ -finite, 11
 Guichardet, 84
 operator-valued, 67
 projection-valued, 25
 quantum probability, 68
 spectral, 72

measurement, 74

metric
 Prohorov, 314

modulus
 complex, 9

motion
 constant of, 172
 integral of, 172

net, 30

noise
 quantum, 100

nonexpansive, 33

norm
 Hilbert-Schmidt, 20
 Hilbertian, 9
 operator, 12
 semi, 260

normal, 36

notation
 commutator, 52
 Dirac, 52

numbers
 natural, 10

Index

complex, 9
 real, 9

observable, 68, 69

operation, 78
 \mathbf{X} -compatible, 78

operator
 adjoint, 15
 affiliated, 36
 annihilation, 99
 bounded linear, 13
 closed, 13
 compact, 17
 creation, 98
 density, 3
 domain, 13
 evolution, 170
 finite rank, 17
 Hamiltonian, 75
 harmonic, 335
 Hilbert-Schmidt, 20
 identity, 16, 54
 linear, 13
 Lyapunov, 310
 neutral, 99
 projection, 21
 resolvent, 164
 self-adjoint, 15
 subharmonic, 335
 superharmonic, 335
 symmetric, 15
 trace class, 21
 unitary, 167
 Weyl, 150
 zero, 15

orbit, 316

order
 isomorphism, 186

part
 imaginary, 9
 real, 9

particles
 finite, 93

peak, 236

permanent, 82

picture
 Heisenberg, 170
 Schrödinger, 170

point
 extremal, 325

positive
 strictly, 358

positivity
 complete, 176

potential, 348

predual, 55

probability space

- classical, 68
- filtered quantum, 225
- quantum, 68, 69
- problem
 - martingale, 301
- process
 - adapted, 272
 - bounded, 137
 - contraction, 137
 - isometry, 137
 - Itô integrable, 93
 - measuring, 76
 - of vectors, 272
 - operator, 125
 - quantum Markov, 225
 - shift-strong quantum Markov, 299
 - simple, 95
 - stable, 308
 - stopped, 308
 - strong Markov, 286
 - unitary, 137
- product
 - inner, 9
 - outer, 52
 - tensor, 50
- Prohorov theorem
 - classical, 313
 - quantum, 314
- projection
 - fast recurrent, 362
 - orthogonal, 24
 - slow recurrent, 363
 - spectral, 26
 - support, 337
 - transient, 364
 - trivial, 338
- projections
 - mutually commuting, 70
- projector
 - affiliated, 71
 - spectral, 71
- QDS, 188
- QMS
 - irreducible, 338
 - pure, 373
 - reduced, 343
- QSDE, 120
- quantum Markov flow
 - minimal, 248
 - weak, 232
- quantum probability space
 - filtered, 225
- quantum stable
 - asymptotically, 153
 - exponentially, 153
 - locally, 153
- quantum stochastic process
 - adapted, 225
- quantum stopping time
 - $\mathcal{L}_{op}^{\infty}(\mathbb{H})$, 298
- random experiment, 70
- random variable
 - quantum, 72
- recurrence
 - fast, 362
 - slow, 362
- representation, 38
 - cyclic, 39
 - faithful, 38
 - GNS, 44
 - predictable, 97
 - Stinespring, 182
- resolution of identity, 28
- rule
 - Leibniz, 169
- scale
 - Fock, 93
- semigroup, 122, 161
 - expectation, 235
 - minimum, 213
 - quantum dynamical, 188
 - quantum Markov, 188
 - quantum sub-Markov, 188
 - quantum super-Markov, 188
 - uniformly continuous, 122
- semimartingale, 274
- set
 - resolvent, 14
- shift
 - Markov, 229
- solution
 - approximating, 143
 - mild, 129
 - strong, 128
 - unitary, 137
- space
 - Banach, 12
 - Borel measurable, 11
 - complex Hilbert, 9
 - dual, 53
 - Fock, 82
 - Guichardet, 84
 - quotient, 40
 - representation, 38
 - separable, 10
- spectrum, 14, 36
 - continuous, 14
 - discrete, 14
 - point, 14
 - residual, 14

412

stability
 Lyapunov, 152, 309
 statistical, 394
 state, 63
 coherent, 87
 faithful, 193
 invariant, 317
 mixed, 64
 normal, 193, 317
 pure, 47, 51, 64
 quantum, 335
 stationary, 172
 states
 tight, 315
 statistically stable, 394
 stochastic gradient, 92
 stochastic process
 adapted, 225
 stopping time
 quantum, 263
 sub-von Neumann algebras, 225
 subalgebra
 hereditary, 36
 subset
 dense, 10
 total, 10
 subspace
 complementary, 21
 system
 composite, 51
 theorem
 Banach-Alaoglu, 13
 Beppo Levi, 53
 closed graph, 14
 extension, 114
 Hahn-Banach, 53
 Hahn-Banach separation, 53
 Kraus, 183

Index

Prohorov, 314
 Riesz decomposition, 351
 Riesz representation, 13
 spectral, 28
 spectrum, 69
 Stone, 169
 Trotter-Kato, 144
 uniform boundedness, 12
 von Neumann double commutant, 34
 tight, 314
 time
 Markov, 308
 time reversal, 142
 time shift, 294
 topology
 σ -weak, 31
 weak*, 31
 trace, 20
 partial, 76
 transform
 Gelfand, 37
 value
 regular, 14
 vector
 coherent, 87
 cyclic, 39
 exponential, 86
 separating, 48
 vectors
 orthogonal, 10
 von Neumann algebra
 atomic, 390
 central, 251
 weak convergence on $\mathcal{P}(\mathbb{X})$, 314
 WQMF, 231
 central, 251
 subordinate, 239