

Index

- analysis of variance (ANOVA), 71
- assignment problem, 53
- autocorrelation function, 43
- Bayes' theorem, 136
 - continuous embedding, 280
- Bayesian estimate
 - loss function, 138
 - maximum a posteriori (MAP), 138, 196
 - posterior mean, 138
 - posterior median, 138
- Bayesian inference
 - Bayes' formula, 136
 - estimate, 138, 173
 - evidence, 136, 260
 - importance sampling, 148
 - likelihood, 136
 - linear programming, 151
 - Monte Carlo, 142
 - posterior, 136
 - prior, 136
 - Radon–Nykodym derivative, 141
 - transform method, 151, 155
- Bayesian information criterion (BIC), 265
- Bayesian model comparison, 265
- best approximation, 63
- Box–Muller algorithm, 82
- Brownian dynamics, 142
 - asymptotic behaviour, 147
 - canonical distribution, 142
 - discrete Markov chain approximation, 166
 - geometric structure, 162
- Brownian motion, 112
- central limit theorem, 77
- Chapman–Kolmogorov equation, 107, 113, 115, 171
- Chebyshev's inequality, 78
- conditional distribution, 106
- conditional expectation, 62
- continuous ranked probability score, 124
- cumulative probability distribution function, 36
- curse of dimensionality, 71, 195, 229
- cyclical monotonicity, 56, 154
- data assimilation, 18
 - hyperbolic dynamical systems, 283
 - sequential, 174
 - variational, 179
- diffusion equation, 114
- discretisation errors, 16
- dynamical system, 96
 - attractor, 98
 - autonomous, 96
 - autoregression model, 12
 - initial condition, 96
 - Lorenz-63 model, 3
 - method of least squares, 102
 - non-autonomous, 96
 - phase space, 96
 - probabilistic interpretation, 101
 - tent map, 3, 28
- empirical measure, 69
- ensemble inflation, 229, 242
 - additive, 243
 - multiplicative, 243
- ensemble Kalman filter (EnKF), 206
 - ensemble square root filter (ESRF), 211, 212
 - local ensemble transform Kalman filter (LETKF), 252
 - perturbed observations, 207, 209
- ensemble Kalman–Bucy filter, 275
 - gradient flow structure, 277
 - nonlinear forward operator, 277, 278
 - with perturbed observations, 277
- ensemble prediction, 117
 - calibration, 122
 - forecast scores, 123
 - rank histogram, 123
- ensemble transform particle filter (ETPF), 214
- estimate
 - Bayesian, 138
- estimator
 - BLUE, 159
- extrapolation, 7
 - higher-order, 8

- linear, 7
- extreme value theory (EVT)
 - rare events, 119
- filter divergence, 231
- filtering, 18, 173
 - continuous time, 283
- Fokker–Planck equation, 113
- forecasting, 1
- forward Euler scheme, 2
- forward map, 4, 132
- Gaussian mixture transform filter, 228
- geometric ergodicity, 129
- i.i.d., 42
- identical twin experiment, 241, 259
- independent, identically distributed, 42
- inference model, 132
 - forward map, 132
 - forward problem, 133
 - inverse problem, 136
- interacting particle systems, 272
- interpolation
 - linear, 2
- joint probability distribution, 106
- Kalman filter, 171
 - linear systems, 177
 - update formula, 140
- Kalman–Bucy equations, 274
 - ensemble transform, 275
- Knothe–Rosenblatt rearrangement, 50
- Kullback–Leibler divergence, 125, 163
- Laplace’s demon, vii, 242, 259
- Laplace’s method, 73, 265
- linear ensemble transform filter (LETF), 205
 - EnKF with perturbed observations, 208
 - ESRF, 211
 - ETPF, 214
- linear programming
 - algorithm, 168
- linear transport, 52
 - algorithm, 168, 225
 - dual formulation, 225
- localisation, 229, 248
 - B-localisation, 252
 - filter function, 250
 - localisation radius, 250
 - R-localisation, 252
 - R-localisation for ETPF, 255
- logarithmic scoring rule, 125
- Lorenz-63 model, 16
 - Lorenz attractor, 16
 - non-autonomous, 3
 - stochastically perturbed, 108
- Lorenz-96 model, 239
- marginal distribution, 106
- Markov chain Monte Carlo (MCMC), 148
 - detailed balance, 148
 - Metropolis criterion, 148
- Markov process, 107
 - Chapman–Kolmogorov equation, 107
 - discrete-time, 107
 - transition operator, 110
- matrix square root, 50
- maximum likelihood estimation (MLE), 26, 138, 196
- McKean approach, 174, 202
- mean squared error (MSE), 75
 - bias-variance decomposition, 76
- measurement
 - forward map, 4, 132
 - measurement error, 5
- method of least squares, 12
 - linear, 12
 - nonlinear, 18
 - steepest decent, 20
- model comparison, 260
 - evidence, 261
 - likelihood, 261
 - posterior odds, 265
- model setting
 - imperfect, ix, 177, 192
 - perfect, ix, 192, 241, 259
- mollification, 272
- mollified delta function, 274
- Monge–Kantorovitch problem, 51
 - linear transport, 51
- Monte Carlo method, 74, 79
 - Brownian dynamics, 142
 - confidence interval, 77
 - empirical covariance matrix, 230
 - empirical mean, 75
 - ensemble prediction, 117
 - grouped independence
 - Metropolis–Hastings, 269
 - importance sampling, 83
 - independent resampling with replacement, 89
 - MCMC, 148
 - parameter estimation, 268
 - rejection sampling, 85
 - residual resampling, 90
- normal distribution, 38
- nudging, 272
 - mollified, 274
- numerical quadrature rule, 66
 - Gauss–Hermite, 67
 - Gauss–Legendre, 66
 - order reduction, 68
 - sparse grid, 72
- ordinary differential equation, 2
- parameter estimation, 260
- partial differential equation (PDE), 229

- Burgers' equation, 236
- finite differences, 235
- Fokker–Planck equation, 112, 161
- gradient flow, 162
- Kushner–Stratonovitch equation, 286
- linear advection equation, 232
- Liouville equation, 113
- method of characteristics, 234
- nonlinear advection equations, 236
- upwind method, 236
- particle filter, 171, 188
 - effective sample size, 189
 - sequential importance resampling (SIR), 191
 - sequential importance sampling (SIS), 189
- particle rejuvenation, 194
- polynomial chaos expansion, 95
- polynomial interpolation, 7
 - Lagrange polynomial, 8
 - linear, 7
- posterior consistency, 196
- prediction, 173
 - three ingredients of, 1
- probability density function (PDF), 37
 - conditional probability, 40
 - disintegration, 41
 - independence, 40
 - marginal, 40
- probability integral transform, 122
- probability measure, 34, 36
 - coupling, 46
 - Dirac delta, 39
 - manifold structure, 160
 - point measure, 39
- probability space, 35
- Radon–Nykodym derivative, 141
- random variable, 24, 36
 - as quantification of uncertainty in prediction, 65
 - expectation value, 37
 - Gaussian, 38
 - Gaussian mixture, 39
 - Laplace distribution, 38
 - multinomial distribution, 90
 - transformation of, 39
- rank histogram filter, 221
- resampling, 89
- Rockafellar's theorem, 58
- root mean square error (RMSE), 7, 125
- Schur product, 250
- scoring rule
 - divergence, 124
 - strictly proper, 124
- sequences of random variables
 - convergence in probability, 76
 - convergence with probability one, 76
 - weak convergence, 76
- Sherman–Morrison–Woodbury matrix inversion formula, 176
- smoothing, 18, 173
- spatial correlation, 248
- stochastic difference equation, 111
- stochastic differential equation (SDE), 111
 - Euler–Maruyama method, 113
 - Fokker–Planck equation, 112, 161
- stochastic matrix, 110
- stochastic process, 106
 - continuous time, 107
 - discrete-time, 107
 - Fokker–Planck equation, 112
- strong law of large numbers, 78
- subdifferential, 58
- surrogate physical process, 2
- Tikhonov regularisation, 140
- time-stepping method
 - Euler–Maruyama method, 113
 - explicit Euler method, 127
 - implicit Euler method, 130
 - implicit midpoint method, 128
- transference plan, 46
 - optimal, 53
- transform method, 81
 - linear programming, 151
- transition matrix, 110
- transition operator, 107, 166
- transition probability density, 106
- transport map, 49
- variational data assimilation, 20, 26, 179
 - 3DVar, 273
 - 4DVar, 179, 184
 - adjoint method, 186
 - MAP estimator, 184
 - maximum likelihood, 26, 185
- variational derivative, 54, 161
- Wasserstein distance, 51
- weak law of large numbers, 78