



INDEX

Some index entries refer to figures and tables. These entries are identified by either an ‘f’ or a ‘t’, so, for example, ‘226f. 8.6’ is p. 226, Figure 8.6, and ‘187t. 7.1’ is p. 187, Table 7.1.

- 95% confidence interval map, 218, 226f. 8.6, 230
- accuracy, 46, 47f. 2.8, 212
- accuracy assessment, 105, 229
- acoustic remote sensing, 116
- acoustic seafloor survey, 117f. 4.15
- active remote sensing, 92
- aerial photography, 93, 122, 130, 150, 189
- Al Wajh Bank
 - Saudi Arabia, Red Sea, 195f. 7.3
- Aldabra Atoll, 103, 135
- Aldabra vegetation classification, 137t. 5.3
- Analysing Boundaries Using R
 - AMBUR, 142
- anisotropy, 25
- ANOVA, 203
- area, 58
- aspect, 72
- assumptions of classic regression, 206t. 7.3
- atmospheric correction, 102
- attribute accuracy, 46
- attribute join, 59, 60
- attribute query, 76
- autecology, 16
- autocorrelation studies, 166t. 6.1, 167t. 6.2
- autocovariance, 160
- autoregression, 205
- axiom of correct specification, 201
- azimuthal projection, 34
- base station, 51
- basic elements of a map, 238
- bathymetric mapping, 119t. 4.4
- bathymetric position index, 113
 - BPI, 209
- bathymetry, 113, 184
- Bayesian model, 187t. 7.1
- Benoit Mandelbrot, 215
- Bernoulli probability, 69
- biogeomorphological system, 1f. 1.5
- bivariate regression, 205
- Boolean logic, 2, 75
- Brian Harley, 236
- Bruce Heezen, 86
- brushing, 82
- Bruun rule, 231
- buffer, 58
- Cartesian coordinate, 34
- cartography, 85
- Catalonia, 172
- cell-based simulation model, 187t. 7.1
- change detection, 94, 127, 128f. 5.1
- change detection matrix, 135
- change map, 135
- change raster, 146
- change vector analysis, 134
- charge-coupled device
 - CCD, 94
- charts, 127
- chi-square test, 203
- choropleth map, 84, 239
- Choynowski test, 67, 68f. 3.5, 68t. 3.1
- cliffs, 15t. 1.1
- closed system, 20
- clustered points, 60
- coastal boundaries, 24
- coastal landscapes, 189f. 7.2
- coastal management, 26, 241
- coastal morphodynamics, 14
- coastal processes, 21, 90f. 4.3
- coastal vegetation, 222
- coastal vulnerability analysis, 5, 231
- coastal zone, 13
- Compact Airborne Spectrographic Imager
 - CASI, 95f. 4.5
- compass traverse survey, 91t. 4.1, 122
- competition, 7, 156
- complete spatial randomness
 - CSR, 66
- completeness, 46, 47
- conceptual model, 1f. 1.8, 20, 187t. 7.1, 193, 208f. 7.8
- conceptualisation, 36, 37f. 2.3, 190
- conditional statement, 76, 77t. 3.2
- confidence interval, 218, 224
- confidence interval map, 225
- confirmatory statistical analysis, 2
- conformal projection, 34

Index

- confusion matrix, 229, 229t. 8.1.
- conical projection, 35, 35f. 2.2
- consistency, 46, 48
- contextual analysis, 72
- contextual operators, 58
- continuous dataset, 38
- continuous spectra, 106
- contour, 239
- control station, 51
- coordinate, 34
- coral reefs, 15t. 1.1
- correlation coefficient, 204
- correlogram plot, 162f. 6.4
- costs and benefits of GIS, 242t. 9.2
- covariance function, 25, 160
- covariate, 191
- critical cartography, 236
- critical thinking, 236
- cross-product, 160
- cyclone frequency, 219
- cylindrical projection, 35, 35f. 2.2
- data quality, 46
- data redundancy, 40
- database servers, 243
- database structure, 55
- datum, 34
- degrees of freedom, 171
- dependent variable, 192, 193
- derivative analysis, 106
- descriptive resolution, 48, 97, 98f. 4.6
- descriptive statistics, 221
- deterministic interpolator, 179
- Diego Garcia Atoll, 147f. 5.5
- differential GPS, 46
- diffusion, 6
- digital atlas, 244
- digital elevation model, 38f. 2.4, 209, 230
- digital map, 29
- digital number, 47, 94
- Digital Shoreline Analysis System
 - DSAS, 142
- digitisation, 39
- digitise, 41, 42, 48
- directional dependence, 24, 25
- disciplines
 - coastal disciplines, 12
- discrete LiDAR, 115f. 4.14
- discrete object, 37
- discrete return LiDAR, 115
- dispersal, 7
- dispersed points, 60
- distance, 58
- distance bands, 164
- distance decay, 58
- disturbance, 19, 19f. 1.7
- drone, 111f. 4.12, 112
- dynamic brushing, 82
- dynamic link, 82
- east Australia, 128
- echosounder, 117
- ecological interaction, 7
- ecology, 16
- edge effect, 24, 25
- electromagnetic radiation, 92
- electromagnetic spectrum, 92, 99
- ellipsoid, 33
- empirical, 1
- empirical approaches to bathymetry estimation, 118
- empirical autocovariance function
 - EAF, 182
- empirical model, 187t. 7.1
- endogenous effects, 170
- environmental controls, 9
- environmental gradient, 24
- environmental processes, 194t. 7.2
- equator, 34
- error, 49, 51t. 2.4, 150, 212
- error matrix, 229, 229t. 8.1, 230
- error propagation, 153, 221
- event–event intensity estimate, 65
- exogenous effects, 170
- experimental design, 190
- experimentation, 188, 190
- explanatory and a predictive modelling, 200f. 7.6
- explanatory model, 157, 186, 199
- explanatory spatial data analysis, 27t. 1.3
- explanatory variables, 202
- exploratory data analysis
 - EDA, 79
- exploratory spatial data analysis, 2, 21, 27t. 1.3,
81t. 3.3, 83f. 3.11
 - ESDA, 79
- exploratory techniques, 26
- F* function, 65
- falsification, 234
- Fast Line-of-sight Atmospheric Analysis of
Spectral Hypercubes
 - FLAASH, 102
- feature space, 98, 100t. 4.3
- feedback, 192
- fetch distances, 196f. 7.4
- field dataset, 38
- field object, 37
- field of view, 97
- field sampling, 24
- field spectroscopy, 108
- fieldwork, 23
- first-order effects, 61
- fjord, 15t. 1.1
- flow, 72
- FNode, 55

Index

- focal operator, 72
- fractal, 22
- function, 26, 191
- G* function, 65
- Gaussian curve, 218f. 8.3
- Geary's *c* statistic, 159, 160
- general systems theory, 192
- geodesy, 33
- geographic coordinate, 34
- geographic matrix, 31
- geographical analysis, 58
- geographically weighted regression, 205
- geomorphology, 20
- georeference, 41
- geospatial referencing, 34
- geostatistical analysis, 157
- glaciers, 15t. 1.1
- glint removal, 102
- global analysis, 154, 155f. 6.1
- global interpolator, 178
- global operator, 72
- global positioning systems
 - GPS, 50
- global statistics, 53, 82
- goodness of fit, 171
- Google Earth, 236, 243
- Google My Maps, 123f. 4.17, 124
- GPS receiver, 51
- gradient, 4
- Great Barrier Reef, 128
- ground control point, 41
 - GCP, 41
- ground referencing, 107, 11f. 4.10
- ground truthing, 107
- hardware, 241
- heuristic model, 187t. 7.1
- hierarchical database, 56, 56f. 2.13
- homoscedasticity, 206t. 7.3
- horizontal accuracy, 108
- horizontal sextant, 91t. 4.1
- human resources, 242
- hydrographic chart, 127
- hyperspectral methods, 106
- hyperspectral sensor, 96
- hypothesis, 190, 203, 234
- image classification, 42, 103
- image classification algorithm, 99
- image pre-processing, 101
- image ratio, 133
- image regression, 132
- image segmentation, 103
- image space, 98
- independence of observations., 206t. 7.3
- independent variable, 192, 193
- inertial measurement unit
 - IMU, 46
- inferential methods, 26, 27t. 1.3
- inferential statistical analysis, 2
- interaction effect, 176
- interferometric sonar, 117, 118
- interpolation, 28, 154, 158, 178
- interpolation approaches advantages and disadvantages, 181t. 6.3
- intersect function, 77
- intertidal zone, 13
- interval, 43, 44
- inverse distance, 164
- inverse distance weighting
 - IDW, 179
- join-count test, 158, 159f. 6.2
- kappa coefficient, 230
- Karl Popper, 191
- kernel, 63, 221
- kernel estimates, 63, 64f. 3.3
- kite, 112
- kriging interpolation, 180
- Kulldorff's scan test, 67
- Landsat sensor, 130
- landscape, 10, 88
- landscape ecology, 16
- landscape pattern, 17
- latitude, 23, 34
- level of measurement, 44t. 2.2
- LiDAR profiler, 114f. 4.13, 115
- LiDAR waveform sensor, 115
- light detection and ranging, 113
 - LiDAR, 113
- likelihood function, 69
- linear regression, 205
- linear wave theory, 193
- live coral cover, 207
- Lizard Island, 207, 208f. 7.7, 210f. 7.9, 227f. 8.7
- local analysis, 154, 155f. 6.1
- local interpolator, 178
- local neighbourhood, 156
- local operator, 72
- local statistics, 53
- localised indicators of spatial associated
 - LISA, 82
- location query, 76
- locational accuracy, 46
- longitude, 23, 34
- Low Isles, 120, 121f. 4.16
- major range, 25
- many-to-many relationship, 56
- many-to-one relationship, 56
- map, 151

Index

- map accuracy, 98f. 4.6
- map algebra, 2, 27t. 1.3, 28, 73
- map colour scheme, 239
- map contrast stretch, 239, 240f. 9.1
- map design, 239
- map projection, 35f. 2.2
- map scale, 48, 96, 97t. 4.2
- map validation, 228
- mapping, 28, 29f. 1.9, 85
- margin of error, 148
- Marie Tharp, 86, 87f. 4.1
- marked point patterns, 60, 61f. 3.1
- maximum likelihood classification, 28
- mean centre, 61, 62f. 3.2
- mean sea level, 23
- measurement, 188, 190
- measurement level, 43, 43f. 2.7
- measurement scales, 45t. 2.3
- measures of spatial autocorrelation, 165
- median
 - statistical median, 216
- Mediterranean, 172
- meridian, 34
- metapopulation ecology, 16
- minor range, 25
- model development, 188, 188f. 7.1
- model misspecification, 171
- model specification, 170
- model types, 187t. 7.1
- modelling, 28, 29f. 1.9
- monitoring coastal change, 28, 29f. 1.9, 126
- Monte Carlo randomization, 67
- Monte Carlo simulation, 221
- Moran scatterplot, 160
- Moran's *I*, 160
- Moran's *I* scatterplot, 161f. 6.3, 174f. 6.8
- Moran's *I* statistic, 159
- Moreton Bay, 169f. 6.6
- morphodynamics, 14, 20
- morphometric model, 22
- mosaic, 17
- moving window, 63, 221, 225
- multi-beam echosounder, 117
- multi-beam sonar, 118
- multi-collinearity, 206t. 7.3
- multi-criteria decision analysis, 3, 77, 80f. 3.10
- multiple testing problem, 68
- multispectral satellite sensor, 131t. 5.1
- multi-temporal analysis, 143
- multivariate regression, 205
- Nantucket Island
 - Massachusetts, 143
- NDVI, 134
- nearest-neighbour methods, 65
- negative feedback, 22, 192
- negative spatial dependence, 156
- neighbourhood, 156, 164, 165f. 6.5
- neighbourhood-context effect, 176
- network, 71
- network connectivity, 72
- network database, 56, 56f. 2.13
- node, 39, 55
- nominal, 43
- non-stationary, 53
- normal curve, 218f. 8.3
- normal distribution, 217
- normalised difference vegetation index, 222
 - NDVI, 133
- nugget, 163
- null hypothesis, 203
- numerical model, 187t. 7.1
- object, 37
- object-based classification, 103
- objects, 103
- observation, 188
- Occam's razor, 202
- one-to-many relationship, 56
- one-to-one relationship, 56
- online mapping, 245
- open-source applications, 245t. 9.4
- open system, 20
- optical rangefinder, 91t. 4.1
- optimisation approaches to bathymetry estimation, 118
- ordinal, 43, 44
- ordinary kriging, 180
- ordinary least squares regression, 176, 204
- organizational practice, 241
- orthorectification, 42
- overall accuracy, 229
- overlay function, 58, 59, 77
- parallels, 34
- parsimony, 202
- passive remote sensing, 92
- Patagonia, 222
- patch, 16
- patch assemblages, 17
- patch characteristics, 17, 18t. 1.2
- patch dynamics, 17
- patch metrics, 17
- patch mosaic, 17
- patch shape, 17
- patch size, 17
- patch structure, 17
- Pearson correlation coefficient, 204
- permafrost, 15t. 1.1
- photogrammetry, 145
- physical model, 187t. 7.1
- pixel, 38, 103
- place
 - location as place, 4
- plane-table survey, 91t. 4.1, 120
- point density, 63

Index

- point intensity, 63
- point patterns, 60, 62f. 3.2
- point–event intensity estimate, 65
- Poisson distribution, 67
- polygon adjacency, 55
- polynomial, 182
- portal, 244
- positive feedback, 21, 192
- positive spatial autocorrelation, 8, 157
- positivist, 235
- post-classification comparison, 135
- power of maps, 235
- precision, 39, 40f. 2.5, 46, 47f. 2.8, 212
- prediction, 27
- predictive habitat mapping, 16
- predictive model, 157, 186, 199, 208
- predictive spatial data analysis, 27t. 1.3
- primary data, 41
- principal components analysis
 - PCA, 134
- probability
 - p*-value, 203
- probability model, 187t. 7.1
- problem solving, 234
- process scales, 10
- producer accuracy, 230
- projection, 34
- proximity, 58
- quadrat, 63
- quantitative revolution, 1
- quartic function, 63
- queen configuration, 164
- radiance, 46
- radiative transfer modelling, 102
- range, 163, 175
- raster data, 38f. 2.4
- raster map, 106
- ratio, 43, 44t. 2.2, 45, 45t. 2.3
- reef island changes, 141t. 5.5
- regional analysis, 33, 33t. 2.1
- regression model, 177f. 6.11
- relational database, 56, 56f. 2.13
- relational join, 60
- remote sensing, 39, 92
- remote sensing image domains, 99f. 4.7
 - feature space, 98
- remote sensing systems, 93f. 4.4
- representation, 36, 37, 37f. 2.3, 190
- resample, 150
- residual, 222
- residual mapping, 222, 224
- resistant statistics, 81
- resolution, 46, 48, 97t. 4.2
- Ripley’s *K* function, 65, 66f. 3.4
- RMS, 153
- Robinson Projection, 35
- rocky coasts, 15t. 1.1
- rook configuration, 164
- root mean square error, 46, 49
 - RMSE, 214
- rugosity, 113, 209
- sampling design, 171
- sampling scheme, 53, 54f. 2.12
- sampling variance, 204
- satellite image, 39
- satellite remote sensing, 93
- scale, 10, 193
- scan, 41
- sea ice, 15t. 1.1
- seagrass, 19
- seagrass cover, 19f. 1.7
- seascape, 10, 88
- secondary data, 41
- second-order effects, 61
- semivariogram, 25, 160, 161, 162, 175, 176f. 6.10
- semivariogram plot, 162f. 6.4
- sensitivity analysis, 212, 219, 220f. 8.4
- sensor accuracy, 97
- shark attack, 69, 70f. 3.6
- shifting mosaic, 17
- Shoalhaven Estuary, New South Wales, 183f. 6.13
- Shoreline, 126
- shoreline movement, 148
- Shuttle Radar Topography Mission
 - SRTM, 243
- side-scan sonar, 117
- sill, 163
- sill point, 175
- simple to general model building, 202
- simulation, 27
- single-beam echosounder, 117
- slope, 72, 113
- software, 242
- SONAR, 114f. 4.13, 116
- sound navigation and ranging
 - SONAR, 116
- sound waves, 116
- space, 4
 - location as space, 4
- spatial analysis, 1, 31
- spatial autocorrelation, 9, 157
 - dimensions, 168
 - nature/cause, 170
- spatial autocovariance function, 160, 163
- spatial data infrastructure, 244
- spatial data matrix, 31, 32f. 2.1
- spatial dependence, 2, 54, 156, 203
- spatial dimensions of patterning, 167
- spatial error model, 16, 205, 227f. 8.7
- spatial interpolation, 178
- spatial join, 59
- spatial lag, 54, 171, 205
- spatial processes, 6

Index

- spatial referencing, 23
- spatial resolution, 48, 50, 4f. 2.10, 96, 97t. 4.2
- spatial structure, 157
- spatial weights matrix, 82, 164, 176, 205
- spatially lagged autoregression, 176, 209
 - autoregression, 16
- spatio-temporal ranges, 10
- species distribution model
 - SDM, 6
- specification of a model, 201
- spectral angle mapping, 106
- spectral library, 109
- spectral resolution, 94, 100t. 4.3
- spectral signature, 108
- spectral space, 98
- spectral unmixing, 106
- spectral waveband, 99
- spectrometer, 109f. 4.11
- spectrophotometer, 94
- specular reflection, 102
- spline interpolator, 180
- spread, 46
- standard deviation, 216
- standard distance, 61, 62f. 3.2
- standard error, 217
- standard normal distribution, 218f. 8.3
- stationarity, 9, 53, 82
- stationary spatial process, 218
- statistical assumption, 157
- statistical inference, 200, 201
- statistical mean, 216
- statistical range, 25
- stochastic error, 213
- stochastic interpolator, 179
- structure, 26, 191
- Structured Query Language
 - SQL, 76
- supervised image classification, 103, 124
- suspended sediment concentration, 197
- suspended sediment concentration map, 198f. 7.5
- system, 186
- systematic error, 213, 214f. 8.1
- table join, 59
- tacheometry, 91t. 4.1
- tau coefficient, 230
- temporal resolution, 48
- terrain derivatives, 72
- terrain variables, 209
- Topographical Compartment Analysis Tool
 - TopCAT, 145
- thematic resolution, 48
- theodolite triangulation, 91t. 4.1, 120
- theory development, 188, 191
- threshold, 22
- tidal datum, 22
- tides, 23
- time-series analysis, 127
- TNode, 55
- Tobler's first law of geography, 8, 156, 163, 177,
 - 203, 206
- topology, 55
- training data, 105, 108
- transducer, 117
- trend surface analysis, 73, 74f. 3.7
- triangulation, 122
- tsunami, 231
- T*-test, 204
- type I error, 204
- UAV platform, 112
- UK coastline length, 216f. 8.2
- uncertainty, 148, 212, 215
- uniformitarianism, 87
- union, 59
- union function, 77
- univariate image differencing, 132
- universal kriging, 180
- Universal Transverse Mercator
 - UTM, 35
- unmanned aerial vehicle, 111f. 4.12
 - UAV, 112
- unsupervised classification, 103
- urbanised coasts, 15t. 1.1
- user accuracy, 230
- variable, 192
- variance, 46, 163, 217
- variance-to-mean ratio, 67
- vector data, 38f. 2.4
- vector dataset, 38
- vector map, 106
- vector resolution, 48
- Vegetation change matrix, 140t. 5.4
- vertical linear error, 231
- vertice, 39, 55
- visualisation, 61, 237
- volumetric change, 145, 146
- water column correction, 102
- water turbidity, 197
- wave energy, 193
- wave exposure, 196
- waveband, 94
- waveform LiDAR, 115f. 4.14
- wavelength, 94
- Web atlas, 244, 244t. 9.3
- Web viewer, 124
- weights matrix, 82
- wetlands, 15t. 1.1
- Worbarrow Bay, UK, 79f. 3.9
 - Lulworth Cove, UK, 78
- World Geodetic System
 - WGS 1984, 34
- World Ocean Floor Panorama, 89f. 4.2
- zonal operator, 72
- zones, 55