

Index

- 2 °C target, 220
- absolute angular momentum, 170
- active monsoon, 313
- adiabatic process, 16
- aerosols, 304–5, 319
- Africa (covering Lake Victoria), 295–7
- African Easterly Wave (AEW), 138
- African systems, 136
- air–sea interaction, 305, 320
- AL, 225, *See* Aleutian low
- Aleutian low, 225, 233
- annular mode, 343, 352
- Antarctic circumpolar transport, 298
- Antarctic Oscillation (AAO), 297–8, 343
- Arctic, 115, 117–18
- Arctic Oscillation (AO), 122, 297, 343
- Arctic sea ice area, 345
- Asia (including China, Australia, Middle East, Siberia, Korea, Bay of Bengal, Gulf of Carpentaria), 296–7
- Asian jet, 337, 339, 341
- Asian Monsoon, 139, 304, 343, *See* monsoon
- Atlantic Meridional (or multi-decadal) Oscillation (AMO), 281, 283
- Atlantic meridional overturning circulation (AMOC), 280, 283, 292, *See* meridional overturning circulation
- Atlantic Multidecadal Oscillation (AMO), 256, *See* Atlantic Meridional Oscillation
- Atlantic, 122–4, 127
- Atlantic SST variability, 267
- atmospheric circulation index (ACI), 344
- Australian rainfall, 280, 283, 286–8, 291
- axisymmetrization, 168–71, 173
- baroclinic instability, 141–4
- barotropic energy conversion, 202
- Beijing floods of 21 July 2012, 177
- beta-skirt axisymmetrization (BSA), 169–70
- binary vortex interaction, 170
- blocking, 74, 76, 114–15, 117–18, 202, 339–41
- blocking high, 346
- bootstrap resampling, 201
- boundary layer, 170
 - boundary layer dynamics, 168–72
 - boundary layer inflow, 170–1
 - TC boundary layer, 169
 - unbalanced boundary layer flow, 171
- break monsoon, 313–14, 316, 321, 323
- Brier score (BS), 103
- Bulletin of the American Meteorological Society’s State of the Climate Report, 38
- calibration, 97, 104–6
- CCSM4, 203–7
 - bias, 204–5, 207–8
 - future hot spells, 206
- Central America, 296
- chaotic, 141, 146, 150–1
- circumglobal teleconnection (CGT) pattern, 338
- climate change, 113–15, 118, 125
- climate extremes, 50
- climate model, 202–4, 208
 - bias correction, 204
 - LSMP, 198–9, 201–2, 204–5
- climate models, 114–15, 117–18
- CMIP5, 114, 116–18
- CO₂, 220–1, 223–4
- CO₂ doubling, 223–4
- cold days, 54–5, 345–6
- cold nights, 54–5, 345–6
- cold surges, 297
- cold vortex, 346
- consensus forecast, 133
- convection permitting, 142, 145–8, 150
- convective instability, 143–4, 146
- convergence, 170–1
- correct negatives, 134
- COSMO (Consortium for Small Scale Modelling), 99–100, 102–3, 105, 107
- coupled land–atmospheric bridge, 343, 345, 352
 - land bridge, 343
- coupled oceanic–atmospheric bridge, 343, 345, 351–2
- cross-equatorial flow, 305–6, 311
- cross-seasonal effect, 343, 352
- cross-seasonal relationship, 343–6, 349, 352
- CRPS (continuous ranked probability score), 103–5, 107
- cyclogenesis, 146
- cyclone, 113–18
- Cyclone Yasi, 176, 179, 181
- cyclonic vorticity, 79, 83–8, 90, 92–3
- cyclonic wave breaking, 156, 162
- Dansgaard–Oeschger (DO) events, 239
- data assimilation, 4–6, 12–14, 96–7, 99, 106
- decadal variability, 345
- degeneracy, 125
- detection and attribution, 37, 41–2, 47, 49, 52, 60, *See* optimal fingerprinting
- diabatic heating, 16, 19–20, 23, 27, 31–5, 170, 172–3
- divergent outflow, 156, 160–2
- downscaling, 180–1, 203, 208, *See* LSMP
- downstream development, 155–6, 158–9, 164–5
- drought, 255–7, 259, 262, 265, 267–8, 271, 273–7, 279, 343–4, 347–8, 351
- dry air intrusion, 148
- Dust Bowl, 255, 257, 262, 264, 267
- dust storm, 343–6, 351
 - dust storm frequency index (DSFI), 344
- dynamics, 142, 144–5, 148, 150–1
 - axisymmetric dynamics, 173
 - balanced dynamics, 170, 172–3
 - boundary layer dynamics, 168–72
 - internal dynamics, 172
 - unbalanced dynamics, 170–1
 - vortex dynamics, 173
- E vector, 202
- Earth System Models of Intermediate Complexity (EMICs), 241
- East Asian monsoon, 343, 351–2
 - East Asian summer monsoon (EASM), 343
 - East Asian winter monsoon (EAWM), 343
- East Asian winter monsoon, 225, 227, 231, 233
- eddy kinetic energy (K_e), 156
- eddy-driven jet, 71–2, *See* extratropical jet
- effective number of degrees of freedom, 345
- Ekman, 171
- El Niño, 176, 180, 280, 286
- El Niño/Southern Oscillation (ENSO), 72, 163, 297–9, 305–6, 312, 317–21, 324, 333, 343, 349, *See* low frequency variability
- ensemble, 95–110
- ensemble forecasting system, 13, *See* ensemble prediction system
- ensemble forecasts, 158, 160
- ensemble Kalman filter (EnKF), 147, 170
- ensemble of data assimilations, 13
- ensemble prediction system (EPS), 95–7, 108, 110
- error growth, 141–5, 150–1
- Ertel potential vorticity, 16–18, 21
- Eurasian (EU) teleconnection pattern, 225–6
- Eurasian snow cover (ESC), 345
- Europe (covering Russia), 297
- European Centre for Medium-range Weather Forecasts (ECMWF), 133–4, 136–40
- ensemble, 32-day, 133–4, 136–40
- extended-range forecasts (5–30 days), 134, 136
- extratropical jet, 70, 72–3, *See* Asian jet, jet stream
- extratropical transition (ET), 153, 164
- extreme, 95, 98, 102–4, 107–8, 110
- extreme events, 185
- extreme low temperature, 76, 344–6, 351
- extreme precipitation, 50–1, 59–63, 75
- extreme rainfall, 295
- extreme temperature, 50, 52–3, 55–6, 59, 62, 76
- extreme value theory (EVT), 48–9, 52, 55, 62, 107
- extreme weather, 75, 122, 127–8, 303–4, 325, *See* extreme events
- extreme weather-related events, attribution of, 37
 - floods, 37, 41, 43–5
 - heat waves, 38, 45
 - human-induced climate change, 37, 39–40
 - selection bias, 42, 44
- eyewall, 168–71, 173
 - double eyewall, 168, 171, 173
 - eyewall replacement cycle, 168, 172–3
 - inner eyewall, 168–9
 - outer eyewall, 168
 - secondary eyewall formation (SEF), 168
- false alarms, 134–5
- ferrel cell, 343
- flood, 295–6, 343

- floods, 122, 176, 271, 273–7, 279
 forecast, 125, 127–8
 forecast error, 142, 145, 150
 forecast model, 141–2
 forecast sensitivity, 146
 forecastability, 136–7
 forecastable, 136–7
 forecasting, 95–7, 102–3, 105, 108–10
 formations, 134, 137–40
 baroclinically influenced, 138
 fraction of attributable risk, 39
 freshwater flux, 242, 244–5
 freshwater perturbation (PERT), 240, 242, 244, 247–53
 frontogenesis, 162, 165
 frost days, 344–5
 frosts, 122
- generalized extreme value 49, 52, 55, 59
 geopotential height (GHT), 344
 geostrophic balance, 17, 33
 geostrophic wind, 17
 GIFS (Global Interactive Forecast System), 97
 global warming, 221–3
 gradient wind, 170, 172
 gradient wind balance approximation, 171
 greenhouse gases, 122
 Guinea Coast, 271–9
- hazard, 110
 heat flux, 202
 by transients, 202
 heat wave, 118, 185–6, 189–94, 210–11, 215–17, 220, *See* hot spells and drought, synoptic description
 high-impact weather, 69, 75–6, 97, 108–10, *See* extreme weather
 hits, 134, 138
 hot spells, 198–9, 201–5, 208
 LSMP, 198, 201
 synoptic description, 198
 target ensemble mean, 201, 208
 Hovmöller diagram, 202
 Hurricane, 146–8, 150
 intensity, 146, 150
 Hurst coefficient, 290
 hydroclimate variability, 255, 264–5
 hydrostatic balance, 17
- idealized toy model, 141
 Impact of Typhoons on the Ocean in the Pacific (ITOP), 136
 inaccuracy, 141
 Indian Ocean (IO), 294–9, 333
 Indian Ocean Dipole (IOD), 176, 280, 282, 284, 286, 292, 305
 Indian Summer Monsoon, 306, 316
 Indonesian Throughflow (ITF), 299
 initial conditions (IC), 141–2, 144–6, 148, 150–1
 initial tendencies, 6–7
 instability, 141–2, 150–1
 interannual variability, 333, 337
 Interdecadal Pacific Oscillation (IPO), 281
 interdecadal variability, 217, *See* interdecadal variation
 interdecadal variation, 205
 intrinsic predictability, 141–2, 146, 151
 isentropic surface, 16–17, 20–2, 32–3, 35
 ITCZ (intertropical convergence zone), 297
- jet meandering, 88
 jet pulsing, 84
 jet stream, 79–85, 87, 90, 92–3, 113, 122, 124, 127, 202, *See* eddy-driven jet, extratropical jet
 Joint Typhoon Warning Center (JTWC), 134
- Kelvin wave, 297–9
- La Niña, 176–9, 181
 Lagrangian perspective, 19, 21–2, 33
 land cover change, 194
 land surface processes, 304–5, 319, 324
 LC1, 69–74, *See* life cycle of baroclinic
 LC2, 69–74, 76, *See* life cycle of baroclinic
 life cycle of baroclinic 69–70
 lightning, 296
 likelihood value (LHV), 134
 low-frequency variability, 70, 74
 low pressure systems (LPSs), 304, 312
 LSMP (large scale meteorological pattern), 198, 208
 in CCSM4 data, 205
 in reanalysis data, 205
 is useful, 208
 model hot spells, 204
 useful for downscaling extreme events, 203
 LSMP index, 199, 201–3, 205–6, 208
 value, 199, 202, 205–6, 208
 distribution, 203, 205, 208
- Madden–Julian Oscillation (MJO), 72, 125, 139, 163, 294, *See* low frequency variability
 Maritime Continent (covering Philippines, Sumatra), 178, 295–6, 298
 maximum temperature, 344–5
 Meiyu–Baiu, 333, 340–1
 merged jet, 80–1, 84, 88, 90, 92–3
 meridional overturning circulation (MOC), 239, *See* Atlantic meridional overturning circulation
 mesoscale convective system, 141
 mesoscale convective vortex, 145
 mid latitude, 141, 144, 148
 minimum temperature, 345
 misses, 134
 model error, 96, 97, 142, 145, 150
 model resolution, 3–4
 modified quasi-geostrophic (MQG) model, 83, 92
 MOGREPS (Met Office Global and Regional Ensemble Prediction System), 100–2, 108
 moist convection, 142, 144, 146, 148, 150–1
 moisture transports, 257
 monsoon Asia, 333, *See* Asian monsoon
 Monsoon Trough (MT), 304, 306, 313
 monsoons, 297
 multiple equilibrium, 242–5, 253
- NAM, 225, 231, 233, 298, 343–6, 348, 351, *See* Northern Annular Mode, Northern Hemisphere Annular Mode
 NAO, 297–8, *See* North Atlantic Oscillation
 NASA Hurricane and Severe Storm Sentinel (HS3), 136
 National Centers for Environmental Prediction / Department of Energy reanalysis, 201
 National Hurricane Center (NHC), 136
 NCEP/NCAR reanalysis, 205, 207
 negative log-likelihood, 53
- nonlinear life cycle, 88, 93
 North America (covering USA, Alaska), 296–7
 North Atlantic Deep Water (NADW), 239
 North Atlantic Oscillation (NAO), 73, 122, 343–4, 346–7, *See* low frequency variability
 Northern Annular Mode (NAM), 298, *See* Northern Hemisphere Annular Mode
 Northern Hemisphere Annular Mode, 225, 343
 numerical weather prediction (NWP), 3–4, 95–6, 98
- observation, 96, 101–8, 141, 148, 150–1
 ocean–atmosphere interaction, 341
 optimal fingerprinting, 37, 41, 43
- Pacific Decadal Oscillation (PDO), 50–1, 229, 281
 modulation of, 225
 planetary wave, 225, 227, 229, 231, 233
 Pacific North American pattern (PNA), 297
 Pacific Ocean, 294, 296, 298–9
 Pacific–Japan (PJ) pattern, 333
 Parallel Ocean Model (POP), 241
 parameterization, 97, 99
 Petterssen–Smebye Type-B cyclogenesis, 153
 PIT (probability integrated transform), 103
 POAMA, 176–8, 181, *See* predictive ocean–atmosphere model
 polar front jet (PFJ), 337
 postprocessing, 107
 potential vorticity, 69, 226
 practical predictability, 141–2, 151
 precession, 148–9
 precipitation, 113, 116
 predictability, 126–7, 133, 136–42, 153, 156, 158–9, 163–4, 333, 337, 340–1
 limit of, 133
 prediction, 3–4, 10–11, 13, 95–9, 102, 105–10
 probabilistic, 95, 97, 100, 102–3, 106–8, 110
 deterministic, 95–9, 101, 103, 108–10
 predictive ocean–atmosphere model (POAMA), 176
 probabilistic forecast, 14
 process tendencies, 7
 PV streamer, 79, 87, 92–3
- quality measure, 134, 136
 quantile, 100, 102–7
 quantile score (QS), 103
 quasi-biennial oscillation (QBO), 124, 127, 280, 283
 quasi-geostrophic, 83, 92
- rainfall, 176–81, 343–4, 348–51
 rank histogram, 102–3
 rapid intensification (RI), 146, 148
 re-forecast, 3, 14
 reliability diagram, 11
 representative concentration pathways, 205
 risk ratio, 39, 41–4, *See* fraction of attributable risk
 Rossby wave, 226–7, 231, 233, 297–9, 348
 thermal, 226–7
 train, 226–7, 231, 233, *See* wave train
 Rossby wave breaking, 69, *See* wave breaking
 Rossby wave packet, 153, 155–6, *See* wave packet
- salt advection feedback, 243, 253
 SAM, 178–9, 298, 343–5, 348–51, *See* Southern Annular Mode

- Sawyer–Eliassen, 172
 - Sawyer–Eliassen equation, 172
 - Sawyer–Eliassen model, 172
- Schumann resonances (SR), 296
- sea breeze, 198, 203, 205
- sea level, 299
- sea surface temperature (SST), 149, 176, 178, 297, 344
- seasonal cycle, 81, 83
- seasonal forecast, 177, 181
- seasonal forecasting, 176
- seasonal prediction, 138
- severe weather, 141, 144, 151
- SH, *See* Siberian high
- Siberian high, 225
 - Atlantic-origin type, 226–7
 - Pacific-origin type, 227
 - sub-seasonal amplification of, 225
- sign count, 201
- Silk Road pattern, 337–9, 341
- slantwise vorticity development, 16–17, 19–22, 33
- snow cover, 125, 304, 317, 321, 344
 - snow cover area, 344
- snowstorm, 344, 346–7, 351
- soil moisture, 189, 191–4, 222–4
- South America (covering Chile, Andes, Amazon), 297
- South Asian Monsoon, 304, 306, 325
- Southern Annular Mode (SAM), 280, 283, 288, 292
- Southern Eurasian (SEA) teleconnection pattern, 348
- Southern Hemisphere Annular Mode (SAM), 343, *See* Southern Annular Mode
- Southern Hemisphere Ocean Dipole (SOD), 350
- Southern Oscillation (SO), 280, 286, 305, 317
- spin-up mechanism, 171
- static stability, 16–19, 22, 26–7, 34–5
- statistical, 208
 - 20-year return value, 206, 208
 - bootstrap resampling, 201
 - consistency tests, 201
 - target ensemble mean, 201
- storm track, 113–18, 122, 127
- stratosphere, 124–5, 127
- subsidence inversion, 97, 199
- subtropical high, 350
- subtropical jet, 71, 73, 80–1, 83, 85–6, 88, 92–3
- sunspot number, 280, 283, 287, 292
- supergradient force, 171
- supergradient wind, 171, 173
- surface currents, 298
- SWFDP (Severe Weather Forecast Demonstration Project), 98
- teleconnection, 343, 348
- teleconnection pattern, 225–7
 - Arctic Oscillation (AO), 225
 - Eurasian (EU) teleconnection pattern, 225
 - Northern Hemisphere Annular Mode (NAM), 225
 - Scandinavian pattern, 225
 - Western Pacific (WP) teleconnection pattern, 227
- temperature extremes, 84, 92–3
- the C20C+ project, 44
- The Weather Risk Attribution Forecast, 44
- The weather@home, 44
- thermal low, 198
- thermal wind, 17
- thermohaline circulation (THC), 239
- THORPEX (The Observing System Research and Predictability Experiment), 97
- THORPEX-Pacific Asian Regional Campaign (T-PARC), 133
- Tibetan Plateau (TP) snow cover, 210
- TIGGE (THORPEX Interactive Grand Global Ensemble), 97–8
- tornadoes, 294
- track, 148, 150
- Trans-Niño, 282
- tropical cyclone (TC), 76, 97–8, 110, 133–4, 136–41, 146, 148, 150, 153–62, 164–5, 168, 176, 179–81, 294, 299, *See* typhoon, hurricane
 - Atlantic, 133, 136–40
 - event, 133–4, 136–40
 - forecast, 133–40
 - intensity, 133, 136
 - motion, 133, 139
 - rainfall, 136
 - track forecast, 133–4
 - tropical cyclone structure (TCS-08), 133
 - tropical storm, 147
 - warnings, 133
 - western North Pacific, 133–4, 136–40
- tropopause, 85, 88
- typhoon, 134, 136, 139
- uncertainty, 95–7, 102–4, 106, 108, 142, 146–9
- upscale energy cascade, 170
- Ural blocking, 226–7, 229–31, 233
- vegetation, 185, 191–4
- verification, 102–3, 105, 107, 110, 134, 138
 - track analog, 134
- vertical vorticity, 16–17, 19–24, 26–7, 31–5
- vertical wind shear, 148–9
- volcanic dust, 280, 283
- volcanic eruptions, 125
- vortex Rossby waves (VRWs), 169
- vortex tilt, 148
- vorticity, 16–24, 26–7, 31–5, 169–70
 - vorticity gradient, 169–70
 - vorticity ring, 169–70
 - vorticity skirt, 169
- vorticity extremes, 85, 90, 93
- vorticity tongue, 87–8, 90, 93
- warm air advection, 162
- warm conveyor belt (WCB), 154
- warm season precipitation, 144–5
- warning, 95, 108–9
- wave breaking, 122, *See* Rossby wave breaking
- wave packets, 80, 88, *See* Rossby wave packet
- wave train, 337, 340–1, *See* Rossby wave train
- wave-activity flux, 226–7
- weather versus climate, 38
- weighted-mean vector motion, 133
- weighting factor, 133–4
- westerly ducts, 72, 75
- wildfire, 296
- wind index (WI), 345
- wind storm, 76, 98
- wind-induced surface heat exchange (WISHE) mechanism, 146–7
- winter, 122–7
- WMO (World Meteorological Organization), 97–8, 110
- Wyrтки jet, 298