

Index

- AC Drive, 242, 246–247, 251
 AC Motors, 242–245, 247
 Alternate 2-High looping train, 106
 Alternative theories of contact friction, 72
 Aluminium & its alloys rolling, 7, 122, 143,
 145–146, 161–167, 284–285, 287
 Angle of bite, 33–34, 171, 255
 Angle of contact, 34, 62, 71, 120
 Arc of contact, 33, 35–36, 48, 52, 55,
 57–58, 61–62, 65, 67–74, 76, 80, 82,
 87, 93–94, 98–99, 154–155
 Area of contact, 33–34, 69, 75–76, 82, 123,
 154
 Automatic gauge control, 9, 144–145, 249,
 251, 277–280
 Automatic gauge Control System, 29, 147,
 277–280
 Auxiliary equipment, 17, 168, 246, 252–263
 Average pressure of rolling, 83–84, 88
 Axial adjustment of rolls, 204, 206, 214–
 215, 283
 Back tension, 36, 69, 90, 92–93, 101, 151,
 153
 Bar, 1–3, 5–6, 18, 36–37, 117, 126–137
 Bar & rod mill, 18–19, 126–129, 135, 174,
 176, 225, 243, 249
 Batch rolling, 144, 146, 150
 Beam rolling, 138, 140–142
 Bearing dismounting, 191, 193–194
 Bearing friction, 77, 102
 Bearing life, checking, 196
 Bearing mounting, 194, 199
 Bearing mounting & dismounting, 191,
 193–194, 199
 Bearing power, 102
 Bearing, selection of rolling, 195–197
 Bearing type-antifriction, 186, 191–195
 Bearing type-oil film enclosed, 189
 Bearing type-open, 186–189, 198
 Billet, 2–3, 18, 22, 98, 110–122, 126–127,
 130, 134, 136–137, 177, 205, 253
 Billet mill, 25, 42, 111, 117–119, 121,
 173–174, 176
 Bloom, 2–3, 20–21, 98
 Blooming mill, 23, 98, 110–111, 113–116,
 119, 171–172, 191, 204, 206, 208–
 211, 215, 273
 Bloom rolling, 2, 111–116
 Breakdown mill, 87, 144, 147
 British Aluminium Co., 7
 Broadside rolling, 122, 124
 Bullhead, 113–114, 116–117
 Butterfly pass, 142
 Camber, 49–50, 123–125, 145, 150, 184,
 280–282, 286–287
 Carpet analogy, 12
 Catchment tray, coolant, 286, 288
 Channel rolling, 1, 18, 142
 Chequerboard mill layout, 109–110
 Chock, back-up roll, 198, 200, 212–213,
 219
 Chock dimensions, 198–200
 Chock, work roll, 198–200, 213, 219, 281
 Classification of Rolling Mills, 17–19
 Closed passes, 40–41
 Cluster mill, 24, 144, 168, 172, 201,
 220–223
 Cockshut, James, 6

Cambridge University Press

978-1-107-07609-9 - Principles and Applications of Metal Rolling

Siddhartha Ray

Index

[More information](#)

- Coefficient of friction, bearing, 102, 186, 188–189
 Coefficient of friction, 33–36, 55, 60, 78, 89–92, 94–96, 102, 150, 153, 157, 162, 186, 188–189
 Coefficient of friction rolling, 34–35, 60, 89–92
 Coiler, 77, 101, 149–150, 242, 246, 263–270
 Coiler, drum type, 263–266
 Coiler, roll type, 264, 266–268
 Cold rolled products, 4, 52, 146, 149
 Cold rolling, 2–5, 15–17
 Cold rolling mill, 19, 146–148, 150, 156, 171, 189, 202, 205, 212, 220–221, 239, 242, 250–252, 263–264, 287
 Cold working, 14–16, 52, 148
 Combination 4-Hil mill, 145
 Combined gear box cum pinion stand, 232
 Combined stress, 182
 Compound field, 242–243
 Compound field motor, 242–243
 Contact angle, 33–34, 52, 70
 Contact area, determination, 79–82
 Contact shear stress, 60
 Contact stresses, 54–60, 69, 72–75
 Continuous cast strip, 143–146, 149
 Continuous rolling, 7, 92
 Continuous stand/mill, 77, 107–108
 Coolant distribution in mill stand, 286–287
 Coolant testing, 289–290
 Cooling and lubrication:
 cold rolling, 284–285
 hot rolling, 284
 Cooling bed, 128–129, 246–247, 249, 272, 274, 277
 Copper & its alloys, rolling, 143–145, 147
 Coupling, flexible, 229–231
 Coupling, gear, 230–231, 240, 273
 Coupling, mill, 7, 229–232
 Coupling, rigid, 229
 Coupling, safety, 230
 Coupling, selection, 231–232
 Cowan, Christopher, 6
 Cramp bar, 224–225
 Crawshaw, Richard, 6
 Cross-country mill, 109, 119
 Crown, 50, 123, 184, 284, 287
 Crystal, 9–13, 15, 51
 Cylindrical roller bearing, 192–194, 234
 Dark mode rolling, 49, 150–151, 252, 280
 DC drive, 242, 247, 249, 252
 D.C. motors, 244–245
 Decoil box, 271
 Decoiler, 101, 242, 263–271
 Definite chill rolls, 174–175
 Diagonal pass, 42, 140–141
 Diamond square sequence, 120–121, 132
 Direct chilled (DC) cast slab, 143, 145
 Dispersion, 285
 Distribution header, 286
 Double-duo stand, 21, 23, 206
 Draught, 22, 24–25, 31, 33–36, 48–49, 51, 112–113, 117, 119–120, 131, 133, 135, 151, 159–160, 162, 205
 Drum, expanding / collapsing, 264–266
 Drum shear, 256–257
 Dry friction, 60–65, 72–73
 Edge drop control, 282–283
 Edging pass, 113, 116, 139
 Effective working diameter, 36–38
 Effect of friction, 91–92
 Effect of strain rate, 86–88, 93
 Effect of temperature, 83–86
 Effect of tension, 88, 92–93
 Effect of width, 93
 Effect of work hardening, 13, 86
 Ekelund's rolling force formula, 93–94
 Ekelund's spread formula, 44–46
 Elastic deformation, 9, 13, 46–49, 59
 Elastic recovery, 47
 Electro mechanical screw down, 28, 208–212
 Elongation, 27, 31–32, 42, 47, 112, 121, 135, 148, 214, 234, 259
 Elongation factor, 31
 Emulsions, 284–285, 287–289
 End thrust, 41
 Equivalent rectangle, 43
 Extrusion effect, 38

294 *Index*

- Fatigue, effect of, 181
 fc curve method, 153–158
 Feeding table, 228
 Filter, 288–290
 Filter level, 290
 Finishing pass, 109, 112, 119–120, 122–124, 130–132, 136, 138–140, 142
 Flat mills, 19
 Flatness, 9, 146–147, 280
 Flat products, 4–5, 25–26, 47, 50–51, 94, 123, 146, 148, 151, 170, 172, 215, 260
 Flat rolling, 33
 Flying shear, 7, 119, 126, 249, 256–258
 Foil mill, 145–147, 196, 252, 282, 284
 Ford and Bland method, 100, 152–154, 159–161
 Ford, Richard, 6
 Ford's value of lever arm coefficient, 99
 Forged steel rolls, 177–178
 Forming pass, 142
 Forward slip, 35–37, 53–54, 56–57, 64–67, 72–74, 76, 90, 97
 Four-high stand, 8, 21, 203, 205
 Friction, 32–36, 44, 53, 55–56, 58, 60–75, 77–79, 84, 88–93, 95–96, 102, 150, 153–154, 170, 186, 188–189, 221, 225, 230, 232, 258, 283, 285, 290
 Front tension, 39
 Fume extraction, 285
 Fume hood, 290
 Gap control, 206, 279–280, 282
 Gauge control, 9, 144–145, 147, 251–252, 277–280
 Gauge tolerance, 28, 144, 146, 221, 277, 280, 282
 Gear box, 101, 105, 169, 229–230, 232–236, 265
 Grain-deformation & growth, 4
 Grain size, 3, 14–17
 Gripping element, strip, 265
 Grooved roll, 5, 27, 30, 36–40, 80–81, 93, 170–172, 174, 197, 206
 Group drive, 108, 272–273, 275
 Guide bar, 204, 224–225
 Guide, delivery, 226–227
 Guide, non-twist, 225–226
 Guide, roller, 131, 225, 227
 Guides, 223–227
 Guide table, 228
 Guide, twist, 226–227
 Hanbury, Major, 5
 Hill's spread formula, 46
 Hitchcock's formula, 48, 82, 100, 153, 159–160, 164, 167
 Hollow sections, 2
 Horizontal roll stand, 20–23
 Hot rolled products, 52, 149
 Hot rolling, 1–3, 17, 20–23, 25, 34, 39, 42, 47, 50–51, 62, 85, 87, 89–90, 92–97, 105, 124, 145, 148–149, 170–171, 178–179, 228, 246–250, 284
 Hot saw, 138, 258–259
 Hot short, 144
 Hot working, 16
 Housing design, 202–205
 Housing, mill, 20, 28, 46–47, 169, 197, 199, 201–205, 207–208, 219, 228, 277
 Housing types, 201
 Hydraulic automatic gauge control, 29, 145, 277–280
 Hydraulic mounting of bearings, 195
 Hydraulic screw-down mill, 28
 Impeded delivery, 36
 Inclined roll stand, 20, 26–27
 Indefinite chill rolls, 175–176
 Individual drive, 108, 272
 Ingot, 2–3, 7, 18, 21, 23, 25–26, 31, 110–117, 126–127, 177, 204, 247
 Inter anneal, 7, 52, 143, 149, 151
 Intermediate mills, 18, 170, 177
 Knifing pass, 139–140
 Lauth mill, 21, 23, 78, 124
 Laying reels, 129, 269–270
 Layout of stands, 105
 Leader pass, 132, 135

- Length of arc of contact, 52, 55, 68, 74, 93, 154
 Length to length rolling, 122
 Length to width rolling, 122
 Lengthwise rolling, 2, 122
 Leonardo da Vinci, 5
 Leveling machine, 259–263
 Lever arm, 98–101, 155
 Lever arm coefficient, 99
 Lifting table, 272, 274
 Light gauge strip mill, 146
 Linear elastic solid, 10
 Load & torque calculation in cold rolling, 152–159
 Loopers, 228–229
 Looping train, 106, 109
 Lowey Robertson's Engg. co, 8
 Lukens, Dr. Charles, 6
 Mae-West block, 200, 212
 Magnetic separator, 288
 Mandrel, expanding, 265–266
 Manipulators, 224, 274, 276–277
 Manipulators, bobbin type, 276
 Mechanical working, 14
 Mill Electrics, 241–252
 Mill Electrics and Controls, 244–252
 Mill stretch, 23, 47, 220, 277–279
 Mill train, 105
 Modulus of rigidity, 11, 185
 Mono block, 127
 Motor Control, scheme, 244–252
 Multi roll stand, 24
 Nadai's analysis of specific pressure, 73
 Neutral point, 35–37, 52, 78, 90
 Nisshin Steel Corporation, 8
 Non-ferrous metals and alloys, rolling, 1, 89, 143–146, 264
 Nozzles, 284, 286–287
 Off line Filter, 289
 Oil skimmer, 288
 Open box passes, 113, 119
 Open passes, 40–41
 Open square sequence, 119–121, 132
 Open train, 105, 118, 124, 126, 130, 217
 Oval-round sequence, 42–43, 127, 132, 134, 136–137
 Oval-slug sequence, 135–136
 Oval-square series/sequence, 42–43, 120–121, 127, 130, 132, 134–136
 Overdraught, 39, 78, 226
 Overfilling of roll gap, 112
 Pack rolling, 6, 150–151
 Pass, 1, 3–8, 22–23
 Pass design-bar and rod mill, 127–137
 Pass reduction, 51, 67–68, 82, 140–141, 152, 154–156, 160
 Pass schedule, 50–52, 104
 Pass schedule-billet mill, 117–119
 Pass schedule-blooming mill, 110, 113–116
 Pass schedule-cold rolling, 151–159
 Pass schedule-slabbing mill, 116–117
 Pass sequencing, 51, 104, 114–115, 119–121, 130, 138–142
 Payne, John, 5
 Pay-off double cone type, 271
 Pay-off drum type, 270–271
 Pay-off unit, 263
 Pennoch, Isaac, 6
 Pinch roll, 228, 246, 255, 267–268
 Pinion stand, 105–106, 169, 221, 229, 232, 236–237
 Pitch line, 38–40, 140
 Planetary mill, 24–25
 Plastic deformation, 2, 9–13, 15, 47, 56, 59, 85
 Plate, 1–4, 6, 19–20, 22–23
 Plate rolling, 6, 23, 95, 122–125, 184
 Pouring reel, 128–129, 270
 Power calculation, 101–102
 Power, rolling, 36, 97–98, 101, 150, 152, 157, 283, 290
 Pre-stressed mill stand, 28
 Primary mills, 117, 170, 187, 191, 202–203, 205, 271, 273, 276
 Projected arc of contact, 33, 35, 99, 155
 Purnell, John, 5

- Rail and structural mill, 137–138
- Rail rolling, 138–139
- Recirculation of roll coolant, 287–289
- Recrystallization, 14–17
- Recrystallization anneal, 16
- Recrystallization temperature, 1–4, 14–17, 149–150
- Reduction, 31–36
- Repeaters, 106, 128–129, 223, 227
- Revere Copper and Brass Co., 7
- Reverse rolling, 2
- Rod, 126–137
- Rod coilers/reels, 263–271
- Roll adjustment, 205–216, 223
- Roll arrangement, 20–29, 125, 221
- Roll balance, 205, 207, 208, 210–213, 219, 281
- Roll balancing-counterweight, 210
- Roll balancing-hydraulic, 210
- Roll balancing-spring, 210–211
- Roll bending, 49–50, 123–124, 148, 170, 179, 184, 186, 191, 196, 220, 266, 281
- Roll camber, 49–50, 123, 125, 281
- Roll change device, 169, 217–220
- Roll changing, 7, 201, 205, 217–218, 228, 240, 286
- Roll coolant requirements, 290
- Roll coolants, 9, 145, 150, 282–290
- Roll coolant systems, 9, 150, 285–290
- Roller strip guide, 228
- Roller table, 85, 129, 206, 224, 246–247, 249, 258, 271–275
- Roller table design, 271–275
- Roll fixing, 214–216
- Roll flattening, 46–49, 82–83, 92, 100, 154, 160, 162, 164, 172, 282
- Roll gap, 1, 34–37, 46–49, 112, 123, 130, 133, 149–150, 197, 202, 206–208, 213, 218, 237, 277, 279–282, 284
- Rolling friction, 34–35, 285
- Rolling line, 38–39, 290
- Rolling load, 23, 34, 36, 46, 48, 50–51, 55, 75, 77, 82–83, 97, 102, 123, 143–144, 151–152, 154–158, 179, 181–182, 184, 195–197, 213, 222, 280
- Rolling load curve, 13, 23, 153
- Rolling load formulae-Ekelund's, 93–94
- Rolling load formulae-Energy method, 97–98
- Rolling load formulae-Geleji's, 94–96
- Rolling load formulae-Sim's, 97
- Rolling mill rolls, 27, 150, 169–186
- Rolling mill stand, 1, 20, 168, 242
- Rolling pass, 4, 50–51, 108, 110, 142, 149, 247
- Rolling plant, 1, 3, 6–7, 104, 116, 191
- Rolling practices, 85, 104–167
- Rolling Process, 1–29
- Roll-iron, steel, cast, forged, duplex, 174–178
- Roll load cylinder, 28–29, 220, 278–280
- Roll lubrication, 283
- Roll lubrication and cooling system, 283–290
- Roll materials, 44, 48–49, 89–92, 173–178
- Roll neck bearings, 75, 101–102, 173, 186–197, 217
- Roll neck diameter, 173, 181–182, 191–192, 196
- Roll separating force, 4, 34, 46–47, 49–51, 75, 78–79, 98, 101–102, 123, 149–150, 179, 186, 196, 202, 277–279, 283
- Roll shape, 123
- Rolls, hard, 170, 172
- Rolls, semi-hard, 170
- Rolls, soft, 170
- Roll size, 171–173
- Roll strength, 178–184
- Rolls, very hard, 171–172, 175
- Roll wear, 283
- Roll wiper, 287
- Rotary hydraulic cylinder, 265
- Rotary shears, 125, 253, 255–256
- Safety devices, mill, 213–214
- Saws, 252–259, 272

Cambridge University Press

978-1-107-07609-9 - Principles and Applications of Metal Rolling

Siddhartha Ray

Index

[More information](#)*Index* 297

- Scovill Manufacturing Co., 7
- Screw down mechanism, 6, 20, 28, 49, 75, 113, 142, 150–151, 159, 168–169, 197, 207–210, 212–213, 277
- Section rolling, 27, 31, 42–44, 81, 98
- Sections, 2–3, 20–21, 23, 30, 76, 80, 98, 105, 107, 109, 137–142
- Selection mills, 172
- Semi-continuous mill, 108–109, 125–126, 130
- Sendzimir Mill, 8, 147–148, 171, 221–223
- Series field, 242
- Shape control system, 145, 223, 251, 277, 280–283, 287
- Shear-electric, 253
- Shear-hydraulic, 254
- Shear modulus, Shear yield stress, 10–11, 56, 59
- Shears, 252–259
- Shears-downcutting, 253–254
- Shears-inclined blade, 125, 253, 255
- Shears-upcutting, 253–254
- Shunt field, 242–243
- Siebel's theory of constant specific friction, 72
- Siebel's spread formula, 44
- Simple rolling, 2, 30–31, 75–78, 98
- Six-high stand, 21, 24
- Size effect, 12
- Skimmer, 288
- Slab, 2, 6, 8, 18, 25, 98, 110–122, 125–126, 142–147, 247, 253
- Slabbing mill, 25, 111, 116–117, 178, 208, 218, 247, 276
- Slab rolling, 116
- Slip, 11–12, 35–37, 53–56, 59–76, 89, 97, 160, 162, 243–244, 249, 271
- Slip ring motor, 243–244, 249
- Slip with constant coefficient of friction, 60–71
- Slitters, 255
- Sobolevsky's theory of sticking zone, 74
- Specific pressure-effect of friction, 92
- Specific pressure-effect of reduction, 65, 89
- Specific pressure-effect of roll diameter, 68, 75, 77, 110–111
- Specific pressure-effect of strip tension, 69, 92
- Specific roll pressure, 56
- Spherical roller bearing, 191–192, 194, 237
- Spheroidal graphite rolls, 176
- Spindle balancing, 239, 241
- Spindle & coupling, 1, 105, 169, 173, 229–230, 232, 237–240
- Spray nozzles, 286–287
- Spray system, 286–287
- Spread, 32–33, 42
- Spread formulae, 43–46
- Spread in section rolling, 42–46
- Squabbing pass, 139
- Stabilized dispersion, 285
- Stack rolling, 149
- Stepped train, 107
- Sticking zone, 74
- Straightening machine, 125, 259–263
- Straightening machine-roller, 260–262
- Straightening machine-rotating, 263
- Straightening machine-stretch, 262–263
- Straightening press, 259–260, 262
- Strain hardening, 2–3, 12–14, 58, 96, 100
- Strain rate, 58, 79, 83–84, 86–88, 93, 96
- Strand pass, 127, 132–134
- Stress concentration, 180
- Stress (kp, kg) curves, 153, 159
- Stresses in rolling, 52–75
- Stress magnification factor, 180–181
- Stretcher leveler, 259, 262
- Strip mill, 7–8, 20, 22, 28, 78, 87, 98, 146–147, 154, 175–178, 196, 202, 212, 228–229, 242, 247–252, 263–264, 274, 277, 282–284, 288
- Strip wiper, 228
- Surface milling, 143, 145
- Tandem cold strip mill, 8, 147, 283
- Tandem mill, 6, 8, 107, 247
- Tank, clean, 289
- Tank, dirty, 288–289
- Tank, pre-mix, 289

Cambridge University Press

978-1-107-07609-9 - Principles and Applications of Metal Rolling

Siddhartha Ray

Index

[More information](#)298 *Index*

-
- Taper roller bearing, 192–194, 196
 - Temperature, rolling, 16, 85, 95–96, 119
 - Thermal camber, 50, 124, 145, 150, 281–282, 286–287
 - Three-high stand, 21
 - Thyristor, 244–245
 - Thyristor Converter, 245, 247, 249–250, 252
 - Tilt control, 280, 282
 - Tilting table, 23, 124, 128–129, 272, 274–275
 - Tongue and groove pass, 40–41, 140–141
 - Torque control, 242, 249–252
 - Torque control scheme, 246
 - Torque, rolling, 23, 90, 98–100, 152, 157, 161, 163, 182, 247
 - Torque-speed Characteristics, 241–242
 - Torsional stress, 181, 183
 - Total torque, 77, 99, 155, 161, 163–164
 - Townsend and Naugle, 7
 - Transverse rolling, 2
 - Tresca's criterion, 59
 - Tselikov's analysis of specific pressure, 66–67
 - Tube rolling mills, 19
 - Turning mechanism, 276–277
 - Twelve-high stand, 21
 - Twenty-high stand, 22
 - Two-high stand, 8, 20, 22
 - Types of passes, 42, 119, 138, 140, 142
 - Types of rolls, 169–171
 - Underdraught, 39, 78
 - Underwood, L. R., 102
 - Universal spindles, 229–230, 238–241, 275
 - Universal stand, 25, 138, 206
 - Unwinders, 149, 263
 - Upcoilers, 266–267, 271
 - Vertical rolls stand, 20, 25–26
 - Viscous friction at contact zone, 72–73
 - Von Mises' criterion, 59–60
 - VVVF drive, 242, 245, 247
 - Warm rolling, 1
 - Wear plate, 203–205
 - Whitehead, L. D., 7
 - Winders, 148–149, 151, 249, 251–252, 263
 - Wobbler coupling, 238
 - Work hardening, 13, 16, 51, 69, 79, 83–84, 86, 250
 - Yield criteria, 56, 59
 - Zig-zag layout, 109