

Index

- 3D imaging, *see* three-dimensional imaging
- 3DXRD, *see* tomography
- aberrations, 214
 - chromatic, 204, 237
 - coma, 208, 220
 - spherical, 201, 218, 220
- absorption
 - Beer's law, 55
 - differential, 18, 352
 - edge, 26, 27, 41, 52
 - EXAFS, 366
 - jump ratio, 27, 28, 351
 - Lambert–Beer law, 55
 - length μ^{-1} , 55, 351
 - linear absorption coefficient (LAC), 28, 29, 39, 45, 55–57, 61, 321, 322, 353, 515
 - mass absorption coefficient μ' , 55, 62, 353, 375
 - near-edge, 355
 - NEXAFS, 355
 - optimum specimen thickness, 351
 - XANES, 355
- absorption contrast, 72, 140, 155, 242
- Airy function, 109, 110, 119
 - full width at half maximum (FWHM), 120
 - obstructed, 120
- algebraic reconstruction tomography (ART), *see* tomography
- amplitude contrast, *see* absorption contrast
- amplitude, magnitude, phase, 71, 72
- angle-resolved photoemission spectroscopy (ARPES), 258
- angular frequency ω , 46, 71
- angular momentum, 23
- ankylography, 404
- anomalous dispersion, 43, 62
- application-specific integrated circuit (ASIC), 305
- atom number density, *see* density
- atomic layer deposition (ALD), 228
- atomic resolution imaging, 195
- Auger electron, 27, 45, 256
- autocorrelation map, 390, 414
- automatic differentiation, 334, 423, 443
- Babinet's principle, 153–155, 180
- band structure, 36
- beamline, 149
- beer, 55, 471
- Beer's law, *see* absorption
- BEIR, 471
- Bertrand lens, 163
- Bessel function, 107
- binary hypothesis testing, 172
- binomial approximation, 77
- biofilms, 501
- blackbody radiation, 16, 266
- Bohr model, 23, 357
 - Bohr energy E_0 , 24, 26, 31, 350
 - nuclear charge screening, 25, 31, 350
 - principal quantum number n , 23, 32, 356
 - quantum defect, 31
- Boltzmann constant k_B , 36
- bond dissociation energies, 37
- Born approximation, 42, 57, 321, 448
- Bragg's law, *see* diffraction
- Bremsstrahlung, *see* continuum radiation
- brightness, 135, 262
 - average, 260
 - peak, 260
- brilliance, 263
- capillary optic, *see* reflective optics
- Cauchy equation, *see* refractive index n
- CDI, *see* coherent diffraction imaging
- central stop, 108, 119–121, 214, 218, 224
- chemical binding energies, *see* bond dissociation energies
- circ function, 108, 125
- coherence, 21, 129, 407
 - length, 129
 - modes, 133
 - spatial filter, 133, 135, 137, 283
 - spectral filter, 138, 281
 - width, 129
- coherent diffraction imaging (CDI), 20, 334, 390, 416
 - Bragg, 410
 - centrosymmetric, 405
 - exit wave, 396

- finite support constraint, 332
- keyhole, 417
- reconstructed image plane, 423
- spatial resolution, 425
- coherent flux, 135
- coherent superposition, *see* superposition
- coherent transfer function (CTF), *see* transfer function
- complementary metal-oxide semiconductor (CMOS), 305
- compound refractive lens (CRL), *see* refractive optics, 126
- compressive sensing, 332, 388, 447, 513
- computational neural network (CNN), 335
- computed axial tomography (CAT), 322
- condenser lens
 - aberrations, 152, 247
 - capillary, 249
 - critical illumination, 151
 - Köhler illumination, 151
 - zone plate, 248
- confocal fluorescence, *see* fluorescence
- contact microscopy, 14, 242
- continuum radiation, 30, 188, 263
- convolution, 96, 103, 336
- cost function, *see* optimization
- Coster–Kronig transitions, 27
- critical angle, *see* refraction
- critical illumination, *see* condenser lens
- critical level, 172
- cross section σ , 28, 38, 40, 42, 43, 55
- Crowther criterion, *see* tomography
- cryo microscopy, 18
 - cryo-cooled, 480
 - cryoEM, 479, 480, 497
 - frozen hydrated, 480
- cryptotomography, 512
- crystal strain, 431, 506
- dark noise, *see* detectors
- dark-field imaging, 154
- Darwin width, *see* diffraction
- de Broglie wavelength, 25, 191, 365
- dead time, *see* detectors
- deconvolution, 142, 445
- degeneracy parameter δ_c , 197
- density
 - areal mass, 352, 375
 - atom number n_a , 37, 59
 - electron n_e , 37, 38, 445
- depth of field (DOF), 91, 92, 114, 116, 146, 147, 149, 322, 396, 445
- depth of focus, 147
- depth resolution, *see* resolution
 - compound refractive lens, 204
 - Fresnel zone plate, 220
- detection limit, 172
- detective quantum efficiency (DQE), 179, 241, 293, 295
- detectors
 - avalanche photodiode (APD), 302, 305, 362
 - charge coupled device (CCD), 305
 - CMOS, 307
 - dark noise, 293
 - dead time, 260, 293
 - droplet analysis, 303
 - energy-dispersive spectroscopy (EDS), 314, 369
 - equivalent noise charge (ENC), 297, 299
 - escape peak, 315
 - Fano factor F , 294
 - frame rate, 294, 307, 310
 - full well capacity, 306
 - gas-based, 310
 - MAIA, 314, 368, 369
 - Markov chain, 294
 - pile-up, 315, 372
 - pixel array detector (PAD), 306
 - scintillator afterglow, 309
 - scintillators, 309, 338
 - silicon charge–hole energy W , 295, 304
 - single-photon avalanche diode (SPAD), 305
 - spatial resolution, 241
 - wavelength dispersive spectroscopy (WDS), 313, 370
- DFT, *see* Fourier transform
- differential absorption, *see* absorption
- diffract before destruction, 21, 260, 451, 460, 461
- diffraction
 - Bragg’s law, 80, 85, 410
 - cylindrical optics, 126
 - Darwin width, 83, 425
 - Ewald sphere, 86, 90, 396, 404
 - liftoff, and depth of field, 90, 448
 - Fraunhofer (far field), 95, 417
 - Fresnel integral, 95, 103
 - Fresnel propagator, 103
 - Miller index, 82, 391, 509
 - plane grating, 79
 - reciprocal lattice, 88, 90
 - single slit, 78, 101
 - volume grating, 80, 112, 231, 410
- diffraction contrast tomography, *see* tomography
- diffraction microscopy, *see* coherent diffraction imaging (CDI)
- diffraction-limited focus, 120
- diffractive optics
 - Fresnel zone plate, *see* Fresnel zone plate
 - multilayer Laue lens, *see* multilayer Laue lens (MLL)
- digital vignetting, 100
- dimethyl sulfoxide (DMSO), 468, 473, 486
- Dirac delta function δ , 97, 116, 117, 144, 323
- distribution

- Gaussian, 75
 - normal, 75
- dose fractionation, 168, 348
- Drude model, 9, 48
- drunken sailor, 74
- duty cycle, 260
- eigenimage, 384
- eigenspectrum, 384
- electron
 - classical radius, 42
 - density, 52
 - energy loss, 49
 - energy loss near-edge structure (ELNES), 196, 358
 - energy loss spectroscopy (EELS), 188, 196, 358, 483
 - inelastic scattering, 257
 - inner potential, 192
 - most probable energy loss $\langle \Delta E \rangle$, 193
 - valence, 37, 356
- electron bunch, 269, 277
- electron density, *see* density
- electron energy loss spectroscopy (EELS), *see* electron
- electron interactions, 191
- electron microprobe, 188
- electron microscopy, 188
 - cryo methods, 453
 - single-particle methods, 389, 392, 451
- electron range (CSDA), 44, 45, 256
- electron spectroscopy for chemical analysis (ESCA), 257
- electron states, 24, 25, 29, 32, 35, 356
 - Fermi energy E_F , 36, 356
 - selection rules, 33, 34, 309
- electron volts (eV), 37
- elliptically polarizing undulator (EPU), 361
- EMC algorithm, 512
- emittance, 270
 - coupling, 270
- emptiness, *see* nothingness
- enantiomorph, 401, 414, 441
- error function, 173
- étendue, 136, 149, 260, 283, 410
- Ewald sphere, *see* diffraction
- exit wave, *see* coherent diffraction imaging (CDI), 111
- expectation maximization (EM), 336
- expectation value, 74
- Fermat's principle, 76
- Fermi energy E_F , *see* electron states
- Fermi's Golden Rule, 34, 364
- Fermi–Dirac distribution, 35
- FFT, *see* Fourier transform
- field of view, 1, 115, 116
- Fienup algorithm, *see* phase retrieval
- finite support, *see* phase retrieval
- fluence Φ , 171, 183, 186, 262, 425, 437, 458
 - imaging versus diffraction, 181
- fluorescence, 27
 - confocal, 379
 - self-absorption, 347, 370, 372, 378, 379
 - yield, 24, 28, 372
- fluorescence tomography, *see* tomography
- Fourier decomposition, 88, 138, 394
- Fourier ring correlation (FRC), 176, 424, 482
- Fourier shell correlation (FSC), 176
- Fourier space, 86, 96, 99, 100, 103, 395, 404
 - and reciprocal space, 86
 - tomography, 325
- Fourier transform, 96, 325
 - discrete Fourier transform (DFT), 97, 329
 - fast Fourier transform (FFT), 98, 329
 - matrix operation, 100, 423
 - Nyquist sampling, 97, 98, 104, 251, 254, 330, 447
 - periodicity, 99
 - shift theorem, 97, 116, 394, 413
 - zero padding, 99
- Fraunhofer approximation, 95, 418
- Fraunhofer diffraction, *see* diffraction
- freeze drying, 481
- Fresnel approximation, 94
- Fresnel diffraction, *see* diffraction
- Fresnel equations, *see* reflectivity
- Fresnel number, 105
- Fresnel zone plate, 13
 - aspect ratio, 222, 230
 - central stop, *see* central stop
 - central stop thickness, 225, 364
 - composite, 224
 - efficiency, 223
 - efficiency versus zone width, 228
 - jelly roll, 230
 - mark:space ratio, 221, 364
 - order-sorting/selecting aperture (OSA), 120, 224, 252, 254
 - spatial frequency multiplication, 397
- Fresnel's window, *see* refraction
- Friedel's law, 405
- Gaussian distribution, 169
- Gerchberg–Saxton algorithm, *see* phase retrieval
- grating interferometry, 159
- gray, *see* radiation dose
- group velocity v_g , *see* velocity
- Gy, *see* radiation dose
- Hankel transform, 108
- harmonic oscillator, 45
- heat capacity, 457
- heating
 - hydrodynamics, 460
 - specimen, 457

- Heisenberg uncertainty principle, *see* uncertainty principle
- Helmholtz equation, 57
- Henke data, 515
- hidden organizing factors, *see* optimization
- high harmonic gain sources (HHG), 267
- holography, 19, 390, 395
 color, 82
 Fourier transform, 400
 Gabor, 396
- holotomography, 160, 399
- HSQ, 226
- Hund's rules, 32
- Huygens point sources, 71, 82, 93
- hyperspectral imaging, *see* spectromicroscopy
- image magnification, 112
 longitudinal, 114
- immunolabeling, 154
- in operando*, *see* *operando*
- in situ*, 316
- incoherent superposition, *see* superposition
- index of refraction, *see* refraction
- Inigo Montoya, 72
- ionization potential, 26–28, 357
- jump ratio, *see* absorption
- Kierkegaard's observation, 33, 449, 450
- kinofom lens, 201
- Kirkpatrick–Baez mirrors, *see* reflective optics
- Klein–Cook parameter Q , 82, 112, 231
- knock-on damage, 188
- Köhler illumination, *see* condenser lens
- Kramers–Kronig relationship, 63, 238, 363, 515
- Kumakhov lens, 216, 370
- Lambert–Beer law, *see* absorption, 183
- laminography, *see* tomography
- lensmaker's equation, 117
- LIGA, 201
- limericks, 22, 70, 198, 204, 240, 258, 320, 349, 389, 456, 462, 484, 490, 495, 513
- linear absorption coefficient (LAC), *see* absorption
- linear accelerator (linac), 279
- Liouville's theorem, 131, 283
- Lorentz factor γ , 191
- low energy electron microscopy (LEEM), 256
- luminescence, 309
- Maréchal approximation, 76
- mark:space ratio, *see* Fresnel zone plate matrix
 pseudoinverse, 330, 383
- matrix material, *see* trace elements
- maximum likelihood expectation maximization (MLEM), 336
- mean free path Λ , 38, 191
- meridional plane, 207
- microdiffraction, 509, 511
- microspectroscopy, 350
- Miller index, *see* diffraction
- minimum detection limit, *see* detection limit
- mixture rule, 59
- mixture unit, 59
- modulation transfer function (MTF), *see* transfer function, 321
- molecular orbitals, *see* electron states
- momentum transfer q , 43, 86, 87, 89
- monochromator
 double crystal (DCM), 281
 double multilayer (DMM), 281
 grating, 282
 order sorting, 68, 282
 spherical grating, 282
 zone plate, 248, 282
- Montel mirrors, *see* reflective optics
- multilayer Laue lens (MLL), 125, 232
- multilayer mirrors, *see* reflective optics
- multiple scattering, *see* scattering
- multislice propagation, *see* wavefield propagation
- near-field scanning microscope, 122
- NEXAFS, *see* absorption
- noise
 Poisson, *see* Poisson distribution
 white, 292
- noise equivalent quanta (NEQ), 295
- nothingness, *see* emptiness
- number density, *see* density
- numerical aperture N.A., 91, 119
- Nyquist sampling, *see* Fourier transform
- operando*, 316, 495, 507, 512
- optical density, 57, 321, 351, 382
- optical path length, 76
- optical phase, 77
- optical theorem, 43
- optical transfer function (OTF), *see* transfer function
- optimization
 cost function, 331
 frequency marching, 334
 hidden organizing factors, 389
 multiscale, 334, 343
 numerical, 330, 388, 423, 441, 443
 objective function, 331
 regularizers, 332, 423, 447, 513
 sparsity, 332
- order-selecting aperture (OSA), *see* Fresnel zone plate
- order-sorting aperture (OSA), *see* Fresnel zone plate
- oscillator strength $f_1 + if_2$, *see* refraction
- overdetermination ratio, 419
- oversampling ratio, 419
- oxidation state, 357
- parallel computing
 trivially parallelizable, 324
- Patterson map, *see* autocorrelation map

- penumbral blur, 244
- phase
 - geometric, 53
- phase contrast, 18, 72, 156, 242, 363
 - Paganin method, 161
- phase problem, 325, 394, 411
- phase retrieval, 411
 - compact support, 328
 - difference map, 334
 - error reduction, 334
 - Fienup algorithm, 412
 - finite support, 412, 413, 417
 - Gerchberg–Saxton algorithm, 334, 411
 - hybrid input–output (HIO), 334
 - shrink-wrap, 414, 430
 - transfer function (PRTF), 176, 424
- phase space, 131, 136, 149, 270
- phase unwrapping, 53, 321, 340, 432, 445, 447, 449
- phase velocity v_p , *see* velocity
- phosphorescence, 309
- phosphors, 309
- photoactivated localization microscopy (PALM), 124
- photoelectron, 26
- photoelectron emission microscope (PEEM), 45, 256
- photometry, 261
- photon energy, 25
- photon momentum p , 25
- photon sieve, 224
- photon statistics, 169
 - minimum detection limits, 172
 - Rose criterion, 171
- photoresist, 226
- pixel, 1
- Planck constant h , 23, 25
- plasmon frequency ω_p , 37, 38, 49, 196
- plasmon resonance, 37
- plunge freezing, 478
- PMMA, *see* poly(methylmethacrylate) (PMMA)
- point projection x-ray microscope (PPXM), 12, 243
- point spread function (PSF), 120, 336
- Poisson distribution, 169
- polarization, 68, 272, 276, 369, 503
- poly(methylmethacrylate) (PMMA), 14, 226, 242, 397, 464–467, 489, 490
- polycapillary array, 370
- Porod’s law, 187
- power spectrum, 98, 100
- principal component analysis (PCA), 383, 477
- principal quantum number n , *see* Bohr model
- protein composition, 178
- protein data bank, 453
- proton-induced x-ray emission (PIXE), 188, 466, 483
- pseudoinverse, *see* matrix
- ptychography, 21, 390, 434
 - multislice, 449
 - resolution gain G_p , 436
- pure projection approximation, 90, 92, 148, 322, 404, 430, 447
- quantum defect, *see* Bohr model
- quantum efficiency, *see* detective quantum efficiency (DQE)
- radiation damage, 17
 - G value, 463
 - ablation, 459, 460
 - aqueous electron, 468
 - bystander effect, 470
 - Henderson dose, 464
 - hydroxyl radical, 468
 - initially living specimens, 12, 472, 474
 - ramen noodle model, 490, 491
 - scavengers, 468, 471, 473, 492
- radiation dose, 168, 183
 - dose equivalent, 183
 - electrons, 194
 - exposure H , 183
 - exposure (REM), 183
 - exposure (sievert), 183
 - gray, 183, 462
 - imaging versus diffraction, 181
 - LD₅₀, 183, 469
 - rad, 183, 462
 - radiation weighting factor W_R , 183
 - rate effects, 475
 - relative biological effectiveness (RBE), 183
 - scanning x-ray microscope (SXM), 256
 - skin dose, 183
 - transmission x-ray microscope (TXM), 252
 - versus resolution, 180, 186
- Radon transform, *see* tomography
- Rayleigh quarter wave criterion, 76–78
- Rayleigh resolution, *see* resolution
- real space, 96, 99
- reciprocal lattice, *see* diffraction
- reciprocal space, *see* Fourier space
- reciprocity, 153
- rect function, 101, 126
- reflection
 - critical angle (grazing) θ'_c , 64
 - Fresnel equations, 66
 - grazing incidence, 9, 67, 68, 205
 - normal incidence, 66
 - surface roughness, 69
 - total internal, 64, 65
- reflective optics
 - capillary, 10, 211, 249
 - capillary condenser lens, 211
 - figure error, 205
 - graded multilayer, 85, 214
 - Kirkpatrick–Baez (KB) mirrors, 10, 126, 128, 210

- Montel mirrors, 210
- multilayer mirrors, 84
- polycapillary array, 216
- Schwarzschild optics, 214
- slope error, 206
- spatial resolution, 210, 213, 239
- surface roughness, 205
- Wolter mirrors, 10, 212, 368
- x-ray spectrum filtering, 68
- refraction
 - Fresnel's window, 64
 - Snell's law, 64
 - x-ray critical angle (grazing) θ'_c , 65
- refractive index n , 9, 38, 39, 48, 50
 - Cauchy equation (visible light), 50
 - oscillator strength $f_1 + if_2$, 52, 59, 60
 - sign convention, 42, 51, 52
 - x-ray $n = 1 - \delta - i\beta$, 51, 59, 61
- refractive optics
 - compound refractive lens (CRL), 7, 200
 - transfocator, 201
- resolution
 - depth, 145, 147
 - Rayleigh (transverse spatial), 94, 120, 122
 - Sparrow criterion, 121
 - spatial, crossed cylindrical optics, 127
- Rydberg states, *see* electron states
- Rytov approximation, 58
- sagittal plane, 207
- sandpaper imaging, 407
- SAXS, *see* small angle x-ray scattering
- scanning, 254
 - fly (continuous) scan, 254
 - step scan, 254
- scanning fluorescence x-ray microscope (SFXM), 253
- scanning luminescence x-ray microscope (SLXM), 253
- scanning photoelectron emission microscope (SPEM), 45, 253, 256
- scanning transmission x-ray microscope (STXM), 252
- scanning x-ray fluorescence microscopy (SFXM), 368
- scanning x-ray microscope (SXM), 252
- scattering
 - Compton, 40
 - inelastic, 40, 41
 - inelastic (electrons), 45
 - inelastic mean free path Λ , 45
 - multiple, 41
 - no cloudy days, 40
- Schwarzschild mirrors, *see* reflective optics
- scintillators, *see* detectors
- secondary electrons, 257
- segmentation, *see* tomography, 337
- selection rules, *see* electron states
- self-absorption, *see* fluorescence
- self-amplified spontaneous emission (SASE), 279
- serial femtosecond crystallography, 455
- Shepp–Logan phantom, *see* tomography
- shift theorem, *see* Fourier transform
- signal to noise ratio (SNR), 171, 295
- silicon crystals, 83
- sinc function, 75, 102
- single-particle imaging, *see* electron microscopy
- singular value decomposition (SVD), 383
- sinogram, 324, 325
- skyrmion, 361, 510
- small-angle approximation, 78
- small-angle x-ray scattering (SAXS), 187
- Snell's law, *see* refraction
- solid angle, 293, 369
- solvent flattening, 415
- Sparrow resolution, *see* resolution
- spatial filtering, 21
- spatial frequency u , 79, 88, 96, 98
- spatial resolution, *see* resolution
- special relativity, 191
- specimen injection, 451–453, 455, 456
- speckle pattern, 406
- speckle size, 406, 407
- spectromicroscopy, 18, 350, 351
- spectrum imaging, *see* spectromicroscopy
- speed of light c , 25, 47
- spin-resolved low-energy electron microscope (SPLEEM), 256
- stimulated emission depletion (STED) microscopy, 123
- stochastic optical reconstruction microscopy (STORM), 124
- storage ring, 269
- Strehl ratio, 76, 229
- structured illumination, 122
- superposition
 - coherent, 73
 - incoherent, 73
- superresolution light microscopy, 125
- synchrotron, 268
- synchrotron light source, 269
- synchrotron radiation, 13, 14, 268
 - bunch structure, 261
- Talbot fringes, 159
- thermal conductivity, 458
- thin lens equation, 112
- tomography, 321
 - algebraic reconstruction tomography (ART), 329, 334
 - beam hardening, 347
 - Crowther criterion, 326, 329, 344
 - diffraction contrast (DCT), 341
 - equal slope, 326

- filtered backprojection, 327
- fluorescence, 378
- gridrec algorithm, 329
- iterative reprojecton, 343
- laminography, 345
- optimum thickness and absorption, 322
- pure projection approximation, *see* pure projection approximation
- Radon transform, 322
- ramp filter, 327
- ring artifacts, 346
- rotation center alignment, 342
- Shepp–Logan phantom, 328, 345
- simultaneous iterative reconstruction tomography (SIRT), 334
- tensor, 342, 432, 510
- tomosynthesis, 345
- total internal reflection, *see* reflectivity
- total variation, 332
- trace elements
 - differential absorption sensitivity, 354
 - fluorescence detection limits, 375
 - matrix, 352
- transfer function, 138
 - contrast (CTF), 139
 - modulation (MTF), 139
 - optical (OTF), 89, 120, 122, 139
- transfocator, *see* refractive optics
- transmission x-ray microscope (TXM), 15, 246
 - illumination phase space, 148, 283
- transport of intensity (TOI), 160
- transport of intensity equation (TIE), 160
- TV minimization, *see* total variation
- ultra high vacuum (UHV), 287
- uncertainty principle, 38, 130
- undulator, 272
 - elliptically polarizing (EPU), 276
- valence electron, *see* electron
- van Cittert–Zernike theorem, 130
- velocity
 - electron, 461
 - group v_g , 54
 - phase v_p , 9, 47, 48, 54
- voxel, 1
- water
 - amorphous ice, 50, 480, 484
 - crystalline ice, 484
 - ice bubbling, 492
 - mass diffusion, 491
 - vitreous ice, 480
 - vitricification, 480
- water window, 10, 20, 181, 185, 196, 316
- wave number k , 42, 71
- wavefield propagation, 93
 - circular coordinates, 106
 - finite difference method, 106, 111
 - multislice, 110, 232, 449
- Wiener filter, 142, 327
- wiggler, 275
- Wigner distribution function, 434
- Wolter mirrors, *see* reflective optics
- x-ray beam induced current (XBIC), 253, 506
- x-ray data tabulations, 515
- x-ray excited optical luminescence (XEOL), 253, 506
- x-ray free-electron laser (XFEL), 21, 278
- x-ray laser, 15
- x-ray magnetic circular dichroism (XMCD), 341, 361, 509
- x-ray magnetic linear dichroism (XMLD), 361
- x-ray photoelectron spectroscopy (XPS), 257
- x-ray photon correlation spectroscopy (XPCS), 407
- x-ray shells, 32
- XANES, *see* absorption
- Zernike phase contrast, 162
- zero padding, *see* Fourier transform
- zone plate, *see* Fresnel zone plate