

Notation index

- 2^X (power set), 182
 $X \leq_s Y$ (X is strongly reducible to Y), 321
 $X \leq_w Y$ (X is Weakly reducible to Y), 321
 $[n]_q$ (least positive residue), 191
 $[w]$ (cylinder), 15, 245, 299
 $x \uparrow y$ (compatible partial words), 179
 $?$ (question mark function), 67
 $[1, (-1 : 1)^{i-1}]_\lambda$, 87
 $[a_0, \dots, a_n]_1$, 70
 $[a_0, a_1, \dots]_\lambda$, 87
 $[a_0, e_1 : a_1, e_2 : a_2, \dots]_\lambda$, 87
 $[(a_j)_{j=0}^m, (a_j)_{j>m}]$, 87
 $[(a_n)_n]_\lambda$, 87
 $]q_1, q_2, q_3, \dots[$, 73
 $\langle r_1, \dots, r_n \rangle$ (generated similarity relation), 178
 $A_{(T)}$ (Arnold measure), 411
 $B_{r_1, r_2}(p, q)$ (bound of interaction), 190
 c (coding function), 65
 c_D (restriction of configuration c in domain D), 242
 $c_{i,D}$ (pattern of domain D extracted from position i in configuration c), 242
 $C(x)$, 67
 d (distance on words), 3
 Δ_n (complexity class of real numbers), 343
 $D_{(T)}$, $\Delta_{(T)}$ (discrepancy), 409
 $D(w)$ (domain of a partial word), 179
 ε (the empty word), 1
 ECA (elementary cellular automaton), 243
 F_\perp (restriction of CA F on \perp -finite configurations), 247
 \mathbb{F} , 62
 \mathbb{F}^\dagger , 62
 \mathbb{F}_N , 64
 F_P (restriction of CA F on periodic configurations), 245
 $f_\sigma(X)$ (upper frequency of σ in X), 344
 $f_\sigma(X, n)$ (upper frequency of σ in n -cubes in X), 344
 $f_\sigma(a)$ (frequency of σ in a), 344
 $FW(p, q)$ (extremal relational Fine and Wilf words), 201
 $\Gamma_{(T)}$ (distances in a Kronecker sequence), 408
 G_b (greedy map), 20
 $h(X)$ (topological entropy of X), 350
 $\mathbf{H}_{M,s}$ (constrained transfer operator), 417
 \mathbf{H}_s (plain transfer operator), 417
 \mathbf{H}_s (transfer operator), 403
 $\mathbf{H}_{(s,t)}$ (extended transfer operator), 426
 $\mathbf{H}_s^{(\tau)}$ (weighted transfer operator), 426
 $H(w)$ (set of holes), 179
 \mathbb{I} (closed interval), 62
 \mathbb{I}_w , 64
 $[[i, j]]$ (interval of integers), 1
 ι (identity relation), 178
 k' ($= k - 1$, for k -medieties), 82
 $\kappa(a)$ (Kolmogorov complexity of a), 325
 $\mathcal{K}(\alpha)$ (Kronecker sequence), 401, 404
 $\mathcal{K}_{(T)}(\alpha)$ (truncated Kronecker sequence), 405
 LFT (linear fractional transformation), 424
 $L(\cdot)$ (language), 3, 299, 318
 $L^c(\cdot)$ (complementary language), 299, 318
 $L^{\leq n}$ (concatenation of at most n words in L), 6
 $L_n(\mathbf{x})$ (factors of length n), 3
 L^* (Kleene star), 6
 L^n (power of a language), 6
 LPF (longest previous factor occurrence), 171
 LPrF (longest previous reverse factor occurrence), 171
 λ_k (k -Rosen continued fractions), 86
 \mathbb{M} , 62
 \tilde{u} (mirror image), 2
 \bar{L} (mirror image), 6
 μ_{ε_β} (lazy measure), 20
 NFA (non-deterministic finite automaton), 258
 $N_n(X)$ (number of words of shape $[0, n - 1]^d$ in X), 350

- NP_{unary} (complexity class NP in unary), 356
 ν_M (Hausdorff measure), 415
 Ω (universal relation), 178
 u^ω (concatenation), 4
 \oplus , 62
 \oplus_i , 84
 $\pi(w)$ (minimal period), 176
 π_D (higher block presentation with shape D), 304
 $\pi_{R,e}(x)$ (minimal external R -period), 187
 $\pi_{R,g}(x)$ (minimal global R -period), 187
 $\pi_{R,l}(x)$ (minimal local R -period), 187
 Π_{square} (set of square periods of a subshift), 356
 Π_n (complexity class of real numbers), 343
 \mathbf{R} (end-first tree), 76
 $\rho(n)$ (maximal number of runs in a word of length n), 162
 r_i (k -Rosen mediety), 86
 \mathbf{R}^k , 89
 R_Y (restriction of R on Y), 177
 S (shift), 14
 S_u (shift), 299
 $\Sigma^{s,d}$ (set of d -dimensional patterns), 297
 σ_M (Hausdorff dimension), 415
 Σ_n (complexity class of real numbers), 343
 $\text{stab}(x)$ (stabiliser of x), 356
 τ_t (translation), 244
 $T(w)$ (w word), 66
 v (value function), 65
 $V_{(T)}$ (covered space), 408
 \overleftarrow{w} (w finite word), 71
 \overline{w} (w word), 66
 w_\circ (companion word), 179
 \overline{x} (x number), 66
 $\mathbf{X}(\cdot)$ (subshift defined by forbidden patterns), 245
 $\mathbf{X}(\cdot)$ (subshift defined by forbidden patterns), 297
 $\mathbf{X}^+(\cdot)$ (subshift defined by allowing patterns), 299

General index

- 2-Toeplitz
 family, 346
 sequence, 347
 a.e., *see* almost everywhere
 abelian
 cube, 123
 square, 123
 Aberkane, A., 146, 149
 accessible state, 8
 additive
 form (of the Euclidean algorithm), 70
 function, 378
 Adian, S. I., 101
 adjacency matrix, 124
 Adler, R. L., 229
 admissible
 frontier, 362
 pattern, 297
 Akiyama, S., 57
 Allouche, J.-P., 43, 108, 110, 144, 146, 150
 almost everywhere, 17
 Alon, N., 147
 alphabet, 1
 integer, 160
 alteration relation, 183
 aperiodic, 230
 automaton, 216
 graph, 230
 tile set, 263, 307
 Apostolico, A., 158, 167
 appearance (of a pattern), 297
 approximate square, 147
 arithmetic progression, 120, 147, 148
 arithmetic subsequence, 120
 Arnold measure, 402, 410, 411, 418, 420, 435
 Arnold, V. I., 410
 Arnoux, P., 62
 Assem, I., 360
 Aubrin, N., 329
 augmenting word, 223
 automatic sequence, 143
 automaton, 107, 146, 214
 aperiodic, 216
 circular, 221
 complete, 9
 complete deterministic, 214
 deterministic, 8, 214
 equivalent, 230
 irreducible, 214
 level, 221, 233
 one cluster, 221
 strongly transitive, 221
 synchronised, 214
 trim, 8
 Béal, M.-P., 214, 237
 Baatz, M., 54
 Badkobeh, G., 154, 155
 Baiocchi, C., 35
 Baker, S., 56
 Baladi, V., 403, 439
 balanced, 132
 basic sequence, 429, 430, 436
 basis, 372
 Bean, D. A., 112, 147
 Beck, J., 113, 147
 Bell, J. P., 149
 Berger's theorem, 306, 317
 Berger, R., 263, 267, 306
 Bergeron, F., 361
 Berlinkov, M. V., 213, 214
 Berman, S., 360, 378
 Bernoulli measure, 248, 252
 Berstel, J., 146, 175, 179, 225, 365
 β -expansion, 14, 19
 greedy, 19
 lazy, 19
 β -representation, 14
 β -shift, 15
 β -transformation, 13
 Birkhoff ergodic theorem, 17, 20

- Blanchet-Sadri, F., 175
 block, 116, 125
 Blondel, V., 149
 Boasson, L., 175, 179
 Bodini, O., xvii
 border, 152
 Borwein, P., 57
 bound of t_1 - t_2 interaction, 190
 Bousquet-Mélou, M., 366
 Brandenburg, F.-J., 146, 147
 Breslauer, D., 168
 Brocot, A., 60
 Brown, S., 146
 Bruyère, V., 150
 Büchi, J. R., 150
 Bugeaud, Y., 62
 bunch, 231
 Burnside problem, 101
 Burton, R., 62
 CA (cellular automaton), 243
 Caldero, P., 359
 Cantor set, 4, 47, 415, 425
 Cardano, G., 93
 Carpi, A., 147, 148, 214, 226
 Cartan matrix, 380
 ceiling function, 13
 cellular automaton, 243, 342, 357
 balance theorem, 251, 256
 bijjective, 247
 CA rule
 controlled xor, 256, 286
 Game-Of-Life, 241, 254, 255, 294
 majority, 252, 254
 Q2R, 248, 252
 rule 110, 243, 250, 252, 253, 257–259
 Snake xor, 286
 traffic, 243, 254
 xor, 243, 253, 256
 configuration, 242
 asymptotic, 252
 finite, 247
 fixed point, 245
 fully periodic, 244
 Garden of Eden, 249, 295
 periodic, 244
 temporally periodic, 245, 295
 conservation law, 249
 elementary, 243
 entropy, 293
 equicontinuous, 293
 Garden of Eden theorem, 252
 injective, 247, 253, 259
 invariant measure, 252
 inverse automaton, 247
 local rule, 243
 neighbourhood, 243
 Moore, 243
 radius- $\frac{1}{2}$, 243
 radius- r , 243
 von Neumann, 243
 nilpotent, 280, 295
 orphan, 249
 periodic, 288, 295
 permutive, 253
 preinjective, 252, 254
 reversible, 247, 253
 sensitive, 293
 space-time diagram, 243, 289
 stable state, 247
 state, 242
 surjective, 247, 253, 254, 256, 259
 Wolfram number, 243
 Černý's conjecture, 215
 Černý, J., 215
 Cesaratto, E., 402
 Chairungsee, S., 174
 Chapoton, F., 397
 Charlier, É., 144, 150
 Chen, A., 329
 Chen, G., 160
 child
 *i*th left, 89
 Christoffel word, 92
 standard factorisation, 93
 Chuquet, N., 60
 clopen set, 16
 cluster, 136, 221, 232
 generating function, 136
 method, 135, 138, 149
 co-accessible state, 8
 code, 182, 238
 Huffman, 239
 maximal, 238
 prefix, 238
 R-, 183
 (*R, S*)-, 183
 codewords, 238
 coding, 64
 codon, 180
 compactness, 245
 companion word, 179
 compatibility relation, 177
 compatible, 177
 complementary language
 of a set, 318
 of a subshift, 299
 complete automaton, 9
 computable
 function, 317, 319
 concatenation, 2

- configuration, 242, 297
 - finite, 247
 - fully periodic, 244
 - periodic, 244, 306
 - square period of, 306
 - temporally periodic, 245, 295
- congruence
 - stable, 231
 - stable pair, 231
- conjugacy, 262
- conjugate
 - digit, 39
 - expansion, 39
 - letter, 85
 - of a word, 66
- continued fraction expansion, 60, 70, 401, 405, 423
 - α -continued fraction, 70
 - backward, 76
 - beginning continuants, 405, 424, 431
 - depth, 405, 416, 423
 - digits, 402, 405, 423
 - ending continuants, 424, 431
 - partial quotients, 402
 - remainders, 424
 - Rosen, 61
- Conway, J., 254, 360
- Cosnard, M., 43
- cost
 - balance, 414
 - balanced, 414, 428, 430, 434
 - digit-cost, 413, 426, 434
 - elementary, 413
 - extremal, 434
 - imbalance, 414, 421, 436, 437
 - ordinary, 434
 - standard, 434
 - unbalanced, 414, 417, 428, 436
- cover, 151, 167
- covered space, 402, 408, 418, 419, 435
- Coxeter, H. S. M., 360
- critical
 - exponent, 144, 146
 - position, 194
- Crochemore, M., 147, 154, 158, 160, 174, 205
- cube, 102
 - abelian, 123
- cubefree
 - word, 102
- Culik, II, K., 231, 263
- Currie, J. D., 108, 110, 146–149, 151
- Curtis, M., 301
- Curtis–Hedlund–Lyndon theorem, 247
- cylinder, 15, 245, 299
- D’Alessandro, F., 214
- Daireaux, B., 408
- Dajani, K., 19, 21, 22, 62
- Damanik, D., 146
- Daróczy, Z., 35, 54
- Daudé, H., 421
- de Bruijn graph, 257
 - diagonal, 259
 - diamond, 260
 - pair graph, 258
- de la Rue, T., 62
- de Luca, A., 146, 201, 203
- de Vries, M., 19, 22, 46
- de Vries–Komornik constant, 46
- decidability, 143
- decision problem
 - CA INJECTIVITY, 260, 287
 - CA NILPOTENCY, 280, 292
 - CA PERIODICITY, 288
 - CA SURJECTIVITY, 261, 289
 - COMPLETION PROBLEM, 294
 - DOMINO PROBLEM, 263, 305
 - EMPTINESS, 261, 305
 - FINITE TILING PROBLEM, 294
 - GARDEN OF EDEN PROBLEM, 295
 - PERIODIC TILING PROBLEM, 279
 - TILING PROBLEM WITH A SEED TILE, 266, 305
 - TILING PROBLEM, 261, 263, 274, 292
 - TURING MACHINE HALTING ON BLANK TAPE, 264
- decoder, 238
 - of a prefix code, 238
- Dejan, F., x
- Dejean’s conjecture, 147
- Dejean’s theorem, 114, 116
- Dejean, F., 115, 147, 151
- Dekking, F. M., 125, 127, 146
- dependency digraph, 113
- DFA, 8
- Di Francesco, P., 360
- diagonal, 259
- diagonal ray, 369
- diamond, 260
- directing vector of a ray, 369
- Dirichlet series, 403, 428, 437
- discrepancy, 401, 402, 409, 418, 420, 435
- discriminant, 391
- distance, 3
 - ultrametric, 4
- distances, 401, 402, 404, 405, 408, 421, 422
- Dolgopyat bounds, 429, 440
- Dolgopyat, D., 429
- dominating eigenvalue, 368
- domino tilings, 298
- Downarowicz, T., 148

- Dubuc, L., 214, 221
 Durand, B., 289, 329
 dynamical analysis, 403, 408, 423, 427
 dynamical system
 conjugacy, 16
 effective, 325
 measure-theoretic, 16
 subshift, 15, 245, 299
 symbolic, 15
 topological isomorphism, 16
 \mathcal{E} -admissible, 297
 edge, 214
 a -edge, 231
 label of, 214
 effective
 dynamical system, 341
 set, 318
 subset, 341
 subshift, 326
 effectively closed set, 318
 Ehrenfeucht, A., 112, 147, 167
 eigenvalues of a rational sequence, 368
 Eilenberg, S., 216, 368
 emptiness problem (tilings and SFTs), 261, 306, 317
 empty word, 1
 end-first
 algorithm, 76
 tree, 76
 Engel, F., 61
 Engel–Sierpiński mediety, 74
 Entringer, R. C., 148
 entropy
 dimension, upper and lower, 357
 entropy (of a subshift), 350
 enumeration
 overlapfree words, 134
 squarefree words, 134
 Eppstein, D., 213
 equivalence relation, 177
 equivariant, 300
 Erdős, P., 18, 31, 56, 123
 ergodic, 16
 Birkhoff theorem, 17
 individual ergodic theorem, 17
 Euclidean algorithm, 70
 additive form, 70
 Euclidean dynamical system, 403, 417, 423
 Evdokimov, A. A., 123
 even shift, 246
 eventually periodic word, 3
 excess, 119
 expansion, 19, 73
 β -, 14
 Engel–Sierpiński, 73
 greedy, 19
 lazy, 19
 exponent of a word, 103
 exponential polynomial, 368
 extension (of a subshift), 300
 extension problem (tilings and SFTs), 306
 extension–reduction, 308
 external
 R -period, 187
 word, 187
 extremal
 Fine and Wilf word, 201
 relational Fine and Wilf word, 201
 f -factorisation, 160
 factor
 forbidden, 146
 of a word, 2, 3
 proper, 2
 subshift, 300
 factor map, 300
 factorial language, 6
 factorisation
 X -factorisation, 182
 f -factorisation, 160
 standard, 161
 Ziv–Lempel, 160
 Fekete’s Lemma, 344
 Feng, D.-J., 22
 Fibonacci word, 5, 146
 fibred system, 14, 63
 fidelity relation, 183
 Fife’s theorem, 107
 Fife, E. D., 107, 146
 final state, 7
 Fine, N. J., 175
 finite automaton, 8, 258
 finite tiling, 294
 finite-repetition threshold, 155
 Flajolet, P., 403, 421
 Fomin, S., 359
 fractional power, 103, 147
 Fraenkel, A. S., 153
 frieze, 370
 of type G , 371
 patterns, 360
 fringe, 390
 frontier, 362
 full shift, 15, 246
 Game-Of-Life, 241, 254, 255, 294
 Garden of Eden, 249, 295
 Garden of Eden theorem, 252
 Garsia number, 32
 Garsia, A. M., 32
 Gauss map, 95, 403, 423
 generating function, 135

- Glendinning, P., 23, 54
 global R -period, 187
 Goh, T. L., 149
 Golden mean shift, 7, 15, 298
 Golden Ratio, 5, 22, 66
 Golod, E., 149
 Goodwyn, L. W., 229
 Gottschalk, W. H., 147
 Goulden, I., 135
 Graham, R., 148
 graph
 aperiodic, 230
 period of, 230
 greedy expansion, 19
 grid, 312
 group, 2
 growing morphism, 117
 Grytczuk, J., 147, 148
 Guillon, P., 357
 Gurevich, Ju. Š., 355
 Haas, A., 62
 Hadamard product, 367
 Halava, V., 175, 202
 Haluszczak, M., 147
 Hancart, C., 164
 hard core model, 298
 Hare, K. G., 57
 Harju, T., 175, 202
 Hausdorff
 dimension, 415, 421, 439
 measure, 415, 439
 Hedlund, G., 147, 301
 higher block presentation, 257, 304
 Hilbert curve, 282
 Hippocrates of Chios, 61
 Hochman, M., 329, 341, 349, 354, 357
 Hohlweg, C., 162
 hole, 179
 Hopcroft, J. E., 258
 horizontal ray, 369
 Horváth, M., 18
 Hubert, P., 62
 Huffman code, 239
 Ilie, L., 158–160
 Iliopoulos, C. S., 169, 174
 image, 233
 in an automaton, 233
 minimal, 233
 independent set, 221
 individual ergodic theorem, 17
 infix, 111
 initial quiver, 372
 integer alphabet, 160
 interlacing, 367
 interval
 stability, 51
 invariant
 measure, 16
 inverse CA, 247
 isomorphism
 subshifts, 300
 topological, 16
 Jackson, D. E., 148
 Jackson, D. M., 135
 Janvresse, E., 62
 Jeandel, E., 342, 356
 Joó, I., 18, 56
 Jungers, R., 149
 k -automatic sequence, 143
 k -power, 102
 k -powerfree, 103
 k -recognisable sequence, 143
 k -slice (of a subshift), 328
 Kärki, T., 175, 202, 209
 Kallós, G., 54
 Kao, J.-Y., 148
 Karhumäki, J., 154, 231
 Kari, J., 216, 229, 231, 263, 267, 288
 Keller, B., 397
 Kempton, T., 28
 Keränen, V., 124
 kernel repetition, 119
 Kleene star, 6
 Kleene, S. C., 9
 Kolmogorov complexity, 325
 Kolpakov, R., 159
 Komatsu, T., 57
 Komornik, V., 18, 35, 39, 56
 Korjakov, I. O., 355
 Kozik, J., 147, 148
 Kraaikamp, C., 21, 22, 62
 Krieger, D., 146
 Kubica, M., 174
 Kucherov, G., 159
 Kátai, I., 35, 54
 label, 214
 Lai, A. C., 56
 Landau theorem, 403, 429
 language, 5
 complementary, 299, 318
 factorial, 6
 finite, 6
 infinite, 6
 of a closed set, 318
 of a subshift, 299
 prefix-closed, 6
 suffix-closed, 6
 Laurent
 phenomenon, 371

- polynomial, 372
- lazy
 - expansion, 19
 - measure, 20
- Lecroq, T., 164
- left form (of a bound of a k -Rosen interval), 88
- Lenz, D., 146
- letter, 1
- level
 - of automaton, 221, 233
 - of state, 221, 232
- Lhote, L., 408
- Lind, D., 352, 357
- linearisation coefficients, 387
- Linek, V., 146
- linked set, 219
- local
 - R -period, 187
 - partial period, 187
- locally strongly transitive, 221
- longest previous reverse factor occurrence, 171
- Lorentz, R. J., 158
- Loreti, P., 22, 39
- Lovasz local lemma, 113, 145, 147
- lower entropy dimension, 357
- Lyndon
 - tree, 161
 - word, 160
- Lyndon, R., 301
- M -balanced, 132
- Main, M. G., 158
- marked word, 135
- matrix
 - adjacency, 124
- Mauldin, R. D., 32
- maximal code, 238
- McNulty, G., 112, 147
- measure invariant, 16
- measure-theoretic
 - dynamical system, 16
- mediant, 68
- mediety, 62
 - k -Rosen, 86
 - k -mediety, 84
 - Engel–Sierpiński, 74
 - Stern–Brocot, 68
- Medvedev
 - degree, 321
 - reducible, 321
- merge, 367
- Meyerovitch, T., 349, 354, 357
- Micek, P., 147
- Michaux, C., 150
- Mignosi, F., 146, 201, 203
- minimal
 - dynamical system, 16
 - image, 233
 - period, 176
 - subshift, 326, 357
 - word, 3
- Minkowski, H., 67
- Mione, L., 146
- mirror, 2
- Mohammad-Noori, M., 147
- monoid, 2
 - of binary relations, 216
- Moody, R., 360, 378
- Moore, D., 169
- Moore, E. F., 252
- Mor, S. J., 146
- morphism, 127
 - growing, 117
 - powerfree, 111
 - squarefree, 111
 - uniform, 116, 143
- Morse, M., 146
- Moser, R., 147
- Moulin-Ollagnier, J., 147
- Muchnik
 - degree, 321
 - reducible, 321
- Multinacci number, 22
- multiplicative form (of a word), 66
- mutation, 372
 - graph, 375
 - polynomial, 372
- Myers, D., 322
- Myhill, J., 252
- Nakada, H., 62
- nearest-neighbour SFT, 303
- Nicaud, C., 213
- non-deterministic polynomial complexity, 355
 - in unary, 356
- non-periodic word, 3
- non-repetitive colouring, 147
- normalised error, 20
- Novikov, P. S., 101
- NP (complexity class), 355
- \mathbb{N} -rational
 - frieze, 371
 - sequence, 365
 - series, 365
- number
 - Garsia, 32
 - Multinacci, 22
 - Pisot, 32
- occurrence (of a pattern), 297
- Ochem, P., 147
- Ollinger, N., 288
- one-sided shift, 14

- one-step SFT, 303
- orbit
 - of an infinite word, 15
- origin of a ray, 369
- orphan, 249, 255, 259
- overlap, 105
- overlapfree, 145, 146
 - word, 105
- pair graph, 258
- palindrome, 2, 151, 171, 203
 - gapped, 152
- Pansiot recoding, 118
- Pansiot, J.-J., 117, 147, 153
- paperfolding word, 122
- Park, K., 169
- Parry, W., 19, 60
- partial
 - period, 187
 - word, 179
- partial quotients, 70
- Paterson, C. W., 181
- path, 7
 - label, 7
 - successful, 7
- pattern, 123, 139, 143, 148, 242, 297
 - alphabet, 123
 - appears in, 297
 - instance, 123
 - occurs in, 297
 - orphan, 249, 255, 259
 - shape, 297
 - subpattern, 297
 - support, 297
 - variable, 123
 - Zimin, 123
- Pavlov, R., 342, 357
- Pedicini, M., 56
- Pegden, W., 147
- perfect set, 47
- period, 3, 119, 176, 230
- periodic, 143
 - configuration, 306
 - fully, 244
 - spatially, 244
 - temporally, 245
 - word, 3
- Perrin, D., 214, 225, 237
- Petrov, A. N., 148
- Pin, J. -E., 216
- Pirillo, G., 146
- Pisot number, 32
- Plagne, A., 402
- plane-filling property, 282
- Pleasants, P. A. B., 124
- positivity conjecture, 397
- power series method, 138
- power set, 182
- powerfree morphism, 111
- prefix, 2
 - closed language, 6
- prefix code, 238
 - synchronised, 239
- Preparata, F. P., 158
- preperiod, 3
- primitive word, 103
- principal subgrid, 315
- probabilistic method, 113
- probabilistic model, 402, 408, 415
 - constrained probabilistic model, 402, 415, 416
 - rational probabilistic model, 402, 416, 428, 433
 - real probabilistic model, 402, 415, 427, 433
- product topology, 245
- progression-free set, 125
- Protasov, V., 149
- Prouhet, E., 146
- Puglisi, S. J., 160, 162
- pure period, 186
- Puzyna, J., 61
- Pythagoras, 59
- quasi
 - period, 167
 - periodicity, 167
 - seed, 169
- question mark function, 67
- quiver, 359, 370
- Rényi, A., 18
- Rabin, 9
- Rampersad, N., 144, 146–151
- Ramsey theory, 101
- random Fibonacci sequences, 80
- rank, 226, 229, 233
 - of a relation, 226
 - of a word, 229
 - of an automaton, 233
- Rao, M., 147, 151
- rational
 - frieze, 371
 - power, 2
 - sequence, 366
- ray, 369
- R-code, 183
- reciprocal, 199
- recurrent word, 3
- recursive
 - function, 317, 319
 - set, 317
- recursively enumerable set, 317
- reduced set, 135
- reflected ratio, 93
- reflexive, 177

- regular language, 7
 sofic shifts, 303
 relational period, 186
 relationally universal, 202
 repeat, 151, 152, 163
 repetition, 151, 157
 threshold, 114, 147, 155
 repetitions, 101
 representation
 β -, 14
 Restivo, A., 105, 146
 Reutenauer, C., 162, 225, 365
 reversal, 2
 right form (of a bound of a k -Rosen interval), 88
 Riordan, O., 147
 R -isomorphic, 202
 Rittaud, B., 62
 Robinson's system, 314
 Robinson's tiles, 267, 291
 minimal, 274
 patch, 269
 Robinson, R., 261, 267
 Robinson, R. M., 314
 Romashchenko, A., 329
 Rosen continued fractions, 61
 Rosen, D., 61
 Rothschild, B., 148
 R -overlap, 205
 (R, S) -code, 183
 R -square, 205
 R -squarefree, 205
 Ruelle, D., 425
 run, 151, 159
 R -universal, 202
 running Turing machines on grids, 313
 Rytter, W., 162, 174
 Rényi, A., 60
 Séébold, P., 153
 Saari, K., 146
 Sablik, M., 329
 Salemi, S., 105, 146
 Sardinias, A. A., 181
 Schützenberger, M.-P., 230
 Schatz, J. A., 148
 Scherotzke, S., 397
 Schmidt, K., 357
 Schmidt, T., 62
 Schraudner, M., 342, 357
 Sciortino, M., 146
 Scott, 9
 scrambled pattern, 148
 seed, 151, 167
 semi-adjacent minor, 388
 semi-algorithm, 263
 semi-decision, 317
 semigroup, 2
 sequence
 Kronecker sequence, 401, 404
 parameters for Kronecker sequences, 404
 pseudo-randomness of a sequence, 401
 truncated Kronecker sequence, 401, 405
 Series, C., 62
 set
 Cantor, 4, 47
 clopen, 16
 SFT (subshift of finite type), 246
 Shallit, J., 108, 110, 144–148, 150, 154
 shape (of a pattern), 297
 shift, 14, 66, 244
 β -shift, 15
 action, 244, 299
 full, 15
 one-sided, 14
 two-sided, 14
 shift of finite type, 15, 246, 297
 nearest-neighbour, 303
 one-step, 303
 shift-invariant, 299
 Shmerkin, P., 32
 short repetition, 119
 Shur, A., 134, 146, 147
 Sidorov, N., 18, 22, 23, 54, 56
 Sierpiński, W., 61
 signed continuant polynomial, 389
 Silva, M., 148
 Simon, K., 32
 Simpson, J., 148, 153, 162
 Simpson, S., 322
 sink, 9
 SL_2 -tiling of the plane, 360
 slice (of a subshift), 328
 sliding block code, 16, 247
 Smeets, I., 62
 Smith, D., 360
 Smyth, W. F., 160, 168
 sofic shift, 302
 Solomyak, B., 32
 spanning subgraph, 206
 Spencer, J., 147, 148
 square, 102
 abelian, 123
 period, 306, 356
 squarefree
 morphism, 111
 word, 102
 stability interval, 51
 stable
 pair, 231
 relation, 218
 standard factorisation, 161

474

(of a Christoffel word), 93
 state
 accessible, 8
 co-accessible, 8
 final, 7
 level, 221, 232
 terminal, 7
 Steiner, W., 62
 Stern, M., 60
 Stern–Brocot mediety, 68
 strong
 degree, 321
 equivalence, 321
 reducibility, 321
 strongly irreducible subshift, 326, 357
 strongly transitive automaton, 221
 Sturmian word, 146
 subaction (of a subshift), 341
 subadditive function, 378
 subpattern, 297
 subsequence, 120
 subshift, 15, 52, 245, 299
 aperiodic, 15
 conjugacy, 16, 262, 300
 effective, 326
 entropy, 350
 even shift, 246
 extension, 300
 factor, 300
 finite type, 15, 52, 246
 isomorphism, 300
 lower entropy dimension, 357
 minimal, 274, 326
 periodic, 15
 set of square periods, 356
 slice of, 328
 sofic, 15
 strongly irreducible, 326
 upper entropy dimension, 357
 substitution, 4
 suffix, 2
 -closed language, 6
 superprimitive, 167
 superstring, 152
 support (of a pattern), 297
 surjunctive group, 256
 symbol, 1
 symbol code, 305
 symbolic dynamical system, 15
 symbolic factor (of a subshift), 300
 symmetric, 177
 synchronisable
 pair, 214
 set, 214
 synchronised, 239

General index

prefix code, 239
 synchronising word, 214, 225, 239
 for a code, 239
 Tardos, G., 147
 Tauberian theorem, 403, 429
 template, 128
 ancestor, 129
 instance, 128
 parent, 128
 terminal state, 7
 three-distance theorem, 401, 406
 Thue, A., x, 101, 102, 105, 146, 147, 151, 153
 Thue–Morse
 morphism, 5, 103, 153
 word, 5, 102, 105, 143, 145, 146, 150
 Tijdeman, R., 203
 tiling, 262, 303
 space, 246, 303
 Toeplitz
 family, 346
 sequence, 347
 subshift, 346
 topological
 conjugacy, 16
 dynamical system, 16
 entropy, 293, 350
 isomorphism, 16
 topological entropy, 357, 358
 Trahtman, A., 213, 217, 230
 trajectory, 10
 transfer operator, 403, 421, 430, 436–438
 constrained, 415, 417, 425
 extended, 426
 middle, 434
 plain, 417, 425
 weighted, 426, 430, 441
 transition
 function, 9
 monoid, 216
 relation, 7
 transitive, 177
 translation (by a vector), 244, 297
 translation (via RNA), 180
 transpose, 391
 trim, 8
 truncation
 boundary position, 402, 407, 410, 418, 435
 boundary truncation, 407, 418
 generic position, 402, 407, 410, 419, 420, 435
 generic truncation, 407, 419, 420
 position of the truncation, 402, 407, 413
 two-distance truncation, 401, 406, 407, 410, 418
 Turing degree, 326
 Turing machine, 264, 310

- Turing, A., 264
 two-distance phenomenon, 401, 404
- Ullman, J. D., 258
 ultimately periodic, 3, 143, 144
 uniform morphism, 116, 143
 uniformly recurrent word, 3
 unique ergodicity, 17
 universal critical exponent, 144
 univoque base, 40
 upper entropy dimension, 357
- Vallée, B., 402, 403
 van der Waerden's theorem, 120, 132, 145
 van der Waerden, B. L., 148
 Vanier, P., 356
 variables of a frontier, 362
 Vasiga, T., 146
 vertical ray, 369
 Vichniak, G. Y., 248
 Villemaire, R., 150
 Vinberg, È. B., 359, 378
 Volkov, M. V., 216, 220
- Waleń, T., 174
 Wang tile, 262
 4-way deterministic, 292
 aperiodic tile set, 263
 directed, 281
 NW-deterministic, 289
 plane-filling, 282
 Robinson's, 267, 291
 SNAKES, 284
 Wang tiles, 303
 Wang, H., 263, 303, 306
 Ward, T., 357
 weak
 degree, 321
 equivalence, 321
 R-code, 183
 reducibility, 321
 Weihrauch, K., 343
 Weiss, B., 229, 303
 Werckmeister, A., 61
 Wilf, H. S., 175
 Witkowski, M., 147, 148
 Wonenburger, M., 360, 378
 word, 1, 101
 associated with a point, 362
 augmenting, 223
 bi-infinite, 3
 concatenation, 2
 distance, 3
 eventually periodic, 3
 factor, 3
 Fibonacci, 5
 infinite, 3
 Lyndon, 160
 marked, 135
 minimal, 3
 mirror, 2
 non-periodic, 3
 overlapfree, 105
 partial, 179
 periodic, 3
 preperiod, 3
 primitive, 103
 purely morphic, 4
 recurrent, 3
 reversal, 2
 Sturmian, 201
 synchronising, 214, 225
 two-dimensional, 122, 148
 uniformly recurrent, 3
 X-factorisation, 182
 Zamboni, L. Q., 202, 203
 Zaremba's conjecture, 100
 Zelevinsky, A., 359
 Zheng, X., 343
 Zimin pattern, 123
 Zinoviadis, C., 357
 Ziv–Lempel factorisation, 160, 171