

Index

- adjacent ecosystems, 7, 68, 151, 163, 169–170, 188–189, 245, 247, 260, 389
- Africa, 88, 94–95, 114–115, 117, 170, 171, 239
- algae, 44, 60, 73, 74, 148, 161, 163–164, 172, 223, 237, 248, 271, 327, 371
- abundance, 20, 171, 388
- community composition, 20, 45, 60, 62, 65, 158, 169–170, 302, 388
- defense, 210, 211–212, 214
- diversity, 60–61, 170, 323–324, 326, 329, 332–333
- productivity, 19, 58, 61, 150, 171, 173, 188, 223, 301, 304, 310, 326, 332, 346
- stoichiometry, 59, 60–62
- allochthonous, 16–18, 68–69, 164, 170, 244–245, 248–250, 261, 270, 272–274, 376
- alternate states, 38–39, 43, 47–49, 74, 93, 125, 393, 394
- anthropogenic effects, 31, 34, 46, 75, 94–95, 115, 125–126, 163–164, 174, 176, 177, 180, 225, 250, 265, 308, 365
- ant-plant, 289, 291, 293, 296, 298
- ants, 123, 240, 267, 291, 293, 294, 296, 297, 310, 352, 385
- apex predator. *See* top predator
- apparent competition, 17, 139, 142, 148–151
- apparent mutualism, 148, 150
- Atlantic, 9, 10, 35, 37, 39, 46, 48, 174–176, 186, 189, 247, 293
- autochthonous, 135, 270, 271, 274
- bacteria, 237, 239, 242, 244, 248, 263, 371
- abundance, 274, 278, 324
- community composition, 264, 266, 269, 272, 275–276
- diversity, 266, 269, 278, 324
- productivity, 57, 265, 269, 275–276, 389
- stoichiometry, 236, 267
- Baltic Sea, 43, 324
- barnacles, 160, 161, 164–167, 173
- beetles, 111, 291, 293, 294, 296, 297, 345
- behavior, 74, 277, 301, 304, 325, 353, 373, 384, 391
- herbivore, 93, 95, 115, 184, 208, 344
- prey, 115, 121, 150, 163, 172, 243, 344, 348, 353
- Białowieża Primeval Forest (BPF), 115–121
- biodiversity loss, 72–73, 376, 377–382, 388, 394
- Biodiversity-Ecosystem Function (BEF), 56, 72, 318, 377, 394–395
- biotic resistance, 334, 343, 385, 387
- birds, 44, 149, 163, 171, 188, 249, 345, 352
- browse traps, 94, 113–114, 116, 118
- browsers, 93, 94, 95, 111, 113–114, 126, 241, 376
- browsing pressure, 94, 95, 118, 121
- carnivores, 61–62, 67, 115, 123, 125, 136, 184, 204
- carrying capacity, 34, 48, 93, 120
- caterpillars, 293, 294, 296, 297, 298, 345, 346, 352, 353
- climate, 35, 92, 120, 240, 296
- climate change, 44, 98, 225, 372–375, 377, 390, 392, 394
- competition–defense tradeoff, 330–332, 333
- competitive exclusion, 92, 122, 269, 371
- complementarity effect, 321–323
- conservation, 56, 134, 161, 163, 382, 392, 395
- crab, 41, 172, 177, 179, 328, 382, 385–386
- cross-ecosystem effects, 16–17, 18, 21, 69, 134, 139, 149, 150, 151, 167, 170, 173, 182, 189, 243, 246, 248, 249, 250, 389
- cyanobacteria, 44, 59, 61, 67, 71, 170, 237, 327
- Daphnia*, 75, 277, 278, 309, 346, 389
- decomposition rate, 57, 151, 221, 235, 261, 263
- defense, 136, 297, 342, 344, 345, 351, 368
- allocation, 214, 370
- chemical, 205, 210–213, 214, 267, 269, 293, 294, 298
- constitutive, 214
- induced, 210–211, 213, 219, 241
- resistance, 210–212, 213–215
- resistance traits, 118, 124, 205–206, 208–209, 215, 219, 221, 224–225, 343
- structural, 95, 205, 210–212, 214, 269
- detritivore, 12, 70, 73, 174, 182, 233, 242, 244, 248, 272, 376
- biomass, 185

- community composition, 263
- diversity, 260, 327, 379
- food web, 182, 186, 188, 265, 327
- disease, 95, 122, 275, 340, 374, 376
- disturbance, 71, 95, 97, 111, 113, 125, 160, 180, 262, 278, 324, 384
- diversification, 298, 382
- diversity
 - beta, 288, 296
 - functional, 97, 242, 266, 334, 382, 388
 - horizontal, 7, 379
 - intra-specific, 318, 374, 381, 393
 - phylogenetic, 318, 382
 - vertical, 7, 329, 379
- dominant species, 35, 43, 45, 46, 170, 172, 176, 185, 221, 328, 334, 378, 381
- donor ecosystem, 15, 139, 141, 150, 389
- eastern Scotian Shelf, 38, 41–43, 44, 47–49
- eco-evolutionary feedback, 358, 381
- ecosystem engineer, 14, 56, 63, 70–72, 74, 260
- ecosystem recovery, 38, 47–49, 75, 94, 111, 180, 304, 381, 382, 394
- ecosystem resilience, 38, 46, 152, 378, 394
- ecosystem resistance, 38, 378
- energy flow, 3, 4, 11, 15, 55, 60, 149, 160, 264, 274, 318, 329, 333
- environmental gradients, 4, 59, 65, 88, 89, 96–97, 109, 124, 136, 158–159, 167, 175, 178–180, 214, 262, 268, 296, 304, 343
- Europe, 116, 126, 135, 174, 175, 181, 186, 189, 377
- evolution, 35, 92, 95, 213, 224, 298–299, 308–310, 340, 371, 382, 386, 393
- excretion, 13, 15, 64–67, 74, 164, 238–239, 242, 244
- exotic species, 45, 73–75, 301, 334, 377, 382–387, 390
- Exploitation Ecosystems Hypothesis (EEH), 4, 109, 136, 184, 203, 219, 224
- extinction debt, 377
- facilitation, 170, 178, 186, 221, 264, 322, 385
- feeding guild, 41, 223
- fire, 86–88, 91–93, 94–98, 111–115, 126, 376, 384
- fire trap, 113
- fish, 9, 17, 20, 36, 38, 41, 46, 58, 61, 69, 70–75, 135, 148, 150, 163, 242, 243, 244, 248, 249, 301, 309, 328, 373, 384
 - abundance, 44
 - community composition, 41, 44, 304
 - diversity, 35, 70
 - evolution, 345, 358
 - productivity, 31, 34, 35, 41, 48, 65, 69, 75
- fisheries, 34–35, 41, 48, 70, 73, 375
- Flood Pulse Concept (FPC), 68, 135
- floodplain, 68, 70, 135
- forest gaps, 111, 116, 121, 124
- foundation species, 175, 381, 386
- functional groups, 32, 46, 87, 89, 90–91, 94, 211, 223, 371, 372
- functional redundancy, 73, 379
- functional response, 8, 11, 13, 138, 150, 351, 353–357
- functional trait, 38, 209, 213, 224, 225, 250, 334
- fungus, 73, 237, 240, 263, 272, 277, 371, 390
 - community composition, 264, 267–269, 274, 278
 - diversity, 265, 267–269, 274
 - productivity, 57, 264, 267–269
- geese, 177, 178, 181, 183–185, 186–187
- generalist, 7, 45, 140, 151, 223, 268, 277, 293, 294, 327, 346, 348
- genetic diversity. *See* diversity, intraspecific
- global environmental change, 98, 250, 308–311, 365
- grazing lawn, 93–95, 113, 114
- grazing pressure, 41, 45, 75, 94, 187, 278
- Green World Hypothesis. *See* Hairston Smith Slobodkin (HSS)
- growth rate, 46, 55, 59, 61, 90, 96, 113, 119, 170, 173, 205, 210, 222, 327
- Growth Rate Hypothesis (GRH), 219, 224
- Growth/Defense Tradeoff Hypothesis, 213, 214, 343, 344, 348
- habitat fragmentation, 378
- habitat modification, 31, 126, 365, 375, 377, 382, 390, 393
- Hairston Smith Slobodkin (HSS), 3, 32, 135, 268, 341
- hare, 184–187
- herbivore
 - abundance, 97, 109, 112, 135, 148, 167, 171, 178, 180, 183, 187, 207, 291, 368, 370
 - community composition, 62, 266
 - diversity, 96, 97, 295, 329
 - populations, 33, 94, 109, 115, 165, 177, 184, 203, 225, 296, 333, 344
 - productivity, 61, 62, 136, 137, 185, 329, 333
- herbivory rate, 10, 13, 208, 354
- host plant, 17, 296, 342, 345, 346, 352, 382
- inorganic nutrients, 3, 7–9, 18, 163, 221, 275, 318–320, 324, 330, 387
- invasion. *See* exotic species
- invertebrate, 111, 122, 135, 148, 161, 170, 173, 189, 239, 248, 323, 326, 381
 - abundance, 149, 291, 332, 370
 - community composition, 158, 266, 310
 - diversity, 295
 - productivity, 61, 68, 71, 183, 301
- Janzen–Connell Hypothesis (JC), 122
- keystone species, 15, 71, 277, 295
- life history, 121, 169, 210, 223, 309, 342, 373
- light, 60, 70, 75, 89, 92, 93, 116, 118, 173, 186, 212, 293, 394

- litter, 12, 68, 91, 111, 209, 221–223, 235, 238, 268, 274, 277, 376
- livestock, 174, 175, 176, 186, 239
- MacArthur–Rosenzweig Consumer Resource model (MRCR), 138–139
- management, 20, 47–48, 56, 92, 377, 389
- marine protected areas (MPAs), 161, 303–308
- Mechanism Switching Hypothesis (MSH), 206–209, 213–214, 223, 224
- meta-analysis
 - bottom-up control, 9, 323
 - bottom-up/top-down interactions, 36, 46, 204, 289, 304, 305, 341, 343
 - defense, 214, 224
 - global change, 378, 386, 387, 389–390, 395
 - nutrient cycling, 12
 - scale, 309
 - top-down control, 20, 39, 212, 224
- metabolic processes, 64, 243–244, 264, 279, 370, 376, 391
- secondary metabolites, 111, 124, 210, 267, 269, 293, 299
- meta-communities, 245, 302, 324, 378
- meta-ecosystems, 7, 18, 19, 21, 162, 169, 172–173, 245, 250
- meta-populations, 160
- micronutrients, 57, 236
- migratory species, 69–70, 71–73, 183, 248–250
- monoculture, 267, 322–324, 326–328
- moose, 111, 112, 116, 126, 241
- multiple stressors, 367, 387–391
- mussels, 65, 72, 74, 161, 163–167, 172, 188, 301, 384, 386
- mutualism, 240, 293, 358, 371, 385, 390
- nitrogen, 56, 88, 110, 176, 178, 180, 182, 215, 221, 236, 237, 239, 242, 244, 266, 302, 310, 323, 347, 367, 371
- nitrogen fixation, 59, 67, 71, 237, 241
- non-additive effects, 341, 348–353, 387, 389
- non-consumptive effects (NCEs), 4, 14, 21, 163, 242, 382
- North America, 71, 88, 110, 111, 125, 165, 167, 171, 173, 174, 248, 310, 384
- North Sea, 46, 47
- nutrient cycling, 4, 12–15, 17, 21, 56, 60, 63–67, 71, 72, 74, 111, 124, 164, 173, 219–223, 225, 233, 374
- nutrient enrichment, 10, 44–45, 56, 57, 58, 67, 75, 88, 148, 149, 164, 171, 180, 300, 302, 305, 310, 367–372, 387–389
- nutrient immobilization, 235–237, 241, 242, 263, 267
- nutrient limitation, 57, 61
- nutrient mineralization, 4, 12, 56, 70, 74, 111, 182, 185, 186, 239–240, 242–245, 260, 262, 264, 267, 269, 272, 275
- nutrient ratios, 56, 59–61, 64–67, 188, 210, 219, 224, 235, 237, 238, 244, 265, 267, 310, 327, 346, 347
- organic matter (OM), 12, 43, 68, 71, 134–135, 139, 150, 170, 221, 235, 236, 247, 260, 387
 - dissolved, 247, 271
 - particulate, 73, 247, 271
- organic nutrients, 4, 68, 71, 148, 238, 264, 269, 277, 279
- Pacific, 15–16, 34, 39, 170, 247, 248
- palatability, 111, 118, 124, 185, 188, 204, 205, 211, 212, 220–221, 241–242, 263, 268, 277
- parasitism, 205, 275, 278, 293, 296–299, 310, 341, 353–357, 389
- phosphorus, 56, 73, 74, 88, 219, 236, 240, 242, 244, 247, 266, 310, 324, 347, 368, 371
- Piper*, 291–299, 304, 306
- plant
 - community composition, 109, 122, 124, 135, 175, 180, 186, 188, 221, 241, 243, 249, 264
 - diversity, 88, 91, 94, 97, 122, 124, 178, 180–181, 288, 295, 299, 322, 323, 330, 332, 371, 378
 - productivity, 8, 18, 34, 44, 55, 56, 70, 73, 74, 90, 93, 109, 110, 123, 135, 137, 148, 149, 176, 183, 188, 203, 208, 239, 241, 243, 244, 247, 249, 264, 293, 294, 299, 318, 322, 327, 329, 332, 341, 344, 368, 371, 373, 378
 - stoichiometry, 61
- plant volatiles, 206, 211, 351, 353
- polar ecosystems, 393
- pollinators, 150, 353, 358
- precipitation, 88, 247, 372, 390, 392
- predation pressure, 136, 149, 300, 303, 304, 308, 352
- predation rate, 10, 120, 165, 328, 351
- predation risk, 14, 94, 121, 172, 243, 249, 344, 352
- predator
 - abundance, 135, 142, 149, 165, 167, 172, 250, 300, 349, 352, 375
 - diversity, 115, 125, 250, 295, 321, 323, 329, 379, 386
 - populations, 115, 151, 165, 296, 331, 377
 - productivity, 58, 68, 75, 142, 333
- predator avoidance, 10, 39, 121, 344, 353
- productivity–diversity relationship, 88, 302, 322, 325, 331, 332
- rainfall, 15, 88, 90, 93, 96, 97, 107, 113, 114, 123, 125, 372
- rare species, 122, 378, 385
- recipient ecosystem, 15, 17, 18, 73, 139, 141, 150, 151, 245, 248, 389
- recruitment, 9, 34, 38, 48, 92, 110–111, 113–114, 115, 116, 118, 119, 121–124, 164–167, 173, 349–353, 354–357
- Resource Availability Hypothesis, 343, 344, 357
- resource limitation, 3, 7, 33, 55, 56, 67, 74, 88, 96, 110, 173, 203, 215, 236, 250, 261, 268, 276, 318, 344, 368

410 INDEX

- absolute, 206–208, 225, 261, 368
 - relative, 206–208, 261, 368
- restoration, 134, 152, 304, 382, 392, 393, 395
- Rhizobia*, 237, 371
- River Continuum Concept (RCC), 68, 135
- salinity, 175, 177–179, 181, 372
- salmon, 15–17, 69, 71, 73, 248
- scale
 - spatial, 15, 34–35, 37, 59, 64, 114, 151, 160, 162, 165, 169, 171, 173, 175, 245, 266, 279, 288, 367, 386, 392–393, 395
 - temporal, 59, 62, 90, 248, 288, 392–393, 395
- seagrass, 19, 237, 240, 248, 249, 328
- sediment, 43, 62, 71–72, 158, 175–176, 178, 179, 180–182, 185–187, 243, 245, 250
- seed predation, 122, 170, 341, 353–356
- selection, 118, 212, 269, 309–310, 341, 347, 348–358, 371, 374, 393
- selection effect, 322, 323, 324, 325, 331
- Slow-Growth/High-Mortality Hypothesis, 345, 346, 351, 352
- source–sink dynamics, 18, 74, 240, 244–245
- South America, 72, 88, 167, 171, 174, 189, 247
- specialist, 122, 276–277, 291, 293, 297, 326, 346, 348, 371
- spiders, 10, 148–149, 301, 310
- stability, 4, 31–32, 35, 48, 123, 137, 152, 250, 303, 318, 371, 373, 378–379
- stoichiometry, 20, 59–64, 74, 235, 236, 244, 368
- storage effect, 90–91, 92, 96
- subsidies, 10, 16–19, 21, 56, 58, 68–70, 72–74, 142, 148, 164–170, 172, 188, 211, 247–250, 278, 376, 389
- succession, 111, 158, 164, 165, 169, 175, 180–187, 211, 263, 291, 342
- temperature, 38, 46, 107, 303, 372, 374, 390, 392
- termites, 236, 239–241, 267
- tolerance, 124, 158, 205, 209, 210–212, 214, 215–219, 279, 343, 348, 374
- tolerance traits, 118, 205, 208, 213, 221
- top predator, 4, 32, 35, 37–38, 46, 48, 62–63, 67, 76, 119, 120, 125, 137, 184, 248, 293, 295, 304, 309, 375, 376, 394
- top predator loss, 37, 41, 43, 45, 177, 299, 367, 375–377
- trophic cascade, 9–10, 35, 38, 45, 58, 63, 67, 68, 94, 135, 150, 172, 204, 208, 214, 224, 243, 262, 268, 294, 334, 344, 375, 385
- trophic complexity, 136, 329, 379
- trophic diversity. *See* diversity, vertical
- trophic skew, 379
- ungulates, 112, 115, 116–121, 125, 239
- urchins, 171, 303–304, 348, 376
- vertical accretion, 158, 174–176
- water column, 74, 210, 236, 249, 271, 272, 275
- wolves, 9, 20, 112, 116, 119, 375
- zonation, 158–159, 173, 175–176
- zooplankton, 34, 41, 43, 47, 61, 65, 210, 214, 239, 245, 275, 276
 - abundance, 45, 327
 - community composition, 41, 300
 - diversity, 378
 - productivity, 61