

# Contents

	<i>List of contributors</i>	page xv
	<i>Preface</i>	xix
<b>1</b>	<b>Introduction</b>	<b>1</b>
	Z. Chen	
	1.1 A brief overview of state space analysis	1
	1.1.1 Mathematical background	1
	1.1.2 Unobserved variables and stochastic dynamical systems	1
	1.1.2.1 State equation	2
	1.1.2.2 Observation equation	2
	1.1.3 Observability, controllability and stability	3
	1.1.4 Bayes' rule	3
	1.1.5 Recursive Bayesian estimation	4
	1.1.6 Two illustrated examples	5
	1.2 Inference and learning	7
	1.3 Applications in neuroscience and medicine	9
	References	10
<b>2</b>	<b>Inference and learning in latent Markov models</b>	<b>14</b>
	D. Barber and S. Chiappa	
	2.1 Probabilistic time series models	14
	2.1.1 A graphical depiction	14
	2.2 Fully observed Markov models	15
	2.2.1 Scalar higher-order and equivalent vector model	16
	2.3 Latent Markov models	17
	2.3.1 Inference in latent Markov models	18
	2.3.1.1 Filtering	18
	2.3.1.2 Parallel smoothing	19
	2.3.1.3 Correction smoothing	19
	2.3.1.4 Prediction	20
	2.3.2 Discrete state latent Markov models	20
	2.3.2.1 Explicit-duration models	21
	2.3.3 Continuous state latent Markov models	22

2.3.4	Inference in linear dynamical systems	23
2.4	The switching LDS	23
2.4.1	Exact inference is computationally intractable	24
2.4.2	Gaussian sum filtering	24
2.4.3	Gaussian sum smoothing	25
2.4.4	Clinical example	25
2.5	Reset models	29
2.6	Deterministic latent Markov models	30
2.6.1	Time-varying variance AR models	31
2.6.2	Parameter estimation	32
2.6.3	Neural models	33
2.6.3.1	Hopfield membrane potential	34
2.6.3.2	An augmented Hopfield network	35
2.6.3.3	Dynamic synapses	35
2.6.3.4	Leaky integrate-and-fire models	37
2.7	Approximate inference	38
2.7.1	Monte Carlo methods	38
2.7.2	Variational inference	39
2.7.3	Assumed density filtering and smoothing	39
2.7.4	Importance sampling	40
2.7.5	Sequential importance sampling	41
2.7.6	Particle filtering as assumed density filtering	42
2.8	Parameter estimation	43
2.8.1	Estimation in discrete state Markov models	44
2.8.2	Autoregressive (AR) models	45
2.8.3	Variational Bayes	46
2.9	Summary	47
	Acknowledgements	48
	References	48
<b>Part I State space methods for neural data</b>		<b>51</b>
<b>3</b>	<b>State space methods for MEG source reconstruction</b>	<b>53</b>
	M. Fukushima, O. Yamashita and M. Sato	
3.1	Introduction and problem formulation	53
3.2	Overview of source reconstruction methods	54
3.2.1	Norm regularization methods	55
3.2.2	Bayesian methods	56
3.2.3	State space methods	57
3.2.4	Challenges	57
3.2.5	Solutions	58
3.2.5.1	Reducing computation time	58
3.2.5.2	Reducing the number of parameters	58

3.3	Details of new methods	59
3.3.1	Diagonal state space method (dSSM)	59
3.3.1.1	Probabilistic model	59
3.3.1.2	Estimation algorithm	61
3.3.2	Full state space method (fSSM)	64
3.3.2.1	Probabilistic model	64
3.3.2.2	Estimation algorithm	65
3.3.2.3	Computation of structural connectivity	66
3.4	Results: method evaluation	66
3.4.1	Diagonal state space method (dSSM)	66
3.4.1.1	Simulation analysis	66
3.4.1.2	Real data analysis	68
3.4.2	Full state space method (fSSM)	69
3.4.2.1	Simulation analysis	69
3.4.2.2	Real data analysis	71
3.5	Discussion	71
3.6	Future directions	74
3.7	Conclusion	75
	Acknowledgments	75
	References	76
<b>4</b>	<b>Autoregressive modeling of fMRI time series: state space approaches and the general linear model</b>	<b>79</b>
	A. Galka, M. Siniatchkin, U. Stephani, K. Groening, S. Wolff, J. Bosch-Bayard and T. Ozaki	
4.1	Introduction	79
4.2	Structure of fMRI time series	81
4.3	Innovation approach and maximum-likelihood estimation	82
4.4	Maximum-likelihood estimation in practice	84
4.5	GenLM as a deterministic state space model	85
4.5.1	fMRI modeling by GenLM	85
4.5.2	Colored observation noise	86
4.5.3	A state space model for the HRF	87
4.5.4	From continuous time to discretized time	88
4.5.5	Introducing colored observation noise	89
4.5.6	The state space GenLM model	90
4.6	General linear state space models for fMRI	92
4.6.1	Multivariate AR/ARX models	92
4.6.2	Nearest-neighbor AR modeling	93
4.6.3	Spatial whitening	94
4.6.4	The NNARX model with spatial whitening	96
4.6.5	State space generalization of the NNARX model	96
4.6.6	The case of non-Gaussian data	97
4.6.7	The state space NNARX model with spatial whitening	98

4.7	Estimation of model parameters	99
4.7.1	NNARX model	99
4.7.2	GenLM-SS model	100
4.7.3	NNARX-SS model	101
4.8	Clinical fMRI time series example	102
4.8.1	Experimental setup and preprocessing	102
4.8.2	Numerical results of model fitting	104
4.8.3	Model comparison by AIC and BIC	104
4.8.4	Further results	106
4.9	Discussion	107
	Acknowledgments	110
	References	110
<b>5</b>	<b>State space models and their spectral decomposition in dynamic causal modeling</b>	<b>114</b>
	R. Moran	
5.1	Introduction	114
5.2	Overview of the literature	116
5.3	Methodology	119
5.3.1	A neural mass model in the time domain	119
5.3.2	State space formulation	122
5.3.2.1	Inhibitory cells in supragranular layers	122
5.3.2.2	Excitatory spiny cells in granular layers	122
5.3.2.3	Excitatory pyramidal cells in infragranular layers	123
5.3.3	A linear approximation to the neural mass model	123
5.3.4	The modulation transfer function using the linear approximation	124
5.3.4.1	Poles, zeros and Lyapunov exponents	125
5.3.5	Spectral generation in nonlinear models	126
5.4	Applications	127
5.5	Discussion	130
	References	133
<b>6</b>	<b>Estimating state and parameters in state space models of spike trains</b>	<b>137</b>
	J. H. Macke, L. Buesing and M. Sahani	
6.1	Introduction	137
6.1.1	State space models for neural population spike trains	137
6.1.2	PLDS models in context	138
6.2	State space models with linear dynamics and count-process observations	139
6.3	Reconstructing the state from neural spike trains	141
6.3.1	Inferring the state using the Laplace approximation	142
6.3.2	Inferring the state distribution using Gaussian variational inference	144
6.4	Estimating model parameters	147

6.4.1	Expectation maximization (EM): estimating parameters via iteratively optimizing a cost function	147
6.4.2	Learning parameters of the model through spectral learning	149
6.4.2.1	Subspace-ID for GLDS models	150
6.4.2.2	Subspace-ID for the PLDS model by moment conversion	151
6.5	Results	152
6.6	Discussion	155
6.7	Summary	155
	Acknowledgements	156
	References	156
<b>7</b>	<b>Bayesian inference for latent stepping and ramping models of spike train data</b>	<b>160</b>
	K. W. Latimer, A. C. Huk and J. W. Pillow	
7.1	Background: dynamics of neural decision making	160
7.2	Overview	161
7.3	Point-process models of decision making	163
7.3.1	Markov chain Monte Carlo (MCMC) inference	164
7.3.2	Diffusion-to-bound model	166
7.3.2.1	Inference for diffusion-to-bound model	168
7.3.2.2	Step 1: Sampling the latent trajectories	168
7.3.2.3	Step 2: Sampling the parameters	171
7.3.3	Switching model	173
7.3.3.1	Step 1: Sampling the latent states	175
7.3.3.2	Step 2: Sampling the parameters	176
7.3.4	Model comparison	177
7.4	Results	178
7.4.1	Comparison to moment-based methods	180
7.5	Discussion	182
7.6	Conclusion	183
	Acknowledgments	183
	References	184
<b>8</b>	<b>Probabilistic approaches to uncover rat hippocampal population codes</b>	<b>186</b>
	Z. Chen, F. Kloosterman and M. A. Wilson	
8.1	Background	186
8.2	Decode unsorted neuronal spikes from the rat hippocampus	186
8.2.1	Overview	186
8.2.2	Bayesian decoding	187
8.2.3	Likelihood for a spatiotemporal Poisson process	188
8.2.4	Kernel density estimation (KDE)	190
8.2.5	Recursive Bayesian estimation via state space analysis	192

8.2.6	Experimental result	193
8.3	Uncover neural representation of hippocampal population codes	195
8.3.1	Overview	195
8.3.2	Probabilistic generative model: spatial navigation as a Markov chain	196
8.3.3	Variational Bayes (VB) inference	196
8.3.4	Visualization as a topology graph	198
8.3.5	Experimental result	198
8.4	Discussion and future work	201
8.4.1	Spike sorting-free decoding	201
8.4.2	Model selection for HMM	201
8.4.3	Overdispersed Poisson model	202
8.4.4	Analysis of sleep-associated ensemble spike data	202
8.5	Conclusion	202
	Acknowledgments	203
	References	203
<b>9</b>	<b>Neural decoding in motor cortex using state space models with hidden states</b>	<b>207</b>
	W. Wu and S. Liu	
9.1	Introduction	207
9.1.1	Previous methods and their limitations	208
9.1.2	Hidden state framework	209
9.2	Classical state space models	209
9.2.1	Kalman filter model	210
9.2.2	Generalized linear model (GLM)	211
9.3	State space framework with hidden states	212
9.3.1	Kalman filter model with hidden states	212
9.3.1.1	Model identification of KFHS	212
9.3.1.2	Decoding using KFHS	214
9.3.2	Generalized linear model with hidden states	215
9.3.2.1	Model identification of GLMHS	216
9.3.2.2	Decoding using GLMHS	217
9.4	Application in experimental data	218
9.4.1	Data collection	218
9.4.2	Identification in the KFHS model	219
9.4.3	Identification in the GLMHS model	220
9.4.3.1	IPP case	220
9.4.3.2	NPP case	222
9.4.4	Decoding using KFHS and GLMHS	222
9.5	Discussion	224
9.6	Conclusion	226
	Acknowledgements	227
	References	227

<b>10</b>	<b>State space modeling for analysis of behavior in learning experiments</b>	231
	A. C. Smith	
10.1	Introduction	231
10.2	Literature overview	232
10.2.1	Methods for analysis of learning	232
10.2.2	State space analysis of learning	232
10.3	Methods	233
10.4	Results	237
10.4.1	Learning in an example data set	237
10.4.2	Response bias	239
10.4.2.1	Response bias in an example T-maze task	240
10.4.2.2	Response bias in an object–place association task	242
10.4.3	Deep brain stimulation: comparison with logistic regression	244
10.5	Discussion	247
10.6	Limitations and future directions	248
10.7	Conclusions	249
	Acknowledgements	249
	References	249
<b>Part II</b>	<b>State space methods for clinical data</b>	255
<b>11</b>	<b>Bayesian nonparametric learning of switching dynamics in cohort physiological time series: application in critical care patient monitoring</b>	257
	L. H. Lehman, M. J. Johnson, S. Nemati, R. P. Adams and R. G. Mark	
11.1	Introduction	257
11.2	Bayesian nonparametric switching Markov modeling of cohort time series	258
11.2.1	Overview of Bayesian nonparametric learning of switching Markov processes	258
11.2.1.1	The AR-HMM	259
11.2.1.2	The MNIW prior for the VAR dynamic parameters	259
11.2.1.3	The HDP prior for the HMM	259
11.2.1.4	The sticky HDP-AR-HMM and HDP-AR-HSMM	260
11.2.1.5	The BP-AR-HMM	261
11.2.2	Inference algorithms and implementations	262
11.2.2.1	A Gibbs sampler for the sticky HDP-AR-HMM	263
11.2.2.2	Sampling $z_{1:T}   \pi, \theta, y_{1:T}$	264
11.2.2.3	Sampling $\theta   z_{1:T}, y_{1:T}$	264
11.2.2.4	Sampling $\beta, \pi   z_{1:T}$	265
11.2.2.5	MCMC for the HDP-AR-HSMM and BP-AR-HMM	266
11.2.2.6	Computational complexity and scalability	267
11.3	Materials and methods	267
11.3.1	Data sets	268

11.3.1.1	Tilt-table experiment	268
11.3.1.2	MIMIC II data set	268
11.3.2	Bayesian nonparametric model settings	268
11.3.2.1	MNIW prior settings	268
11.3.2.2	Sticky HDP-AR-HMM settings	269
11.3.2.3	HDP-AR-HSMM settings	269
11.3.2.4	BP-AR-HMM settings	269
11.3.3	Evaluation methods and statistical analysis	270
11.3.3.1	Time series classification and patient risk stratification	270
11.3.3.2	MIMIC association analysis	270
11.4	Results	271
11.4.1	Tilt-table experiment	271
11.4.2	MIMIC II: performance in estimating mortality risks of patients	271
11.4.3	MIMIC II association analysis	272
11.4.4	Example blood pressure dynamics of survivors vs. non-survivors	274
11.4.4.1	Evolution of cardiovascular dynamics of survivor vs. non-survivor	274
11.5	Discussion and conclusion	274
	Acknowledgments	279
	References	279
<b>12</b>	<b>Identifying outcome-discriminative dynamics in multivariate physiological cohort time series</b>	<b>283</b>
	S. Nemati and R. P. Adams	
12.1	Background	283
12.2	Time series classification and switching vector autoregressive modeling	285
12.2.1	Marginals-based learning via error back-propagation	287
12.2.1.1	Global label from hidden state proportions	287
12.2.1.2	Sequential labels from local marginals	288
12.3	Experiments	289
12.3.1	Simulated time series with switching dynamics	289
12.3.2	Tilt-table experiment	290
12.3.3	Decoding cortical local field potentials	293
12.4	Discussion and conclusion	295
	Acknowledgments	296
	Appendix	297
	References	300
<b>13</b>	<b>A dynamic point process framework for assessing heartbeat dynamics and cardiovascular functions</b>	<b>302</b>
	Z. Chen and R. Barbieri	
13.1	Introduction	302
13.2	Model-based approaches	303



13.3	Overview of the point process framework	304
13.3.1	Probability models for the heartbeat interval	304
13.3.2	Instantaneous indices of HR and HRV	306
13.3.3	Autonomic cardiovascular control and modeling heartbeat dynamics	307
13.3.3.1	Wiener–Volterra expansions	307
13.4	State space analysis applied to point process models	310
13.4.1	Adaptive point process filtering	310
13.4.2	Time-varying frequency analysis	311
13.4.2.1	Estimating the feedback-loop frequency response	311
13.4.2.2	Estimating the feedforward-loop frequency response	312
13.4.2.3	Estimating the dynamic R-R spectrum	312
13.4.2.4	Estimating the dynamic coherence	313
13.4.3	Time-varying bispectrum and nonlinearity assessment	313
13.4.4	Modeling trend nonstationarity of heartbeat time series	314
13.4.5	Model order selection and goodness-of-fit assessment	315
13.5	Experimental data and results	316
13.5.1	Tilt-table protocol data	316
13.5.2	General anesthesia data	317
13.5.2.1	Tracking examples and estimated indices	317
13.5.2.2	Example of applying the ARIMA model	319
13.5.3	Correlation assessment between brain and autonomic activity	321
13.6	Discussion and future work	323
13.6.1	Modeling robustness	323
13.6.2	Strengths and limitations	323
13.6.3	Application in real-time clinical monitoring	324
13.7	Conclusion	325
	Acknowledgments	325
	References	326
<b>14</b>	<b>Real-time segmentation and tracking of brain metabolic state in ICU EEG recordings of burst suppression</b>	<b>330</b>
	M. B. Westover, S. Ching, M. M. Shafi, S. S. Cash and E. N. Brown	
14.1	Introduction	330
14.2	Background	331
14.2.1	Neurophysiology of burst suppression	331
14.2.2	Existing models of burst suppression	332
14.3	Methods	333
14.4	Probabilistic modeling and estimation of burst suppression	333
14.4.1	Simplified burst suppression model	333
14.4.2	Estimation of burst suppression level via BSP	337
14.4.3	Automatic EEG segmentation	337
14.4.4	State space modeling of burst suppression	338

14.4.5	Inference of metabolic state	339
14.5	Conclusion	342
14.5.1	Summary	342
14.5.2	Future directions	343
	Acknowledgments	343
	References	343
<b>15</b>	<b>Signal quality indices for state space electrophysiological signal processing and vice versa</b>	<b>345</b>
	J. Oster and G. D. Clifford	
15.1	Background	345
15.2	State space fusion approach for improved heart rate estimation	346
15.2.1	State-of-the-art	347
15.2.2	Method	348
15.2.2.1	SQIs for ECG	348
15.2.2.2	State space modeling for heart rate estimation	349
15.2.3	Results	351
15.2.4	Discussion	352
15.3	State space filtering for signal quality evaluation	353
15.3.1	State-of-the-art	353
15.3.2	Theory	355
15.3.2.1	ECG model-based Bayesian filtering	355
15.3.2.2	Switching Kalman filters	356
15.3.2.3	The X-factor	356
15.3.3	Method	357
15.3.4	Results	358
15.3.5	Discussion	359
15.4	Limitations and future directions	361
15.5	Conclusion	362
	Acknowledgments	362
	References	363
	<i>Index</i>	367