

## Index

- \* convolution, 174, 179
- $B'$  adjoint linear operator, 107
- $C(V, a)$  cone of width  $a$  around  $V$ , 61
- $C^0(P)$  space of continuous functions, 44
- $Df$  derivative of a smooth map, 8
- $E^s, E^u$  stable and unstable bundles, 10, 57
- $E_\delta(\xi), e_\delta(\eta)$   $\delta$ -energy of a measure, 178, 179
- $E_v, E^x$  slices of a set in a product space, 67, 91
- $G(d), G(k, d)$  Grassmannian, 16, 38
- $L^1(\mu)$  space of integrable functions, 28
- $R_\theta$  rotation, 3
- $V_x^\perp$  orthogonal complement, 48
- $W^s(x), W^u(x)$  (global) stable and unstable sets, 187
- $W_{\text{loc}}^s(x), W_{\text{loc}}^u(x)$  local stable and unstable sets, 187
- $\Delta^m$  open simplex, 3
- $\Delta_r$   $r$ -neighborhood of the diagonal, 180
- $\Lambda^l E$  exterior  $l$ -power, 57
- $\Lambda_d^l E$  decomposable  $l$ -vectors, 57
- $GL(d), GL(d, \mathbb{C})$  linear group, 6
- $\mathbb{P}\mathbb{R}^d, \mathbb{P}\mathbb{C}^d$  projective space, real and complex, 17
- $SL(d), SL(d, \mathbb{C})$  special linear group, 6, 7
- $\mathbb{T}^d$   $d$ -dimensional torus, 17
- $\mathcal{B}(Y)$  Borel  $\sigma$ -algebra, 41
- $\mathcal{G}(d)$  space of compactly supported measures on  $GL(d)$ , 171
- $\mathcal{K}(Y)$  space of compact subsets, 41
- $\mathcal{M}(\mu)$  space of measures projecting down to  $\mu$ , 44
- $\mathcal{P}(d)$  space of probability measures in  $\mathbb{P}\mathbb{R}^d$ , 174
- $\text{ecc}(B)$  eccentricity of a linear map, 133
- $\ell^2$  space of square integrable sequences, 9
- $\lambda(x, v)$  Lyapunov exponent function, 40
- $\lambda_+, \lambda_-$  extremal Lyapunov exponents, 1, 6
- $\mathbb{P}F$  projective cocycle, 68
- $\text{proj}_w u$  orthogonal projection, 175
- $\alpha$  generic element of  $GL(d)^\mathbb{N}$ , 172
- $\varphi^+, \varphi^-$  positive and negative parts of a function, 20
- $p * \eta, p_1 * p_2$

- convolution, 174, 179
- $s_n(x)$ 
  - most contracted vector, 31
- $u_n(x)$ 
  - most expanded vector, 31
- $\delta$ -energy of a measure, 178, 179
- $\varepsilon$ -concentrated measure, 144
- $C^0$  topology, 153
- $C^1$  topology, 161
- $l$ -vector, 57
  - decomposable, 57
- $L^\infty$  cocycle, 168
- $L^p$  cocycle, 168
- $p$ -expanding point, 175
- $p$ -invariant point, 175
- $s$ -state, 81, 83, 86, 94, 149
- $su$ -state, 81
- $u$ -state, 81, 83, 86, 94, 149
- additive sequence, 21
- adjoint
  - cocycle, 108
  - monoid, 148
  - operator, 69, 107
- Anderson localization, 18
- angle between subspaces, 39
- Anosov diffeomorphism, 17, 161
- aperiodic measure, 153, 155, 158
- backward stationary measure, 78, 101
- Baire space, 152
- barycenter, 130
- Bernoulli shift, 7
- characteristic exponents, xi
- coboundary set, 158, 159, 170
- cocycle
  - $L^\infty$ , 168
  - $L^p$ , 168
  - continuous, 154, 168
  - derivative, 161
  - fiber-bunched, 187
  - Grassmannian, 137
  - Hölder continuous, 165, 187
  - inverse, 146
  - invertible, 34, 39
  - irreducible, 102
  - locally constant, 7
  - projective, 68, 92, 137
  - strongly irreducible, 102, 103
- cohomological condition, 105
- complete
  - flag, 38
- conditional
  - expectation, 86
  - probabilities, 85
- cone, 61, 65
- conformal barycenter, 130
- conorm, 20
- continuity theorem, 3, 171
- contraction property, 189
- convergence
  - pointwise, 74
  - weak\*, 74
- convolution, 174, 179, 189
  - diagonal, 183
- coupling, 178
- cross-ratio, 61
- cylinder, 82, 87, 89, 170
- decomposable  $l$ -vector, 57
- derivative cocycle, 8, 161
- determinant, 58
- diagonal
  - convolution, 183
  - push-forward, 183
- dimension of a vector bundle, 8
- disintegration, 85, 87
- dominated decomposition, 65, 162, 163
- duality, 69
- eccentricity of a linear map, 133
- elliptic matrix, 4
- energy of a measure, 178, 179
- ergodic
  - decomposition, 95
  - decomposition theorem, 77
  - measure, 159, 167
  - stationary measure, 76
  - theorem of Birkhoff, 27
- essentially
  - invariant function, 21, 36
  - invariant set, 21
- expectation, 86
- exponents representation theorem, 97
- exterior
  - power, 57, 151
  - product, 57, 137
- extremal
  - Lyapunov exponents, 1
  - measure, 92
- fiber-bunched cocycle, 187
- fibered
  - entropy, 117

Jacobian, 117  
 first return  
   map, 59, 158  
   time, 59  
 flag, 38  
   complete, 38  
   of Oseledets, 39, 41  
 formula  
   of Furstenberg, 102  
   of Herman, 29  
 forward stationary measure, 78, 101  
 Furstenberg's  
   criterion, 2, 105, 124  
   formula, 102  
 geometric  
   hyperplane, 137  
   subspace, 137  
 graph transform, 53  
 Grassmannian, 16, 38  
   cocycle, 137  
   manifold, 16, 38, 57  
 Hölder  
   continuity, 164  
   norm, 164  
 Hamiltonian operator, 18  
 Hausdorff distance, 190  
 Herman's formula, 29  
 Hilbert metric, 61  
 holonomy  
   stable, 188  
   unstable, 188  
 homogeneous measure, 143  
 hyperbolic  
   cocycle, 17, 153  
   linear cocycle, 10, 15  
   matrix, 4  
 hyperbolicity  
   non-uniform, 19  
   uniform, 10, 15  
 hyperplane, 137  
   section, 134, 137  
 inducing, 59, 166  
 interchanging subspaces, 155, 160, 166, 167  
 invariance principle, 115, 116  
 invariant  
   function, 21  
   holonomies, 187  
   measure, 70, 79, 97  
   set, 21  
 inverse

cocycle, 146  
 monoid, 139  
 invertible cocycle, 34, 39  
 invertible extension, 99, 101  
 irreducibility, 102  
   strong, 102, 134  
 irreducible cocycle, 102, 103  
   strongly, 102  
 Lebesgue space, 158  
 lift  
   of a stationary measure, 81, 88, 89  
   of an invariant measure, 79–81  
 linear  
   arrangement, 137, 139, 143  
   proper, 139  
 cocycle, 6  
   hyperbolic, 10, 15  
   invertible extension, 101  
   on a vector bundle, 8  
 derivative cocycle, 8  
 group, 6  
   special, 6, 7  
 invariance principle, 116  
 Schrödinger cocycle, 9  
 section, 137  
 local  
   stable set, 187  
   unstable set, 187  
 local product structure, 91  
 locally constant  
   cocycle, 7, 96  
   skew product, 67  
 Lyapunov  
   exponents, 39, 40, 53, 60  
   extremal, 1  
   spectrum, 39, 133  
 martingale, 86, 88  
   convergence theorem, 86  
 mass of a measure, 178  
 matrix  
   elliptic, 4  
   hyperbolic, 4  
   parabolic, 4  
 meager subset, 152  
 measurable  
   section, 99  
   sub-bundle, 64, 98  
 measure  
   backward stationary, 78  
   ergodic, 76  
   extremal, 92

- forward stationary, 78
- invariant, 70
- non-atomic, 102, 106
- stationary, 70
- monoid, 2, 134
- most contracted
  - subspace, 134, 140
  - vector, 11, 19, 31
- most expanded
  - subspace, 134, 140
  - vector, 11, 19, 31
- multiplicative ergodic theorem
  - one-sided, 30, 38
  - two-sided, 34, 39
- multiplicity of a Lyapunov exponent, 39, 133
- natural extension, 65, 99
- negative part of a function, 20
- non-atomic measure, 102, 106
- non-compactness condition, 105, 132, 134
- normalized restriction, 59, 113
- open simplex, 3
- orbital sum, 21
- orthogonal complement, 48
- Oseledets
  - decomposition, 34, 39, 60, 97
  - flag, 39, 41, 53, 97
  - sub-bundles, 39
  - subspaces, 39, 40
- parabolic matrix, 4
- parallelizable manifold, 8
- pinching, 2, 113, 134, 139, 148
- point
  - $p$ -expanding, 175
  - $p$ -invariant, 175
- pointwise
  - convergence, 74
  - topology, 72
- positive part of a function, 20
- potential, 9
- probabilistic repeller, 174
- probability space
  - complete, 38
  - separable, 38
- projection theorem, 41
- projective
  - action, 106
  - cocycle, 68, 92, 137
  - space, 17
- proper linear arrangement, 139
- quasi-periodic Schrödinger cocycle, 9
- Radon–Nikodym derivative, 117
- random
  - matrices, 7, 68
  - Schrödinger cocycle, 9
  - transformation, 67, 97
  - transformation (invertible), 77
  - transformation (one-sided), 70, 76
- residual subset, 152, 153, 168
- rotation, 3
- $s$ -holonomy, 188
- Schrödinger
  - cocycle, 9
    - quasi-periodic, 9
    - random, 9
  - operator, 9
- second return map, 154, 158, 167
- self-coupling, 179
  - optimal, 179
  - symmetric, 179
- semi-continuity, 151, 152, 160
- separable
  - metric space, 41
  - probability space, 38
- sequence
  - additive, 21
  - subadditive, 21
  - super-additive, 45
- sequential compactness, 83
- simple Lyapunov spectrum, 39, 133
- simplicity criterion, 134
- singular
  - measures, 117
  - values, 133
- slices of a set in a product space, 68
- small subset, 126
- special linear group, 6, 7
- stabilizer of a measure, 108, 131
- stable
  - bundle, 10, 57, 135
  - holonomy, 188
  - set, 187
- stationary
  - function, 75
  - measure, 70, 101, 115, 171
  - set, 75
- strong irreducibility, 102, 103, 105, 134
- subadditive
  - ergodic theorem, 20, 21
  - sequence, 21
- subexponential decay, 31, 34, 35, 39
- subharmonic function, 29, 30

202

superadditive sequence, 45  
 support of a measure, 105  
 symmetric self-coupling, 179  
   optimal, 179  
 symplectic  
   diffeomorphism, 163  
   form, 163  
 theorem  
   invariance principle, 116  
   martingale convergence, 86, 87  
   of Baire, 169  
   of Birkhoff, 27  
   of continuity, 3, 171  
   of ergodic decomposition, 77  
   of Furstenberg, 2, 105  
   of Furstenberg (formula), 102  
   of Furstenberg-Kesten, 1, 20, 28  
   of Herman (formula), 29  
   of Kingman, 21  
   of Kingman (subadditive), 20  
   of Ledrappier, 97, 116  
   of Mañé–Bochi, 153  
   of Mañé–Bochi, 161  
   of Oseledets (one-sided), 30, 38  
   of Oseledets (two-sided), 34, 39  
   of Prohorov, 83  
   of Rokhlin, 85  
   of simplicity, 134  
   of Thieullen, 106  
   projection, 41  
   subadditive, 21  
 topological degree, 17  
 topology  
    $C^0$ , 153  
    $C^1$ , 161  
   pointwise, 72  
   uniform, 72  
   weak\*, 72  
 total variation norm, 72  
 transition  
   operator, 68  
   operator (adjoint), 69  
   probabilities, 68  
 transitive action, 162  
 twisting, 2, 113, 134, 139, 148  
 u-holonomy, 188  
 uniform  
   convergence, 83  
   hyperbolicity, 10, 15  
   integrability, 103  
   topology, 72

*Index*

unstable  
   bundle, 10, 57, 135  
   holonomy, 188  
   set, 187  
 vector  
   bundle, 8  
   dimension, 8  
   most contracted, 31  
   most expanded, 31  
 volume  
   of a decomposable  $l$ -vector, 58  
 weak\*  
   convergence, 74, 83  
   topology, 72