

Contents

	<i>Preface</i>	<i>page xi</i>
1	Introduction	1
	1.1 Existence of Lyapunov exponents	1
	1.2 Pinching and twisting	2
	1.3 Continuity of Lyapunov exponents	3
	1.4 Notes	3
	1.5 Exercises	4
2	Linear cocycles	6
	2.1 Examples	7
	2.1.1 Products of random matrices	7
	2.1.2 Derivative cocycles	8
	2.1.3 Schrödinger cocycles	9
	2.2 Hyperbolic cocycles	10
	2.2.1 Definition and properties	10
	2.2.2 Stability and continuity	14
	2.2.3 Obstructions to hyperbolicity	16
	2.3 Notes	18
	2.4 Exercises	19
3	Extremal Lyapunov exponents	20
	3.1 Subadditive ergodic theorem	20
	3.1.1 Preparing the proof	21
	3.1.2 Fundamental lemma	23
	3.1.3 Estimating φ_-	24
	3.1.4 Bounding φ_+ from above	26
	3.2 Theorem of Furstenberg and Kesten	28
	3.3 Herman's formula	29
	3.4 Theorem of Oseledets in dimension 2	30

	3.4.1	One-sided theorem	30
	3.4.2	Two-sided theorem	34
	3.5	Notes	36
	3.6	Exercises	36
4		Multiplicative ergodic theorem	38
	4.1	Statements	38
	4.2	Proof of the one-sided theorem	40
		4.2.1 Constructing the Oseledec's flag	40
		4.2.2 Measurability	41
		4.2.3 Time averages of skew products	44
		4.2.4 Applications to linear cocycles	47
		4.2.5 Dimension reduction	48
		4.2.6 Completion of the proof	52
	4.3	Proof of the two-sided theorem	53
		4.3.1 Upgrading to a decomposition	53
		4.3.2 Subexponential decay of angles	55
		4.3.3 Consequences of subexponential decay	56
	4.4	Two useful constructions	59
		4.4.1 Inducing and Lyapunov exponents	59
		4.4.2 Invariant cones	61
	4.5	Notes	63
	4.6	Exercises	64
5		Stationary measures	67
	5.1	Random transformations	67
	5.2	Stationary measures	70
	5.3	Ergodic stationary measures	75
	5.4	Invertible random transformations	77
		5.4.1 Lift of an invariant measure	79
		5.4.2 s -states and u -states	81
	5.5	Disintegrations of s -states and u -states	85
		5.5.1 Conditional probabilities	85
		5.5.2 Martingale construction	86
		5.5.3 Remarks on 2-dimensional linear cocycles	89
	5.6	Notes	91
	5.7	Exercises	91
6		Exponents and invariant measures	96
	6.1	Representation of Lyapunov exponents	97
	6.2	Furstenberg's formula	102
		6.2.1 Irreducible cocycles	102

<i>Contents</i>		ix
6.2.2	Continuity of exponents for irreducible cocycles	103
6.3	Theorem of Furstenberg	105
6.3.1	Non-atomic measures	106
6.3.2	Convergence to a Dirac mass	108
6.3.3	Proof of Theorem 6.11	111
6.4	Notes	112
6.5	Exercises	113
7	Invariance principle	115
7.1	Statement and proof	116
7.2	Entropy is smaller than exponents	117
7.2.1	The volume case	118
7.2.2	Proof of Proposition 7.4.	119
7.3	Furstenberg's criterion	124
7.4	Lyapunov exponents of typical cocycles	125
7.4.1	Eigenvalues and eigenspaces	126
7.4.2	Proof of Theorem 7.12	128
7.5	Notes	130
7.6	Exercises	131
8	Simplicity	133
8.1	Pinching and twisting	133
8.2	Proof of the simplicity criterion	134
8.3	Invariant section	137
8.3.1	Grassmannian structures	137
8.3.2	Linear arrangements and the twisting property	139
8.3.3	Control of eccentricity	140
8.3.4	Convergence of conditional probabilities	143
8.4	Notes	147
8.5	Exercises	147
9	Generic cocycles	150
9.1	Semi-continuity	151
9.2	Theorem of Mañé–Bochi	153
9.2.1	Interchanging the Oseledets subspaces	155
9.2.2	Coboundary sets	157
9.2.3	Proof of Theorem 9.5	160
9.2.4	Derivative cocycles and higher dimensions	161
9.3	Hölder examples of discontinuity	164
9.4	Notes	168
9.5	Exercises	169

x	<i>Contents</i>	
10	Continuity	171
10.1	Invariant subspaces	172
10.2	Expanding points in projective space	174
10.3	Proof of the continuity theorem	176
10.4	Couplings and energy	178
10.5	Conclusion of the proof	181
	10.5.1 Proof of Proposition 10.9	183
10.6	Final comments	186
10.7	Notes	189
10.8	Exercises	189
	<i>References</i>	191
	<i>Index</i>	198