

Index

The terms defined in the glossary are in bold type.

- abrupt change**, 209, 221, 279–81
- advection equation, 106
- aerosol**, 49, 99
 - direct effect, 139
 - dust, 116, 137, 221
 - forcing, 137–40
 - indirect effect, 139
 - scenario, 247
 - semi-direct effect, 139
 - sulphate, 137
 - volcanic, 142
- aerosol-cloud interaction, 139
- aerosol-radiation interaction, 138
- African Humid Period, 228
- age model, 200
- albedo**
 - cryosphere, 24
 - planetary, 30, 42
 - surface, 271.3, 94
 - vegetation, 26
- alkalinity, 62, 169, 220, 273
- analysis, 125
- annual layer counting, 199
- anomalies**, 122, 182
- Antarctic bottom water, 14, 15, 18
- Antarctic circumpolar current, 12, 208
- Antarctic intermediate water, 18
- aphelion**, 36
- aragonite**, 272
- astronomical parameters, 211–14, 230
 - dominant periods, 218
- astronomical theory of paleoclimates, 217, 225
- Atlantic Multi-decadal Oscillation,
 - 188–89, 267
 - index, 190
- Azores high, 9
- B grid, 108
- bedrock, 22, 25, 99
- bias
 - constant, 121
 - correction, 85, 125
 - model, 83, 114, 118, 239, 253
 - non-stationary, 123
- bicarbonate, 61, 62
- biome**, 27, 95, 164
- bipolar seesaw, 223, 225. *See also* meridional overturning circulation
- black body
 - response, 146, 148
- black carbon, 137, 139, 251. *See also* aerosol
- Bølling-Allerød interval, 225
- boundary condition, 75, 95
- Boussinesq approximation, 87
- Bowen ratio, 51
- box model, 79
 - Stommel, 158
- bucket model, 94
- C grid, 108
- calcium carbonate, 64. *See also* solubility
 - calcite compensation depth, 171
 - lysocline, 171
 - saturation horizon, 170, 172
- calcium carbonate compensation, 169–72, 273
- canopy**, 94
- carbon dioxide, 58. *See also* solubility
 - airborne fraction, 59
 - aqueous, 61
 - Cenozoic, 208
 - concentration doubling, 144
 - deglaciation, 225
 - fertilisation effect**, 163, 220
 - flux between ocean and atmosphere, 59
 - forcing*, 136
 - glacial periods, 219
 - last century, 58, 237
 - next millennia, 273
 - partial pressure, 60
 - Phanerozoic, 205
 - Precambrian, 203
 - saturation effect, 136
 - scenario, 249
- carbon uptake, 59, 270, 272
- carbonate, 61, 62
- carbonate equilibrium system, 61
- carbonate pump, 64, 170, 220
- carbonic acid, 61, 62
- chlorofluorocarbons**, 137, 251
- Clausius-Clapeyron equation**, 3, 57, 151, 263
- climate **feedback** factor, 147
- climate feedback parameter, 143, 149, 152, 166

- albedo, 154
- clouds, 156
- lapse rate, 153
- sign, 143, 147
- water vapour, 152
- climate model, 73
- climate resistance, 151
- climate sensitivity parameter, 143
- climate system**, 1, 243
 - chaotic nature, 179, 255
 - predictability**, 256
 - sensitivity to small perturbations, 234
- climate-carbon feedback parameter, 166
- climatic precession**, 211, 213, 453
 - dominant periods, 213
- cloud, 33, 42, 49, 57
 - cloud radiative effect, 155
 - cloud radiative forcing, 155
- computer model, 73
- computer time, 76, 80, 81, 82, 100, 103, 105, 248
- concentration-carbon feedback parameter, 166
- conduction flux, 52
- conservation of energy, 86, 105
- conservation of mass, 86, 104
- continentality, 10, 25, 46, 207
- continuity equation, 86
- convection**, 4, 7, 158
 - moist convection, 5
- Coriolis force**, 7, 85, 93
- cosmic ray**, 197, 231
- Coupled Model Inter-Comparison Project, 117, 253
- Courant number, 107
- Courant-Frederichs-Lewy condition, 107
- cyclone**, 10, 187
- Dansgaard-Oeschger event, 221, 225
- data assimilation, 125–30, 257
 - background state, 127
 - Ensemble Kalman filter, 129
 - innovation, 128
 - observational increment, 128
 - optimal interpolation*, 129
 - particle filtering, 130
 - sequential, 128
 - univariate method, 129
 - variational approach, 130
- Deccan traps, 205, 209
- deforestation, 140, 168
- dendrochronology, 199
- detection and attribution method, 240
- detritus, 63
- diffusion, 90, 96
 - diapycnal**, 90
 - equation, 106
 - isopycnal**, 90
 - numerical, 104, 107
- dissolved inorganic carbon**, 61, 163, 220
- drought. *See also* soil, drying; moisture availability
- dry air** composition, 2
- dry static energy, 48
- dynamic global vegetation model, 95
- dynamical downscaling, 84
- Earth model of intermediate complexity, 77, 80, 162f4.18
- Earth system**, 2
- Earth system model**, 76, 271
- Earth system sensitivity**, 145
- eccentricity**, 36, 211, 213
 - dominant periods, 213, 219
- ecliptic plane**, 38
- eddies, ocean**, 12, 48, 91
- effective emission temperature, 31
- effective radiative forcing**, 134
- 8.2 event, 227
- Ekman transport**, 13, 15
- El Niño . *See also* El Niño–Southern Oscillation
- El Niño–Southern Oscillation, 185, 267. *See also* modes of variability
 - Niño 3.4 box, 184
 - Southern Oscillation index, 184
- emissivity, 34
- energy balance
 - surface, 52
 - top of the atmosphere, 30–32, 133, 143
- energy-balance model, 77, 79
- energy transport, 47–49, 157
 - atmosphere, 47, 189, 262
 - horizontal, 43
 - meridional, 47
 - ocean, 47, 161, 223, 225, 263, 266
- ensemble of simulations**, 117, 234, 253–55
 - ensemble mean**, 119, 253, 255
 - ensemble member**, 234, 254
 - multi-model ensemble, 253
- equation of state**
 - atmosphere**, 86
 - ocean, 11
- equatorial plane**, 38
- equilibrium climate sensitivity**, 116, 143, 144, 149, 206, 241
- error
 - absolute, 119
 - initial state, 255
 - instrument, 126
 - observation, 114
 - representativeness, 114
 - root-mean-square error, 114
 - truncation, 103, 105
- Eulerian description, 86
- evapotranspiration**, 26, 56. *See also* latent heat potential, 56
- extreme event, 125, 254, 268–69

- feedback**, 142
 - albedo, 154, 204, 262
 - biogeochemical, 168
 - biogeophysical, 168, 228
 - Bjerknes, 183
 - climate-carbon, 164, 167, 270
 - cloud, 145, 157
 - cloud top, 156
 - concentration-carbon, 270
 - direct physical, 145
 - ice sheet, 155
 - kernel method, 152
 - lapse rate, 146, 152–53, 262
 - methane, 168, 210
 - ocean advective, 158
 - permafrost, 167
 - Planck, 146
 - salinity advection, 158
 - sea-ice growth thickness, 155
 - snow-and-ice-albedo, 154
 - soil moisture, 158, 269
 - surface albedo, 145
 - temperature-albedo, 154
 - tundra-taiga**, 168
 - water vapour, 145, 152, 156
 - weathering, 172, 206, 273
- feedback gain, 147
- Ferrell cell, 8
- fingerprint, 240, 241
 - optimal fingerprint method, 241
- finite difference, 101
- finite element, 109
- finite volume, 108
- fire, 66, 95, 279
- forcing**, 75, 178. *See also* effective
 - radiative forcing, radiative forcing agents, 134
 - anthropogenic, 115, 135, 238
 - efficacy, 144
 - instantaneous, 133
 - natural, 115, 135, 238
 - response, 144
- forward Euler method, 105
- Fourier law**, 52, 88
- general circulation model, 76, 82
- geostrophic equilibrium**, 8, 93
- geothermal heat flux, 30, 43, 98
- glacial-interglacial cycle, 214
 - 100-ka period, 219
- glaciations, snowball Earth
 - Carboniferous-Permian, 206
 - Marinoan, 204
 - Precambrian, 204
 - Quaternary, 216
- greenhouse effect, 32–35, 78
- greenhouse gas, 33, 53, 58, 68, 99
 - contribution in recent warming, 242
 - forcing, 135–37
 - last glacial maximum, 219
 - scenario, 247
- Gulf Stream**, 12
- gyres**, 12
- Hadley cell**, 7, 8, 10, 48, 265
- halocarbons**, 135
- heat capacity, 45, 149, 150. *See also* thermal inertia
- heat storage, 43, 46, 51, 236
- heat transport. *See also* energy transport
- heat uptake, 149, 150, 151, 272, 273
 - ocean heat uptake efficiency, 151
- Heinrich event, 222
- Holocene, 216, 227
- Holocene thermal optimum, 227
- hour angle, 39
- humidity. *See also* **relative humidity**;
specific humidity; **saturation vapour pressure**
- humus**, 65
- hydrate**, 69, 167
- hydrostatic equilibrium**, 3, 11, 45, 86
- hydroxyl radical, 68
- ice rafted debris, 222
- ice sheet**, 20, 22
 - Antarctica, 208, 209
 - dynamics, 98
 - equilibrium line, 98
 - Greenland, 208, 236
 - grounding line**, 280
 - Laurentide, 227
 - marine ice-sheet instability, 280
 - sea level, 23, 25, 276
 - thermodynamics, 98
- ice shelf**, 22, 98, 224, 276
- icehouse, 208
- Icelandic low, 9
- ideal gas law**, 3
- implicit scheme, 106
- initial-value problem, 102
- initialisation, 123, 179, 256, 258
- insolation, 211
 - daily, 41
 - top of the atmosphere, 39–41
- interglacial**, 216
 - last interglacial, 216
- Intergovernmental Panel on Climate Change, 117, 222, 243, 248, 258
- internal variability**, 114, 144, 178–80, 233, 253, 255, 258. *See also* modes of variability
 - sensitivity to perturbations, 178
- inter-stadial phase, 221
- Intertropical Convergence Zone**, 8, 10, 222

- isotope**, 197
 - carbon*, 197, 202, 210, 220, 238
 - cosmogenic**, 197, 231
 - fractionation**, 200
 - half-life, 197
 - hydrogen, 202, 216f5.25
 - isotopic thermometer, 201
 - oxygen, 200, 208, 211f5.20
 - radioisotope, 197
- jet, 7
- Kepler’s law, 36, 39
- Kuroshio, 12
- La Niña. *See also* El Niño–Southern Oscillation
- Lagrangian description, 86
- land use
 - changes, 59
 - forcing, 141
- land-sea contrast, 260. *See also* **continentality**
- lapse rate**, 3, 6
 - adiabatic, 4
 - dry adiabatic, 4
 - saturated adiabatic, 4, 260
- last glacial maximum, 216
 - boundary conditions, 116
- latent heat**, 4, 24, 46, 47, 50, 53
 - surface flux, 51
- Lax-Richtmyer theorem, 104
- Le Chatelier’s principle, 63
- leaf-area index**, 28, 166, 168
- leapfrog scheme, 106
- least-squares method**, 126
- length of the day, 40
- little ice age, 230, 232, 233, 234, 235
- low-order model, 79
- material derivative, 86
- mathematical model, 73, 101, 105
- medieval climate anomaly, 230, 232, 234, 235
- mega-droughts, 235
- meridional overturning circulation**, 14, 158, 190, 223, 225, 266, 279. *See also* thermohaline circulation
- metamorphism**, 67, 205
- methane, 58
 - cycle, 70
 - forcing, 136
 - glacial periods, 219
 - last century, 58
 - Paleocene-Eocene thermal maximum, 210
 - Precambrian, 203
 - production, 67
 - scenario, 250
- mid-Brunhes event, 216
- Milankovitch theory, 217
- mitigation**, 251, 258
- model
 - calibration**, 112
 - drift, 124
 - dynamics, 87
 - physics, 87, 109
 - selection, 254
 - skill, 116
 - test, 110
 - validation, 110
- Model Intercomparison Project, 117
- model output statistics, 84, 125
- modes of variability, 182, 233, 238, 255, 257, 267. *See also* internal variability
 - centre of action, 182
- moisture availability, 260, 265
 - moisture-availability function, 94
- monsoon**, 9, 10, 227, 264
- natural variability, 238, 242. *See also* **internal variability**; forcing, natural
- Newton’s second law, 85, 93
- North Atlantic deep water, 14, 15, 18, 162f4.18
- North Atlantic Oscillation, 186–88, 267. *See also* modes of variability
 - index, 186
- North Pacific Oscillation, 187. *See also* modes of variability
- Northern Annular Mode, 188
- nudging, 128
- numerical grid**, 73, 100
- numerical instability, 104, 105, 107
- numerical method, 101
 - consistence*, 102
 - convergence*, 104
 - stability*, 104, 107
- numerical model, 73, 101
- numerical resolution, 73
- nutrient, 18, 63, 94, 97, 164, 221
 - iron, 221
- nutrient-phytoplankton-zooplankton-detritus model, 97, 196
- obliquity**, 41, 211, 213, 91
 - dominant periods, 213, 219
- observation operator, 127, 193
- ocean acidification, 272
- ocean circulation, 12, 48
 - multiple equilibriums, 161
- ocean mixed layer**, 17, 52
- oceanic water transport, 58
- outgoing **longwave** flux, 42
- oxygen, 204
- ozone**, 68, 204, 268
 - forcing, 137
 - stratospheric, 6, 137
 - tropospheric, 137
- Pacific Decadal Oscillation, 190. *See also* modes of variability

- index, 191
- Pacific North American pattern, 185
- Pacific South American pattern, 185
- Paleocene-Eocene thermal maximum, 209
- Paleoclimate Modelling Inter-Comparison Project, 117, 229f5.33, 231
- paleoclimate reconstruction
 - analogue method, 194
 - archive, 192, 195
 - forward, 193
 - inversion problem, 193
 - multi-proxy, 194
 - proxy**, 192
 - response function, 193
 - sensor, 192
- parameterisation**, 75
 - biogeochemical processes, 97
 - clouds, 89
 - convection, 88, 91
 - coupling, 100
 - eddies, 91
 - meridional transport, 80
 - overflow, 91
 - small-scale processes, 88, 90
- peat, 65
- perihelion**, 36, 211, 213
 - longitude of, 39
- permafrost**, 22, 66, 70, 95, 167
- photosynthesis, 17, 63, 64, 94, 163, 202, 204
- phytoplankton, 17, 63, 97
 - blooms, 18
- plant functional type**, 95
- plate tectonics, 208
- polar amplification, 154, 261–63
- pores**, 55
- potential temperature**, 90
- precession. *See also* climatic precession
- prediction**, 247, 255
 - mix of initial and boundary condition problems*, 255
 - persistence, 257
 - skill, 257
- primary production**
 - net**, 138
- projection**, 247, 255
 - boundary-condition problem*, 255
 - skill, 254
 - uncertainty, 258, 263
- radiation . *See also* solar radiation
 - black body**, 31
 - infrared, 31
 - longwave**, 31, 50, 87
 - shortwave**, 31, 87
 - visible, 30
- radiative forcing**, 133, 219, 248, 250, 273
- radiative-convective model, 79
- radiometric dating, 197–98
- Raleigh distillation, 201f5.14
- rapid event, 144, 229. *See also* abrupt change
- reanalysis**, 8f1.6, 119, 125, 179
- reference state, 116
- regional model, 82–83
- relative humidity**, 3, 151, 263
- remineralisation**, 63
- resolution**
 - spatial, 73
- Revelle factor, 163
- Reynolds decomposition, 87
- river runoff, 57, 94
- Sahara greening, 169, 228
- saturation vapour pressure**, 3, 151, 263
- scenario, 247–52, 258
 - likelihood, 249
 - parallel approach, 248
 - representative concentration pathway (RCP), 248, 250–52
 - sequential form, 247
 - Special Report on Emission Scenario (SRES), 247, 249–51
- sea ice
 - brine rejection, 14
 - concentration, 20, 92
 - dynamics, 91
 - lead**, 20, 92, 93
 - polynya**, 20, 25, 92
 - thermodynamics, 91
 - thickness distribution, 92
- sea level, 98, 216, 222, 278
- sea water, 11
 - composition, 11
 - salinity, 11
 - standard, 11
- season, 38, 41
- sediment, 67, 69, 98, 169, 170, 194, 196
- sensible heat**, 47
 - surface flux, 51
- sensitivity experiment, 76
 - doubling atmospheric carbon dioxide concentration, 116
 - idealised conditions, 116
 - water hosing, 116
- snow, 20, 24, 26, 92, 93, 236
- snowball Earth hypothesis, 204
- soft-tissue pump, 63, 170, 220
- soil
 - carbon pool, 64
 - drying, 157, 221, 264, 265, 269
 - field capacity, 55
 - moisture**, 54
 - permanent wilting point, 55
 - temperature, 93
 - water, 53
- solar**
 - constant**, 30
 - declination, 39
 - forcing, 141

- solar constant. *See also* total solar irradiance
- solar radiation
 - incoming, 30, 42
 - surface, 49
- solubility
 - calcium carbonate, 170, 272
 - carbon dioxide, 62, 164
- solubility pump, 64
- South Pacific Convergence Zone, 10
- Southern Annular Mode, 188–89, 267.
 - See also* modes of variability
- index, 188
- spatial step, 101
- specific humidity**, 3, 6, 48, 263
- spectral method, 109
- stadial phase, 221, 225
- state estimation, 125
- statistical downscaling, 84
- Stefan-Boltzmann** law, 31, 42, 52, 146
- stomata**, 94, 164
- storm track**, 10, 189
- stratigraphy, 200, 203f5.15
- subduction**, 67, 205
- Suess effect, 238
- Sun
 - distance to the Earth, 36
 - 11-year cycle, 141
 - faint young Sun paradox, 203
- surface temperature, 51, 143, 236, 258, 260
- taiga**, 28, 168
- teleconnection**, 182, 224, 267
- temperature inversion, 4, 262
- thermal expansion**, 276
- thermal inertia, 9, 227, 237, 257, 260, 261, 276.
 - See also* heat capacity
- thermocline**, 182
 - permanent, 20
 - seasonal, 17, 20
- thermohaline circulation**, 14, 49, 91, 158, 266
- time step, 73, 101
- time scale**, 182
 - astronomical parameters, 213
 - equilibrium, 149
 - ocean circulation, 15
 - response carbon dioxide, 274
 - tipping point, 222
- total solar irradiance**, 141, 180, 230
 - Precambrian, 203
- tracer, 96
- trade winds**, 7, 12
- transient climate response**, 150, 151
- transient climate response to carbon emissions**, 271
- true longitude**, 38
- tundra**, 28, 168
- Twomey effect, 139
- upwelling**, 15, 63, 189, 220
 - coastal, 13, 118
 - equatorial, 13, 183
- varve, 199f5.13
- verification, 110
- vernal equinox**, 38
- volcanic
 - eruption, 67, 242
 - forcing, 142, 230
 - Pinatubo eruption, 142f4.7
- von Neumann’s method, 104
- Walker cell, 183, 265
- warm pool, West Pacific, 16, 183
- warmer-get-wetter, 265
- water availability. *See also* moisture
 - availability
- weather forecast, 128, 254, 255, 256, 258
- weathering**, 67, 169, 172, 204, 205
- weathering-CO₂ thermostat, 172
- westerlies, 8, 12, 46, 268
- western boundary currents, 12, 49
- wet-get-wetter, 263
- wetlands, 65, 68
- Wien’s law**, 31
- World Meteorological Organisation, 1
- younger Dryas, 225
- zenith distance**, 37