

Index

- *-action, 607
- a^\vee , 101
- A , 314
- $\underline{\text{Aut}}(G)$, xxiv
- $\underline{\text{Aut}}_{G,C}$
 - representability, 24–26, 84–88
- $\text{Aut}_{G,C}$, 24, 84
 - and exotic pseudo-reductive groups, 278
- $\text{Aut}_{\mathcal{G},\mathcal{G}}$
 - and Weil restriction, 427
- $\underline{\text{Aut}}_{G,T}$
 - representability, 88
- $\text{Aut}_{G,T}$, 88
- \mathcal{B} , 356
- B_n^\pm , 343
- $\langle \Gamma \rangle$, 107
- $\mathcal{B}_{V^{(2)},V',n}$, 368
- \mathcal{C}_G , 322
- $\mathcal{C}_{G/k}$, 165
- $C[n]$, xxiv
- $C_{V^{(2)},V',n}$, 368
- D_0 , 370
- $\Delta_>, \Delta_<$, 230
- Δ_n , 368
- $\mathcal{D}(G)$, xxiv
- $\mathcal{D}(G)$, 472
- $D_k(\Lambda)$, 544
- D_n , 343
- E^{sm} , 651
- f_G , 169
- $F_{G/k}, F_{X/S}$, 471, 484, 485
- $F_{X/S,n}$, 484
- ${}^k\bar{\Phi}$, 601, 624, 631
- $\Phi_>, \Phi_<$, 230
- $\Phi_>^+, \Phi_<^+$, 230, 350
- $\Phi(G, T)$, xxiv, 73
- Φ_J , 94
- $\Phi_{\lambda \geq 0}$, 119
- $\Phi_{\lambda < 0}$, 137
- Φ_n, Φ_n^+ , 343
- $\Psi(G, S)$, 107
- Ψ_{nd} , 117
- G_a , 123, 492
- \mathbf{G}_a , 466
- $G_{\alpha,n}$, 412
 - properties, 415
- G'' , 386
- $G_>, G_<$, 238
- $\mathfrak{g}_<, \mathfrak{g}_>$, 232
- G/H , 470
- G_J , 94
- $G_{K/k}$, 402
- $(G', k'/k, T', C)$, 29
- $G(k)^+$, 640
- $G_{k'}^{\text{pred}}$, 403
- $G_K^{\text{red}}, G_K^{\text{ss}}$, 473
- $G_K^{\text{red}}, G_K^{\text{ss}}$, 473
- $G_{K/k, V^{(2)}, V', n}$, 368
- $G_{K/k, V^{(2)}, V', n}$
 - properties, 371–382, 401–403
- G^M , 548
- $G_k^{\text{red}}, G_k^{\text{ss}}$, 473
- G^{sm} , 651
- G_t , 88, 477

- $G_{V^{(2)}, V', n}$, 368
 H^0 , 469
 $H_A(G)$, 109
 (H, H') , 472
 H_V , 291
 $H_{V, K/k}$, 291, 292, 299
 and Weil restriction, 288
 i_G , 17
 isomorphism criterion, 441–443
 i_λ , 369
 K_0 , 346, 368
 K'_a , 311
 $K_>, K_<$, 218
 $K_>$, 309
 $k(S)$, 290
 \underline{K} , 331
 ℓ_a , 319, 337, 347
 $\text{Lie}(G)$, 52
 Mat_n , 342
 $[m]_{ij}$, 344
 μ , 359
 $m(u)$, 124
 $\mu_<$, 230
 μ_n , xxiv
 $\tilde{\mu}_{V^{(2)}, V'}$, 357
 $N_G(V)$, 469
 ξ_G , 195
 properties in basic exotic case,
 271–275
 properties in standard case, 195
 properties of kernel, 196, 198–201
 properties with non-reduced root
 system, 416–419
 Ω , 357
 $\tilde{\Omega}, \tilde{\Omega}'$, 371
 $\tilde{\Omega}$, 358
 $P_G(\lambda)$, 49
 for abstract action, 59
 for quotients, 58
 Φ_P , 608
 P_J , 620
 $P'_G(\lambda)$, 63
 q_c , 319, 337, 347
 q , 331, 347
 q_X , 510
 r_a, r_a^\vee , 101, 492
 R^\vee , 101
 $\mathcal{R}(G_k)$, 472
 $\mathcal{R}_k(G)$, 3, 472
 $R_{k'}/k$, xvi
 $\mathcal{R}_u(G_k)$, 472
 $\mathcal{R}_{u, k}(G)$, xiv, 3, 472
 $\mathcal{R}_{us, k}(G)$, 63, 575
 $\prod_S^1(k, G)$, xiv
 $*$ -action, 608
 Sym_n , 343
 $\mathfrak{t}_<$, 230
 U_a , 81
 $U_A(G)$, 110
 $\mathcal{U}, \mathcal{U}_a$, 350
 $\mathcal{U}_<, \mathcal{U}_>$, 352
 \mathcal{U}' , 358
 U_{Φ^+} , 116
 $U_G(\lambda)$, 50
 for abstract action, 59
 for quotients, 58
 $[u]_{ij}$, 344
 $U_<, U_>$, 352
 U_n^\pm , 343
 $U_{(a)}$, 74
 for quotients and subgroups, 70
 U^\pm , 291
 U_Ψ , 117, 624
 U_{split} , 574
 U_V^\pm , 291
 $\mathcal{U} \mathbf{w} \times \mathcal{B}$, 357
 V_0 , 346, 368
 V_c, V' , 316
 $V_{K/k}^*$, 291
 \underline{V} , 291
 $V^{(2)}, V'$, 346
 w , 344
 \underline{W} , 466
 $W(G, T)$, 104
 ${}_k W$, 601
 ${}_k W_I$, 620
 $\text{wt}(V)$, 108
 \mathbf{w} , 357
 X^\vee , 101
 χ_a , 311
 χ'_a , 312
 $X(M)$, 467

- X^{\natural} , 650
 $X^{(p^n)}$, 483
 X_{red} , xxiii
 Y^H , 548
 Z_G , 469
 $Z_{G,C}$, 24, 84, 404
 and basic exotic pseudo-reductive groups, 280–281
 and exotic pseudo-reductive groups, 278
 $Z_{\mathcal{G}, \mathcal{E}}$
 and Weil restriction, 427
 $Z_G(\lambda)$, 50
 for abstract action, 59
 for quotients, 58
 $Z_G(V)$, 468

 absolutely pseudo-simple, 92
 adelic points, 254, 419
 arises from a 4-tuple, 29
 arithmetic properties
 basic exotic case, 254–257
 non-reduced root system case, 419–421
 automorphism functor, 23, 84–91
 automorphisms
 representability results, 84–91
 standard case, 179–181
 basic exotic case, 258–260, 278–281
 generalized standard case, 430
 standard case, 24–26
 totally non-reduced case, 416, 423–428
 automorphisms standard case, 25

 basic exotic pseudo-reductive group, 243–251
 $Z_{G,C}$, 280–281
 arithmetic properties, 254–257
 automorphisms, 278–281
 center, 247
 isomorphisms, 258–260
 maximal geometric reductive quotient, 249
 non-standardness, 265
 pseudo-parabolic subgroup, 458
 root groups, 247
 root system, 249
 separable ground field extension, 249
 Weil restriction, 266
 basic non-reduced pseudo-simple group, 423
 birational group law, 339–342
 Bruhat decomposition
 smooth connected affine groups, 596
 split pseudo-reductive groups, 127

 Cartan subgroup
 and Galois cohomology, 126
 and quotient groups, 476
 in $H_{V,K}/k$, 292
 Lie algebra, 475
 non-reduced root system, 372, 386
 pseudo-reductive group, 13
 pseudo-reductive groups, xvii
 rational expression in root groups, 174
 reductivity criterion, 438
 standard pseudo-reductive group, 186
 Weil restriction, 520–523
 $cckp$ -kernel, 571
 center (scheme-theoretic), 469
 central extension, 174, 176, 194, 266, 416, 425
 central quotient, 83
 central subgroup, 469
 centralizer (scheme-theoretic), 468
 character group, 467
 character lattice, 103
 Chevalley's Theorem, 486–488
 closed set of roots, 65, 117
 cocharacter lattice, 103
 commutator subgroup, 472
 conjugacy
 for maximal split tori, 593
 for maximal split unipotent subgroups, 648
 for minimal pseudo-parabolic subgroups, 595
 coroot, 604
 coroot lattice, 103
 coroots, 101

- dense in fibers, 340
 derived group, xxiv, 472
 in pseudo-reductive group, 15
 direct spanning, 106, 114–117
 of $\mathcal{R}_{u,k}(P)$, 118
 divisible root, 65
- étale morphism, xxiv
 exceptional pseudo-reductive group, 221, 310
 and basic exotic pseudo-reductive groups, 271–275
 Existence Theorem, 492–495
 exotic pseudo-reductive group, 275, 309
 $\text{Aut}_{G,C}$ and $Z_{G,C}$, 284
 automorphism scheme, 278
 characterization of invariants, 267–270
 direct factor of pseudo-reductive group, 285–287
 isomorphisms, 258–260, 277
 parameterization of maximal tori, 439–441
 root system, 276
 separable ground field extension, 281–284
 simple factors, 267
- faithfully flat descent, xxiv, 194
 field of definition
 for closed subgroup, 534
 for closed subscheme, 7
 for linear subspace, 7, 534
 separable base change, 8
 Frobenius morphism, 471, 483–485
 functorial criterion for smoothness, xxiv
 functorial linear representation, 545
- Galois cohomology
 and Cartan subgroup, 126
 commutative pseudo-reductive case, 451
 pseudo-semisimple case, 452
 generalized standard construction, xviii, 427–429
 generalized standard presentation, 429, 431
- pseudo-parabolic subgroup, 455–456
 root group, 454
 generated by tori, 88
 geometric radical, 472
 geometric unipotent radical, 472
 Greenberg functor, 524
- height ≤ 1 , 539
- identity component, 469
 isogeny, 470
 Isogeny Theorem, 499–500
 Isomorphism Theorem, 492–497
 isomorphisms
 criterion for i_G , 441–443
 exotic pseudo-reductive group, 258–260, 277
 generalized standard pseudo-reductive group, 433
 standard pseudo-reductive group, 183–185
- kernel (scheme-theoretic), 468
 k -radical, 3, 472
 k -rank, 260, 593
 k -root system, 600
 k -split unipotent radical, 63
 k -subgroup, 468
 k -torus, 467
 k -unipotent radical, xiv, 3, 472
 normal subgroups and torus centralizers, 498
 k -Weyl group, 600
 k -wound, 568
- Levi subgroup, 473
 Levi subgroup, 122, 129, 134, 260–264, 523–528
 Weil restriction, 523
 Lie algebra, 52, 529–532
 and Weil restriction, 533
 invariants under linearly reductive group, 547–551
 p -Lie algebra structure, 537
 linear homomorphism, 466

- linear structure, 81, 315, 466
 - uniqueness, 76
 - linearly reductive, 547
 - action on reductive group, 552–554
 - scheme of invariants, 547–551
 - maximal central torus, 14, 475
 - maximal tori, 466
 - and ground field extension, 475
 - and normal subgroups, 476
 - and quotient groups, 476
 - conjugacy, 476
 - exotic pseudo-reductive groups, 439–441
 - generalized standard pseudo-reductive groups, 432
 - in non-affine groups, 651
 - standard pseudo-reductive groups, 162
 - Weil restriction, 520–523
 - minimal type, 322, 325
 - module scheme, 314
 - multipliable root, 65
 - multiplicative type, 467
 - complete reducibility, 545
 - equivalence with Galois lattices, 540
 - split, 544
 - non-divisible root, 65
 - non-multipliable root, 65
 - non-reduced root system, 105, 310–320, 371–426
 - normal subgroup, 468
 - generalized standard pseudo-reductive group, 446–448
 - pseudo-reductive group, 16, 96
 - standard pseudo-reductive group, 189
 - normalizer (scheme-theoretic), 469
 - open Bruhat cell, 122, 378
 - parabolic set of roots, 65–67
 - perfect group, 472
 - pinning, 501–503
 - p -Lie algebra, 537–539
 - p -morphism, 489
 - positive system of roots, 105
 - p -polynomial, 562
 - principal part, 563
 - pseudo-complete, 581–585
 - quotient by pseudo-parabolic subgroup, 586
 - pseudo-parabolic subgroup, 62
 - and basic exotic pseudo-reductive group, 458
 - and basic non-reduced pseudo-reductive group, 456–457
 - and quasi-parabolic subgroup, 590
 - classification, 138–155
 - completeness for cosets, 135
 - conjugacy, 122, 151
 - conjugacy in minimal case, 595
 - connectedness, 147
 - containing a fixed torus, 141
 - in reductive groups, 67
 - intersection, 151
 - minimal, 604
 - normalizer, 145
 - parameterization via generalized standard presentation, 455–456
 - parameterization via G_k^{red} , 151
 - parameterization via roots, 138
 - Weyl group, 148
- pseudo-reductive group, xv, 3
 - basic exotic, 243–251
 - basic non-reduced, 423
 - Bruhat decomposition, 127
 - Cartan subgroup, xvii, 13
 - central quotient, 31
 - commutative, xvii, 13–14, 18–20, 40–41, 197, 448–451, 558–560
 - derived subgroup, 15
 - exceptional, 221, 310
 - exceptional and basic exotic, 271–275
 - exotic, 275, 309
 - exotic direct factor, 285–287
 - generalized standard, xviii, 428, 431–434
 - Levi subgroup, 129–134
 - non-reduced root system, 371, 310–382, 416–419
 - non-reduced root system construction, 346–368

- non-unirational, 448–451
- normal subgroup, 16, 96
- of minimal type, 325
- perfect normal subgroup, 98
- pseudo-simple, xx
- pseudo-split, 44
- reductive group, 135
- root datum, 103
- standard, xvii, 26–29
- standardness criterion, 198–201
- totally non-reduced, 422
- unirationality, 452
- Weyl group, 104, 126
- pseudo-reductivity
 - derived subgroup, 15
 - for Cartan subgroup, 13
 - ground field extension, 6
 - invariants by linearly reductive group, 554
 - p -torsion, 40
 - quotients, 6, 41
 - solubility, 13
 - Weil restriction, 10
- pseudo-semisimple, 443–448
- pseudo-semisimplicity, 22
- pseudo-simple group, xx, 92
- pseudo-split
 - pair, 73
 - pseudo-reductive group, 44
 - smooth connected affine group, 73
- pseudo-split form, 399

- quasi-parabolic subgroup, 588
 - and pseudo-parabolic subgroup, 590
- quasi-reductive, 599, 603, 625
- quotient
 - comparison with classical case, 470
 - comparison with quotient by p -Lie subalgebra, 539
 - maximal adjoint semisimple, 473
 - maximal adjoint semisimple, exactness properties, 498
 - maximal geometric
 - reductive/semisimple, 473
 - maximal simple adjoint semisimple, 473
 - maximal simple semisimple, 473
 - universal maximal absolutely simple adjoint, 166
- quotient (scheme-theoretic), 470

- reductive group, 472
- reflection, 101
- root datum, 103, 323, 489
 - adjoint, 103
 - semisimple, 103
 - simply connected, 103
- root group, 81, 83, 616
 - and generalized standard presentation, 454
 - of basic exotic pseudo-reductive group, 247
 - of central quotient, 83
 - of pseudo-split pseudo-reductive group, 452
 - short, long, 230
- root lattice, 103
- root system
 - basic exotic pseudo-reductive group, 249
 - dual, 231, 235
 - exotic pseudo-reductive group, 276
 - for Weil restriction, 73
 - generalized standard pseudo-reductive group, 434
 - invariants by linearly reductive group, 555
 - inverse, 231
 - non-reduced, 105, 310–320, 371–426
 - of central quotient, 83
 - relative, 599, 600
 - standard pseudo-reductive group, 105
- roots, 101

- saturated, 622
- semigroups, 106
 - associated subgroups, 109–114
- semisimple group, 472
- separable
 - field extension, xxiii
 - polynomial, 562
- simply connected

- central cover, 500
- simply connected datum, 169
- smooth morphism, xxiv
- solvable pseudo-reductive groups, 13
- special isogeny, 235
- split
 - central extension, 174, 194, 266, 416, 425
 - conjugacy for maximal split tori, 593
 - conjugacy for maximal split unipotent subgroups, 648
 - reductive groups, 488–503
 - reductive pair, 488
 - smooth connected solvable group, 466, 561
- standard construction, 26–29
 - for semisimple group, 35
- standard open Bruhat cell, 359
- standard presentation, 161
 - compatibility with a maximal torus, 163
 - relation with Cartan subgroup, 186
 - relation with maximal torus, 184
- standard pseudo-reductive group, xvii, 26
 - and Cartan subgroup, 186
 - central quotient, 31
 - derived subgroup, 182
 - invariance under separable extension, 185, 200
 - normal subgroup, 189
 - pseudo-simple normal subgroup, 191
 - root system, 105
- standardness criterion, 198–201
 - in characteristic 2, 309
 - in characteristic 3, 288
- strict birational group law, 341, 359

- Tits system, 615
- torus, 467
- totally non-reduced pseudo-reductive group, 422
 - arithmetic properties, 419–421
 - general properties, 423–426
- type of an exotic pseudo-reductive group, 275

- unipotent group, 467
 - maximal split normal subgroup, 573
 - maximal split, conjugacy, 648
 - torus action, 575–578
 - wound, 568
- universal maximal absolutely simple adjoint quotient, 166

- vector group, 466
 - separable ground field extension, 569
 - torus action and linear structure, 577
- very special isogeny, 234
- very special quotient, 234

- weight lattice, 103
- Weil restriction, xvi, 4–5, 503–519
 - automorphism scheme, 24–26, 427
 - basic exotic pseudo-reductive group, 266
 - centralizer, 520–523
 - field of definition, 36–43
 - for simply connected groups, 519
 - isogenies, 18
 - Levi subgroup, 523
 - Lie algebra, 533
 - maximal tori, 520–523
 - perfectness criterion, 536
 - pseudo-reductivity, 10
 - quasi-projectivity, 513
 - root system, 73, 105
 - simply connected group, 537
 - standard pseudo-reductive group, 32
- Weil's Theorem on birational group laws, 341
- Weyl group
 - finiteness, 476
 - for maximal geometric reductive quotient, 104
 - for pseudo-parabolic subgroup, 148
 - for pseudo-split pseudo-reductive group, 126
 - for smooth connected affine group, 104
 - relative, 600
 - wound group, 568–574
 - torus action, 577