

Index

- absorption, 3, 5–6, 58, 69, 84–6, 94–5,
 97–9, 101–2, 105, 107–10, 112–13,
 115, 117, 122, 124, 126, 153
- acceptation of emotions, 6, 97–8, 101, 105,
 122–4, 146, 164–5
- activity, 45, 55–6, 59, 81, 110, 118,
 120, 125, 132, 136, 138, 142–3,
 146–8, 153
- Adjective Check List (ACL), 112
- adjectives, 4, 15, 17, 23, 45, 96, 111
- adolescence, 43, 48, 120, 137, 150
- adulthood, 11, 47, 59, 109, 120, 126, 131,
 150, 153
- age, 4, 35, 40, 43, 47, 52, 70, 73, 78, 80, 82,
 94, 116, 118, 119, 155
- agreeableness, 7, 125, 127–8, 133, 138, 142
- alcohol, 43, 59, 110, 146
- alphabet, 3, 4, 9, 13–15, 17, 20–1, 23, 26–7,
 30–1, 37–40, 42–3, 45, 48, 73, 115,
 119, 152
- Alternate Uses Test (AUT), 111
- ambidexterity, 3
- American Synesthesia Association (ASA),
 51
- analysis of variance, 75, 76, 79
 - ANOVA, 74, 75, 84, 91–2
 - Fisher's Least Significant Difference
 (LSD), 92
 - r*ANOVA, 75, 76
- anger, 7, 132–4, 140, 142–3, 150, 153
- arousability, 7, 141, 142, 143, 144
- arousal, 110, 129, 133, 146, 148
- art, 1, 52, 60, 110–12, 123, 147
- Asperger syndrome, 115
- association, 4, 8, 15, 17, 25, 30–2, 38, 51,
 55–7, 66, 68, 76, 79, 86, 102–3, 107,
 115, 118, 122, 124, 150
 - auditory-colour, 94, 116
- consistency, 4, 5–6, 12–15, 20–1, 23,
 25–6, 28, 31, 33–5, 41–3, 45–7,
 49, 64, 66, 68, 73, 75–6, 79,
 152–3
- cross-modal, 1, 2–3, 8–10, 14, 31–2, 35,
 37, 41–2, 45, 108, 111, 113, 126,
 149, 152
- emotional, 102, 103, 136
- external, 14, 102–3
- frequency, 34, 43, 112
- internal, 6, 14, 102, 115
- intramodal, 8, 32, 37, 126
- multimodal, 41, 66, 119
- range, 3, 4–5, 13–14, 25–6, 28, 31, 38–40,
 44–5, 49–51, 61–2, 74–5, 79, 84–5,
 89–90, 127, 129, 132–4, 136, 152
- vividness, 14, 34–5, 43, 80–1, 112, 117,
 126
- attention, 3, 5, 43, 57, 66, 69, 84, 86, 90–2,
 96, 107–10, 123–4, 131, 143, 146,
 148, 153
- audio-visual synaesthesia scale, 110
- Auditory Synaesthesia Performance Test
 (ASPT), 117, 126
- aura vision, 8, 58, 60, 67, 69, 108, 149
- autism, 8, 57, 114–16, 124
- awareness, 2, 55, 96–7, 108, 148
- balance of nervous system processes, 6, 135,
 140, 147, 148, 150
- Banissy, M. J., 13, 30, 41, 48–9, 67, 69, 79,
 116, 120, 122, 137
- Baron-Cohen, S., 10, 12–13, 33–5, 50, 52,
 70, 76, 114–16
- Barron-Welsh Art Scale – Revised
 (BWAS), 112
- Benton Visual Retention Test (BVRT), 5,
 72–4, 77–8, 91–2, 156
- Big Five personality inventory, 6, 105, 113,
 125–7, 129, 140
- biofeedback, 109
- body-sidedness, 5, 35, 40, 50–1, 53, 55–6,
 62, 64, 66, 68, 153. *See also*
 lateralization
- ambidexterity, 36
- eyedness, 35, 55

Index

199

- footedness, 35, 36, 52, 55,
 handedness, 35, 36, 52–3, 55–7, 63
 Bonferroni correction of p value, 50, 51
 brain, 2, 3, 11, 35, 50–2, 55–60, 66–8, 87,
 109, 113, 117–18, 121, 137, 148–9
 brain damage, 11, 59, 66–7, 146
 Brang, D., 1, 2, 9–12, 30, 48, 51, 53, 59, 70,
 73, 76, 85, 109, 111, 117–18, 121,
 137, 148
 Brief Intelligence Test (BIT), 117, 126
 briskness, 135, 138, 142
- cancer, 11, 59
 cascaded cross-tuning (CCT) hypothesis, 9
 cerebral organization, 52, 57, 153
 childhood, 11, 43, 47, 48, 82, 119, 126,
 131, 150
 children, 11, 47, 52, 57, 66, 109, 114, 116,
 118, 119, 126
 chi-squared test (χ^2), 51, 53, 59, 107
 Fisher's exact test probability, 55
 Pearson's chi-squared, 51, 55, 60
 Yates' chi-squared, 53
 clairvoyance, 58
 cluster analysis, 6, 15, 27, 41, 61, 64, 90–2,
 123, 138, 140
 complete linkage clustering, 138
 expectation-maximization (EM)
 algorithm, 28
 two-way joining, 90, 91, 138
 unweighted pair-group method with
 arithmetic mean (UPGMA), 99
 v -fold cross-validation technique, 28
 weighted pair-group method using the
 centroid average (WPGMC), 61
 cognitive abilities, 6, 49, 66, 68–9,
 93–4, 102
 cognitive processes, 3, 4, 37, 48, 64, 102,
 116, 126, 153–4
 cognitive science, 1, 69–70
 Cohen Kadosh, R., 1, 2, 9, 10–11,
 13, 31, 48, 67, 69, 79, 108, 120,
 149, 150
 colour discrimination, 5, 74
 colour model,
 additive vs. subtractive colours mixing,
 18
 CIELAB, 4, 19, 28
 RGB, 4, 18–20, 28
 RYB, 18
 colour palette, 15, 16–17
 colour perception, 5, 37, 49–51, 55, 64, 67,
 75, 78–9, 121
 colour terms, 4, 15–17, 21, 23, 25–8, 30,
 44, 79
 compensatory hypothesis, 5, 11, 47–50, 66,
 68, 79, 113, 119, 137, 148
 conditioning, 107, 134, 147, 150, 151
 confirmatory factor analysis (CFA), 105,
 107
 connotation, 14, 15, 23, 27, 30–1, 111, 121,
 123, 131, 133
 conscientiousness, 6, 125, 127, 128,
 138, 142
 consciousness, 8, 43, 59, 69, 88, 96,
 108–10, 113
 controlling of emotions, 97–8, 101, 105,
 164–5
 correlation, 5, 21, 23, 39, 46, 49, 50, 63, 69,
 82–3, 85, 97, 102, 108, 112–13,
 115–18, 127, 130, 134–6, 141,
 143–4, 150
 Pearson product-moment (r), 21, 23,
 85, 97–8, 117, 127, 130, 132–4, 136–7
 Spearman's rho (r_s), 39, 44–5, 49–50,
 96–7, 112, 115, 130
 Creative Behaviour Questionnaire (CBQ),
 94
 Creative Imagination Scale (CIS), 82
 creativity, 3, 6, 8, 32, 46, 55, 94–5,
 97–8, 101–3, 105, 110–14, 122, 124,
 153
 cross-activation, 12, 53, 117, 150
 cross-modality. *See* association: cross-modal
 cyclic mood disorder, 60, 124, 147
 Cytowic, R. E., 34, 52, 57, 58–9, 121,
 133
- d2 Test of Attention, 5, 88–9, 91–2, 156
 Day, S., 8, 12, 41, 48, 60, 67, 69, 124
 daydreaming, 55, 110
 days of the week, 4, 9, 15, 17, 23,
 25–6, 31, 37, 39–42, 44, 73, 119,
 150, 152
 definition of synaesthesia, 1, 13, 31
déjà vu, 52, 58
 depersonalization, 109
 depression, 121, 124, 134, 149
 deprivation, 80, 148
 descriptive statistics, 20, 27, 49, 83, 89,
 127, 129, 132, 134, 136
 mean (M), 13, 15, 19–21, 26, 28, 39, 79,
 82, 84, 94, 97, 127–9, 131–2, 134, 136,
 143, 152, 155,
 range, 19, 95, 97, 118, 155–6
 standard deviation (SD), 20, 28, 97, 127,
 129, 132, 134, 136, 152
 variance (s^2), 20, 21
 Differential Personality Questionnaire
 (DPQ), 126

200 Index

- digits, 41, 42, 48, 70, 73, 115
 disability, 32, 67, 72
 disinhibited feedback theory (DFT), 148, 149, 153
 disinhibition, 7, 109, 120, 137, 142, 146–50
 disinhibition-unmasking hypothesis, 149
 dissociation, 58, 86, 109
 distress, 132, 133, 140, 142–3
 Dixon, M. J., 11, 13, 33–5, 42, 46, 49, 69–70, 76–7, 80, 86–8, 90
 domain-specific hypothesis, 71, 73–4, 77, 79
 Domino, G., 34, 111–12, 116, 118
 dream, 52, 58
 drugs. *See* psychoactive substances
 dual coding theory, 82
 dyscalculia, 57
 dysgraphia, 57
 dyslexia, 57, 58, 67

 Eagleman, D. M., 3, 11, 18, 33, 35, 81
 emotion, 31, 47–8, 55, 101, 110, 120–4, 131, 133, 136–7, 143
 emotional intelligence, 6, 94, 97–8, 101–3, 105, 119–24, 153
 emotional reactivity, 120, 136–7, 140, 142–3, 153
 emotionality, 3, 7, 119, 122, 132–3, 140, 142–3, 146, 153
 Emotionality-Activity-Sociability Temperament Survey (EAS-TS), 6, 132, 134, 138, 141
 empathy, 48, 97–8, 101, 103, 105, 120–1, 123, 126, 164–5
 Empathy Quotient (EQ), 120
 Employee Aptitude Survey (EAS), 89
 encoding hypothesis, 71, 73, 77
 enculturation, 31, 126
 endurance, 35, 131, 136, 138, 142, 146
 engagement in experiences, 5, 82–5, 109, 112
 enhanced cross-activation hypothesis, 2
 environment, 43, 66, 68, 103, 105, 114, 118, 126, 132, 136, 146, 152
 epilepsy, 59
 Euclidean distance, 4, 19, 61, 99, 138
 excitation, 7, 113, 134–6, 138, 142, 144, 146–50, 153
 exploratory factor analysis (EFA), 4, 6, 15, 21, 23, 101, 105, 107, 110, 112, 115
 maximum likelihood (ML) extraction method, 23, 102, 105, 107, 110, 112
 principal axis factoring (PAF) extraction method, 102, 105, 107, 115

 extraversion, 6, 56, 110, 125, 127, 129–30, 137–8, 141–4, 146, 153
 Eysenck Personality Questionnaire – Revised (EPQ-R), 6, 129–31, 141
 Eysenck's three-dimensional model of personality, 126, 129

 face perception, 51, 52, 62–4, 78, 119, 122, 126
 factor analysis. *See* exploratory factor analysis (EFA) *or* confirmatory factor analysis (CFA)
 fantasy-proneness, 82, 83, 85, 108
 fatigue, 3, 43
 fear, 125, 132–3, 140, 142–3, 150
 feature integration theory, 86
 feeling, 47, 96–9, 102–3, 105, 114–16
 forenames, 4, 13, 15, 17, 20, 23, 25–6, 37, 39, 40–2, 44–5, 152
 form of synaesthesia, 2, 4, 13, 33, 41, 115, 121, 123, 154
 Formal Characteristics of Behaviour – Temperament Inventory (FCB-TI), 6, 135–6, 138, 141, 144
 fruits, 4, 15, 17, 21, 23, 26–8, 30–1

 gender, 3, 5, 10–11, 22,
 general factor of personality (GFP), 140
 general population, 13, 23, 31, 77, 111, 124, 152, 154
 genetic heterogeneity, 11, 51
 genetic origin theory, 10
 genetics, 2, 10–11, 50–1, 109, 117–18, 137, 153–4
 giftedness, 113–14
 Glicksohn, J., 58, 69, 85, 108–9, 124
 global vs. local cognitive style, 114, 115–16, 124
 graphemes, 9, 12, 16, 73, 76, 86, 90, 115, 121
 Grossenbacher, P. G., 10, 69, 82, 84, 109, 148–9

 hallucination, 58, 69, 86, 109, 149
 Harrison, J. E., 10, 33
 hearing, 36, 49, 51, 62–4, 67, 80
 hemisphere, 52, 53, 55–7, 81
 Hubbard, E. M., 1, 2–3, 31–3, 47–8, 53, 59, 69, 87, 111, 117, 121, 124, 133, 150
 hyperactivity, 121
 hyperconnectivity, 2, 3, 41, 67, 117
 hyperconnectivity hypothesis, 109
 hyperexcitability, 2, 148, 150

Index

201

- hypersensitivity, 49, 116, 137
 hypnotizability, 82, 83, 95, 108, 110, 149
- ideaesthesia, 78
 imagery, 2, 3, 35, 52–3, 56, 73,
 78, 80–2, 84–6, 93, 102, 108–11,
 117, 126
 imagination, 5, 49, 55, 66, 69, 78, 80, 86,
 91–2, 94, 113, 124, 153
 Imagination Inventory (II), 5, 82–5, 91–2,
 156
 impulsivity, 55, 143, 146–7
 individual differences, 1, 3–4, 6–7, 14–15,
 77, 80, 82, 86, 92, 94–5, 98, 105,
 108–10, 118, 123–6, 131–2, 134, 140,
 142–3, 151–4
 inhibition, 7, 110, 134–5, 138, 142–4,
 146–50, 153
 inscription, 37, 38, 51, 62–4
 integration, 2, 66, 80, 120, 122
 integrative hypothesis, 49, 50
 intelligence, 3, 6–8, 32, 66, 94, 96–8,
 101–2, 105, 111, 113, 115, 116–19,
 120, 123–4, 126, 140, 153
 interaction, 5, 51, 55–6, 68, 75–6, 79, 87,
 103, 105, 150
 introversion, 55, 127–8, 144
 intuition, 55, 96–8, 100–3, 105–7, 114–16,
 164
 Inventory of Childhood Memories and
 Imaginations (ICMI), 82
- Jacksonian seizure, 67
- Kaiser criterion for selecting the number of
 factors, 23, 102, 105
 knowledge, 2, 8, 10–11, 18, 31, 43, 47, 49,
 55–6, 81, 87, 90, 96, 99, 112–13, 152
 Kolmogorov–Smirnov *D* statistic (*K–S D*),
 20, 21, 27, 97, 127, 129, 132, 134, 136
- language, 1, 5, 7, 9, 15, 37, 48, 50–2, 55–8,
 62–4, 66–8, 79, 124, 141, 147
 language processing, 48, 50, 52, 56
 lateralization, 3, 5, 36, 50, 51–3, 55–7,
 63–4, 66
 learning, 9, 12, 31, 35, 42–3, 45–6, 48, 57,
 72, 78, 93, 110, 114, 146, 147, 152,
 153
 letters, 1, 3, 9, 13–15, 17, 27, 30–1, 41–2,
 73, 78, 80, 88, 90, 115, 119, 122,
 150, 152
 Lie Scale, 7, 129–31
 Likert scale, 34, 35, 44–5, 127
- Linguistic–Colour Association Test
 (L-CAT), 4, 5–8, 15, 32, 35–6, 38–42,
 44–6, 49–51, 53, 61–4, 66, 68, 73–6,
 79, 83–5, 90, 97, 101–2, 127, 129–32,
 134, 136, 138, 140, 142, 152, 155–6
 Luria, A. R., 34, 69, 70, 76
- Mann–Whitney *U* test, 20, 39, 44–5, 49, 51,
 53, 59, 99, 129
 Marks, L. E., 1, 9–10, 31, 34, 111
 mathematics, 45, 46, 52, 56, 113
 Mattingley, J. B., 10, 33, 69, 81, 86–7
 Mayer–Salovey–Caruso Emotional
 Intelligence Test (MSCEIT), 97
 meditation, 59, 109
 Meier, B., 49, 69–71, 73–4, 77–9, 111, 150
 memory, 2, 3, 5, 15, 35, 42, 46, 49, 53,
 55–6, 66, 70, 79, 81–2, 91–2, 94,
 108–10, 115, 119, 123–4, 152–3
 metaphor, 31, 111
 migraine, 3, 5, 11, 59–61, 67, 153
 Mill Hill Vocabulary Scale (MHV), 117
 Minnesota Multiphasic Personality
 Inventory (MMPI), 57
 mirror box, 61
 mirror system, 67, 120, 123
 mnemotechnique, 46, 72, 78
 mobility, 134, 138, 142, 144, 150
 monozygotic twins, 11
 month–colour association, 38
 months, 4, 9, 15–17, 20, 23, 26, 27, 30–1,
 37–9, 66, 132
 mood, 13, 18, 37, 43, 60, 85, 108, 112,
 133, 148
 movement, 37, 38, 51, 62, 63–4, 66, 153
 Multidimensional Personality
 Questionnaire (MPQ), 95, 117, 126
 multiple sclerosis, 11, 59
 musical scales, 15–16, 18
 Myers–Briggs Type Indicator (MBTI), 96
 mystical states, 8, 55, 58, 109, 149
- narcotics. *See* psychoactive substances
 navigation, 52
 neural plasticity, 3, 113
 neuroimaging techniques, 152–3,
 electroencephalography (EEG), 55
 event-related potential (ERP), 3, 58
 functional magnetic resonance imaging
 (fMRI), 55–6, 81, 118, 120
 transcranial magnetic stimulation
 (TMS), 3
 neurological dysfunctions, 11, 59
 neuroscience, 1–2, 38, 58, 70, 151, 154
 neuroticism, 125, 127, 129–30, 140–2

202 Index

- Neuroticism Extraversion Openness
 Five-Factor Inventory (NEO-FFI), 6,
 127, 130, 134, 138, 141
 non-parametric statistics, 20, 49, 51, 97,
 99, 129
 normal distribution, 4–5, 13, 20–1, 23,
 27–8, 31, 42, 94, 97, 102, 127, 129,
 132, 134, 152
 nouns, 15–16, 73, 77–8
 numbers, 4, 9, 15, 17, 21, 23, 26, 30–1, 37,
 39–40, 46, 72, 115, 119, 152
- Object-Spatial Imagery Questionnaire
 (OSIQ), 81
 Obscure Figures Test (OFT), 112
 openness to experience, 95, 110, 112–13,
 125–7, 138, 142
 out-of-body experience, 8, 58, 69
- pain, 3–4, 59–60, 67, 107, 120–1
 Paper-and-Pencil Synaesthesia
 Performance Test (PSPT), 117, 126
 parametric statistics, 14, 27, 31, 134
 Pavlov, I. P., 147, 148
 Pavlovian Temperament Survey (PTS), 6,
 134, 138, 141–2
 perception, 1, 3, 5, 10–11, 18–19, 32, 35,
 47, 49–50, 55–6, 60, 62–4, 66–9, 72,
 81–2, 85–8, 90, 96, 103, 108, 110–11,
 114, 116, 118–19, 122, 124, 131, 149,
 152–4,
 physiognomic, 69, 111
 syncretic, 69
 perseveration, 135, 140, 142
 personality, 2–3, 6–7, 31, 85, 95–6, 109–10,
 113, 117, 120, 125–31, 138, 140–2,
 146, 151, 153–4
 phantom limb, 61, 67
 photisms, 2, 121, 148
 Piaget, J., 66, 102–3
 pilot study, 16–17
 Popular Emotional Intelligence
 Questionnaire (PEIQ), 6, 96–8, 122
 positive self-view, 117, 126
 post-hypnotic suggestion, 11, 108, 149
 precognitive experiences, 52, 58
 prevalence, 11, 13, 47–8, 51, 59, 111–12,
 133, 147
 principal-components analysis (PCA), 23,
 25, 141
 pseudowords, 4, 15, 17, 20, 23, 26, 46
 psychedelic states, 59
 psychoactive substances, 11, 43, 58–9, 109,
 146, 148
 psychoticism, 125, 129
 questionnaire, 33–4, 41, 43, 47, 82, 97, 116
 Quick Word Test (QWT), 111, 116
- Ramachandran, V. S., 1–3, 9–12, 31–2, 34,
 47, 48, 51, 53, 59–60, 67, 69, 77, 85,
 87, 109, 111, 117–18, 121, 124, 133,
 148
 random sample, 1, 6, 11–12, 71, 78, 82, 94
 Raven's Advanced Progressive Matrices
 (APM), 119
 Raven's Standard Progressive Matrices
 (SPM), 6, 94, 96–8, 102, 105, 117–19
 reaction time (RT), 20, 73–5, 79
 reasoning, 15, 55, 102, 113, 117, 119,
 reasoning of emotions, 97–8, 101, 103, 105,
 120, 121–2, 164
 regression analysis, 63, 66, 83, 98, 108, 122,
 140–1, 150, 153
 cross-validation, 63, 141
 multiple stepwise regression with forward
 selection, 98, 122
 non-linear iterative partial least squares
 (NIPALS), 63, 141
 partial least squares (PLS), 7, 63–4, 66,
 138, 141–2, 150
- Regulative Theory of Temperament
 (RTT), 135
- reliability, 25, 73, 89, 112
 Cronbach's alpha internal consistency,
 21, 72–3, 83, 89, 95–7, 112, 127, 129,
 132, 134, 136
 Spearman–Brown split-half, 72–3,
 83, 96
 test–retest method, 95–6
- Remote Associates Test (RAT), 111
- Rey Auditory and Verbal Learning Test
 (RAVLT), 77
- Rey Complex Figure Test (RCFT), 77
- Rich, A. N., 2, 10, 12–13, 33, 35, 43,
 46–8, 50, 52–3, 56, 69, 79, 81, 86–7,
 111, 120
- Rouw, R., 2, 9, 12, 71, 73, 77, 117
- Sagiv, N., 31, 69, 86–7
 savantism, 8, 70, 114–15
 schizophrenia, 8, 58, 86, 109, 124, 147
 seasons of the year, 4, 15–17, 20, 23,
 27, 31
 self-report, 5, 33–4, 39, 41–3, 53, 68, 81,
 95–6, 97, 112, 126, 153
 sensing, 49, 51, 62–4, 66–7, 94, 96–7,
 99–103, 105–7, 114–16, 165
 sensitivity, 3, 55, 67, 79, 113, 144, 146
 sensorimotor stage of development, 66, 68
 sensory deprivation, 66

- sensory sensitivity, 7, 113, 116, 136–8,
 142–3, 148, 153
 serotonin S2a receptors, 59, 109
 shape, 9, 20, 30, 37, 38, 49, 51, 62–4, 66,
 72–3, 78, 86–7, 109, 114
 sight, 51, 62–4, 66–7
 Similes Test (ST), 112
 Simner, J., 1–3, 9–13, 15, 31, 34–5, 43,
 47–8, 50–1, 69–70, 77, 81, 114, 150
 smell, 1, 4, 18, 36, 42, 51, 62–4, 66
 Smilek, D., 10–11, 33–4, 42, 46, 49, 69–70,
 76, 77, 81, 87–8, 90
 sociability, 7, 110, 125, 132, 138, 142, 146
 somatosensory system, 5, 50, 66–8, 121
 spatial laterality, 56
 Spontaneous Use of Imagery Scale
 (SUIS), 81
 Sternberg's Short-Term Memory Test, 71
 Stroop effect, 33, 34, 35, 86, 151, 153
 Student's *t*-test, 20, 21, 84, 98, 127, 129,
 134, 136
 Synaesthesia Battery, 33, 41
 synaesthesia consideration
 continuous, 1, 4, 10, 13, 42, 68, 79, 94,
 152
 dichotomous, 4, 13, 31, 35, 63
 Synaesthesia Questionnaire (SQ), 34, 111,
 117, 126
 Synaesthetic Association Questionnaire
 (SAQ), 5, 35–51, 53, 59, 61–3, 66,
 155, 156
 synaesthetic experiences, 1, 4, 9–10, 12, 23,
 34–5, 43, 46–7, 69, 80, 82, 90, 148

 taste, 1, 4, 37, 49–51, 60, 62–4, 66, 82
 Tellegen Absorption Scale (TAS), 6, 85,
 94–5, 97, 108–9, 156
 Tellegen, A., 6, 69, 85, 95, 99, 101, 103–4,
 106–18, 126, 164–5
 temperament, 3, 6, 110, 113, 116, 126,
 127, 131–7, 138, 140–2, 144, 146,
 151, 153
 Test for Creative Thinking-Drawing
 Production (TCT-DP), 6, 95, 97, 112,
 164–5
 test–retest consistency methods, 4–5,
 12–13, 15, 18, 20–1, 23, 25, 26–8, 33,
 35, 41–2, 47, 68, 76, 94, 111, 117, 131,
 152–3, 155
 thinking, 3, 6, 8, 31, 66, 94–5, 97–8, 100–3,
 105–7, 109, 111–12, 114–16, 119,
 124, 127, 147, 148, 165
 intelligence, 56, 96–7, 164
 mentality, 105
 openness, 6, 105, 112, 153

 thought, 1, 55, 66, 102
 touch, 4–5, 36, 51–2, 62–4, 66–8, 116,
 120–1, 153
 trait, 4, 13, 31, 80, 84–5, 109, 113, 116,
 125–7, 140, 151, 153
 transliminality, 3
t-test. *See* Student's *t*-test
 type of linguistic-colour association,
 abstract, 4–5, 9–10, 14–15, 23, 30, 32,
 42, 49, 66, 73, 75, 78, 94, 114, 120–1,
 126, 152
 complete, 3–4, 14, 28
 concrete, 4–5, 10, 14, 15, 26, 30–1, 49,
 66, 73, 75, 78, 103, 114, 123, 152
 intentional, 14, 123,
 involuntary, 1, 12, 14, 30, 34, 94
 selective, 4, 14, 28
 type of synaesthesia, 1–2, 5, 7, 11–12, 18,
 32, 35, 37, 41, 47, 49, 66–7, 70, 77, 80,
 90, 93, 109, 111, 113, 116, 120–1,
 123–4, 129, 148, 151, 153, 155
 acquired, 11, 34, 59–60, 121, 148, 153–4
 artificial, 66
 associator, 2, 4, 34, 80, 88
 congenital, 11, 108, 148–9, 153–4. *See*
 also type of synaesthesia: developmental
 constitutional, 10. *See also* type of
 synaesthesia: developmental
 day-colour, 40–2, 91, 119, 155
 developmental, 10–11, 34, 47–9, 57–8,
 121, 149, 153–4
 drug-induced, 47, 148,
 emotional, 120–3
 emotion-colour, 133
 face-colour, 149
 forename-colour, 39–42, 91, 119, 155
 grapheme-colour, 2–4, 11–12, 21, 30–1,
 39, 41–2, 46–9, 53, 56, 67, 70–1, 73,
 78, 80–1, 87–8, 91, 111, 114–15, 117,
 119, 122, 133, 148–50, 155
 grapheme-personification, 121, 129
 hearing-colour, 71, 82
 higher, 4
 idiopathic, 10. *See also* type of synaesthe-
 sia: developmental
 lexical-colour, 47. *See also* type of
 synaesthesia: linguistic-colour
 linguistic-colour, 1, 4–8, 12, 14–15, 18,
 21, 23, 25–6, 28, 30–1, 35, 37–46,
 48–51, 53, 56, 58, 60–4, 66–71, 73–5,
 77, 79–80, 82–6, 88–90, 92, 94–5,
 98–9, 101–2, 105, 108, 110, 112–13,
 115–20, 122–4, 127–31, 134–8,
 141–3, 147–8, 150–5
 lower, 4

204 Index

- mirror-pain, 48, 120
- mirror-touch, 7, 41, 48, 67, 120, 122, 154
- multiple, 41, 155
- musical notation-colour, 10, 47
- music-colour, 1, 3, 7, 18, 70, 85, 94
- narcotic, 11, 59, 66, 153
- neonatal, 154
- number-colour, 1, 40–2, 48, 85, 91, 119, 150, 155
- number-form, 7
- number-space, 81
- ordinal-linguistic personification (OLP), 7, 10, 48
- orgasm-colour, 48
- pain-colour, 4, 60, 67
- personality-colour, 48
- phantom, 61, 66
- phoneme-colour, 70
- post-accidental, 11, 59
- post-hypnotic, 11, 66, 108, 149
- projector, 2, 4, 9, 34, 80, 88
- proper, 40. *See also* type of synaesthesia:
 - developmental
 - strong, 4–5, 10, 13–15, 27, 30–1, 43, 46, 50, 126–8, 130–1, 133–4, 137, 143, 150, 152–3
 - tactile-emotion, 48
 - temporary, 153–4
 - time-space, 1, 3–4, 9–10, 13, 38, 48, 53, 70, 81, 114, 154
 - touch-smell, 7
 - virtual, 11, 66, 153
 - weak, 4–5, 10, 13–15, 27, 30–1, 43, 68, 108, 110, 131, 152
- types of mind, 6, 94, 96, 98, 101, 103, 105, 114–16
- Types of Mind Scale (TMS), 6, 95–9, 164–5
- UK Synaesthesia Association (UKSA), 51
- unconsciousness, 59, 146
- variance, 7, 15, 23, 25, 47, 63, 83, 102–3, 105, 137, 142. *See also* analysis of variance, *and* descriptive statistics:
 - variance
- verbs, 4, 15–17, 23, 26
- vision defect, 35–6, 51, 63
- visual attributes of objects, 37
- Visual Colour Discrimination (VCD), 5, 17, 20, 74–6, 79
- visual processing, 12, 53
- visualization, 55, 80–1, 86
- Vividness of Visual Imagery Questionnaire (VVIQ), 80
- Ward, J., 9–10, 13, 30–2, 34–5, 46–8, 67, 69–71, 77–9, 88, 111, 116, 120–1, 133, 137, 149
- Wechsler Adult Intelligence Scale (WAIS), 56
- Wechsler Intelligence Scale for Children (WISC-III), 118
- Wechsler Memory Scale (WMS), 70
- white matter, 2, 71, 117–18
- Word List Recall Test (WLRT), 5, 71–2, 74, 77, 91–2, 156
- words, 1, 9, 13, 15–19, 28, 30–1, 35, 37–8, 42, 46, 52, 57, 70–3, 75–6, 78, 90, 115, 121, 123, 133, 147
- X-linkage hypothesis, 11, 51
- Yerkes–Dodson law, 110
- z*-scores, 21, 27–8, 76