

Subject index

- a posteriori* error estimate, 112
- action functional, 406
- Adams–Moulton methods, 372
- adaptive
 - algorithms, 449
 - finite difference methods, 111
 - finite element methods, 111
 - finite volume methods, 111
 - mesh refinement, 13, 21, 110
 - model refinement, 305
 - numerical quadrature, 110
- adiabatic approximation, 184
- alanine dipeptide, 398
- Allen–Cahn equation, 32
- alternating Schwarz iteration, 305
- analysis-based fast algorithm, 100
- Anderson thermostat, 158
- Arlequin method, 300
- asymptotic techniques, 12
- atomistic–continuum models
 - coupled, 216
- averaged system, 39
- averaging, 13
- averaging principle, 369
- averaging theorem, 40, 46
- backward differentiation, 372
- backward Euler scheme, 371
- backward Kolmogorov equation, 43, 410
- band projection, 348
- Barenblatt equation, 66
- barrier-crossing events, 398
- basin of attraction, 402
- BBGKY hierarchy, 168
- BGK model, 181
- BKL algorithm, 379
- black-body radiation, 5
- Boltzmann equation, 170, 172, 450
- Boltzmann inversion, 386
- Boltzmann’s H-theorem, 174
- boosting, 263
- Born–Oppenheimer approximation, 184
- Born–Oppenheimer dynamics, 236, 255
- bottom-up strategy, 260, 262
 - difficulty with, 286
 - versus top-down, 288
- boundary layer analysis, 19
- Bravais lattice, 159, 289
- Brillouin zone, first, 197
- bulk viscosity, 149
- Burgers equation, 30
 - viscous, 247
- Burnett equation, 181
- canonical ensemble, 156, 404, 434
- capacitance function, *see* committor function
- Car–Parrinello molecular dynamics (CPMD), 201, 227, 233, 235, 237, 257
- carbon nanotube, 213
- Cauchy–Born elasticity model, 163, 289
- Cauchy–Born rule, 161, 210, 238, 307
 - exponential, 211–214, 216
 - fiber bundle, 289
 - high-order, 211
 - local, 211, 212, 215
- Cauchy stress tensor, 137
- cell problem, 57
- chain-of-states approach, 427
- Chapman–Enskog expansion, 179
- Clausius–Duhem inequality, 145, 147
- coarse projective integrator, 245
- coarse-grained molecular dynamics (CGMD), 386
 - Rudd–Broughton, 387
- coarse-grained Monte Carlo methods, 393

- committor function, 418, 433
 - backward, 418
 - forward, 418
- complex lattice, 160
- composite material, 356
- condition number, 91, 121, 454
- conjugate gradient method, 116
- conservation
 - of energy, 147
 - of mass, 147
 - of momentum, 147
- constitutive relation, 7, 135
- contact angle, static, 218
- contact line, 202, 220
 - moving, 216, 223, 227, 314
- continuum models
 - deterministic, 328
 - stochastic, 328
- convective time scale, 34
- correlation energy, 189
- correlation length, 72
- Couette flow geometry, 224
- coupled quantum mechanics and molecular
 - mechanics method (QM-MM), 296
- coupling
 - concurrent, 16
 - sequential, 15
 - serial, 15
- coupling error, 322
- crack dynamics, 314
- crack propagation, 18, 300
- critical exponent, 72

- Darcy's law, 15, 64
- data estimator, 252
- Deborah number, 209
- deformation gradient tensor, 136
- deformed configuration, 136
- density approximation (LDA), 190
- density functional theory, 187
- detailed balance condition, 156, 174
- diffusive time scale, 34
- dimensional analysis, 65
- dimer method, 426
- Dirichlet basis, 452
- Dirichlet kernel, 452
- Dirichlet-to-Neumann operator (DtN), 117
- dividing surface, 421
- domain decomposition, 13, 115
 - coupling, 297
- Dyson's formula, 86

- effective Hamiltonian, 61
- effective permeability tensor, 15
- eikonal equation, 37
- elastic band method
 - continuous curve, 432
 - nudged, 427, 429
 - plain, 428
- elastic constants, 139
- elastic energy density, 138
- elliptic equations, 334
- ellipticity condition, 56
- embedded atom model (EAM), 154
- energetic barriers, 398
- energy landscape, 398
 - rough, 399, 415
 - smooth, 399, 425
- ensemble, 417
- entropic barrier, 398, 415, 423, 424
- entropy condition, 62
- equation-free approach, 234, 245
 - difficulties, 261
 - error analysis, 284
- equilibrium approximation, 179
- equilibrium current, 418
- error
 - control, 278
 - estimates, 356
- Euler–Maruyama scheme, 379
- Eulerian coordinates, 133
- Eulerian-to-Lagrangian map, 134
- Euler's gas dynamics equation, 261
- exchange energy, 190
- exchange term, 187
- exchange-correlation energy, 190
- expansion, 108
- expectation–maximization algorithm (EM), 436
- extended Lagrangian method, 392

- fast Fourier transform (FFT), 100
- fast multipole method (FMM), 13, 20, 100, 257
- fast summation methods, 99
- Feigenbaum universality, 87
- fiber bundle formulation of multiscale
 - problems, 288
- finite element method
 - generalized, 335
- finitely extensible nonlinear elastic (FENE)
 - spring, 206
- Finnis–Sinclair potential, 154
- Fokker–Planck equation, 206

- gap-tooth scheme, 246
- Gauss–Seidel iteration, 94
- Gauss transform, 101
- Gay–Berne potential, 155
- generalized gradient approximation (GGA), 191
- generalized Langevin equation (GLE), 458
- geometric optics, 3
- geometrically consistent scheme, 324

Subject index

463

- ghost force, 310, 322
 - removal, 323
- Gibbs–Thomson condition, 224
- Gillespie algorithm, 48, 379
- Ginzburg–Landau model, 18
- Ginzburg–Landau theory, 201
- gradient system, 398
- graphene, 213
- graphene sheet, 160
- Green–Kubo formulas, 167
- Haar wavelet, 124
- Hall–Petch effect, 6
 - reverse, 6
- Hamilton–Jacobi equation, 37
- Hamiltonian dynamics, noise-free, 400
- Hartree approximation, 185
- Hartree energy, 190, 191
- Hartree–Fock approximation, 186
- Hartree–Fock model, 182
- heat conductivity, 6, 149
- heat flux, 143
- Hellman–Feynman theorem, 236
- Helmholtz free energy, 145
 - per unit mass, 148
- Hermite function
 - n th-order, 101
- heterogeneous multiscale method (HMM),
 - 15, 234, 248, 336, 350
 - difficulties with, 261
 - error analysis, 279
 - modeling defects, 312
 - stochastic simulation, 379
 - seamless algorithm, 274
- hierarchy of multi-physics models, 10
- Hohenberg–Kohn theorem, 188
- homogenization, 13, 20
- Hookean spring, 206
- Horner algorithm, 109
- Huh–Scriven singularity, 219, 224, 228
- hybrid orbital, 299
- hydrodynamic limit, 198
- hyperdynamics, 438
- implicit methods
 - multiple time scales, 371
- inertial regime, 65
- inner region, 12, 26
- interaction list, 106
- interpolation operator, 96
- Irving–Kirkwood formula, 165, 251, 270
- Ising model, 70
 - one-dimensional, 74
 - Onsager solution, 80
 - two-dimensional, 70, 76
- isocommittor surface, 418, 433
- isokinetic energy trick, 157
- Jacobi iteration, 94
- kinetic equation, 170
- kinetic
 - model, coupled gas dynamic, 310
 - Monte Carlo scheme, 403, 443
 - schemes, 233, 239
 - theory, 167
- Knudsen number, 6, 178
- Kohn–Sham density functional theory, 132, 182, 235
- Kohn–Sham functional
 - exchange–correlation energy, 191
 - pseudo-potential, 192
- Kohn–Sham orbitals, 233
- Kohn–Sham wave functions, 237
- Lagrangian coordinates, 133
- Lagrangian-to-Eulerian map, 134
- Lamé constants, 3, 140
- Langevin dynamics, 401
- Langevin equation, 158
 - generalized (GLE), 82, 84–86, 458
- Laplace–Young interfacial condition, 218
- large deviations, 405
- lattice Boltzmann methods, 239
- lattice Boltzmann model, 19
- Lax–Friedrichs scheme, 253
- Lees–Edwards boundary condition, 273
- Lennard–Jones fluid, 275
- Lennard–Jones potential, 153
 - fluids, 155
 - modified for immiscible fluid, 224
- Levy–Lieb constrained variational problem, 188
- Lindhard function, 193
- link atom, 299
- Liouville operator, 85
- Liouville’s equation, 156, 163
- lithium atoms, chain of, 197
- localization assumption, 422
- localized subspace iteration (LSI), 454
- low-rank kernel, 101
- macromolecules, 386
- Mallat’s algorithm, 126
- matched asymptotics, 12, 26
- material derivative, 147
- Maxwell–Boltzmann distribution, 158, 176
- mean exit time, 409

- mechanical deformation, 3
- memory
 - effects, 448
 - kernel, 83
 - models, 456
 - term, 83
- mesoscale models, 18
- metadynamics, 386, 440
- metastability, 397
 - Markov process, 402
- metastable set, 402
- metastable states, 402
- microcanonical ensemble, 156, 434
- microscale problem
 - Dirichlet formulation, 353
 - Neumann formulation, 354
 - periodic formulation, 353
- microscopically informed modeling, 15
- microstructure
 - periodic, 4
 - random, 4
- minimum energy path (MEP), 407, 427
- model reduction, 362
 - variational, 450
- molecular crystals, 154
- molecular dynamics, 12, 83, 150
- moments, 101
 - of a multi-pole expansion, 104
- monitor function, 113
- Mooney–Rivlin models, 141
- Mori–Zwanzig formalism, 82, 288, 386, 389, 448, 450
- Mori–Zwanzig procedure, 455
- Morse function, 401
- moving mesh method, 113, 114
- MsFEM, 343
 - relation to RFB, 344
 - relation to VMS, 345
- Mueller potential, 408
- multi-fractal statistics, 66
- multigrid method, 13, 20, 90
 - difficulties, 260
 - extended, 234, 243
- multi-physics modeling hierarchy, 10, 11
- multi-physics problem, 1
- multipole expansion, 104, 105
- multi-resolution analysis (MRA), 122
- multiscale
 - algorithms, classical, 13
 - basis functions, 342
 - expansion, 13, 38, 54
 - modeling, 10
 - type A, 14
 - type B, 14
- Nóse–Hoover thermostat, 158
- Navier slip boundary condition, 223
- Navier–Stokes equation, 4
 - compressible, 149
- nearest neighbor boxes, 104
- neo-Hookean models, 141
- nested stochastic simulation algorithm, 381
- Newtonian fluid, constitutive relation, 8
- noise effects, 449
- non-gradient systems, 442
- nonlinear elasticity, 305
- nonlocal quasicontinuum method, 306
- nudged elastic band method, 429
- numerical stability domain decomposition, 315
- NVE* ensemble, 156
- NVT* ensemble, 156
- on-site energy, 195
- one-sided differencing, 432
- Onsager’s reciprocity relation, 150
- operator
 - interpolation, 96
 - projection, 96
 - prolongation, 96
 - restriction, 96
- operator compression, 451
- optimal
 - exit path, 408
 - prediction, 450
 - switching path, 409
- optimization algorithms for MEP, 428
- orbital-free density functional theory, 182
- Ornstein–Uhlenbeck process, 42
- outer region, 26
- outer solution, 26
- overdamped dynamics, 401, 409, 410, 415
- overdamped white noise, 401
- parameter passing, 16
- parareal algorithm, 393
- partial wetting, 218
 - Young’s relation, 218
- partition function, 156
- patch dynamics, 248, 262
 - revised version, 286
- percolation, bond, 360
- periodic microstructure, 4
- phase-field model, 19
- phonons, 18
- Piola–Kirkhoff stress tensor, 137
- Planck’s formula, 5
- Poincaré–Lighthill–Kuo (PLK) method, 55
- polymer
 - Brownian dynamics model, 204
 - coarse-grained model, 203

Subject index

465

- generalized Newtonian model, 203
- Johnson–Segalman model, 203
- Maxwell model, 203
- Oldroyd model, 203
- Oldroyd-B model, 203
- polymer fluids, 276
 - Maxwell model, 448
 - models of, 202
- polymeric stress, dumbbell model, Kramers'
 - expression for, 208
- porous medium, 63
 - flow, 15
 - modeling of subsurface, 350
 - multiphase flow, 357
- Prandtl's boundary layer equation, 29
- precomputing, 15, 262
- principal curvature, 214
- principal curve, 423
- projection operator, 96
- projective integrator
 - coarse, 245
- prolongation operator, 96
- pseudo-bond, 300
- pseudo-potential, 192
- quantum many-body theory, 9
- quantum mechanics–molecular mechanics (QM–MM)
 - error, 449
 - modeling, 12
- quantum tunneling, 442
- quasicontinuum (QC) method, 233
 - Knap–Ortiz, 233
 - local, 237
 - nonlocal, 306, 322
- quasi-equilibrium state, 369
- quasi-nonlocal atoms, 324
- random microstructure, 4
- rare events, 397
- rate of strain, 137
- Rayleigh's formula, 5
- reaction coordinates, 424
- reactive path A – B , 417
- reactive trajectory, 417
- redundancy, 129
- reference configuration, 136
- refinable functions, 123
- refinement mask, 123
- relaxation methods, 94
- renormalization transformation, 73
- renormalization group, 13, 20, 70, 448
 - flow, 74
- rep-atom, 306
- representative averaging volume (RAV), 15, 336
- residual-free bubble method (RFB), 336, 339
 - relation to MsFEM, 344
 - relation to VMS, 344
- restriction operator, 96
- Reynolds number, 4
- Richardson scheme, 286
- Rudd–Broughton CGMD, 387
- Runge–Kutta methods
 - stabilized, 373
- sampling (TPS), 433
- savings factor, 266
- scale dependence, 5
- scale separation, 449
- scaling, 13, 20
- scaling functions, 123
- scattering angle, 171
- scattering cross section, 171
- Schrödinger equation, 36
- Schur complement, 116
- Schwarz iteration, 118
- seamless algorithm
 - error analysis, 282
- seamless coupling, 262
- seamless strategy, 314
- second law of thermodynamics, 145, 147
- secular term, 55
- self-similarity, 65
 - local, 359
 - statistical, 359, 449
- sequential multiscale modeling, 232
- shear viscosity, 149
- sheet-like structures, 213
- shock, 30
- simple lattice, 159
- singular perturbation problem, 5
- Slater determinant, 186
- slip condition, 219
- slip region, 220
- Smoluchowski equation, 206
- smoothing, 95
- Sobolev space, 126
- solid
 - covalent bonding, 154
 - hydrogen bonding, 154
 - ionic bonding, 154
 - metallic bonding, 154
 - molecular bonding, 154
 - with defects, 301
- Soret effect, 150
- sparsity, 127
- spectral radius, 93
- stability polynomial, 373

- stability region, 371
- stabilized Runge–Kutta methods, 373
- state base manifold, 290
- state change vector, 46
- statistical self-similarity, 359, 449
- Stillinger–Weber potential, 154
- stochastic simulation algorithm (SSA), 48, 379
- stoichiometric vector, 46
- Stokes equation, 63
- stored energy density, 138
- strain tensor, 136, 137
- Strang–Fix (SF) condition, 126
- stress, 134
- stress tensor, 8
- string method, 427, 429
 - alternative formulation, 432
 - collective variables, 437
 - finite temperature, 436
 - growing, 437
 - quadratic, 437
 - with metadynamics, 437
- sublinear scaling algorithms, 13, 350
- subspace iteration method, 454
- successive overrelaxation method, 94
- t*-model, 457
- Teller theorem, 193
- temperature-accelerated molecular dynamics (TAMD), 386, 441
- Tersoff potential, 154, 216
- theory (TPT), 416
- thermal conductivity, 146
- thermodiffusion, 150
- Thomas–Fermi theory, 182, 192
- Thomas–Fermi–von Weizsäcker (TFW) theory, 132, 193
- tight frames, 128
- tight-binding model, 182, 193
 - orthogonal, 195
- top-down strategy, 259, 269
 - vs. bottom-up, 288
- transition coefficient, 405
- transition path, 417
- transition rate, 404, 418
 - variational formulation, 421
- transition state, 403
- transition state ensemble
 - energy barrier, 424
 - entropic barrier, 424
- transition state theory (TST), 403
- transition tube, 407, 422
- tree code, 104
- truncation error, 322, 324
- turbulence, 29
- turning point problem, 35
- two-grid algorithm, 96
- type A problem, 14, 15, 296, 297, 314
- type B problem, 14, 15, 232, 278
- upsampling, 336, 345
 - one-step, 346
 - successive steps, 346
- V-cycle, 98
- van der Waals interaction, 153
- variable
 - fast, 38
 - slow, 38
- variational
 - model reduction, 450
 - multiscale method (VMS), 336, 340
 - relation to MsFEM, 345
 - relation to RFB, 344
- velocity rescaling, 157
- Verlet scheme, 236
- virtual fast dynamics, 369
- virtual fast process, 49
- virus infection model, 383
- viscosity solution, 61, 62
- Voigt notation, 140
- Voronoi cells, 437
- W-cycle, 98
- Wang–Teter functional, 193
- wave packet, 2
- wavelet
 - function, 123
 - mask, 123
 - representation, 20
- well-separated boxes, 105
- Wentzell–Freidlin theory, 405
- wetting, partial, 218
- WKB method, 19, 35
- yield strength, 6
- Young’s relation, 218
- Young’s stress
 - balanced, 221
 - uncompensated, 221
- Yserentant algorithm, 126