

# Index

- academic (under-)achievement, 7, 165, 182, 183, 186
- accommodation, 196
- acute lymphoblastic leukaemia, 31, 32
- aetiology, 7, 10, 18, 36, 95, 242, 248
- affective
  - flattening, 158, 160, 250
  - state, 90, 104, 169, 176
- aggression, 244, 245
- aging, 196
- agrammatism, 31, 115, 242, 249
- alcohol, 18, 22, 127, 129, 156, 246
- alogia, 156, 158, 249; *see also* poverty of speech
- Alzheimer's disease, 2, 6, 9, 16, 103, 139, 242, 245, 246, 247, 249
- ambiguity, 6, 49, 50, 161
- amyotrophic lateral sclerosis (ALS), 106, 242, 248; *see also* motor neurone disease
- anaphoric reference, 150, 151, 153, 172, 174, 180, 184, 190, 197; *see also* cataphoric reference
- anomia, 15, 107, 242; *see also* word-finding difficulty
- antipsychotic medication, 166, 172
- anxiety, 157, 243
- aphasia, 3, 7, 16, 30, 92, 95, 96, 97, 98, 99, 101, 106, 107, 110, 112, 115, 118, 122, 141, 153, 157, 242, 245, 246, 248, 250, 251
  - agrammatic, 8, 98, 242, 249
  - anomic, 133, 242
  - battery, 141, 143
  - Broca's, 112, 124, 242
  - conduction, 242
  - epileptic, 103, 247
  - fluent, 97, 108, 109, 110, 242
  - global, 242
  - non-fluent, 2, 16, 97, 98, 103, 104, 242, 246, 249
  - transcortical motor, 242
  - Wernicke's, 242
- Asperger's syndrome, 26, 67, 72; *see also* autism spectrum disorder
- astrocytoma, 30, 32; *see also* brain tumour
- atrophy, 91, 248
- attention, 14, 19, 21, 28, 29, 31, 58, 106, 107, 133, 154, 167, 187, 196, 244, 247
  - deficit hyperactivity disorder, 8, 10, 22, 156, 165, 183, 243
- augmentative and alternative communication, 26, 186, 192, 243
- Austin, J. L., 250
- autism spectrum disorder, 1, 2, 3, 5, 8, 9, 10, 14, 15, 18, 19, 22, 24, 25, 30, 41, 64, 67, 69, 70, 72, 73, 74, 75, 78, 79, 157, 164, 165, 183, 243, 245, 247, 251
- avolition, 158, 250
- bipolar disorder, 107, 156, 160, 174, 177, 243, 249
- body movement, 24, 56, 150, 192, 195
- bradykinesia, 152, 243
- brain tumour, 10, 30, 32, 91, 95, 248
- cataphoric reference, 172, 190; *see also* anaphoric reference
- central nervous system, 106, 153, 196, 244, 246
- cerebral palsy, 23, 193, 243, 246, 248
- cerebrovascular accident, 2, 9, 95, 97, 99, 115, 243, 250; *see also* stroke
- chemotherapy, 18, 31, 32
- childhood cancer, 18, 30, 31, 91
- chorea, 152
- circumlocution, 39, 123, 125, 158, 244, 251
- circumstantiality, 162
- classroom discourse, 183
- cocaine, 18, 156
- cochlear implant, 191, 244
- cognition, 162, 250
- cognitive flexibility, 71
- cognitive-communication disorder, 3, 95, 96, 244
- cohesion, 11, 20, 28, 62, 67, 75, 83, 85, 89, 126, 150, 153, 157, 171, 174, 179, 180, 195, 196
- cohesive device, 5, 39, 59, 135, 144
- collocation, 5
- communication
  - disorder, 3, 157, 242, 248, 251
  - skills training, 122
- communicative
  - intention, 6, 10, 12, 16, 19, 25, 152, 159
  - partner, 110, 115
- conduct disorder, 156, 162, 165, 166, 244
- congenital heart disease, 187
- content unit, 135
- context, 1, 4, 6, 10, 11, 49, 105, 137, 152, 159, 161, 170, 188, 244, 245, 246, 248, 251
- conversation
  - analysis, 8, 20, 97
  - first-encounter, 126, 128, 129, 130
  - telephone, 137, 138

INDEX

- conversational
  - discourse, 137
  - exchange, 2, 5, 20, 33, 42, 44, 54, 76, 78, 79, 102, 111, 112, 114, 115, 117, 145, 158, 162, 166, 170, 181
  - floor, 132
  - partner, 118, 120, 123, 126, 130, 145
  - strategy, 117, 139
- cooperative principle, 244, 247, 248
- corticobasal syndrome, 152
- cranial irradiation/radiotherapy, 18, 25, 30, 32
- Creutzfeldt–Jakob disease, 103, 244; *see also* dementia
- cri du chat syndrome, 23, 244
- cytomegalovirus, 18, 245
- decoding, 6, 98, 102, 163
- default interpretation, 44
- deixis, 4, 5, 64, 85, 89, 109, 126, 144, 146, 160, 195, 245
- delusion, 158, 249, 250; *see also* schizophrenia
- dementia, 95, 96, 103, 105, 108, 144, 145, 146, 152, 245, 249
  - AIDS dementia complex, 8, 103, 141, 242
  - alcohol-related, 156, 245; *see also* Korsakoff’s syndrome
  - Alzheimer, 2, 6, 9, 16, 103, 143, 145, 242
  - frontal lobe, 104
  - frontotemporal, 8, 10, 103, 147, 246, 249, 250
  - Lewy body, 105, 247, 249
  - Parkinson’s disease, 17, 247
  - semantic, 103, 150, 245, 246, 250
  - vascular, 10, 108, 246, 249
- demyelination, 101, 105, 248; *see also* multiple sclerosis
- depression, 157, 158, 160, 164, 175, 178, 243
- derailment, 245, 246
- developmental
  - language disorder, 19, 20, 36, 49, 250
  - period, 2, 243
- Diagnostic and Statistical Manual of Mental Disorders, 156
- dialect, 64
- disambiguation, 97
- discourse
  - analysis, 1, 96, 174
  - particle, 176
- disempowerment/empowerment, 137, 179
- dopamine, 105, 248; *see also* Parkinson’s disease
- Down’s syndrome, 2, 8, 18, 23, 59, 60, 61, 62, 245, 247
- dysarthria, 16, 27, 30, 92, 141, 192, 245, 246, 248
- dyslexia, 147, 245
- dysphagia, 27, 31, 245, 248
- dystonia, 152
- early corrective heart surgery, 186
- echolalia, 25, 27, 28, 39, 44, 97, 123, 245
- education, 127, 133, 143, 181, 183
- egocentric discourse, 9, 99, 162, 166
- ellipsis, 4, 36, 39, 44, 64, 66, 67, 85, 89, 99, 112, 130, 132, 144, 150, 171, 174, 179, 188
- emotion, 73, 162
- emotional
  - and behavioural disorder, 156, 165, 245, 250
  - state, 160
- encephalitis, 95, 106, 153; *see also* herpes simplex
- ependymoma, 32; *see also* brain tumour
- epidemiology, 245
- epilepsy, 8, 10, 18, 28, 91, 95, 101
  - frontal lobe, 29
  - Rolandic, 30, 108, 243
  - temporal lobe, 28, 29, 89
- euphoria, 160, 243
- euthymia, 160, 243
- evaluative language, 153, 163, 165, 180
- executive
  - dysfunction, 19, 102, 246
  - function, 7, 14, 19, 21, 24, 27, 96, 99, 102, 106, 133, 142, 156, 161, 166, 246, 247
- eye, 247, 250
  - contact, 15
  - gaze, 147
- facial expression, 14, 24, 149, 164, 169
- felicity condition, 246
- figurative language, 26, 31, 164
- filler, 29, 58, 60, 122
- flight of ideas, 28, 158, 160, 161, 246, 247
- foetal alcohol syndrome, 24, 246
- formal thought disorder, 245, 246; *see also* schizophrenia
- fragile X syndrome, 8, 17, 18, 23, 24, 246
- friendship, 179
- frontal lobe, 29, 102, 112, 133, 246
- genetic syndrome, 7, 10, 18, 22, 23
- gesture, 6, 14, 16, 17, 24, 26, 56, 152, 164, 166, 168, 173, 181
- glioma, 30, 32; *see also* brain tumour
- global coherence/connectedness, 135, 152, 162, 251
- glossomania, 25, 28, 123, 158, 246; *see also* schizophrenia
- grammar, 14, 18, 39, 135, 136, 163
- grandiosity, 160, 177, 247
- Grice, H. P., 5, 64, 142, 158, 166, 184, 244, 247
- hallucination, 157, 158, 249, 250; *see also* schizophrenia
- head injury, 10, 16, 81, 83, 95, 131, 251; *see also* traumatic brain injury
- hearing, 22, 36, 44, 51, 56, 244
  - aid, 191
  - conductive, 248
  - loss, 59, 186, 191, 242, 247, 250
  - sensorineural loss, 15, 22, 191, 244, 245, 250

Index

- hemiparesis, 126, 246
- hemiplegia, 16, 27, 92, 115, 120, 124, 126, 246
- hemispherectomy, 85, 87
- herpes simplex
  - encephalitis, 107
  - virus, 106
- HIV infection, 245
- homonymy, 50
- human immunodeficiency virus (HIV), 18, 106
- humour, 2, 16, 17, 22, 26, 32, 128, 158, 192, 195; *see also* joke
- Huntington’s disease, 95, 96, 103, 105, 106, 152, 153
- hydrocephalus, 21, 31, 107
- hyperactivity, 8, 10, 22, 156, 165, 183, 243, 244
- hypomania, 249
- idiom, 50, 100
- illiteracy, 186, 189, 190
- illocutionary force, 1, 11, 26, 97, 159
- imagination, 20, 22
- implicature, 1, 2, 7, 10, 64, 73, 97, 159, 166, 169, 247
  - conventional, 244, 247
  - conversational, 161, 246, 247, 248, 250
  - scalar, 247, 250
- impulsive behaviour, 157
- impulsivity, 160, 165, 243
- inattention, 165, 243
- incarceration, 157
- inference, 12, 14, 27, 36, 40, 42, 62, 90, 95, 98, 99, 100, 102, 169, 251
  - bridging, 41, 98
  - elaborative, 12, 169
  - mental state, 12, 169
  - pragmatic, 169
  - textual, 12
- inferential comprehension, 27
- information
  - management, 11, 103
  - processing, 83, 85, 133
- informativeness, 62, 105, 131
- inhibition, 133
- intellectual
  - disability, 2, 9, 17, 18, 20, 22, 41, 62, 64, 74, 83, 157, 191, 243, 244, 245, 246, 247, 249, 250, 251
  - functioning, 30, 42, 56, 85, 91, 108, 156, 165
- intelligence quotient (IQ), 247, 251
- interruption, 152, 165
- intonation, 6, 76, 115, 131, 147
- irony, 18, 27, 64, 105, 166, 169; *see also* sarcasm
- joke, 9, 16, 17, 77, 173; *see also* humour
- Korsakoff’s syndrome, 103, 156; *see also* dementia
- Landau–Kleffner syndrome, 18, 28, 30, 108, 242, 247, 248
- language
  - acquisition, 16, 21, 22
  - development, 54, 72
  - signed, 1, 191, 242
  - spoken, 1, 170, 191, 242, 250
  - written, 1, 164, 189, 242, 250
- left hemisphere, 16, 85, 95, 110, 112, 122
  - damage, 97
- lesion, 95, 249
- lexical
  - reiteration, 5
  - retrieval deficit, 28, 83, 118; *see also* word-finding difficulty
- linguistics, 1, 20
- literacy, 192
- lobectomy, 90
- local coherence/connectedness, 135, 152
- logical form, 10, 41, 73
- logopenic progressive aphasia, 249; *see also* dementia, primary progressive aphasia
- magnetic resonance imaging (MRI), 247
- mania, 160, 161, 175, 177, 247, 249
- maxim, 28, 142, 166, 184
  - manner, 5, 158
  - quality, 5, 64
  - quantity, 5, 64, 158, 169, 179
  - relation, 5, 64, 158
- mean length of utterance (MLU), 56, 57, 59, 60, 74
- medulloblastoma, 30, 32; *see also* brain tumour
- memory, 28, 83, 90, 106, 245, 247
  - autobiographical, 51, 52, 163
  - episodic, 29, 133, 153, 161
  - immediate, 83
  - long-term, 93, 144
  - semantic, 147
  - verbal, 154
  - working, 14, 27, 83, 135
- meningitis, 10, 15, 18, 22, 24, 95, 106, 247, 250
- mental
  - flexibility, 19, 102, 106, 133, 135, 246
  - functioning, 143, 157
  - health, 147, 156, 157, 164, 174, 177, 178
  - state, 12, 19, 20, 25, 27, 58, 71, 73, 87, 89, 102, 159, 164, 169, 192, 251
  - status, 153, 172
- mental state language, 115, 142, 150, 151, 153, 162, 164, 172, 176, 179, 195, 197
- mentalising, 163, 164, 165; *see also* theory of mind
- metalinguistic knowledge, 114
- metaphor, 17, 64, 73, 100, 106, 158, 176, 179
- metapragmatic knowledge, 133
- morphology, 161
- morphosyntax, 20, 51
- motor
  - development, 20, 244
  - neurone disease, 96, 105, 246, 247; *see also* amyotrophic lateral sclerosis

INDEX

- multiple sclerosis, 95, 105, 106, 248
- mutism, 30, 181, 182, 248, 249
- myelin, 248
  
- naming, 28, 92, 143, 153, 154
- narrative
  - coherence, 162, 179, 181
  - development, 11, 188, 190
  - discourse, 4, 26, 27, 83, 85, 87, 89, 96, 106, 137, 162, 163, 193
  - fictional, 89
  - introduction, 67, 71
  - oral, 189
  - personal, 8, 11, 15, 20, 22, 154, 158, 187
  - production, 18, 44, 51, 59, 67, 81, 93, 196
  - spoken, 1, 5, 10, 16, 17, 27, 96
  - summary, 83, 84, 85
  - written, 11, 102, 164, 165
- negative symptom, 158, 249, 250; *see also* schizophrenia
- neologism, 27, 39, 99, 123, 154, 248
- neoplasm, 7, 18, 25, 95
- neurodegenerative
  - disease, 99, 242, 244, 247, 248
  - disorder, 105, 152
- neurodevelopment, 18, 29, 156
- neurodevelopmental disorder, 18, 243
- neurologist, 17, 191
- neurosurgery, 32
- non-literal language, 1, 2, 9, 15, 16, 18, 25, 49, 51, 99, 128, 159, 164, 166
- non-verbal communication, 14, 20, 24, 117
  
- obsessive–compulsive disorder, 164
- occupational functioning, 7, 9, 162, 244
- otitis media, 37, 56, 248
- overlap, 65, 68, 76, 81, 118, 120, 147, 170, 172, 184
  
- Parkinson’s disease, 10, 95, 103, 105, 150, 152, 243, 247, 248
- pause, 39, 81, 117, 122, 132
- perinatal period, 36, 243
- perseveration, 27, 38, 39, 102, 133, 135, 163, 248, 250
- personality disorder, 156, 162
  - antisocial, 162
  - borderline, 162, 179
  - schizotypal, 162
- perspective-taking, 25, 164; *see also* theory of mind
- phonemic
  - cue, 92, 123
  - paraphasia, 25, 92, 125, 248, 249
- phonetics, 93
- phonology, 16, 19, 42, 93, 104, 164
- planning, 19, 29, 83, 85, 102, 135, 158, 246
- pointing, 24, 54, 97, 164, 195
- politeness, 102, 105, 126, 247
  
- positive symptom, 158, 250; *see also* schizophrenia
- posterior fossa tumour, 30, 32, 91, 248; *see also* brain tumour
- postnatal period, 18, 36, 243
- post-traumatic stress disorder, 164
- poverty of content of speech, 246, 249
- poverty of speech, 156, 246, 249, 250; *see also* alogia
- Prader–Willi syndrome, 23, 24, 246, 249
- pragmatic
  - assessment, 7, 13, 14, 19, 20, 22, 24, 28, 31, 96
  - competence, 58, 64, 174
  - development, 51
  - enrichment, 73
  - intervention, 20, 96
- pragmatic language impairment, 8, 16, 18, 32, 97, 249
- pragmatics, 1, 2, 5, 12, 17, 18, 24, 25, 26, 30, 32, 49, 66, 67, 93, 95, 101, 105, 130, 133, 142, 156, 157, 159, 186, 249, 250
- prenatal period, 36, 156, 243
- pressure of speech, 247
- presupposition, 1, 5, 6, 19, 36, 73, 91, 142, 159, 160, 166, 249
- primary progressive aphasia, 104, 249; *see also* dementia
- prison, 157, 186
- problem solving, 29
- procedural discourse, 102
- profanity, 103
- progressive non-fluent aphasia, 103, 104, 246, 249; *see also* dementia
- progressive supranuclear palsy, 246, 248
- pronominal reference, 9, 85, 87, 89, 97, 130, 142, 151, 160, 174, 188, 195
- pronoun reversal, 25, 42, 44
- prosody, 99, 149, 160, 245
- proverb, 100, 108, 139
- psychiatrist, 8, 96, 156, 172, 176, 178
- psychiatry, 156, 174
- psychologist, 19, 26, 96, 156, 164
- psychosis, 27, 30, 172, 249
  
- quantifier, 6, 65, 97
  
- radiotherapy, 31, 32, 91
- reading, 16, 104, 154, 161, 182, 186, 193, 194, 245
- reasoning, 83, 91, 107
- referent, 4, 48, 62, 67, 108, 109, 126, 132, 159, 192
- referential communication, 103
- rehabilitation, 16, 31, 96, 126, 131, 172
- repair, 18, 29, 48, 59, 67, 101, 104, 109, 114, 122, 126, 132, 144, 151, 153, 155, 187, 195; *see also* trouble source
- repetitive language, 6, 8, 15, 82, 105, 132, 197
- reported speech, 48, 59, 64, 89, 110, 111, 114, 117, 126, 130, 142, 149, 150, 151, 163, 176, 184
- request for clarification, 64, 67

Index

- right hemisphere, 2, 16, 85, 95, 126, 249
  - damage, 128
- rubella, 18, 23, 36, 247
- sarcasm, 12, 16, 17; *see also* irony
- schema, 52
- schizophrenia, 3, 5, 8, 9, 10, 15, 19, 95, 156, 166, 245, 246, 248, 249, 250, 251
- Searle, J. R., 250
- seizure, 29, 30, 85, 108; *see also* epilepsy
- selective mutism, 156, 163, 181, 242, 250
- self-esteem, 157, 247
- semantic
  - cue, 15
  - field, 14, 25, 163
  - impairment, 170
  - knowledge, 39, 91, 98, 250
  - paraphasia, 38, 39, 92, 140, 158, 160, 250
  - system, 149
- semantic–pragmatic disorder, 20, 36, 38, 249
- semantics, 1, 21, 93, 124, 249
- set shifting, 96
- silence, 119
- social
  - cognition, 250
  - communication, 20, 22, 25, 156, 163, 243, 250
  - context, 105, 244
  - integration, 96
  - interaction, 14, 25, 157, 243
  - isolation, 157
  - perception, 250
  - relationship, 102, 130, 244, 250
  - withdrawal, 250
- social anxiety disorder, 163, 164
- specific language impairment, 3, 16, 18, 21, 23, 45, 51, 58, 74, 250
- speech act, 1, 2, 3, 5, 6, 8, 14, 16, 17, 18, 20, 21, 23, 26, 27, 28, 36, 55, 99, 114, 126, 128, 134, 135, 159, 166, 181, 184, 246, 247, 250
- speech and language therapist, 8, 13, 19, 23, 39, 95, 96, 98, 105, 147, 156, 160, 164, 170, 183
- speech and language therapy, 16, 17, 121, 124, 156, 157, 164
- speech–language pathologist, 19, 32, 54, 141, 143, 191, 246
- speech–language pathology, 156
- stereotyped
  - conversation, 23
  - utterance, 24
- story
  - component, 135, 137, 141
  - generation, 107, 108, 139
  - grammar, 14, 18, 135
  - telling, 6, 7, 17, 32, 96, 98, 110, 115, 117, 150, 163, 164
- stroke, 2, 16, 95, 118, 124, 127, 243, 245, 249, 250, 251; *see also* cerebrovascular accident
- Sturge–Weber syndrome, 85, 87, 250
- stuttering, 157, 250
- substance use disorder, 16, 156
- substantia nigra, 248; *see also* Parkinson’s disease
- substitution, 5, 67, 114, 126, 142, 150, 153, 160, 174, 179
- swallowing, 245, 248
- syntax, 1, 16, 19, 21, 27, 29, 39, 42, 93, 95, 98, 104, 124, 164, 165
- syphilis, 106
- systemic functional linguistics, 20
- tangentiality, 246
- teasing, 17, 26, 166
- teratogen, 18, 24
- theory of mind, 7, 19, 20, 25, 58, 71, 72, 73, 83, 85, 91, 99, 100, 102, 106, 135, 146, 150, 157, 159, 166, 170, 251
- topic
  - development, 98, 103, 104, 114, 132, 164, 171, 192
  - digression, 126, 134
  - exchange, 56
  - initiation, 103
  - management, 8, 18, 20, 25, 103, 131, 142, 164, 174
  - preseveration, 38, 39
  - relevance, 104, 144, 174, 195
  - termination, 104
- toxoplasmosis, 18, 107
- transition relevance place, 15
- traumatic brain injury, 1, 2, 3, 6, 8, 9, 14, 15, 19, 22, 27, 28, 81, 82, 83, 84, 95, 96, 101, 131, 133, 244, 246, 248, 251; *see also* head injury
- trouble source, 122, 123; *see also* repair
- turn-taking, 14, 16, 20, 22, 23, 104, 105, 118, 157, 164, 181
- utterance interpretation, 10, 20, 93, 95, 146
- verbosity, 21
- vision, 44, 192
- visual impairment, 59, 186
- vocabulary, 13, 39, 48, 54, 56, 105, 162, 163, 165
- vocational functioning, 96
- weak central coherence, 85, 251
- what is said, 247; *see also* Grice
- Williams syndrome, 8, 15, 18, 23, 251
- word-finding difficulty, 25, 89, 123, 125, 140, 251; *see also* lexical retrieval deficit
- world knowledge, 12, 38, 40, 41, 91, 98, 100, 169
- writing, 154, 186