

Index

- $A^0 = I$, 4
 AB vs. BA
 criterion for similarity, 268
 eigenvalues, 214
 Hermitian, 301
 Jordan forms, 267
 one factor is invertible, 218
 singular values, 343
 trace, *see* trace, $\text{tr } AB = \text{tr } BA$
 absolute row sum
 deleted, 188
 largest, 188
 additive law for complex conjugation, 402
 additivity axiom for inner product, 87
 adjoint
 definition, 5, 111
 in a finite-dimensional space, 113
 is idempotent, 5
 of a block matrix, 66
 of an isometry, 126
 of inverse, 5
 reverses products, 5
 similar to, 270
 singular value decomposition, 341
 unique, 111
 adjugate
 and inverse, 9
 Cauchy expansion, 71
 definition, 9
 rank of, 147
 algebraic multiplicity
 \geq geometric multiplicity, 206
 definition, 203
 all-ones matrix, 198
 all-ones vector, 26
 annihilating polynomial
 2×2 matrix, 181
 and eigenvalues, 181
 characteristic polynomial, *see* Cayley–Hamilton theorem
 definition, 180
 existence, 180
 roots include all eigenvalues, 183
 area and determinant, 10
 argument of a complex number
 definition, 401
 multiplicative law, 406
 arithmetic mean, 99
 arithmetic–geometric mean inequality, 99
 associative law for complex multiplication, 400, 409
 augmented matrix, *see* matrix, augmented
 Autonne’s theorem, 363
 backward substitution, 167, 315
 Balmer series, 200
 base case, *see* mathematical induction, base case
 basis
 and invertible matrices, 34
 change of and similarity, 44
 coordinate vector, 40
 definition, 33
 is a finite list, 33
 of eigenvectors, 184
 orthonormal, 104, 108
 standard, 35
 basis representation
 function, 40
 of a linear transformation, 43
 of a vector, 40
 with respect to an orthonormal basis, 105, 110
 Bauer–Fike theorem, 362, 394
 Bessel’s inequality, 114, 121
 best approximation
 linear model, 165
 solution of normal equations, 161
 theorem, 159
 bidiagonal matrix, 4
 bilinear, 88
 Binet’s formula, *see* Fibonacci numbers, Binet’s formula
 biorthogonality, *see* principle of biorthogonality
 block Gaussian elimination, 70, 76
 block matrix
 2×2 , 63
 addition, 63
 adjoint, 66
 centrosymmetric, 77, 218
 complex type, 77
 conjugate transpose, 66
 definition, 63
 multiplication, 63
 transpose, 66
 block upper triangular matrix
 blocks with distinct eigenvalues, 232
 eigenvalues, 205
 invariant subspace, 169

- bordered matrix
 - Cauchy expansion of determinant, 70, 77
 - definition, 66
 - determinant, 70, 77
 - eigenvalue interlacing, 378
 - Jordan block, 246
 - reduction formula for determinant, 70
- bordering, *see* bordered matrix
- Born, Max, 200
- Brauer's theorem, 237
- cancellation theorem for direct sums, 275
- Cartesian decomposition
 - and spectral norm, 355
 - definition, 290
 - normal matrix, 290
- Cauchy expansion of determinant, 70, 77
- Cauchy matrix
 - definition, 325
 - is a Gram matrix, 325
 - positive semidefinite, 325
- Cauchy–Schwarz inequality
 - alternative proof, 98, 121
 - case of equality, 93
 - in \mathbb{F}^n , 323
 - in the plane, 85
 - inner product space, 93
- Cayley transform
 - definition, 300
 - of a skew-Hermitian matrix, 300
 - of a unitary matrix, 300
- Cayley–Hamilton theorem
 - false proof, 239
 - proof, 225
- Cecil Sagehen, 47, 273
- change of basis matrix
 - definition, 45
 - inverse, 46
 - is invertible, 46
- characteristic polynomial
 - companion matrix, 230
 - definition, 202
 - of inverse, 239
 - roots are eigenvalues, 202
 - similarity invariant, 205
 - upper triangular matrix, 203
- Cholesky factorization
 - Hadamard inequality, 324
 - min matrix, 316, 323
 - theorem, 316
- circulant matrix
 - circular shift matrix, 287
 - cyclic permutation matrix, 287
 - definition, 287
 - diagonalized by Fourier matrix, 288
 - eigenvalues, 288
 - eigenvectors, 288
 - polynomial in cyclic permutation matrix, 288
 - subspace, 288
 - sums and products, 288
- circular shift matrix, 287
- codomain, 1
- coefficient matrix, *see* matrix, coefficient
- coefficients, 6
- cofactor, *see* determinant, cofactor
- column inclusion, 307
- column of a matrix, 2
- column partition, *see* partitioned matrix
- column rank, *see* rank, column
- column space
 - and span, 24
 - definition, 23
 - inclusion, 80
 - same dimension as row space, 59
 - two direct sums have same, 80
 - two matrices have same, 80
- column vector
 - definition, 7
 - zero, 7
- commutant
 - definition, 213
 - dimension, 213, 300
 - is a subspace, 213
- commutative law for complex multiplication, 399
- commutator
 - characterization, *see* Shoda's theorem
 - definition, 71
 - nonzero scalar matrix is not a, 72
 - zero trace, 72
- commuting matrices
 - block diagonal form, 235
 - circulant matrices, 288
 - common eigenvector, 194, 195
 - definition, 3
 - diagonalizable, 209
 - eigenvalues of sum and product, 236
 - normal matrices, 284, 285
 - one has distinct eigenvalues, 219
 - real symmetric matrices, 284
 - simultaneous upper triangularization, 235
 - simultaneously diagonalizable matrices, 209
 - sum and product of spectra, 239
- compact singular value decomposition
 - column vector, 334
 - definition, 333
 - orthonormal basis of column space, 334
 - orthonormal basis of row space, 334
 - row vector, 334
 - theorem, 333
 - uniqueness, 335
- companion matrix
 - characteristic polynomial, 220
 - definition, 230
 - eigenvectors, 241
 - geometric multiplicity of eigenvalues, 241
 - Jordan canonical form, 274

- minimal polynomial = characteristic polynomial, 230
- complete mathematical induction, *see* mathematical induction, complete
- complex conjugation
 - additive law, 402
 - definition, 401
 - multiplicative law, 402
 - of a matrix, *see* conjugate of a matrix
- complex exponential function
 - definition, 407
 - power series, 409
- complex numbers
 - absolute value, 401
 - and 2×2 real matrices, 399
 - and Cartesian coordinates, 398
 - argument, 401
 - conjugate, 401
 - de Moivre's formula, 406
 - Euler's formula, 407
 - imaginary part, 398
 - imaginary unit, 398
 - inverse, 400
 - modulus, 401
 - notation, 1, 398
 - polar form, 406
 - product, 398
 - purely imaginary, 398
 - real part, 398
 - sum, 398
 - triangle inequality, 404
- complex plane, 398
- complex symmetric matrix
 - Autonne's theorem, 363
 - definition, 5, 363
 - every Jordan block similar to a, 272
 - every matrix similar to a, 272
 - full-rank factorization, 367
 - need not be diagonalizable, 365
 - polar decomposition, 367
 - pseudoinverse is symmetric, 368
 - simultaneous diagonalization with a positive definite matrix, 367
 - singular value decomposition, 363
- conditioning
 - eigenvalues, 362, 388
 - linear systems, 361
 - perfect, 361
- conformal partitions, *see* partitioned matrix
- congruence
 - definition, 396
 - equivalence relation, 396
- *congruence
 - definition, 384
 - equivalence relation, 384
 - of two Hermitian matrices, 385
 - of two inertia matrices, 390
 - of two normal matrices, 390
 - of two real inertia matrices, 384
- permutation similarity, 384
- real orthogonal similarity, 384
- two unitary matrices, 389
- unitary similarity, 384
- conic section
 - ellipse, 317
 - hyperbola, 317
- conjugate linearity of inner product, 88
- conjugate of a complex number, *see* complex conjugation
- conjugate of a matrix
 - definition, 5
 - does not reverse products, 5
 - is idempotent, 5
 - similar to, 269
- conjugate symmetry axiom for inner product, 87
- conjugate transpose, *see* adjoint
- conjugation
 - complex, *see* complex conjugation
- consistent linear system, *see* linear system, consistent
- constant terms, 6
- contraction
 - convex combination of unitaries, 369
 - definition, 369
 - mean of two unitaries, 369
 - principal submatrix of a unitary matrix, 369
- convergent matrix
 - definition, 259
 - similarity, 259
 - spectral criterion, 260
- convex set, 101
- coordinates of a vector, 40
- Cramer's rule, 55, 121
- CS decomposition, 144, 147
- cyclic permutation matrix
 - definition, 287
 - diagonalized by Fourier matrix, 287
 - spectrum, 287
- de Moivre's formula, 406
- defect from normality, 285
- degree, *see* polynomial, degree
- dependent, *see* linear dependence
- derived norm, *see* norm, derived
- descending sequence of subspaces, 39
- determinant
 - 2×2 block matrix, 77
 - 2×2 matrix, 9
 - 3×3 matrix, 9
 - and permutations, 10
 - area in \mathbb{R}^2 , 10
 - bordered matrix, 70
 - Cauchy expansion, 70
 - cofactor, 9
 - compute via minors, 9
 - compute via row reduction, 10
 - criterion for positive definiteness, 382
 - invertibility criterion, 9

- determinant (cont.)
 - Laplace expansion, 9
 - of a triangular matrix, 10
 - of the inverse, 10
 - preserved by similarity, 49
 - product of eigenvalues, 204, 224
 - product rule, *see* product rule for determinants
 - Schur complement, 70
 - Sylvester identity, 79
 - Vandermonde matrix, *see* Vandermonde matrix, determinant
 - volume in \mathbb{R}^3 , 10
- diagonal dominance
 - definition, 191
 - sufficient condition for positive semidefinite, 310
- diagonal entries
 - definition, 4
 - equal, 73
 - majorization and eigenvalues, 383
 - special structures, 81
- diagonal matrix
 - commute with a , 67
 - definition, 4
 - left multiplication by a , 67
 - right multiplication by a , 67
 - similarity of two, 292
- diagonalizable matrix
 - criterion via minimal polynomial, 233
 - criterion via unitary triangularization, 233
 - definition, 207
 - direct sum of diagonalizable matrices, 208, 241
 - equal algebraic and geometric multiplicities, 206, 208
 - exponential of a , 272
 - rank, 209, 216
 - rank of powers, 240
 - simultaneously diagonalizable, *see* simultaneously diagonalizable matrices
 - unispectral, 233
 - unitarily, 282
- differential equations
 - diagonalizable matrix, 256
 - uncoupled systems, 257
- dimension
 - definition, 35
 - finite, 35
 - infinite, 35
 - of a subspace, 37
 - of a sum, 37
 - of an intersection, 37
 - theorem for linear transformations, 50
 - theorem for matrices, 51
 - zero, 35
- direct sum of matrices, 66
- direct sum of subspaces, *see* subspace, direct sum
- discriminant, 216
- distinct, 1
- distinct eigenvalues
 - definition, 184, 203
 - implies diagonalizable, 207
 - linearly independent eigenvectors, 184
- distinct scalars, 67
- distributive law for complex multiplication, 400
- dividend, *see* division algorithm, dividend
- division algorithm
 - and Cayley–Hamilton theorem, 227
 - definition, 13
 - dividend, 13
 - divisor, 13
 - quotient, 13
 - remainder, 13
- divisor, *see* division algorithm, divisor
- domain, 1
- dot product
 - and Euclidean length, 85
 - definition, 85
 - properties, 85
- e^A , *see* functional calculus, matrix exponential
- eigenpair
 - definition, 175
- eigenspace
 - definition, 186
 - dimension, *see* geometric multiplicity
 - is a subspace, 186
 - of A and A^T , 187
- eigenvalue interlacing
 - bordered matrix, 378
 - principal submatrix, 381
 - rank-1 additive perturbation, 374
 - rank-2 additive perturbation, 376
 - tridiagonal matrix, 395
- eigenvalues
 - $0 \notin \text{spec } A \iff A$ is invertible, 180
 - 2×2 matrix, 182
 - AB vs. BA , 214
 - algebraic multiplicity, *see* algebraic multiplicity
 - and determinant, 204
 - and main diagonal entries, 203
 - and trace, 204
 - block upper triangular matrix, 205
 - conditioning issues, 362, 388
 - definition, 175
 - distinct, *see* distinct eigenvalues
 - existence, 182
 - finitely many, 183
 - geometric multiplicity, *see* geometric multiplicity
 - idempotent matrix, 198
 - inverse problems, 396
 - majorization and diagonal entries, 383
 - monotonicity theorem, 394
 - multiplicity, *see* multiplicity, eigenvalues
 - nilpotent matrix, 216
 - of a low-rank matrix, 216
 - of a real matrix, 204
 - of adjoint, 204
 - of conjugate, 204

- of inverse, 197
- of transpose, 204
- roots of characteristic equation, 202
- sequential integers matrix, 219
- shift by a rank-1 adjustment, 237, 374
- similarity invariant, 205
- simple, 203
- two diagonalizable matrices with the same, 292
- two normal matrices with the same, 292
- two real normal matrices with the same, 292
- Weyl inequalities, 386
- eigenvectors
 - basis of, 184, 206
 - definition, 175
 - linearly independent, 184
 - must be nonzero, 175
 - of commuting matrices, 194
- elementary matrices
 - definition, 8
 - invertible, 8
 - represent row operations, 8
- elementary row operations, 7
- entrywise product, *see* Hadamard product
- EP matrix
 - definition, 301
 - $\text{rank } AB = \text{rank } BA$, 302
- equivalence relation
 - *congruence, 384
 - congruence, 396
 - definition, 49
 - real orthogonal similarity, 145
 - unitary equivalence, 367
 - unitary similarity, 145
- error bounds in a linear system, 360
- Euclidean length
 - and dot product, 85
 - in the plane, 84
 - properties, 86
- Euclidean norm
 - derived from standard inner product, 91
- Euler
 - formula, 407
 - sum of reciprocal squares, 123
- $\exp A$, *see* functional calculus, matrix exponential
- exponential function, *see* complex exponential function
- fast Fourier transform, 147
- FFT, *see* fast Fourier transform
- Fibonacci numbers
 - approximation, 216
 - Binet's formula, 16, 211, 216
 - definition, 211
- field of scalars
 - complex, 19
 - general, 32
 - real, 19
- field of values, *see* numerical range
- finite dimensional, *see* vector space, finite-dimensional
- Flanders, Harley, 277
- forward substitution, 315
- Fourier
 - Jean Baptiste Joseph, 124
 - series, 118
- Fourier matrix
 - 2×2 , 130
 - 4×4 , 130
 - diagonalizes circulant matrices, 287
 - inverse = conjugate, 130
 - is symmetric, 130
 - is unitary, 130
 - spectrum, 199
- Fredholm Alternative, 174
- Frobenius
 - condition number, 370
 - inner product, 88
 - norm, *see* Frobenius norm
 - rank inequality, 79
- Frobenius norm
 - and singular values, 329
 - definition, 91
 - of a unitary matrix, 144
 - self-adjoint, 367
 - submultiplicative, 349
 - submultiplicative for Hadamard product, 367
- Fuglede–Putnam theorem, 286, 299
- full column rank, *see* rank, full column
- full rank, *see* rank, full
- full row rank, *see* rank, full row
- full-rank factorization
 - and eigenvalues, 216
 - and the pseudoinverse, 368
 - block matrices, 78
 - complex symmetric matrix, 367
 - definition, 62
- function
 - definition, 1
 - jump discontinuity, 118
 - periodic, 116
 - piecewise continuous, 118
- functional calculus
 - 2×2 matrices, 221, 272, 322
 - general functions, 212
 - matrix exponential, 212
 - polynomials, 210
 - square root, 220
- Fundamental Theorem of Algebra, 13
- fundamental theorem of calculus, 112, 200, 300
- Gaussian elimination
 - and inertia of a Hermitian matrix, 386, 393
 - example, 76
- geometric mean, 99
- geometric multiplicity
 - \leq algebraic multiplicity, 206
 - and rank, 186
- Conjugate eigenvalues of a real matrix, 197
- definition, 186

- Geršgorin
 circle, 188
 disk, 188
 region, 188
 Semyon Aranovich, 200
 sufficient condition for positive semidefinite, 310
 theorem, 188
 theorem for geometric multiplicity > 1 , 199
- Goldbach, C., 17
- golden ratio, 211
- Google matrix, 238, 239
- Gram determinant, 164
- Gram matrix
 Cauchy matrix is a, 325
 definition, 164
 determinant, 164
 in an inner product space, 324
- Gram–Schmidt process
 definition, 106
 determine minimal polynomial, 240
 linearly dependent list, 120
 modified, 123
- Grammian, *see* Gram matrix
- Hadamard
 gate, 127
 inequality, 145, 324
- Hadamard product
 definition, 319
 principal submatrix of Kronecker product, 326
 properties, 319
 Schur product theorem, 320
 submultiplicative for Frobenius norm, 367
 submultiplicative for rank, 326
 submultiplicative for spectral norm, 395
- Hadamard, Jacques, 326
- Haynsworth inertia theorem, 393
- Heisenberg uncertainty principle, 71
- Heisenberg, Werner, 200
- Hermitian axiom, *see* conjugate symmetry axiom for inner product
- Hermitian matrix, *see also* self-adjoint operator
 *congruence of two, 385, 391
 definition, 5, 112
 diagonal entries, 16
 diagonal entries and eigenvalues, 326, 383
 product of two, 270
 $\text{rank}(AB)^k$ vs. $\text{rank}(BA)^k$, 301
 simultaneous diagonalization by *congruence, 324
 spectrum, 289
 unitarily similar to a real tridiagonal matrix, 145
- Hermitian part of a matrix, 290, 326
- Hilbert, David, 200
- Hilbert–Schmidt norm, 91
- homogeneity axiom
 derived norm, 92
 inner product, 87
 norm, 96
- homogeneous linear system
 definition, 6
 more unknowns than equations, 7
 nontrivial solution, 6
 trivial solution, 6
 two possibilities for solution, 7
- Householder matrix
 definition, 134
 is unitary, Hermitian, involutive, 134
- Householder transformation
 definition, 134
 mapping one given vector to another, 136, 137
 hydrogen spectral lines, 200
- idempotent matrix
 definition, 6
 eigenvalues, 198
 invertible, 18
 singular values, 365
 trace, 18, 221
 unitarily similar to a block diagonal matrix, 365
 unitary similarity of two, 368
 unitary similarity to a block upper triangular matrix, 234
- identity linear transformation, *see* linear transformation, identity
- identity matrix, *see* matrix, identity
- ill conditioned, 361
- inconsistent linear system, *see* linear system, inconsistent
- independent, *see* linear independence
- index of a matrix, 63
- induction hypothesis, *see* mathematical induction, induction hypothesis
- inductive step, *see* mathematical induction, inductive step
- inertia matrix
 *congruence of two, 390
 *congruence to a normal matrix, 388
 *congruent to a Hermitian matrix, 384
 definition, 388
 non-normal *congruent to an, 395
 real, 384
 Sylvester’s theorem, 385
- inertia theorem
 Haynsworth, 393
 normal matrix, 390
 Sylvester, 385
- infinite dimensional, *see* vector space, infinite-dimensional
- inner product
 definition, 87
 derived norm, *see* norm, derived
 determined by derived norm, 95
 Frobenius, 88
 in matrix multiplication, 57
 L^2 , 88

- properties, 87
- standard, 88
- inner product space, 88
- interlacing, *see* eigenvalue interlacing
- intersection of subspaces, *see* subspace, intersection
- intertwining
 - and commuting, 15
 - and polynomials, 15
 - and similarity, 15
 - definition, 15
 - Fuglede–Putnam theorem, 286
- invariant subspace
 - and block upper triangular matrix, 169
 - definition, 169
- inverse eigenvalue problems, 396
- inverse of a matrix
 - 2×2 , 4
 - 2×2 block matrix, 79
 - adjugate form, 9
 - at most one, 4
 - block 2×2 , 65
 - characteristic polynomial, 239
 - complex vs. real, 52
 - definition, 4
 - is a polynomial in the matrix, 227
 - Kronecker product, 75
 - left, 39
 - left = right, 39, 55
 - product of elementary matrices, 8
 - reverses products, 5
 - right, 39
 - side-by-side method, 59
 - upper triangular, 65
- invertible matrix
 - and strict diagonal dominance, 191
 - columns are a basis, 34
 - consistent linear systems, 55
 - definition, 4
 - determinant nonzero, 9
 - is a change of basis matrix, 46
 - square root, 274
 - zero is not an eigenvalue, 180
- involution
 - definition, 6
 - reversal matrix is a symmetric, 128
 - singular values, 369
 - unitary similarity of two, 369
 - unitary similarity to a block diagonal matrix, 369
 - unitary similarity to a block upper triangular matrix, 240
- involutory matrix, *see* involution
- isometry
 - and adjoint, 126
 - and inner product, 126
 - definition, 125
 - invertible in finite-dimensional case, 125
 - properties, 125
- isomorphism of vector spaces, 41
- Jordan block
 - bordered matrix in two ways, 246
 - definition, 244
 - multiplicity, 244
 - nilpotent, *see* nilpotent Jordan block
 - ranks of powers, 246
 - second difference formula for multiplicity, 271
 - with eigenvalue λ , 244
- Jordan canonical form
 - algorithm to determine, 255
 - conventional presentation of the, 255
 - definition, 255
 - Markov matrix, 263
 - similar to complex conjugate, 269
- Jordan form
 - definition, 250
 - every square matrix has a, 250
- Jordan matrix
 - definition, 244
 - nilpotent, *see* nilpotent Jordan matrix
- Jordan, Camille, 277
- Jordan, Pascual, 200
- jump discontinuity, *see* function, jump discontinuity
- kernel
 - definition, 42
 - linear transformation, 42
- Kronecker delta, 3
- Kronecker product
 - and vec operator, 75
 - definition, 74
 - determinant, 241
 - eigenvalues, 241
 - Hadamard product is a principal submatrix, 326
 - identities, 75
 - inverse, 75
 - mixed product property, 75, 80
 - of normal matrices, 302
 - of unitary matrices, 147
 - singular value decomposition, 344
 - singular values, 344
 - upper triangular matrices, 81
- Kronecker sum
 - definition, 241
 - eigenvalues, 241
- Lagrange interpolation
 - real data, 14
 - theorem, 14
 - unique, 14
- Laplace expansion by minors, *see* determinant, Laplace expansion
- law of cosines, 82
- leading principal minor, 382
- leading principal submatrix, *see* submatrix, leading principal
- least squares
 - linear model, 165

- least squares (cont.)
 - minimization, 164
 - normal equations, 164
 - quadratic model, 173
 - solution to an inconsistent linear system, 164, 358
- left shift
 - definition, 42
 - identities, 245
 - onto but not one to one, 52
 - right inverse \neq left inverse, 52
- linear combination
 - definition, 24
 - nontrivial, 24
 - trivial, 24
- linear dependence
 - and the zero vector, 28
 - basic facts, 28
 - definition, 28
 - for sets, 29
 - one vector, 28
 - three or more vectors, 28
 - two vectors, 28
- linear functional
 - annihilates commutators, 122
 - definition, 108
 - dimension of kernel, 52
 - Riesz vector, 109
- linear independence
 - and extension to a basis, 68
 - and null spaces, 29
 - and span, 31
 - and unique representations, 30
 - basic facts, 29
 - columns extend to an invertible matrix, 68
 - columns of a square matrix, 29
 - complex exponentials, 29
 - definition, 29
 - for sets, 29
 - monomials, 29
 - one vector, 29
 - orthonormal system, 104
 - preserved by invertible matrix, 61
 - three or more vectors, 29
 - two vectors, 29
- linear operator, 41
- linear regression, *see* least squares, linear model
- linear system
 - coefficients of, 6
 - consistent, 6
 - constant terms, 6
 - definition, 6
 - homogeneous, *see* homogeneous linear system
 - inconsistent, 6
 - matrix representation, 7
 - minimum norm solution, *see* minimum norm solution
 - solution, 6
 - three possibilities, 6
- linear transformation
 - basis representation function, 41
 - commutator, 71
 - definition, 41
 - differentiation, 42
 - identity, 44
 - induced by a matrix, 41
 - integration, 42
 - matrix representation, 43
 - one to one, 42
 - one to one if and only if onto, 51
- lists
 - linearly dependent, 28
 - linearly independent, 29
 - maximal linearly independent, 36
 - minimal spanning, 36
 - of vectors, 24
 - span of, 24
 - vs. sets, 24
- lower triangular matrix, *see* matrix, lower triangular
- Lyapunov equation
 - definition, 321
 - solution, 322
- $M_n = \text{span}\{\text{unitaries}\}$, 325
- main diagonal, 4
- majorization
 - bottom-up, 383, 391
 - definition, 383
 - top-down inequalities, 394
- Markov matrix
 - definition, 262
 - eigenvalues with modulus 1, 262
 - Hadamard product of a unitary matrix and its conjugate, 325
 - Jordan canonical form, 263
 - limit theorem, 263
 - limit theorem if A and A^T are both Markov, 273
 - normal, 301
 - positive entries, 263
 - power bounded, 262
 - spectral radius, 262
 - stationary distribution, 264
- mathematical induction
 - base case, 11
 - complete, 12
 - induction hypothesis, 11, 12
 - inductive step, 11
 - principle of, 11
- matrix
 - addition, 2
 - augmented, 7
 - block, *see* block matrix
 - block centrosymmetric, 77
 - block diagonal, 66, 170
 - block upper triangular, 169
 - bordered, *see* bordered matrix
 - change of basis, *see* change of basis matrix

- circulant, *see* circulant matrix
 coefficient, 7
 commutator, 71
 complex symmetric, *see* complex symmetric matrix
 complex type, 77, 217
 convergent, *see* convergent matrix
 cyclic permutation, 287
 definition, 1
 diagonal, *see* diagonal matrix
 diagonalizable, *see* diagonalizable matrix
 distinct eigenvalues, 184
 elementary, *see* elementary matrices
 equal, 2
 Fourier, 129
 Google, 238
 Hermitian, *see* Hermitian matrix
 Hessenberg, *see* upper Hessenberg matrix
 idempotent, *see* idempotent matrix
 identity, 3
 inertia, 388
 invertible, *see* invertible matrix
 involution, *see* involution
 lower triangular, 4
 Markov, *see* Markov matrix
 min matrix, 316
 multiplication, 3, 54, 57, 58
 multiply by a scalar, 2
 nilpotent, *see* nilpotent matrix
 noninvertible, 4
 normal, *see* normal matrix
 partitioned, *see* partitioned matrix
 permutation, *see* permutation matrix
 positive definite, *see* positive definite matrix
 positive semidefinite, *see* positive semidefinite matrix
 power bounded, *see* power bounded matrix
 powers, 4
 product, *see* matrix, multiplication
 product of two symmetric, 265
 real, *see* real matrix
 real inertia, 384
 real orthogonal, *see* real orthogonal matrix
 reversal, *see* reversal matrix
 row reduce, 7
 scalar, 4
 skew Hermitian, *see* skew-Hermitian matrix
 skew symmetric, *see* skew-symmetric matrix
 square, 2
 strictly lower triangular, 4
 strictly upper triangular, 4
 symmetric, *see* symmetric matrix
 triangular, 4
 tridiagonal, *see* tridiagonal matrix
 unispectral, *see* unispectral matrix
 unitary, *see* unitary matrix
 upper Hessenberg, *see* upper Hessenberg matrix
 upper triangular, *see* upper triangular matrix
 Vandermonde, *see* Vandermonde matrix
 zero, 2

 matrix exponential, *see* functional calculus, matrix exponential
 matrix representation of a linear transformation, *see* linear transformation, matrix representation
 migration patterns, 264, 273
 min matrix
 and the Volterra operator, 343
 Cholesky factorization, 316, 323
 inverse, 316, 323
 positive definite, 316
 minimal polynomial
 basic properties, 228
 companion matrix, 230
 criterion for diagonalizability, 233, 240
 definition, 229
 divides characteristic polynomial, 228
 necessary condition for diagonalizability, 231
 of a diagonalizable matrix, 231
 of a direct sum, 241
 similarity invariant, 229
 via Gram–Schmidt, 240
 minimum norm solution
 and pseudoinverse, 358
 consistent linear system, 152
 definition, 152
 in column space of adjoint, 152
 via *QR* factorization, 171
 minor
 compute determinant via, 9
 definition, 9
 leading principal, 382
 principal, 382
 modified Gram–Schmidt process, *see* Gram–Schmidt process, modified
 modulus of a complex number
 definition, 401
 multiplicative law, 404, 406
 modulus of a matrix
 2×2 matrix, 342
 and polar decomposition, 337
 definition, 336
 via singular value decomposition, 337
 momentum operator, *see* operator, momentum
 Mona Lisa, 347
 monic polynomial, *see* polynomial, monic
 monotonicity theorem, 394
 Moore–Penrose pseudoinverse, *see* pseudoinverse
 multiplicative law for complex conjugation, 402
 multiplicity
 eigenvalues, 203, 216, 224
 Jordan block, 244
 zeros of a polynomial, 13

 negative definite, 304
 negative semidefinite, 304
 nilpotent Jordan block
 definition, 245
 index, 246
 perturbation of a , 255, 272

- nilpotent Jordan matrix
 - algebraic multiplicity, 246
 - definition, 245
 - geometric multiplicity, 246
 - index, 246
- nilpotent matrix
 - characteristic polynomial, 216, 243
 - definition, 6
 - direct sum of, 271
 - eigenvalues, 216, 243
 - index-two unitary similarity, 368
 - minimal polynomial, 243
 - similar to a nilpotent Jordan matrix, 248
 - square root, 275
 - sum or product of, 271
- nonderogatory matrix
 - definition, 274
 - similarity and characteristic polynomial, 274
- noninvertible matrix, *see* matrix, noninvertible
- nonnegativity axiom
 - derived norm, 92
 - inner product, 87
 - norm, 96
- nontrivial solution, *see* homogeneous linear system, nontrivial solution
- norm
 - definition, 96
 - derived, 91, 92
 - Euclidean, 91
 - Frobenius, 91
 - Hilbert–Schmidt, 91
 - L^2 , 91
 - ℓ^1 (absolute sum), 97
 - ℓ^2 , 91
 - ℓ^∞ (max), 97
 - Schur, 91
- normal equations
 - conditioning issues, 361
 - definition, 161
 - solution via QR factorization, 167
- normal matrix
 - 2×2 , 279, 300
 - 2×2 block form, 281
 - *congruence of two, 390
 - adjoint is a polynomial in the matrix, 293
 - adjoint is normal, 280
 - and unitary similarity, 281
 - arbitrary principal submatrix, 299
 - Cartesian decomposition, 290
 - characterizations, 293
 - collinear spectrum, 301
 - commuting family, 284
 - definition, 6, 279
 - diagonal entries and eigenvalues, 301
 - direct sum of normal matrices, 281, 302
 - distinct singular values, 341
 - eigenvalues and diagonal entries, 325
 - examples, 279
 - Hermitian, 289
 - idempotent, 299
 - invariant subspaces same as for adjoint, 298
 - Markov matrix, 301
 - nilpotent, 299
 - orthogonal eigenvectors, 299
 - orthogonal projection, 289
 - polar decomposition, 341
 - pseudoinverse, 368
 - rank $AB = \text{rank } BA$, 301, 325
 - real symmetric, *see* real symmetric matrix
 - similarity of two, 292
 - skew Hermitian, 289
 - spectral resolution, 296
 - spectral theorem, 282
 - symmetric, *see* symmetric normal matrix
 - unitary, 289
- normalization, 92, 98
- normed vector space, 97
- null space
 - definition, 23
 - two matrices have same, 174
- nullity, 51, 78
- numerical range, 391
- off-diagonal entries, 4
- one to one
 - definition, 1
 - linear transformation, 42
- onto, 1
- operator, *see also* linear operator
 - definition, 41
 - momentum, 71
 - position, 71
- orthogonal complement
 - definition, 149
 - of $\text{col } A^*$, 152
 - of kernel, 152
 - of null A , 152
 - of orthogonal complement, 151
 - of range, 152
 - properties, 150
- orthogonal projection
 - idempotent, 157
 - matrix, 167
 - mutually orthogonal, 294
 - of a vector onto a subspace, 155
 - operator, 156
 - properties, 157
 - representation with respect to an orthonormal basis, 158
 - resolution of the identity, 294
 - self-adjoint, 157
 - spectrum, 289
- orthogonality
 - complex exponentials, 121
 - properties, 90
 - sets, 90

- sines and cosines, 91, 117
 vectors, 90
 orthonormal
 basis, 104
 columns extend to a unitary matrix, 131
 definition, 102
 list extends to an orthonormal basis, 108, 131
 system, 102
 orthonormalization
 via Gram–Schmidt, 145
 via *QR* factorization, 142
 outer product
 definition, 58
 in matrix multiplication, 58
 PageRank, 238
 parallelogram identity
 characterization of derived norm, 101
 derived norm, 92
 Euclidean length, 86
 parity of a permutation, *see* permutation, parity
 Parseval’s identity, 114
 partition function, 271
 partitioned matrix
 according to its columns, 2, 54
 according to its rows, 57
 column blocks, 58
 conformal partitions, 63
 Pauli
 equation, 127
 gates, 127
 spin matrices, 127, 144
 Wolfgang, 200
 Penrose identities, 367
 perfectly conditioned, 361
 period, 116
 periodic function, *see* function, periodic
 permutation
 composition of transpositions, 10
 even, 10
 odd, 10
 of a list, 10
 parity, 10
 sign, 10
 transposition, 10
 permutation matrix
 definition, 131
 is real orthogonal, 132
 permutation similarity
 definition, 132
 of 2×2 block diagonal matrices, 133
 rearranges diagonal entries, 132
 rearranges rows and columns, 132
 plane rotation matrix
 and addition formulae for cosine and sine, 144
 definition, 127
 polar decomposition
 2×2 matrix, 344
 column vector, 340
 complex symmetric matrix, 367
 factors commute, 341
 factors in a , 337
 left, 338
 normal matrix, 341
 right, 338
 theorem, 337
 uniqueness of factors, 338
 polarization identity, 95, 126
 polynomial
 and intertwining, 15
 and similarity, 16
 annihilates a matrix, *see* annihilating polynomial
 characteristic, *see* characteristic polynomial
 coefficient, 12
 complex, 12
 constant, 12
 definition, 12
 degree, 12
 division, 13
 even, 23
 factor, 13
 functional calculus, *see* polynomial functional calculus
 least common multiple, 241
 location of zeros, 220
 monic, 12
 nonconstant, 12
 odd, 23
 of a block triangular matrix, 77
 of a matrix, 14
 orthogonal, 108
 prime-generating, 17
 real
 definition, 12
 non-real zeros in conjugate pairs, 17
 odd degree has a real zero, 17
 real factors, 17
 zero, 12
 zero of a , 13
 polynomial functional calculus
 for a normal matrix, 297
 for diagonalizable matrices, 210
 position operator, *see* operator, position
 positive definite matrix
 Cholesky factorization is unique, 316
 column inclusion, 307
 definition, 304
 determinant positive, 306
 determinant test, 382
 geometrical interpretation, 306
 Gram matrix with linearly independent columns, 306
 inverse of square root, 323
 leading principal submatrix, 324
 monotonicity theorem, 394
 must be Hermitian, 304
 positive eigenvalues, 306

- positive definite matrix (cont.)
 product of two, 324
 simultaneous diagonalization with a Hermitian matrix, 318
 Sylvester criterion, 382
 trace positive, 306
- positive semidefinite matrix
 Cholesky factorization, 316
 column inclusion, 307
 *congruence, 309
 definition, 304
 determinant is monotone, 315
 determinant nonnegative, 306
 direct sums, 309
 Gram matrix, 304
 monotonicity theorem, 394
 must be Hermitian, 304
 nonnegative eigenvalues, 304
 polynomial square root, 312
 product of two, 314
 product with a Hermitian, 323
 square root, 312
 square root of 2×2 , 313
 trace nonnegative, 306
 unique square root, 312
 $\mathbf{x}^* \mathbf{A} \mathbf{x} = \mathbf{0} \implies \mathbf{A} \mathbf{x} = \mathbf{0}$, 308
- positivity axiom
 derived norm, 92
 inner product, 87
 norm, 96
- power-bounded matrix
 definition, 261
 Markov matrix, 262
- primary matrix function, 277
- principal minor, 382
- principal submatrix, *see* submatrix, principal
- principle of biorthogonality, 219
- principle of mathematical induction, *see* mathematical induction, principle of
- probability vector, 261
- product rule for determinants, 10
- projection of one vector onto another
 in an inner product space, 93
 in the plane, 86
- pseudoinverse
 and a full-rank factorization, 368
 and least squares, 358
 and minimum norm solution, 358
 definition, 356
 diagonal matrix, 368
 normal matrix, 368
 Penrose identities, 367
 properties, 357, 367
 rank-1 matrix, 368
 solution to a consistent linear system, 359
 solution to an inconsistent linear system, 359
 well defined, 356
 purely imaginary number, 398
- Pythagorean theorem
 classical, 82
 derived norm, 92
 inner product space, 103
- QR* algorithm, 145
- QR* factorization
 in orthonormalization, 142
 narrow, 140
 solution of normal equations, 167
 theorem, 139
 used to compute minimum norm solution, 171
 via Householder transformations, 139
 wide, 140
- QS* decomposition of a unitary matrix, 291
- quadratic form
 change of variables and congruence, 317
 diagonalization, 317
 simultaneous diagonalization, 318
- quantum mechanics, 19, 71, 89, 127
- quotient, *see* division algorithm, quotient
- range
 definition, 1
 linear transformation, 42
- rank
 and invertible submatrix, 147
 and nonzero eigenvalues, 209, 238
 column, 60
 definition, 36
 dimension of column space, 36
 dimension of row space, 60
 Frobenius inequality, 79
 full, 60
 full column, 60
 full row, 60
 Hadamard product, 326
 of a product, 61, 64, 79
 of a sum, 64
 of powers, 62
 of transpose, 8
 perturb one entry, 78
 $\text{rank } A = \text{rank } AA^* = \text{rank } A^*A$, 307
 revealed by reduced row echelon form, 8
 row, 60
 second differences determine Jordan form, 271
- rank-1 projection matrix
 and Householder matrix, 134
 definition, 133
- Rayleigh
 Baron, *see* Strutt, John William
 quotient theorem, 372
- real matrix
 conjugate eigenvalues, 197, 204
 conjugate eigenvectors, 197
 odd size, 220
 real eigenvalues have real eigenvectors, 197
 similarity of two, 196

- unitary similarity of two, 292
- real orthogonal matrix
 - 2×2 , 144
 - definition, 6, 127
 - diagonal, 144
 - plane rotation matrices, 127
- real orthogonal similarity
 - definition, 131
 - equivalence relation, 145
 - real matrices, 292
- real symmetric matrix
 - orthogonal real eigenvectors, 282
 - real orthogonally diagonalizable, 282
- reduced row echelon form
 - definition, 8
 - reveals rank, 8
 - unique, 8
- reduction formula, 70
- reflexive relation, 49
- remainder, *see* division algorithm, remainder
- replacement lemma, 34
- resolution of the identity
 - construct from a unitary matrix, 295, 300
 - definition, 294
- reversal matrix
 - definition, 128
 - symmetric unitary involution, 128
- Riemann–Lebesgue lemma, 123
- Riesz
 - representation theorem, 109
 - vector
 - definition, 109
 - of a linear functional, 109
- right shift
 - adjoint, 302
 - definition, 42
 - invariant subspace, 302
 - is an isometry, 125
 - left inverse \neq right inverse, 52
 - one to one but not onto, 52
- root of a polynomial equation, 13
- roots of unity, 406
- roots vs. zeros, 13
- row of a matrix, 2
- row partition, *see* partitioned matrix
- row rank, *see* rank, row
- row reduce, 8
- row space
 - column space of transpose, 59
 - definition, 59
 - same dimension as column space, 59
- scalar, 1
- scalar matrix, *see* matrix, scalar
- scalar multiplication
 - compatible with field multiplication, 20
 - distributes over vector addition, 20
 - identity element, 20
 - in a vector space, 19
- Schur
 - complement, 70, 76
 - determinant formula, 70
 - inequality, 285, 351
 - Issai, 327
 - majorization of diagonal entries and eigenvalues, 383
 - norm, 91
 - product, *see* Hadamard product
 - product theorem, 320
 - triangularization theorem, 223
- self-adjoint operator, *see also* Hermitian matrix
 - definition, 112
- sesquilinear, 88
- sets vs. lists, 24
- shift property of similarity, 16, 49
- Shoda's theorem, 73
- sign of a permutation, *see* permutation, sign
- similarity
 - and change of basis, 44, 48
 - and characteristic polynomial, 205
 - and eigenvalues, 205
 - and intertwining, *see* intertwining, and similarity
 - and minimal polynomial, 229
 - convergent matrices, 259
 - definition, 48
 - matrix similar to its transpose, 265
 - of two diagonal matrices, 292
 - of two diagonalizable matrices, 292
 - of two normal matrices, 292
 - of two real matrices, 196
 - of two real normal matrices, 292
 - permutation, *see* permutation similarity
 - preserves determinant, 49
 - preserves trace, 49
 - real orthogonal, *see* real orthogonal similarity
 - shift property, 16, 49
 - to a block diagonal matrix, 232
 - to a diagonal matrix, 207
 - to a matrix with equal diagonal entries, 73
 - to adjoint, 270
 - to conjugate, 269
 - unitary, *see* unitary similarity
 - via S or S^{-1} , 48
- simultaneous real orthogonal diagonalization, 284
- simultaneous unitary diagonalization, 284
- simultaneously diagonalizable matrices
 - commuting matrices, 209
 - definition, 209
- simultaneously upper triangularizable matrices, 235
- singular value decomposition
 - column vector, 331
 - compact, *see* compact singular value decomposition
 - complex symmetric matrix, 363
 - definition, 330
 - outer product form, 345
 - theorem, 329
 - truncated, 347
 - uniqueness, 342

- singular values
 - AB vs. BA , 343
 - and Frobenius norm, 329
 - and similarity, 352
 - and trace, 353
 - and unitary matrices, 352
 - definition, 328
 - distinct, 332
 - idempotent matrix, 365
 - involution, 369
 - multiplicity, 331
 - of a normal matrix, 351
 - of a positive semidefinite matrix, 351
 - of a unitary matrix, 352
 - properties, 329
 - simple, 332
 - spectral condition number, 359
 - spectral norm, 349
 - unitarily invariant, 352
- singular vectors
 - definition, 331
 - left, 331
 - right, 331
- skew-Hermitian matrix
 - definition, 5
 - diagonal entries, 16
 - spectrum, 289
- skew-Hermitian part of a matrix, 290
- skew-symmetric matrix
 - definition, 5
 - diagonal entries, 16
- solution of a linear system, *see* linear system, solution
- span (noun)
 - and linear independence, 31
 - definition, 24
 - is a subspace, 25
 - is an intersection of subspaces, 31
 - is idempotent, 25
 - of the columns of a matrix, 24
 - the whole space, 25
- span (verb), 25
- spanning
 - list, 25
 - set, 25
- spectral condition number
 - definition, 359
 - properties, 359
 - relative error in solution of a linear system, 360
 - unitarily invariant, 360
- spectral decomposition of a normal matrix
 - definition, 284
 - recipe, 284
- spectral lines of hydrogen, 200
- spectral norm
 - 2×2 matrix, 366
 - and Cartesian decomposition, 355
 - block matrices, 370
 - definition, 349
 - of a vector, 349
 - of inverse, 350
 - properties, 348
 - self-adjoint, 367
 - submultiplicative, 349
 - submultiplicative for Hadamard product, 395
 - upper bound, 355
- spectral projection, 296
- spectral radius
 - and spectral norm, 350
 - definition, 260
 - Markov matrix, 262
 - not a norm, 260
- spectral resolution, 296
- spectral theorem
 - normal matrix, 282, 295
 - symmetric normal matrix, 290
 - symmetric unitary matrix, 290
- spectrum
 - definition, 183
 - historical remarks, 200
 - nonempty, 181
- square matrix, *see* matrix, square
- square root
 - 2×2 positive semidefinite matrix, 313, 322
 - invertible matrix, 274
 - Jordan block, 274
 - nilpotent matrix, 275
 - positive semidefinite matrix, 313
 - symmetric unitary matrix, 291
- standard basis, *see* basis, standard
- standard inner product, *see* inner product, standard
- stationary distribution, *see* Markov matrix, stationary distribution
- strict diagonal dominance
 - definition, 191
 - implies invertibility, 191
 - sufficient condition for positive definite, 310
- strictly lower triangular matrix, *see* matrix, strictly lower triangular
- strictly upper triangular matrix, *see* matrix, strictly upper triangular
- Strutt, John William, 372
- subdiagonal, 4
- submatrix
 - definition, 4
 - eigenvalue interlacing, 381
 - invertible and rank, 147
 - leading principal, 4
 - principal, 4
 - trailing principal, 4
- subspace
 - always nonempty, 22
 - criterion, 22
 - definition, 22
 - direct sum, 27
 - direct sum of orthogonal complements, 151
 - intersection, 26, 39

- invariant, *see* invariant subspace
- span of union, 26
- subset need not be a, 23
- sum, 26
- union, 26
- zero, 22
- sum of subspaces, *see* subspace, sum
- superdiagonal, 4
- Sylvester
 - criterion for positive definiteness, 382
 - criterion for positive semidefiniteness, 396
 - determinant identity, 79
 - inertia theorem, 385, 391
 - law of nullity, 78
 - theorem on linear matrix equations, 231
- Sylvester, James Joseph, 396
- symmetric matrix
 - complex, *see* complex symmetric matrix
 - definition, 5
 - product of two, 265
 - real, *see* real symmetric matrix
 - real vs. complex, 301
- symmetric normal matrix
 - real and imaginary parts, 301
 - spectral theorem, 290
- symmetric relation, 49
- symmetric unitary matrix
 - spectral theorem, 291
 - square root, 291
- system of linear equations, *see* linear system
- tensor product, *see* Kronecker product
- Toeplitz matrix
 - commutes with Jordan block, 276
 - definition, 276
- trace
 - $\text{tr } AB = \text{tr } BA$, 6, 80, 120
 - and singular values, 353
 - definition, 6
 - idempotent matrix, 18, 221
 - is a linear transformation, 52
 - preserved by similarity, 49
 - sum of eigenvalues, 204, 224
 - zero, *see* Shoda's theorem
- trailing principal submatrix, *see* submatrix, trailing
 - principal
- transitive relation, 49
- transpose
 - definition, 5
 - is idempotent, 5
 - of a block matrix, 66
 - of inverses, 5
 - reverses products, 5
 - similarity of a matrix and its, 265
- transposition, *see* permutation, transposition
- triangle inequality
 - case of equality, 405
 - complex numbers, 404
 - derived norm, 94
 - Euclidean length, 86
 - in the plane, 83
 - norm, 96
- triangular matrix, 4
- tridiagonal matrix
 - definition, 4
 - distinct eigenvalues, 395
 - eigenvalue interlacing, 395
 - normal, 301
 - real eigenvalues, 395
- trivial solution, *see* homogeneous linear system, trivial
 - solution
- uncertainty principle, *see* Heisenberg uncertainty
 - principle
- union of subspaces, *see* subspace, union
- unispectral matrix
 - definition, 232
 - diagonalizable, 233
- unit ball
 - convex set, 101
 - definition, 97
- unit vector, 92, 98
- unitarily diagonalizable, 282
- unitary annihilation of lower entries, 138
- unitary equivalence
 - definition, 367
 - equivalence relation, 367
- unitary matrix
 - 1×1 , 127
 - *congruence of two, 389
 - 2×2 , 144
 - adjoint is inverse, 127
 - characterizations, 129
 - CS decomposition, 147
 - definition, 6, 127
 - Frobenius norm, 144
 - orthonormal columns, 129
 - orthonormal rows, 129
 - properties, 128
 - QS decomposition, 291
 - real, *see* real orthogonal matrix
 - singular values, 352
 - spectrum, 289
 - symmetric, *see* symmetric unitary matrix
 - takes a given vector into a multiple of \mathbf{e}_1 , 138
 - with given first column, 138
- unitary similarity
 - 2×2 matrices, 273
 - definition, 131
 - equivalence relation, 145
 - index-two matrices, 368
 - matrix and its transpose, 274
 - of two idempotent matrices, 368
 - of two involutions, 369
 - of two real matrices, 292
 - to a block upper triangular matrix, 232

- unitary similarity (cont.)
 - to a diagonal matrix, 282
 - to an upper Hessenberg matrix, 143
 - to an upper triangular matrix, 223
- upper Hessenberg matrix
 - definition, 142
 - unitary similarity to a , 143
- upper triangular matrix
 - definition, 4
 - determinant, 203
 - eigenvalues, 203
 - Schur's theorem, 223
- Vandermonde determinant, *see* Vandermonde matrix, determinant
- Vandermonde matrix
 - determinant, 16
 - invertible, 16, 17
- vec operator
 - definition, 75
 - of a triple product, 75
- vector addition
 - additive inverse, 20
 - associative, 20
 - commutative, 20
 - distributes over scalar multiplication, 20
 - identity element, 20
 - in a vector space, 19
- vector space
 - column vectors, 21
 - complex, 20
 - complex-valued functions, 22
 - definition, 19
 - dimension, *see* dimension
 - finite-dimensional, 35
 - finitely nonzero sequences, 22
 - four things in harmony, 19
 - infinite dimensional, 35
 - nonzero, 21
 - polynomials, 21
 - real, 20
 - real-valued functions, 22
 - rectangular matrices, 21
 - zero, 21
 - zero dimensional, 35
- Volterra operator
 - adjoint, 121
 - Cartesian decomposition, 300
 - definition, 121, 199
 - eigenpairs of, 199
 - volume and determinant, 10
- Weierstrass approximation theorem, 174
- well conditioned, 361
- Weyl inequalities
 - for eigenvalues, 386
 - imply additive interlacing, 388
- Weyr characteristic
 - and algebraic multiplicity, 272
 - and the Jordan canonical form, 255
 - associated with an eigenvalue, 253
 - definition, 253
 - monotone decreasing, 253
- Weyr matrix
 - definition, 277
 - matrix commutes with a , 276
- Weyr, Eduard, 277
- zero dimensional, *see* vector space, zero-dimensional
- zero matrix, *see* matrix, zero
- zero of a polynomial, *see* polynomial, zero of a
- zero polynomial, *see* polynomial, zero
- zero vector
 - axiom, 20
 - column vectors, 21
 - complex-valued functions, 22
 - finitely nonzero sequences, 22
 - polynomials, 21
 - real-valued functions, 22
 - rectangular matrices, 21
 - zeros vs. roots, 13