

Index

Abacá or Manila Hemp, 3, 50–53

Acacia catechu, 418

A. mearnsii, 511–12

A. nilotica, 509, 512

A. rugata, 489

A. senegal, 489, 512

Acer saccharum, 143, 487

Acetobacter, 453

Achard, F., 142

Achras sapota, 243, 279, 541

Actinidia chinensis, 280

Adzuki bean, 180

Aegilops speltoides, 69

squarrosa, 69

Aframomum melegueta, 367

Agavaceae, 53, 544

Agave, 53–57, 431

Agropyron, 71

Alcoholic beverages, 425–432

Aleurites spp., 227–28

Alfalfa, 193

Algae, 2, 18

Alginates, 538

Almond, 291–92

Allspice, 305, 380–81

Amanita muscaria, 403

Amaranth, grain, 131–32, 349–50

Amylopectin, 110

Amylose, 110

Anderson, E., 7, 105

Aniline dyes, 4, 508

Annatto, 4, 520–21

Antibiotics, 561–63

Antioxidants, 238

Apiaceous fruits, 396–401

Apple, 252–54

Arachis hypogaea, 202

Aristotle, 8

Armoracia rusticana, 606

Artificial leather, 166

Artificial silk, 165

Aspergillus flavus, 205

A. oryzae, 230

Atropa belladonna, 545–46

Atropine, 546

Aubergine, 362

Avena sativa, 124

Avocado, 277–78

Aztecs, 64–65, 110, 113, 131, 448, 645

Bagasse, 150, 152, 159

Bakers' yeast, 6, 426, 428

Balatas, 540–42

Balsa, 464, 466

Bamboo, 505–07

Banana, 258–63

Barley, 64, 66, 122

Basella alba, 347–48

Bat Cave, 103

Bay, 584, 605

Beal, W., 114

Beans – Dry and Green, 180–186

Beer, 428–30

Beets, 324–26

- Bell peppers, 356–59
 Belladonna, 3, 545–46
Bertholletia excelsa, 293–94
Beta maritima, 324
 Beverages, 425–456
 Biological control, 575
Bixa orellana, 520–21
 Black wattle, 511–12
 Blue gum, 611–12
 Borlaug, N.E., 17, 81
 Brandy, 430
 Brazil nut, 294–95
 Brewers' or Bakers' yeast, 6, 428
 Brinjal, 362–63
 Broad bean, 166, 171
 Broccoli, 166, 171
 Bronze Age, 1, 349–50

 Cabbage, cauliflower, 337–42
 Cacao tree, 448–56
Cactoblastis cactorum, 523
 Caffeine, 439, 446–47
 Calabash, 356
Camellia, 432
 Canaigre, 510, 515
Canavalia, 167
 Cane sugar or Sugar, 141–45, 151
Cannabis sativa, 37–40, 420–24
 Canola, 233–35
 Caoutchouc, 531
 Capsaicin, 392–93
Capsicum annuum, 357–58, 391
 C. frutescens, 357–58, 391–92
 Capsicum peppers, 356–359, 391–93
 Carnauba wax, 6, 197, 489
 Carrot, 329–30
Carthamus tinctorius, 201, 521–22
 Cashew, 281–83
 Cassava, 311–14
Castanea dentata, 284
Castilla elastica, 540
 Castor, 220–22
Catharanthus roseus, 559
 Celery, 334
 Cellulose, 21, 32, 37, 39, 44, 47, 53, 165–66
 nitrate, 165–66
 Cereals, 64–138

 Chamomile, German, 594–95
 Charcoal, 476
 Chard, 324
 Cheese, 6, 12
 Chestnuts, 284, 85
 Chewing gum, 541
Citrus spp., 245–252
 Citrus or Agrumen Oil, 585–87
 Chicha, 114, 432
 Chickpea or gram, 173–75
 Chicle, 541
 Chilli peppers, 356–59, 391–93
Chlorella, 18
 Chocolate, 449–54
Chrysanthemum cinerariifolium, 4, 569–70
 Chuños, 308
 Cider, 254, 431
Cinchona spp., 547–49
Cinnamomum cassia, 376
 verum, 374, 489
 Cinnamon, 367, 374
 Citrus fruits, 245–251
Claviceps purpurea, 127, 557–58
 Clove oil, 378
 Clove tree, 376
 Clover, 193–94
 Cloves, 365, 376–78
 Cluster bean or guar, 175–76
 Coca, 3, 419
 Cocaine, 420
 Cochineal insect, 523
 Cocoa, 448–456
 Coconut, 57, 201, 208–212
 Coconut oil, 197
 Coconut palm, 57, 208–212
Cocos nucifera, 57, 208–210
Coffea, 442–445
 Coffee, 440–448
 Coir, 59, 212
Cola nitida, 415–16
Colocasia esculenta, 301, 316–17
 Columbus, Christopher, 365
 Conifers, 458
 Conservation (Plant Diversity), 615–26
Copernicia cerifera, 6
 Copra, 211–12
 Cordus, V, 544

- Cork, 490–92
 Corn, dent corn, 108
 flint corn, 109
 flour corn, 110
 hybrid corn, 114–117
 pod corn, 111
 popcorn, 110
 waxy corn, 110
 Corn-syrup, 113
 Cortés, 448
 Cortisone, 544, 560
 Cotton, 3, 22, 23–33, 201, 222–224
 Cotton-seed cake, 33, 224
 Cotton-seed oil, 33, 224
 Cowpeas or Lubia, 190–91
Crocus sativus, 378–79
Crotalaria juncea, 46
 Cucumbers, 355
Cucurbits, 351–56
 Cucurbitaceae, 351–56
Curcuma longa, 371–74
Cymbopogon spp., 587–90
 Cowpeas or lubia, 190–91
Cyperus papyrus, 156–57
- Da Gama, Vasco, 366
 Dacron, 165
Dactylopius, 523
 Damask rose, 599–601
 Darwin, C, 8
 Dasheen, 317
 Date palm, 266–70
Datura, 546
 De Candolle, A, 8–10
 Diastase, 426–429
 Digitalin, 550
Digitalis purpurea, 3, 549–551
Dioscorea spp., 560–61
 Dioscoreaceae, 544, 560
 Dioscorides, 8, 543
 Diosgenin, 560–61
 Disaccharides, 141
 Distillation of wood, 483–84
 Distilled beverage, 430–31
Dothidella ulei, 533
 Double-cross, 114–15
 Downey, R.K., 234, 235
- Drug plants, 543–566
Duboisia hopwoodii, 403
 Durum wheat, 69, 77
 Dutch East India Company, 376
 Dyestuffs, 4, 509, 518–529
- Eggplant, 362
 Einkorn, 68
Elaeis guineensis, 212–17
 Emmer, 68
Endothia parasitica, 284, 509
Ephedra, 551–52
 Ephedrine, 551
 Ergot, 557–58
Erythroxylum coca, 419
 Esparto grass, 159
 Essential fatty acids, 197–98
 oils, 576–614
 Ethnobotany, 644–48
 Essential oils, 576–614
 Ethyl alcohol, 426
Euchlaena mexicana, 101, 140
Eugenia caryophyllus, 376–78
- Fats, 196–98
 Favism, 171
 Fenugreek, 239, 333, 366, 605
 Fermentation, 6, 410, 426–27
 Fiber-yielding plants, 20–63
 Fire, 1
 Flax, 3, 34–37
 Fly-agaric, 403
 Fodder (grasses), 138–40
 Forage or Fodder legumes, 193–94
 Forests, 458–59
 Foxglove, 3, 549
 French bean or common bean, 180–82
 Fructose, 141
 Fruits, 237–296
 Fuchs, L., 544
- Garden or Table beet, 324–25
 Garlic, 322–23
 Geranium, 596–97
 Ginger, 366, 368–70
 Ginseng, 3, 565
 Glucose, 141, 426

660 *Index*

- Gluten, 71, 77, 127, 131
Glycine spp., 228–29
 Glycosides, 313, 549
Gossypium spp., 23–29, 222–23
 Gossypol, 223
 Gourd, 351–52, 355–56
 Grass pea or Chickling vetch, 176–78
 Grains of Paradise, 367
 Grapevine, 270–74
 Guayule, 629
 Gutta-percha, 540
- Hallucinogens, 402–04
 Hardwoods, 461, 497, 499
 Harlan, J.R., 13–15
 Hashish, 423–24
 Hawkes, J.G., 15–16, 303
 Heartwood, 463, 496, 499
 Heiser, C.B., 391
Helianthus annuus, 14
Hemileia vastatrix, 441
 Hemp, 3, 22, 37–40, 420
 Henna, 528–29
 Heroin, 552
Hevea brasiliensis, 5, 530–39
 Heyerdahl, T., 309
 Hippocrates, 544
 Honey, 141–42
 Honey bee, 141–42, 431
 Hops, 429, 606
Hordeum vulgare, 122–124
 Horseradish, 606
 Hutchinson J., 24–26
 Hybrid maize or corn, 114–116
 Hybrid vigor, 83
 Hydrolysis (wood), 484
 Hyoscyamine, 546
- Inbred lines, 114
 Incaparina, 18
 Indian Multipurpose Food, 19, 169
 Indican, 527
 Indigo, 4, 525–527
 Indigo white, 528
Indigofera spp., 525–26
 Indigotene, 527–28
 Insecticides, 6, 567–75
Ipomoea aquatica, 348
- I. batatas*, 309
I. trifida, 309
 Irish potatoes, 303–08
Isatis tinctoria, 527
- Jasmine, 591–92
 Jojoba, 640–42
 Jones, D., 114
 Jute, 3, 40–44
- Kang Kong, 348–49
 Khas-khas or Khus, 601–603
 Khat, 432
 Kon-tiki, 309
- Lactobacillus*, 342
Lagenaria siceraria, 299, 352, 356
 Latex, 5, 531, 544
 tubes, 531
 vessels, 531
 Lathyrism, 171, 178
Laurus nobilis, 605
 Lavender, 592–94
Lawsonia inermis, 529
 Leaf spot (coffee), 441
 Leather, 509, 511
 Legumes or Pulses, 167–195
Lens esculenta, 13, 178
 Lenticels, 490, 492
 Lentils, 178–80
 Lettuce, 343–45
 Lignin, 21, 31, 44, 47, 50, 53, 56, 162, 472, 482–84
 Lima beans, 180
Linum usitatissimum, 34, 231
 Liqueurs, 431
 Logwood, 4, 524–25
Lophophora williamsii, 403
 Lubricating oils, 202, 222, 642
 Lysergic acid, 403–04
 Lysine, 169
- Macaroni, 77
 Mace, 365, 387–90, 606
 MacIntosh, 532
 MacNeish, R. S., 101, 103
 Madagascar periwinkle, 559
 Magellan, 366
 Mahogany, 496–97

- Maize or corn, 101–118
 Male sterility, 83–84, 115
 Malt, 429
 Maltose (malt sugar), 141, 426
Mandragora officinarum, 544
 Mandrake, 544
 Mangelsdorf, P. C., 102–104
 Mangel-wurzel, 324
Mangifera indica, 254–58
 Mangrove trees, 513–14
Manihot utilissima, 311–14
 Maple sugar, 143
 Marco Polo, 366
 Marijuana, 423
 Mate or Paraguay tea, 432
 Mayan, 64, 448, 531
 Mead, 142, 431
Medicago sativa, 193
 Medicinal yam, 560–61
 Mesolithic or Middle Stone Age, 1
 Methionine, 169
Methysticodendron, 403
 Middle Stone Age, 1
 Millets, 66, 128–30
 Mints, 607–09
 Missouri Botanical Garden, 7
 Molasses, 151
 Moluccas, 366, 376, 387
 Monosaccharides, 141
 Morphine, 552, 554
Morus alba, 244
 Mulberry, 244
 Multipurpose plants, 420
 Mung or Green gram, 184
 Must, 426
Myristica fragrans, 387–90
- Natural camphor, 609–11
 Naval stores, 485–86
 Neolithic (New Stone Age), 1
 Nero, 601
Nicotiana spp., 404–407
 Nicotine, 412, 414–15
 Nitrogen fixation, 167
 Nodules, 167
 Non-alcoholic beverages, 432–456
 North American Chestnut, 284
 Novocaine, 420
- Nuts, 280–96
 Nutmeg, 36, 387–90, 606
 Nutmeg tree, 387–90
 Nylon, 21, 165
- Oak (*Quercus*), 478, 482, 499
 Oats, 66, 124–26
 Oca, 301
Ochroma pyramidale, 464, 466
 Oil palm, 201, 212–216
 Okra, 363–64
 Old Stone Age, 1
Olea europaea, 217–19, 242
 Olive oil, 217, 219
 Onions, 319–321
 Opium, 3, 552–54
Opuntia, 523
 Origin of agriculture, 7–16
Oryza sativa, 85–100
Oxalis tuberosa, 301
- Pandang or Screw pine, 595–96
Palaquium gutta, 540
 Paleolithic or Old Stone Age, 1
 Palm and Palm kernel oil, 201, 216–17
Panax quinquefolium, 564
Panicum spp., 14, 128, 130
P. miliaceum, 128, 130
Papaver somniferum, 3, 292, 552–54
 Papaya or Pawpaw, 274–77
 Para rubber, 534–540
Parthenium argentatum, 629
 Patchouli, 598–99
 Pea, 187–90
 Peanut, 202–205
 Peanut oil, 204
 Peas, 187–190
 Pectin, 5, 246
 Penicillin, 3, 561
Penicillium spp., 562
Pennisetum, 66, 139–40
 typhoideum, 66, 128–29
 Pepper, black, 381–84
 Perkin, W. H., 533
 Persian wheat, 68
 Petro crops, 627–643
 Peyote, 403, 544
Phaseolus spp., 180–86

662 *Index*

- Phylloxera*, 271
 Physic nut, 640–41
Phytophthora infestans, 303
Piper betel, 418
P. nigrum, 381–84
 Pigeon pea or red gram, 171–73
 Pistachio nut, 289–90
Pisum sativum, 187–91
 Pitch, 485
 Pituri, 403
 Plant breeding,
 Maize, or corn, 114–117
 Rice, 98–100
 Sugarcane, 152–54, 156
 Wheat, 78–84
 Plant Diveristy (Conservation), 615–626
 Pliny the Elder, 8
 Polynesians, 309
 Polysaccharides, 141
 Polyterpenes, 530
 Pomace, 5, 254
 Portuguese voyages, 366, 368
 Potato blight, 303
 Prickly pear, 523
 Primary crop plants, 13
 Pseudoephedrine, 551
 Pseudocereals, 131–38
Psilocybe mexicana, 403
 Psilocybin, 403
 Pulp (wood), 159–163
 Pulque, 57, 431
 Pulses, 167–192
 Pumpkin, 354, 356
 Pyroligneous acids, 483

 Quebracho, 509, 516
Quercus suber, 490–93
 Quinine, 548–49

 Radish, 331–32
 Ramie or China grass, 21, 47–50
Rauvolfia (Rauwolfia), 544, 555–56
 Rayon, 165
 Red-bark, 548
 Reeds, 143
 Reeves, 102, 103
Reseda luteola, 529
 Reserpine, 555–56

 Resin canals or ducts, 462, 501–02
 Resins, 5, 500
Rhizophora mangle, 513
R. mucronata, 514
 Rhubarb, 345–46
 Riboflavin, 298, 379
 Rice, 66, 85–100
 Rice paper, 157
 Ridley, H., 533
Rivea corymbosa, 403
Rocella, 526, 529
 Root crops, 300–332
Rosa damascena, 259
 Resins, 5
 Rosin, 485–86
 Rubber, 530–42
 Rum, 152–430
 Russian dandelion, 534
 Rutabaga or Swede, 328–29
 Rye, 126–27

Saccharomyces spp., 271, 426, 429
Saccharum officinarum, 143–154
 Safflower, 4, 198, 201, 521–22
 Saffron, 4, 378–80
 Sakamura, T., 67
 Sake, 97, 431
 Salaman, R., 303
 Sann or sunn hemp, 46–47
 Sandalwood, 583, 613–14
 Sapodilla tree, 243, 279, 541
 Sapwood, 463, 499
 Sauerkraut, 342
 Sawdust, 488
 Scarlet runner bean, 180
Schinopsis lorentzii, 516
 Schultes, R., 403, 644
 Schultz, 67
 Scopolamine, 546
Secale cereale, 126–27, 139
 Secondary crop plants, 13
 Semolina, 77
 Sesame oil, 226–27
Sesamum indicum, 224
 Shifting cultivation, 646
 Shipbuilding, 499
 Shull, G. H., 114
 Sicilian sumac, 514–15

- Silage, 6, 113, 138
Simmondsia chinensis, 642
 Single-cross, 115
 Sisal, 22, 53–57
 Soaps, 196, 202, 224
 Softwoods, 461, 499, 504
Solanum melongena, 362
 S. tuberosum, 302–08
 Sorghum, 66, 118–22, 140
 Sorghum flour,
 Soybean, 7, 168, 198, 201, 228–31
 Soy sauce, 230
 Spaghetti, 77
 Spelt, 68
 Spice Islands, 376, 387
 Spices, 365–401
 Spring wheat, 74
 Squashes, 355–56
Staphylococcus, 562
 Starches, 154–55
 Stefansson, B.R., 234, 235
 Stephens, S. G., 26
 Steroids, 544, 560
Stevia rebaudiana, 152
Stipa tenacissima, 159
Strophanthus, 566
 Strychnine, 557
Strychnos, 556–57
 Sturtevant, E. L., 103
 Suberin, 492
 Sucrose, 141
 Sugar, 141–44, 487
 beet, 142, 144, 326
 cane, 143–154
 maple, 143
 Sunflower, 198, 201, 235–36
 Swaminathan, M.S., 81, 82, 624
 Sweet potatoes, 309–11
 Swiss lake dwellings, 3, 126, 458
 Swollen shoot disease, 441
Synsepalum dulcificum, 152

 Tannins, 509–518
 Tapioca, 311
Taraxacum kok-saghyz, 534
 Taro, 316–19
 Tea, 432–440
 Teak (*Tectona grandis*), 498–99

 Teosinte, 101–03
 Terpenes, 530, 576
Tetrapanax papyriferum, 157
Thaumatococcus danielli, 152
Thea sinensis, 432–434
Theobroma cacao, 448–456
 Theobromine, 454
 Theophrastus, 8, 544
 Tillering, 65, 87, 91, 149
 Timber, 472–74
 Tobacco, 404–15
 Tomato, 259–62
 Tracheids, 460–61
Trifolium subterraneum, 193
Trigonella foenum-graecum, 194, 605
Tripsacum, 101–04, 140
Triticum, 67
 aestivum, 67–69, 72
 boeoticum, 68–69
 dicoccoides, 68–69
 dicoccum, 68, 71
 durum, 68–69
 monococcum, 68, 70–71
 spelta, 68
 Trypsin, 171
 Tryptophan, 117, 169
Tsuga spp., 509
 Turnips, 326–28
 Turmeric, 365, 371–74, 529
 Turpentine, 485–86

 Van Houten, C. J., 449
Vanilla planifolia, 393–96
 Vanillin, 378, 395
 Vavilov, N. I., 11–14, 67, 101
 Veneers, 479–80
 Vegetables, 297–364
 Vetiver, 601–603
Vicia faba, 171, 178, 193
 Violet, 603–04
 Viscose, 165
 Vita soy, 19
 Vitamins, 238
Vitis vinifera, 272–74, 426–27
 Vulcanization, 532

 Walnut, 287–89
 Watermelons, 351–52, 355

664 *Index*

- | | |
|--|---------------------------------------|
| Waterproofing, 5, 233, 485 | Woad, 4, 527–28 |
| Wattle and daub, 3, 457 | Wood distillation, 483–84 |
| Wax, 6, 52, 197, 642 | Wood (Timber), 467–507 |
| Wax palm (Carnauba), 6, 489 | Wood pulp, 160–64 |
| Wheat, 66–85 | Wort, 429 |
| Wheat breeding, 78–84 | |
| Whiskey, 430–82 | <i>Xanthosoma sagittifolium</i> , 316 |
| Whitaker, T. W., 352 | Yams, 314–16 |
| Wild Einkorn, 68 | Yeast, 6, 272, 426–27, 429 |
| Wild Emmer, 68–69 | Yoco, 432 |
| Wild rice, 100 | |
| Wine distillation or distilled spirits, 430–31 | <i>Zea mays</i> , 101–18 |
| Wine yeast, 426 | <i>mexicana</i> , 101 |
| Wines, 426–28 | <i>Zingiber officinale</i> , 368–69 |
| Winged Bean or Goa Bean, 191–92 | <i>Zizania aquatica</i> , 100 |