

# Index

- Abies religiosa* (sacred fir) in mountains of Central America 3
- Acer* spp. (maple) 196, 271, 341, 392
- acid rain 398, Figure 10.24
- Acorus* spp. (sweet flag) 129–30, 144, 397, 445
- adaptations *see also* traits
- seed size 350–1
  - to burial 180
  - to cold 386–90
  - to drought 262–4, 369–80 *see also* deserts, grasslands, rock barrens
  - to fire 170–1
  - to flooding 394–7 *see also* aerenchyma
  - to herbivores 217–23
  - to infertility 115 *see also* carnivorous plants, mycorrhizae
- aerenchyma 396–7, 400, 405 *see also* wetland vegetation
- Africa
- Congo River basin 195–6, 512–13, Table 13.5
  - distribution of savanna Figure 10.7
  - dragon's blood tree on Socotra 348–9
  - elephant and goat grazing in South Africa Figure 6.18
  - fynbos, plant diversity, fire 375–9
  - goat grazing 506–7
  - herbivores in savannas 214–15
  - herbivores in Tanzanian grasslands 234–6
  - Lake Chad basin 512–13, Table 13.5
  - Lithops* (stone plants) Figure 10.5
  - Nile River 510, Figure 5.15 Table 13.5
  - Pachypodium namaquanum* in South Africa Figure 10.4
  - pluvial lakes Figure 8.3
  - rainfall in Sahel Figure 3.21
  - Richtersveld National Park, South Africa Figure 10.4
  - sausage tree in Uganda Figure 1.2
  - seed dispersal by dodos on Mauritius 288–9
  - undiscovered plant species in Botswana and Namibia 513
- Welwitschia mirabilis* in Namibian desert Figure 12.4
- Agassiz, Lake 320, 322, 470
- agriculture
- Ambrosia* pollen as an indicator 54
  - ammonia fertilizer use USA Figure B3.2.3
  - annual net primary production (ANPP) 89
  - cattle grazing 244, 493
  - eutrophication 79, Figure B3.2.3, Figure 3.17
  - guano as fertilizer 79
  - Haber process making fertilizer Box 3.2
  - Liebig's treatise on agriculture 478
  - Park Grass experiment, Rothamsted Box 12.2
  - Mayan 97
  - pastures 147–8, Figure 3.17, Figure 12.17, Figure 12.18
  - Phoenician Figure 13.2
  - production compared to natural systems 89, Figure 3.12
  - productivity 89, Figure 3.12
  - protected area systems 516
  - soil and soil erosion 92, 93, 97
  - sowing density, crop yield 126
  - three phases of soil erosion 97
  - wheat yields at Rothamsted Figure B12.2.1
- Agrostis* spp. (bentgrass) 82, Table 11.2
- algae
- alligator holes 178
  - alternation of generations Box 8.1
  - aquatic algae, herbivory 240, Figure 6.15, Figure 6.16
  - endolithic algae 394
  - functional classification 406
  - lichen associations 274, Figure 7.9
  - nutrient ratios 83, Figure 3.11
  - origin of eukaryotes Figure 2.12
  - plant invasion of land 81
- Algonquin, Lake 176, 313, 341–2, 455
- allelopathy *see* interference competition
- alligators 175–8, 207, 242–4, Figure 5.14, Figure 6.17
- alkaloids 223, 226, 373
- Alnus* spp. (alder) Figure 5.26, Figure 8.20, Figure 8.21, Figure 8.22, Figure 11.1, Figure 11.15, Table 11.1
- alvar 143–5, 149–50, 379–80, 472, 577, Figure 10.11
- alternation of generations Box 8.1
- altitude
- CO<sub>2</sub> changes 73
  - high altitude stresses 367
  - rock outcrops 379, Figure 11.11
  - vegetation change 151, 201, 377, 412–15, 455–6, 464, 508, Figure 11.3, Figure 11.4, Figure 11.7, Figure 12.4, Box 2.1
- Amazon River/river basin
- Brazil nut production 361–3
  - climate 45–6, Figure 2.4
  - cross section Figure 12.5
  - erosion/deposition dynamics 174–5, Figure 5.11
  - forest history 316–17
  - frontier forests Figure 13.12
  - one of world's largest wetlands 512, Table 13.5
  - sediment discharge Figure 5.16
  - tree species diversity 154, 456, Table 13.4
  - Wallace exploration 49, 59
  - World Floristic Region Table 2.5
  - Victoria amazonica* Figure 3.1
- Amborella trichopoda* 50
- amphibians 36, 178, 521
- Andes Mountains
- Azorella compacta* (Yareta) Figure 10.1
  - biodiversity 360, 456, 462, 508, 514, Figure 13.11, Table 13.3
  - Brazil nut trees Figure 9.16
  - continent fragmentation Figure 8.7
  - endolithic flora 394
  - Isöetes andicola* 72
  - Nothofagus* fossils 309, Figure 8.8
  - von Humboldt's exploration Box 2.1

- animal guts 16, 92, 230  
 annual net primary production (ANPP)  
   87–8, 580 *see also* primary  
   production  
 Antarctica  
   Joseph Hooker exploration 48  
   K-T boundary 192  
   paleobotany 303  
   Vostok ice core 26, Figure 1.19  
 ants  
   Amazon forest abundance 212  
   houses in plants 113–14, Figure 3.27  
   mutualism with *Acacia* 289–90, Figure  
   7.15, Table 7.7  
   myrmecochory 286–7, 292, 462, Figure  
   7.14  
   soil food web 93  
 Appalachian Mountains  
   deciduous forests 463  
   forest gradients 413–14, Figure 11.3,  
   Figure 11.4  
   gap regeneration 201  
   high altitude rock outcrops 423, Figure  
   11.11  
   stream sedimentation 196  
   understory vegetation 206  
 archaeology 322, 492, 500  
 architecture of plants  
   atmospheric and soil foraging  
   adaptations 65  
   height 8, 76, Figure 1.6  
   leaves 76, 111–12, Figure 3.26  
   photon harvesting 74–6, Figure 3.5  
   resource acquisition strategies 312–18,  
   Figures 3.27–3.32  
 area and species diversity  
   general relationship 453–5  
   priority for large forests  
   510–11  
   priority for large wetlands 512  
*Armeria maritima* (thrift seapink) 421–2,  
 472–3, Figure 11.10, Table 11.2  
 arthropods 93, 96, 212, 233, Figure 3.14,  
 Table 3.2 *see also* crustaceans,  
 insects  
 Asia  
   biodiversity hotspots Figure 13.11  
   Borneo, bush meat effects 505  
   coal swamp in China coal field Figure  
   1.17  
   dipterocarp forest in Malaysia Figure  
   13.1  
   forest distribution during last ice age  
   Figure 8.14  
   Huangshan Mountains of eastern China  
   Figure 11.7  
   loess deposits 313  
   *Magnolia sinica* in China Figure 2.3  
   *Nepenthes truncata* in Philippines  
   Figure 3.29  
   plant diversity Figure 12.10,  
   Figure 12.11  
   *Rafflesia arnoldii* in Borneo Figure 7.12  
   *Rhinoceros* grazing 212, 244  
   savanna and grassland distribution  
   Figure 10.7  
   tortoise grazing on Aldabra atoll 216–17  
   Vietnam War effects on forests 195  
   volcanic eruption of Krakatoa 187,  
   Figure 5.24  
   volcanic eruption on Kamchatka  
   Peninsula 187–9, Figure 5.26  
 Asteraceae  
   distribution 55  
   flower morphology Figure 2.10  
   herbivore defences 226, Figure 6.9  
   *Hymenoxys herbacea*, alvar species  
   Figure 10.11  
   Karoo-Namib floristic region 57  
   largest plant family 52  
   origin 54  
 atmosphere Box 1.1 *see also* carbon  
   dioxide, chemical ecology, water  
 Cambrian 21  
 origin 6, Box 3.1  
 oxygen 18–20, Figure 1.18, Figure 1.19  
 ozone 16, 20–1, 30  
 photosynthesis, role in creation 16–19  
 planetary comparisons Table 1.5  
 Australia  
   ant dispersal of seeds 287, Figure 7.14  
   ant house epiphytes Figure 3.27  
   Captain Cook at Botany Bay Figure 2.1  
   Cooloolo dunes 328–30  
   distribution of proteas 311–12, Figure  
   8.10  
   *Eucalyptus regnans*, world's tallest  
   flowering plant 360, Box 9.1  
   forest gradients 457–60, Figure 12.8,  
   Figure 12.9  
   forest succession in Tasmania 325,  
   327–8  
   herbivory by insects of forest canopies  
   215–16, Figure 6.3  
   parasitic mistletoe 116–17 Figure 3.31  
   *Rhizanthella gardneri* as a  
   mycoheterotroph 117–18  
   sand dune succession in Queensland  
   328–30  
   *Telopea speciosissima* Figure 8.10  
   *Wollemia* discovery 52  
   zonation in Snowy Mountains  
   experiment 151–2, Figure 4.23  
*Azorella compacta* (yareta) Figure 10.1  
 bacteria  
   cellulose degradation Box 3.3  
   CHNOPS composition Table 3.2  
   consumption by nematodes 95  
   cyanobacteris in lichens 95  
   decomposers 93, 95–6, Figure 3.14  
   endolithic cyanobacteria 394  
   nitrogen fixation 79  
   number in human body 260  
   origin of eukaryotes 16, Figure 1.12,  
   Figure 1.13  
   photosynthesis 18, 20  
   plant defence against 229  
 banded iron formations 19–20, Figure 1.15  
 bats 2, 260–1, 276, 278–9, 283–4, Figure  
 1.2, Figure 7.1, Box 13.1  
 beavers (*Castor canadensis*) 175–6, 203,  
 230, Figure 5.12, Figure 5.13,  
 Figure 5.38, Table 5.4  
 bees 55, 294, 361, Table 7.3  
 beetles 24, 93, 215, 223, 226, 254, 276,  
 289, Figure 6.3  
*Bertholletia excelsa* (Brazil nut) 361–3,  
 Figure 9.16  
 biological interactions *see* competition,  
   herbivory, mutualism, predation  
 biomass  
   allocation regulation 126, Figure 4.3  
   angiosperms 302, 577  
   annual production by habitat Figure 3.12  
   bryophytes 83, Figure 3.9  
   cold effects 389  
   competition effect on 135–46, Figures  
   4.9–4.17, Figure 4.21, Figure  
   4.22, Table 4.2  
   Earth's biomass 88, 452  
   fertility 82, 83, 85, 126, 200 Figure 3.9,  
   Figure 3.10, Figure 4.10, Figure  
   12.29, Table 3.5  
   functional property of vegetation 419,  
   Figure 11.8

- biomass (cont.)  
gradients 147–8, 413, 420  
grassland 374  
intermediate biomass species richness  
model 467–8, Figure 12.20,  
Figure 12.22  
*Isöetes andicola* 72  
mycorrhizae effects 153–4, Figure 4.24  
N:P ratio 85  
Paleozoic forests 23  
plankton 85  
population modeling 358  
primary production 85, 87–90, Figure  
3.10, Figure 3.12  
rain forest 89  
removal by disturbance 164–5  
artificial gaps in forest 201–2, Figure  
5.36  
experiments in riverine wetlands  
198–200, Figure 5.3  
fire 166–73, Figure 5.1  
herbivory 175–8, 210–57  
ice 182  
intensity 165  
logging 198, 205–6, 330  
multiple factors 206–8, Figure 5.40,  
Figure 5.41  
waves 183, Figure 5.19, Figure 5.35  
soil depth 420  
species relative abundance 474–7,  
Figure 12.26  
stress 368  
substrate heterogeneity and seed source  
Figure 12.28  
succession 324, 328–9, 331–2, Figure  
8.22, Figure 8.29  
vascular plants 83, Figure 3.9
- biomass gradients  
centrifugal patterns 472–4,  
Figure 12.23  
competition in wetlands Figure 4.22  
Everglades Figure 5.40  
intermediate biomass model 467–70,  
Figure 12.16, Figure 12.17,  
Figure 12.19  
riverine marshes Figure 3.10  
soil depth Figure 4.20  
waves on shorelines Figure 5.19, Figure  
5.35
- birds 212, 276–9, 284, 287, Figure 7.11,  
Table 7.4, Table 13.7, Box 13.1
- insect-eating 231, 233, Figure 6.13, Box  
6.2  
bogs 580, Figure 8.24 *see also* peatlands  
burial 179  
fertilization studies 83, 85, Table 3.5  
fire 166  
floating bogs 443  
formation rate 300  
gradients Figure 10.17, Figure 11.1  
lily family 68  
mycorrhizae 271, Figure 7.7  
pH, nutrients 99, 114, Figure 11.6  
primary succession 322, 324–5, 330,  
Figure 8.23, Figure 8.32  
rate of remineralization 96  
sediment cores 26, 300  
unavailable resources 382  
world's largest wetlands Figure 13.13,  
Table 13.5
- bottom-up/top down control in plant  
communities 241–4, 293, 518,  
Figure 6.17 *see also* trophic  
cascade
- browsing *see* herbivory
- bryophytes, 83–4, 166, 382, 398, 460,  
Figure 3.9, Figure 10.13,  
Table 1.1, Table 13.7, Box 8.1
- buffalo 214, Table 6.1
- buffer zones 502, 516, Figure 13.14, Table  
13.1
- cacti 2, 37, 149, 262–3, 349, 372–3, Figure  
1.1, Figure 3.28, Figure 7.2,  
Figure 10.6
- Calamagrostis* spp. (reed grass) Figure  
3.10, Figure 5.8, Figure 5.26,  
Figure 9.10, Figure 11.1, Figure  
11.11
- calcium  
absence from serpentine rocks 381–2  
alvars *see* main entry  
calcareous soil types in fynbos Table  
10.3  
calcification of soils in arid climates 92  
leaching in dunes 329, Figure 8.27  
limestone 149, 379, 394  
liming in agriculture Figure B12.2.1  
loss after clearcutting 197, Figure 5.34  
nutrient 67, 93  
riparian wetland soils Figure 3.10  
seepage supports rare cliff plant 455
- Calluna vulgaris* (heather) 83, 217, 351,  
Table 9.2
- camouflage Figure 10.5, Table 10.1
- canals 495, Figure 5.15, Figure 13.6, Box  
5.1
- canopy *see* light, trees
- carbon *see also* carbon dioxide, primary  
production  
acquisition via fungi 55  
amino acids 67, Figure 3.2  
CHNOPS perspective 66–7, Table 3.1,  
Table 3.2  
coal 22–4, Figure 1.17, Figure 1.18  
complex organic molecules 18, Figure  
1.9  
cycle Figure 1.16  
fixation *see* primary production  
fossil fuels 22, 26, 89, 191, Figure 1.16  
storage 22–4, 36, Figure 1.16, Figure  
1.18, Table 13.1
- carbon dioxide *see also* climate change,  
greenhouse effect  
C<sub>3</sub>, C<sub>4</sub>, CAM photosynthesis and CO<sub>2</sub>  
uptake 71–3, Figure 3.3, Figure  
3.4  
current atmosphere Figure 1.20, Table  
1.5  
desert plant uptake 372, Figure 10.6  
early atmosphere 10, Table 1.2  
elevated CO<sub>2</sub> level response 70, Table  
3.3  
foraging for CO<sub>2</sub> 69–70  
production 71  
root uptake 72  
Venus and Mars 21, Table 1.5
- Carex* spp. (sedge)  
alpine/tundra vegetation 390, 398,  
422–5, Figure 10.17, Figure  
11.11  
buried seed densities Table 5.4  
competition intensity measure 129, 150,  
Figure 4.22, Table 4.1  
competitive performance 473, Figure  
4.13  
fire intensity 172, Figure 5.8  
fire, litter mass, diversity in *Carex*  
wetland 172, Figure 5.7  
heathlands Figure 6.12  
ion uptake 69  
irradiation 399, Figure 10.26  
marshes 199, 445

- mycorrhizae 273, 287  
nutrient addition experiment 82–3, 85, Figure 3.10  
resource gradients Table 3.6  
rhizome development 179  
saltmarshes 393, Table 11.2  
carnivores, large 242, 518, Table 13.7  
carnivorous plants 115, Figure 3.29  
Bartram 384  
Darwin experiments Box 10.1  
*Dionaea muscipula* 57, 521, Figure 3.29, Figure B10.1.1, Figure 12.3, Box 10.1  
discovery Figure 3.29, Box 10.1  
diversity Table 12.3  
*Drosera* spp. 472, 521 Figure 3.18, Table 4.2, Figure 9.9, Figure 10.12, Figure B10.1.2, Figure 12.23  
global distribution Table 12.3  
habitat requirements 463, 485–6, 472–3, Figure 12.23  
*Heliamphora* spp. Figure 10.12  
*Nepenthes* spp. Figure 3.29  
New Jersey Pine Barrens 485–6  
peripheral habitats 472–3  
*Pinguicula* spp. 463, 472, Figure 12.23  
*Sarracenia* spp. Figure 3.18  
savannas, *Sarracenia* Figure 3.18  
shorelines, *Utricularia* Figure 3.18  
types of traps Figure 3.29, Table 12.3  
*Utricularia* spp. 472, Figure 3.18, Figure 3.29, Figure 10.12, Figure 12.23  
*Carya* spp. (hickory)  
extinction in Europe 318  
gap regeneration 201–2, Figure 5.36  
leaf autoradiography Figure 10.19  
luna moths 229, Figure 6.11  
seed production Table 9.1  
cattail *see Typha* spp.  
cattle 214, 244, 294, 485, Box 6.2  
Central America  
*Abies religiosa* in mountains 3  
ants protecting acacia plants 289–90  
endemic plant diversity in Costa Rica 513–14  
endemic plant diversity in Panama 514  
dispersal of seeds by bats 283  
dispersal of fruits by animals Figure 7.13  
fire in Caribbean pinelands Figure 5.1  
floodplains in savannas 317  
insect herbivores in forest canopies of Panama 226–7  
nurse plants in Belize 264  
Chad, Lake basin 512–13, Table 13.5  
chemical ecology  
cellulose production and decomposition Box 3.3  
consequences of oxygen production 19–20  
early atmosphere 9–13, Box 3.1  
importance of nitrogen for amino acids 67, 78  
induced defenses 223  
lignin 23–4, 93, Box 3.3  
lipids in membranes 13–14  
Miller and Urey 12, Figure 1.10  
nitrogen and decay 95, 230, Box 3.1  
nitrogen and herbivory 230, Table 6.4  
origin of chlorophyll 17–19  
phenols 94, 222, Figure 6.8, Table 6.4  
pheromones as signal 226  
polyacetylene 222  
resins and naval stores Box 6.1  
root detection of NO<sub>3</sub> and NH<sub>4</sub> 103  
secondary metabolites 222–6, Figure 6.9  
terpenes 222–6, 252–3  
volatile compounds attract predators 226  
classification of plants *see also* description  
of vegetation, classification of vegetation  
functional 36–45 *see also* succulents, traits  
Grime, CSR 402–4, 406, 578  
Küchler, climate 41, 44–5, Table 2.4  
limitations of functional classifications 47  
Raunkiaer, life-forms 40–1, Figure 2.2, Table 2.1  
relationship with biomes 46–7, Figure 2.5  
Richards, tropical forest 41, Table 2.3  
von Humboldt, physiognomic types 37, 40  
phylogenetic 48–58  
Angiosperm Phylogeny Group 50, 52  
Asteraceae 52, 54–5  
Bessey 49–50  
cladograms 50, 52, Figure 2.7  
continental drift 309–10  
Divisions of plants 4–5, Table 1.1  
evolution of angiosperms in Cretaceous 302–5  
floristic regions 57–8, Figure 2.12  
Hooker 48–9  
limitations of phylogenetic classifications 58  
Linnaeus 48  
Magnoliids 50–2, Figure 2.3, Figure 2.6, Figure 2.7  
molecular techniques 50, 52, Figure 2.7  
Poaceae 55–7  
Takhtajan 59–60  
Wallace 49  
classification of vegetation *see* description of vegetation  
climate change *see also* carbon dioxide, greenhouse effect  
drifting continents 201, 312, 463  
fire 167, 172, Figure 5.3  
not a disturbance 164  
other consequences 60, 72, 205–7, 364  
peatlands 173  
sea level 320–2  
sediment and ice core evidence 25–7, Figure 1.19  
vegetation change 318–20, 349, Figure 8.16, Figure 8.17, Figure 8.18  
clones  
bananas 259  
clonal growth models 353–4  
growth form 352, Figure 9.10  
ramets and genets 352–3, 578, 580  
really old clones Box 9.1  
semelparous plants 359  
coexistence 154–5, 164, 201, 455–7, 467–74, Figure 4.25 *see also* diversity  
copepods Table 3.2  
community-unit model of plant communities 416, 436, 441–8, Figure 11.18, Figure 11.25, Table 11.3, Box 11.2  
competition 123–61, 577  
among molecules 11, 17, Figure 1.9  
asymmetric 76, 130–6, 139, 145, 577, Figure 4.7, Figure 4.12  
below-ground 149–50, 379, Figure 4.21, Figure 4.22, Figure 8.30  
bottlenecks 105

- competition (cont.)  
 coexistence 154–5, 164, 201, Figure 4.25  
 community structure Box 11.2  
 definition 125, 577  
 disturbance reduces competition 164  
 dominance 130–2, 577, Figure 4.6, Figure 4.7  
 during succession 331–2, Figure 8.29, Figure 8.30  
 effect and response 130, 578  
 experiments  
 alpine grassland 150–2, Figure 4.23  
 alvars 149–5, Figure 4.21  
 grasses and cacti 149  
 intensity 129–3, 139, 146–7, 150, Figure 4.12, Table 4.1  
 old fields 147–8, 482–3, Figure 4.19, Figure 12.30  
 savanna 235  
 shrubland 105–7, 128–9, Figure 3.22, Figure 4.4, Figure 4.5  
 wetlands 129–33, 150, 393, 482, Figure 4.22, Table 4.1, Table 12.5  
 gap regeneration 155–7, 201–2, Figure 4.26, Figure 5.36  
 ghost of competition past 105, 155  
 hierarchies 139–46, Table 4.1, Table 4.2  
 in ecology text books Table 7.1  
 in herbivory models 245  
 increases stress 126, 400, Figure 10.27  
 inferred in zonation studies 443–7  
 intensity 129–33, 139, 146–7, 150, Figure 4.12, Table 4.1  
 intraspecific 126–8, 131–4, Figure 4.2, Figure 4.3, Figure 4.5  
 light 8, 76, 143–6, 483–4, Figure 8.29, Figure 12.31 *see also* light  
 matrices Box 4.1  
 models  
 along gradients 157–8, Figure 4.27  
 comparison of major competition models 158, Table 4.3  
 Lotka–Volterra 290–1  
 patch dynamics 155–7, Figure 4.26  
 monocultures *see* competition, intraspecific  
 mycorrhizae 153–4, 481–2, Figure 4.24  
 resource vs. interference 124, 130–2, Figure 4.6  
 root *see* competition, below-ground  
 self-thinning *see* competition, intraspecific  
 size-hierarchies 134–6, Figure 4.10  
 symmetric *see* competition, asymmetric  
 Congo River basin Figure 13.13, Table 13.5, Box 5.1  
 continuum model of plant communities 436, 447–8. Figure 11.18, Figure 11.25, Table 11.3, Box 11.2  
 Cook, James  
 Botanical exploration 48, Figure 3.27, Box 2.1  
*Endeavour* Figure 2.1  
 maps 36  
 coypu *see* nutria  
 crabs 233–4, 242  
 crustaceans 178, 208, 233, 242  
 cyanophytes/cyanobacteria *see* bacteria  
 cyclones *see* storms  
*Cyperus* spp. (sedge) 174, 235, Figure 4.12, Table 6.6  
 dams 204, 463 *see also* beavers  
 Darwin, Charles  
 Alfred Wallace and Darwin 49  
 carnivorous plants discovered Box 10.1  
 Charles Darwin Research Station 501  
 Darwinian approach to plant population study 340  
 earthworm studies 92  
 evolution, natural selection 49, 124–5, 260  
 Galapagos Islands 500  
 Joseph Hooker's influence 49  
*On the Origin of Species* Box 7.1  
 pollination ecology 281–2, 294  
 seedlings from mud 335  
 son Francis 385  
*Insectivorous Plants*, 2<sup>nd</sup> ed. 386  
 son George, illustrator 385  
 von Humboldt's influence Box 2.1  
 voyage of the *Beagle* 49 Box 2.1  
 debris, coarse woody 95, 252, 521, Table 13.7  
 decomposers 92–6, 230, 252, Box 3.3  
 deer  
 red 217  
 white-tailed 244, 254–5, Figure 9.12  
 deforestation 96, 205, 217, 300, 349, 493, 508, Figure 1.16, Box 13.1  
 Easter Island 498–500, Figure 13.7  
 Mediterranean forests 492–3, Figure 13.2  
 deltas 92, 99, 172, 178–9, 243, 313, 316, 322, 335, 495, Figure 5.8, Figure 5.15, Figure 8.11, Figure 13.4  
 density dependence 132–7, Figure 4.2, Figure 4.10, Figure 4.11  
 description of vegetation  
 classification of vegetation  
 phytosociology  
 Braun–Blanquet Table 11.2  
 phytosociology 427–31  
 Zurich–Montpelier 427–31, Table 11.1, Table 11.2  
 multivariate  
 classification of rock outcrops  
 Figure 11.11  
 classification of conifer forests  
 431–5  
 data matrix 418–19  
 similarity measures 419–20  
 TWINSpan 423–4, 431–2  
 climate relationship 5–6, 36–45, Figure 1.4  
 ordination of vegetation 418–26  
 Bray–Curtis 420–1  
 coniferous forest 432–3, Figure 11.15, Figure 11.16  
 data matrix 418–19  
 detrended correspondence analysis (DCA) 423–4, Figure 11.1  
 high altitude rock outcrops 422–5  
 marshes along rivers 85, 426, Figure 3.10, Figure 11.12  
 sea cliffs 421, Figure 11.10  
 similarity measures 419–20  
 simplification 425–6  
 techniques 420–5  
 using natural gradients 412–18 Figure 11.1, Figure 11.2  
 block diagrams 412, Figure 11.1  
 direct gradient analysis *see* statistical analysis of patterns  
 gradient diagrams 413–14 Figure 11.4  
 profile diagrams 412–13, Figure 11.2  
 statistical analysis of patterns  
 441–8  
 implications for Gleason and Clements debate 441–2, Figure 11.25

- lake shore Figure 443–4, Figure 11.21  
relationship with individualistic view 441–2  
riparian marsh 444–5, Figure 11.24  
salt marshes 442–3, Figure 11.20  
wetlands in central USA, 445–7, Table 11.3
- deserts  
ant dispersal of seeds 286–7  
at last glacial maximum 317  
cactus competition 149  
endolithic plants 394, 396  
global distribution 369, Figure 10.2  
goat grazing 506–7  
Gondwana floras 309 *see also* Socotra  
nurse plants 262–4  
plant life cycles 358–9  
plant traits 370–3  
seedling establishment 348–50  
shrub competition 128–9  
*Welwitschia mirabilis* 466
- desertification 493–4, 506–7, 517–18
- detritivores 24, 92–3, 212, 578
- dinosaurs 192, 217–18, Figure 6.5
- diptercarp 286, 578, Figure 13.1
- Dionaea muscipula* (Venus flytrap) 57, 463, 521, Figure 12.13, Table 12.3, Box 10.1
- direct gradient analysis *see* description of vegetation, using natural gradients
- dispersal *see also* seeds  
Asteraceae, Pleistocene 54  
competition 156  
ferns and mosses 157  
succession 165, Figure 5.24
- distribution patterns, global *see* global distribution patterns
- diversity 578, Box 12.1  
biodiversity hot spots 507–10, Figure 13.11  
carnivorous plants 484–5 Table 12.3  
coexistence 154–5, Figure 4.25  
conservation management and scale 485–6, Table 12.6  
descriptions  
Australian forests 458–60, Figures 12.7–12.9  
boreal landscapes in Ontario 470–1, Figure 12.22  
deciduous forest trees 463–4  
endemic plants 464–7, 512–14, Figure 12.15  
eutrophication 472–3, 484–5, Figure 12.23  
latitude effects Figure 12.6  
Mediterranean climate regions 462–3, Figure 12.12, Figure 12.17  
plant diversity patterns for past 140 million years Figure 8.3  
wetland gradients Figure 12.8
- evenness 474 *see also* ranked abundance
- evolution Figure 1.8, Figure 8.3
- experiments  
competition 482–3, Figure 12.30, Figure 12.31  
old fields 482–4, Figure 12.30, Figure 12.31  
wetland microcosms 479–82, Figure 12.27, 12.28  
park grass fertilization 483, Figure 12.29
- extinction  
current risk to one third of plant species 487  
during continental drift 311–12  
during ice age 318, 463–4  
rivet analogy 514
- global patterns in species richness Figure 12.6, Figure 12.11, Figure 12.32
- Gondwanan floras have high diversity 309–12
- grazing *see* herbivores
- herbivores  
elephants and goats 245, Figure 6.18  
selectivity 245  
tortoises 216–17, 500–2, Figure 13.9
- indices for measuring Box 12.1
- large scale patterns  
equatorial areas 457–60, Figure 12.6, Figure 12.15  
heterogeneous areas 455–7  
large areas 453–5, Figure 12.12, Figure 12.15
- log normal distribution 474–7, Figure 12.26
- models  
species area relationships 453–5, Figure 12.2, Figure 12.3, Figure 12.12  
intermediate biomass 467–70, Figures 12.16–12.19  
intermediate disturbance 467–70, Figure 12.20, Figure 12.22  
centrifugal patterns 472–4, Figure 12.23  
mowing 245  
phosphorus and plant richness in pastures Figure 12.18  
relative abundance *see* ranked abundance  
ranked abundance 474–7, Figures 12.24–12.26  
small scale patterns *see also* zonation  
intermediate biomass 467–70, Figures 12.60–12.20  
intermediate disturbance 467–70, Figure 12.20, Figure 12.22  
centrifugal 472–4, Figure 12.23  
dominance–diversity curves 474–9, Figures 12.24–12.26, Table 12.2
- Drosera* spp. (sundews) 100, 115, 463, 472, Figure 3.18, Figure 9.9, Figure 10.12, Figure 12.23, Table 4.2, Table 12.3, Box 10.1
- Dulichium arundinaceum* (threeway sedge) 141, Figure 4.13, Table 4.2
- earthworms 92–3, 96, Figure 3.14
- ecological integrity 519, Table 13.2
- ecological reserves *see* protected areas
- ecosystem services 492, 514–17, 519, Table 13.2, Table 13.7
- ectomycorrhizae 269 *see also* mycorrhizae
- Eleocharis* spp. (spikesedge) 198, Figure 4.12, Figure 4.13, Figure 5.20, Figure 11.12, Figure 12.23
- elephants 125, 244–5, 342, 505, Figure 1.2, Figure 6.18
- endolithic plants 394, Figure 10.22
- environmental filters Box 10.2 *see also* adaptations, competition, disturbance, herbivory, stress
- Epic of Gilgamesh, The* 322, 492–3, Box 5.1
- erosion *see also* rivers, wetland vegetation before land plants 9

- erosion (cont.)  
erosion by glacial ice 313, Figure 8.11  
erosion by running water 99–100,  
173–4, Figure 3.16, Figure 3.17,  
Figure 5.10, Figure 5.11  
grazing 485, 501, 517, Figure 12.17,  
Box 13.2  
habitat mosaics 456  
increase due to logging 197–8, 205–6  
phases of human civilization 97  
reduction by plants 20, Table 1.6  
waves 183
- Eucalyptus* spp. 110, 151, 269, 300, 312,  
325, 327–8, 375, 462, Figure  
4.23, Figure 8.25, Box 7.1, Box  
9.1
- Eucalyptus regnans* 325, 327–8, 360,  
Figure 8.25, Figure B9.1.1
- Europe  
alvars 379  
deforestation in Rome and Greece  
493–4  
disturbance by ice on shorelines Figure  
5.18  
exclosure experiment at Cavenham  
Heath 231, Figure 6.12  
fens and nutrients 83–5  
floodplain forests 204  
forest gradients in Estonia Figure 11.1  
gradients in Mediterranean grasslands  
Figure 3.17, Figure 12.7  
lakeshore gradients 182–3 Figure 5.19  
maquis 379  
Mediterranean shrublands 375–9  
Park Grass experiment at Rothamsted  
478–9  
peatland succession Figure 8.32  
peatlands in England and nutrients 83  
phosphorus and plant richness in  
pastures Figure 12.18  
salt marsh classification 427–30  
sand dunes at Braunton Burrows and  
nutrients 81–3  
sheep grazing in anthropogenic  
grasslands 217  
vegetation map ca. 13,000 BP Figure  
8.17  
wetland succession in British Isles  
Figure 8.32  
wetland succession in Estonia 330
- eutrophication 79, 402, 468, 472–3, Box  
3.2 *see also* experiments,  
fertilization
- Everglades 170  
gator holes 176–7, Figure 5.14  
nutrient enrichment impacts 473  
vegetation dynamics 206–8, Figure 5.40
- evolution *see* plant evolution
- exclosure experiments *see* field  
experiments, herbivores
- experiments, laboratory/greenhouse *see*  
*also* experiments, field
- anaerobic conditions for wetland plants  
397  
carnivorous plants Box 10.1  
CO<sub>2</sub> supplementation 70, Table 3.3  
competition hierarchies 139–46, Table  
4.2  
density effects 126, 132–3, 136–7,  
Figure 4.2, Figure 4.8, Figure  
4.11  
fertility effects on dry mass distribution  
134–5, Figure 4.10  
Miller and Urey 12, Figure 1.10  
mycorrhizal effects 153–4, 273–4, 481–2,  
Figure 4.24, Figure 7.8  
nutrient pulses 103–4, Figure 3.20  
resource allocation Figure 4.3  
von Helmont's willow 97
- experiments, field *see also* experiments,  
laboratory/greenhouse
- competition  
alpine grassland 150–2, Figure 4.23  
alvars 149–55, Figure 4.21  
intensity 129–3, 139, 146–7, 150,  
Figure 4.12, Table 4.1  
old fields 147–8, Figure 4.19  
salt marshes 393  
shrubland 105–7, Figure 4.4  
wetlands 129–33, 150, Figure 4.22,  
Table 4.1
- disturbance  
fire killing tree cambium 167, 170,  
Figure 5.4  
gaps for forest regeneration 201–2,  
Figure 5.36  
logging at Hubbard Brook  
196–8  
removal plots in wetlands 198–200,  
Figure 5.35
- diversity  
goat removal from islands 501–2,  
Figure 13.9  
old fields 482–4, Figure 12.30, Figure  
12.31  
wetland microcosms 479–82, Figure  
12.27, Figure 12.28
- fertilization  
fens 83, Figure 3.9  
grassland 477, 483–4, Figure 12.31  
sand dunes 82–3  
upland peat 83–4
- herbivores  
acorn survival by habitat 345–6,  
Table 9.2  
bird exclosure in forests 231, 233,  
Figure 6.13  
crab exclosures in forest 233–4  
goat removal from islands 501–2,  
Figure 13.9  
large mammal exclosures in  
Serengeti grasslands 234–5,  
Table 6.6  
nutria exclosures in marshes 243–4  
rabbit fences in grassland 230–1,  
Figure 6.12  
heterogeneity 479–82, Figure 12.27,  
Figure 12.28
- mutualism  
ants and acacias 290, Table 7.7  
*Monotropa* and conifers 273  
salt marshes 265, Figure 7.4  
tambalacoque tree and dodo 287–9  
radiation effects on forest 398–9, Figure  
10.25, Figure 10.27
- experiments, microcosms  
flooding 482, Figure 12.27, Table 12.5  
microtopography 482, Figure 12.27,  
Figure 12.28  
mycorrhizal infection 481–2
- fens 83, 85, 99, 330, 416, 468, Figure 3.8,  
Figure 7.7, Figure 11.1, Table 3.5,  
Table 13.5 *see also* peatlands
- fire 6, 72, 205–8, 234–5, 252, 330, 374–5,  
377, 379, 389, 432, 469–72, 503,  
510, 518, Figure 5.1, Figure 5.4,  
Figure 6.2, Figure 8.2, Figure  
10.24, Figure 12.21, Figure  
12.22, Table 6.6, Box 9.1

- competition 132, 155, 462  
 forest succession after fire 325–8  
 frequency 166–7, 170, 172, Figure 5.2,  
     Figure 5.5, Figure 5.9, Table 5.1  
 gap dynamics 202, 353  
 K-T boundary 191, 194  
 nutrient patches 98  
 prairie and savanna creation 170, 242,  
     317, 374, Box 5.1  
 regeneration after fire 40, 56, 166, 170,  
     205, 219–21, 244, 264, 512,  
     Figure 2.11, Figure 5.6, Table 6.3  
 wetlands 170, 243, Figure 3.10, Figures  
     5.7–5.9  
 fish 88, 178, 208, 512, Figure 8.15  
 Fisher, Sir Ronald 538, Box 11.1, Box 12.2  
 flies 282–3, Figure 7.12, Figure 7.13  
 flooding see water, effects of flooding  
 floodplain see wetland vegetation  
 flying fox Figure 7.1, Box 13.1  
 forests see also trees  
     aerial spraying in Vietnam Box 5.1  
     altitudinal zonation Figure B2.1.3,  
         Figure 11.3, Figure 11.4, Figure  
         12.4  
     animal dispersal of seeds 283–6  
     Appalachians 413–14, Figure 11.3,  
         Figure 11.4  
     Andes Mountains as a center of  
         diversity 508, Figure 13.11  
     biggest trees Box 9.1  
     bottomland Table 13.5  
     Carboniferous Era 8–9  
     centrifugal patterns Figure 5.37  
     classification of conifer forests 431–5  
     coarse woody debris Table 13.7  
     Colorado Front Range 414–15, Figure  
         11.5  
     competition models Table 4.3  
     conifer forest in northern Ontario 421–5,  
         511–12  
     conversion to grassland by humans  
         374–5, 493 Box 5.1  
     deforestation by goats 493, Figure 13.2,  
         Box 13.2  
     deforestation of Mediterranean and  
         Middle East 493, Figure 13.2  
     dipterocarp forest in Malaysia Figure 13.1  
     distribution at last glacial maximum  
         Figure 8.14  
     Easter Island deforestation 498–500  
     ectomycorrhizae 270–2  
     effects of environmental factors other  
         than fire  
         average temperature Figure 1.4  
         bark beetles 252–3  
         beavers Figure 5.13 see also main entry  
         bush meat Box 13.1  
         deer 254–5, 354–5, Figure 9.22  
         insects in canopy 215–16, 226–7,  
             231–3, 250–2  
         land crabs 233–4  
         Pleistocene glaciation 312–17, 464–5,  
             Figure 8.18  
         precipitation 5–6, Figure 1.4  
         radiation 398–9, Figure 10.25, Figure  
             10.26  
         spruce budworm 250–2  
         storms 183–5, Figure 5.22  
     effects of fire  
         Acadian forests Table 5.1  
         boreal forests of Canada 470–2,  
             Figure 12.22  
         Boundary Waters Canoe Area 166–8,  
             Figure 5.2  
         Caribbean pinelands Figure 5.1  
         removal of peat 172–3  
         Rocky Mountains 167, Figure 5.3  
         Tasmania 325, 327–8, Figure 8.25  
     epiphytes 112–14  
     Estonia Figure 11.1  
     evaluation indicators Table 13.7  
     floodplain  
         Amazon 174–5, 456–7, Figure 5.11,  
             Figure 12.5  
         Central America 317  
         general structure 173–5, Figure 5.10  
         Rhine 204  
     frontier forests 510–11  
     gap regeneration 201–2  
     gradients  
         Appalachians 413–14, Figure 11.3,  
             Figure 11.4  
         Australia 458–60, Figure 12.8, Figure  
             12.9  
         Colorado Front Range 414–15, Figure  
             11.5  
         Estonia Figure 11.1  
         produced by erosion 99–100  
         Trinidad Figure 11.2  
     Huangshan Mountains of eastern China  
         Figure 11.7  
     Hubbard Brook experiment 196–8  
     logging see main entry  
     Louisiana cypress swamps 493, 495–8,  
         Figure 13.3–Figure 13.6  
     mast years 284–6  
     mistletoe 116–17, Figure 3.31  
     *Nothofagus* 309  
     Olympic Mountains rain forest Figure  
         4.1  
     Ontario clay belt forests 431–5  
     Permian Era Figure 1.17  
     pine savannas 170, 224–5, 455, Figure  
         3.18, Box 6.1  
     plant life-forms Table 2.3  
     productivity (ANPP) 577, Figure 3.12  
     regeneration 345–8, Figure 9.4, Table  
         9.2  
         elm-oyster model 353–4  
     restoration 518–21  
     ship construction in Peloponnesian  
         wars Box 5.1  
     soils 91–3 see also succession  
     succession  
         Alaska 323–4  
         models 330–1  
         peatlands 324–5, Figure 8.23  
         Queensland 328–30  
         Tasmania 325, 327–8, Figure 8.25  
     truffles 268  
     understory plants 72–3, 117–18, 205–6,  
         354–5, Figure 3.3, Figure 3.32,  
         Figure 5.39, Figure 9.22, Figure  
         12.8  
     wetlands see also floodplains  
         conifers in peatlands 324–5, Figure  
             8.23  
         Everglades tree islands 207–8, Figure  
             5.40  
         windthrow see effects of environmental  
             factors other than fire, storms  
         wood decomposition 95, Box 3.3  
 Galapagos Islands 3, 500–2, 507, Figure  
     13.8, Figure 13.9  
 gametophyte 8, 58, 76, 81, 578,  
     Box 8.1  
 gastropods 175, 217, 242  
 gazelles Table 6.1



- germination *see also* seeds  
after drought in wetlands 202–3, Figure 5.38  
after rainfall in deserts 349, 370  
highest rates of mortality during 345  
nurse plants 262–3  
regeneration niche 203  
requirement for fungi in orchids 55  
saguaro cactus 349  
scarification 288  
seedling survival in tropical trees 347–8  
stimulation by fire 205  
*Sideroxylon* and dodo 288–9  
ghost of competition past 155  
*Agathis australis* (giant kauri tree) Figure 13.17  
gibbons Box 13.1  
giraffes 212  
*Gleditsia tricanthos* (honey locust) Figure 6.4  
global distribution patterns  
artic vegetation 386–9, Figure 10.14  
biodiversity hot spots 507–10, Figure 13.11  
biomes 46–7, Figure 2.5  
closed forest at last glacial maximum Figure 8.14  
desert 369–70, Figure 10.2  
desert at last glacial maximum Figure 8.14  
distribution of Proteaceae Figure 8.10  
grasslands 373–5, Figure 10.7  
gymnosperms Figure 12.11  
hurricanes and typhoons Figure 5.21  
impact craters Figure 5.30, Table 5.3  
Köppen climate classification 45–6, Figure 2.4  
largest wetlands 512, Figure 13.13  
Mediterranean vegetation 375–7, Figure 10.9  
meteor craters, *see* impact craters  
mountain tundra Figure 10.14  
pluvial lakes Figure 8.13  
savannas 373–5, Figure 10.7  
sediment in rivers Figure 5.16  
vascular plants Figure 12.11  
world vegetation types Figure 1.4  
global warming *see* climate change  
glyptodonts 228  
gnus Figure 6.1  
goats 241, 245, 348–9, 493, Figure 6.18, Figure 13.2, Box 13.2  
Gondwana 302–5, 309–12, 325, 457, 578, Figure 8.7, Figure 12.14  
grasses *see* Poaceae, grasslands,  
*Panicum* spp., *Phragmites* spp.,  
*Poa* spp., *Spartina* spp.,  
*Sporobolus* spp.  
grasslands 373–5, Figure 10.7  
Africa, herbivores 214–15, 234–5 Figure 6.1, Table 6.1  
Australia, recurring fire 328  
biome 55 Figure 2.5  
bottom-up/top-down vegetation control 241–4, 518  
C<sub>4</sub> grasses 71–2, Figure 3.4  
chalk grassland 145, 402, 467–8  
competition between grasses and cacti 149  
drought 373–5  
elephants 244  
establishment following forest defoliation Box 5.1  
European pastures Figure 12.18  
gap recruitment enhancement 469  
global distribution Figure 10.7  
grasses 55–7 *see also* Poaceae  
grazing effects 237–9, 481, 485, Table 6.7, Figure 6.14  
Kenya Figure 6.1  
Mediterranean grasslands Figure 12.17  
mycorrhizae 481, Figure 7.7  
nutrients 83, 402, 473  
overgrazing thresholds 517, 519  
Pantanal grassland Table 13.5  
Park Grass experiment 482, Box 12.2  
plant life-forms 47, 148  
prairie *see* grasslands  
precipitation and temperature Figure 1.4, Figure 10.8  
rabbits 231, Figure 6.12  
relative abundance of species 474–7, Figure 12.25, Figure 12.26, Table 12.4  
root:total biomass 89  
savanna *see* grasslands  
significance 55  
soil type 92  
species richness–intermediate biomass 468  
structure Figure 9.10  
Tanzania, grazing and disturbance experiment 234–5, Table 6.6  
tropical Andes diversity hotspot 508, Figure 13.11, Table 13.3  
glaciation 26, 312–22, 323–7, Figures 8.14–8.22 *see also* ice, ice age  
gradients *see* description of vegetation, using natural gradients, zonation  
grazing *see* grasslands, herbivory  
Great Lakes region 149, 264, 313, 325, 379, 431, 443, Figure 8.12, Figure 10.11  
greenhouse effect 4, 21, 26, 72, Table 1.5 *see also* carbon dioxide  
ground sloths, giant 228, 289, Figure 6.10  
grouse 217, 230  
Gulf of Mexico 184, 374, 495, 512, Figure 5.15, Figure 6.17, Figure 13.3  
gymnosperms *see also selected names*  
trees, forests  
*Abies religiosa* in mountains of Central America 3  
Araucariaceae 52, 309, 311  
bristlecone pine as oldest living conifer 360  
classification, phylogenetic Table 1.1  
conifers (Pinophyta) Table 1.1  
coniferous forest 166–8, 421–5, 431–5, 470–2, 511–12, Figure 4.1, Figure 5.2, Figure 8.23, Figure 12.22  
cycads 305, Table 1.1  
defences against herbivores 222–6, Figure 6.9  
Douglas fir 415, 223, Figure 1.15, Box 9.1  
evolution 8, 302–5, Figure 1.8, Figure 1.18, Figure 8.3, Box 8.1  
global diversity map Figure 12.11  
herbivory by beetles 223–6, 252–3, Figure 6.24  
herbivory by moths (spruce budworm) 250–2  
herbivore defences Figure 6.9  
Himalayas as centre of world diversity Figure 12.11  
number of species 457  
Norway spruce as world's oldest living conifer 360  
pine savannas 170, 224–5, 455 Figure 3.18, Box 6.1

- Podocarpaceae 115, 305, 309, 311  
 source of naval stores Box 6.1  
 strobilus 218–20, Figure 6.6  
 sub-groups 4  
*Taxodium* 397 *see also* Louisiana  
   cypress swamps  
 terpenes for protection 222–6, 252–3  
*Welwitschia mirabilis* in Namibian  
   desert Figure 12.4  
*Wollemia* discovery in Australia 52  
 world's biggest trees Box 9.1  
 world's oldest trees Box 9.1
- hare 217
- heathlands 83, 85, 151–2, 287, 351, 399,  
 456–7, Figure 4.23, Figure 6.12,  
 Figure 7.7, Figure 10.26, Figure  
 11.4, Table 3.5, Table 10.2, Box  
 10.1
- herbicides 151, 194, 517, Box 5.1, Box  
 12.2
- herbivory 211, 212, 213–57  
   acorn survival determined by habitat  
     345–6, Table 9.2  
   Africa 214–15, 234–5, Figure 6.1, Table  
     6.1  
   anti-herbivore defenses 222–7, Figure  
     6.9, Table 3.7  
   beetles 215, 252–3, 276, 283, 345,  
     Figure 6.3, Figure 6.24  
   canopies 226–7, 231–3, 252–3, Figure  
     6.13  
   crabs 233–4  
   deer 254–5, 354–5, Figure 9.12  
   dinosaurs Figure 6.5  
   dragon's blood tree 348–9, Figure 9.6  
   ecosystems and decomposition Figure  
     3.14  
   effects on diversity 244–5, Figure 6.18  
   elephants 245, Figure 6.18  
   empirical relationships 237–41, Figures  
     6.14–6.16  
   enclosures Box 6.2  
   experiments  
     acorn survival by habitat 345–6,  
       Table 9.2  
     bird enclosures in forests 231, 233,  
       Figure 6.13  
     crab enclosures in forests 233–4  
     goat removal from islands 501–2,  
       Figure 13.9
- large mammal enclosures in  
   Serengeti grasslands 234–5,  
     Table 6.6  
   nutria enclosures in marshes 243–4  
   rabbit fences in grassland 230–1,  
     Figure 6.12
- extinct mammals 227–9, Figure 6.10
- gaps in vegetation 175–8
- goats 241, 245, 348–9, 493, 501–2,  
 506–7, Figure 6.18, Figure 13.2,  
 Figure 13.9, Box 13.2
- grouse eating meristems 230
- humans mowing 245
- insects of forest canopies 215–16, 226–7,  
 231, 233, Figure 6.3, Figure  
 6.13
- luna moth Figure 6.11
- models 245–52, Figures 6.19–6.23
- mountain pine beetles 252–3, Figure  
 6.24
- nitrogen 217, 229–30, Table 6.4
- nutria 242–4, Figure 6.17
- seed protection with strobilus 218–21,  
 Figure 6.6
- seedling mortality 347–9, Box 13.2
- spines and thorns 217–18, Figure 6.4,  
 Table 10.1
- squirrels 219–21, Figure 6.7, Table 6.3
- Tanzanian grasslands 234–6, Table 6.6
- terpenes 223, 225–6
- thresholds 571–8, Figure 13.15
- top-down control 242–4
- tortoises 215–16, 500–2, Figure 13.8,  
 Figure 13.9, Table 6.2
- trophic cascades 242–4
- wildlife diets 214–17
- Hieracium* spp. (hawkweeds) 147–8, 473,  
 Figure 4.19
- Hofmeister, William Box 8.1
- hornbills Box 13.1
- hyperparasitoids 225
- ice 44, 165, 386, 388, 394, Figure 3.12,  
 Figure 10.15
- cores 25–7, Figure 1.19
- disturbance by 181–2
- glaciers 110, 323–4, Figure 8.19
- ice age 201, 300, 312–22, 325, 329,  
 390, 431, 455, 464,  
 Figures 8.11–8.18, Figure 10.18
- Jupiter's moon, Europa 29
- shoreline effects 182, 198, 200, 313,  
 Figure 5.18
- Illicium floridanum* (Florida anise tree) 54,  
 Figure 2.9
- index of conservatism 521
- indicators/indicator species 144, 147, 203,  
 431, 433, 520–1, Figure 4.18,  
 Figure 11.15
- forest health 520–1, Figure 13.7
- invasive species 144
- monitoring 520–1
- setting critical limits 520
- insects 224, 226, 276–7, Table 7.3 *see also*  
 lepidoptera
- interference competition 124, 130–1
- Isoëtes* spp. (quillworts) 72–3, 472–3,  
 Figure 5.19
- IUCN (International Union for  
 Conservation of Nature) 62, 349,  
 504, 514, Table 13.2
- K-T boundary 190–2, 194, Figure 5.28,  
 Figure 5.29
- Laurasia 302, 305, 335, Figure 2.13, Figure  
 8.7
- lepidoptera 55, 231, 233, Figure 1.2, Figure  
 6.11, Figure 6.13, Figure 9.5,  
 Table 7.3
- levees 244, 393, 495, 498, Figure 5.10,  
 Figure 13.4
- lichens  
   acid rain 398  
   damage by pumice 188, Figure 5.2,  
     Figure 5.26  
   endothitic lichens 394, Figure 10.11  
   fire 166–7  
   irradiation effects 399, Figure 10.16  
   mycobiont and phycobiont partnership  
     274–6, Figure 7.9  
   physiological responses 422  
   rock barrens 380  
   stress tolerators Table 10.4  
   vegetation classification Table 2.4
- light 71–6  
   competition 124–5, 144–6  
   harvesting photons 71  
   height 8, 76, 143–6, Figure 1.6, Figure  
     4.17  
   gaps 154–6, 200–3, 483–4, Figure 4.26,  
     Figure 5.36, Figure 12.31

- light (cont.)  
 leaf economic spectrum 111–12, Figure 3.26  
 leaf layers Figure 3.5  
 light effect curves Figure 3.3  
 limiting resource in core habitats 472–4  
 photosynthetic types 71–2, 73–6, Figure 3.3  
 resource types 107–8, Figure 3.23, Figure 3.24  
 sciophytes Figure 3.3  
 seed germination 202–3  
 succession 331–2, Figure 8.29  
 sunlight and molecular evolution 9–13, 16–18, Figure 1.14, Table 1.4  
 toothed leaves 391–2, Figure 10.19
- lions 242
- litter  
 accumulation 93  
 competition effects Table 12.5  
 decomposition 93, Box 3.3  
 earthworms 92  
 fen Table 3.5  
 fertile and infertile soils Figure 3.14  
 fire 166, 172, 202, Figure 5.7  
 litter mass Figure 3.10  
 nutrient content 109–11, 330, Figure 3.25  
 production Table 10.4  
 savanna ecosystems Figure 6.2  
 seed protection 347, Table 9.2, Box 6.2  
 shoreline litter removal Figure 11.12  
 species richness Figure 12.16, Figure 12.27  
 spodosols 92  
 tortoise diets 217, Table 6.2
- Lobelia* spp. 359, 456, Figure 4.17, Figure 5.19, Figure 8.6  
 carbon acquisition 73  
 exposure 444, Figure 22.11  
 mycorrhizae 273  
 peripheral habitats 472–3
- log-normal distribution 474–7, Figures 12.24–12.26
- logging  
 a kind of disturbance 205–6  
 combined with grazing in Mediterranean 493–4  
 cypress swamps in Louisiana 493, 495–8, Figure 13.3–Figure 13.6  
 deforestation of Easter Island 498–500  
 effects on sedimentation 196–9  
 effects on understory plants 205–6, Figure 5.39  
 forest site classification 431–5  
 northern Ontario 511–12
- longleaf pine 170, 224–5, 455 Figure 3.18
- Louisiana cypress swamps 493–8, Figures 13.3–13.6
- luna moth 229 Figure 6.11
- Magnoliids 50–2, Figure 2.3, Figure 2.6, Figure 2.7, Figure 6.9
- mammals 25, 36, 175, 190, 192, 212, 214, 219, 234, 283–4, 320, 345, 347, 349, 500, 513, Figure 1.2, Figure 1.9, Figure 9.5, Table 1.6, Box 13.2
- mangal (mangrove swamp) 165, 392, 579, Figure 8.31, Table 13.5
- marsh *see* wetland vegetation
- meristems 579  
 aphid-rotifer model 354  
 basic unit of plant structure 280, 351–3  
 clonal growth 351–3, Figure 9.10  
 genet 352–3, 360, 578  
 grasses, located at soil level 56, 374  
 herbivory 212, 230  
 high nutrient content 230  
 leaf production by 75–6  
 plant population growth model 245  
 protection of 388–9  
 ramet 343, 580  
 contrasted with genet 352–3  
 prediction of seed production 343–4  
 weight in competition studies Box 4.1
- Raunkiaer system 40–2, Box 11.1
- regeneration from 166, 170  
 wind abrasion of 390
- mice Box 6.2
- Middle East  
 ancient Assyria flooding 492–3  
 date palm seed production Figure 9.1  
 Iran-Iraq war effects on wetlands 195  
 Mediterranean shrublands 375–6  
 Peloponnesian war effects on forests 194–5
- Mississippi River  
 cypress swamps 493, 495–8, Figures 13.3–13.6  
 delta wetland communities Figure 13.4  
 Lake Agassiz flooding 322  
 basin map Figure 13.3
- water pollution from fertilizer Box 3.2  
 world's 5th largest wetland Figure 13.13, Table 13.5
- models  
 allometric, seed production 343–4  
 aphid-rotifer 354  
 catastrophic changes 248–51, Figure 6.22, Figure 6.23  
 competition  
 along gradients 157–8, Figure 4.27  
 comparison of competition models 158, Table 4.3  
 Lotka-Volterra 290–1  
 patch dynamics 155–7, Figure 4.26  
 descriptive 159  
 elm-oyster 353  
 exponential population growth 341–3  
 fire in Tasmanian forests 325, 327 Figure 8.25  
 FORET 331  
 greedy algorithms and plant diversity 512–14  
 herbivory 245–52, Figures 6.19–6.23  
 general model 245–52  
 population viability 354–5, Figure 9.12  
 empirical 237–41, 343–4  
 exploratory 159  
 general systems theory 159–60  
 gradient analysis *see* description of  
 vegetation, classification of  
 vegetation  
 kinds 159  
 Lefkovich matrix model 361–4  
 Leslie matrix 364  
 life history 353–4  
 matrix 330–1, 361–4  
 MaxEnt 406  
 minimum entropy model 406  
 mutualism  
 cost-benefit 292–3  
 population dynamics 290–2, Figure 7.16  
 null models  
 community assembly 405–6  
 Fisher, R. A. 437  
 gradients 440–8  
 history 437–9  
 Raunkiaer 437–9  
 ordination *see* description of  
 vegetation  
 population growth 341–3, 245–52

- population viability 354–5, Figure 9.12  
 predictive 159  
 role of, in ecology 159–60  
 size-structured population models, 361–4  
 species richness centrifugal organization 472–4, Figure 12.23  
 species richness intermediate biomass 467–8, Figures 12.16–12.19  
 species richness intermediate disturbance 468–72, Figure 12.20, Figure 12.22  
 spruce budworm 248–50  
 strawberry-coral 353  
 succession 330–1  
 Traitspace 406  
 world vegetation types 6 Figure 1.4  
 molluscs 212, 217, 322, 242  
 monarch butterflies 2, Figure 1.3  
 monkeys 283–4, 287, Figure 7.13  
 mountain pine beetles 252–3, Figure 6.24  
 mutualism  
 animals defending plants 289–90  
 community matrix 440  
 costs and benefits 273–4  
 definitions 260–1  
 discovery by Bernhard Frank 268–9  
 early land plants 8  
 ectomycorrhizae in forests 270–2  
 effects on competition 153–4  
 Ericaceae in peatlands 382  
 four kinds 267–70, Figure 7.5  
 history 261–2  
 importance of measurement 294–6  
 lichens 274–6  
 misrepresentation in text books Table 7.1  
 models 290–3  
 mycoheterotrophs 117–18, Figure 3.32  
 mycorrhizae 267–74 *see also* main entry  
 networks 293–4  
 nitrogen uptake Figure 7.6  
 nurse plants 262–4  
 phosphorus uptake 79  
 pollination 276–83  
 seed dispersal 283–9  
 wetlands 265–6  
 mycorrhizae 267–74, Figure 7.6, Figure B7.1.1  
 carbon transfer between plants Figure 7.8  
 discovery by Bernard Frank Box 7.1  
 effects on photosynthesis rates Figure 7.6  
 effects on plant competition 153–4, Figure 4.24  
 experiments 153–4, 273–4, 481–2, Figure 4.24, Figure 7.8  
 four kinds 267–70, Figure 7.5  
 in deciduous forests 270–2, Table 7.2  
 in early land plants 8, 81  
 in Ericaceae 269–70, Figure 7.5  
 in *Lobelia* 273  
 in orchids 55, 345, 351  
 in peatlands 382, Figure 7.7  
 in Proteaceae 269  
 in wetlands 272–3, Figure 7.7  
 mycoheterotrophy 117–18, Figure 3.32  
 networks in plant communities 294  
 nitrogen transfer among plants 118, 153  
 phosphorus transfer from trees to herbs 273  
 phosphorus uptake by roots 79, 81, Figure 3.8  
 prevalence in plant families 269  
 nematodes 93, 95–6, 212  
 net primary production *see* primary production  
 New Caledonia 50, 115, 309, 311, 508, Table 13.3  
 nitrogen 78–9  
 addition in experiments 81–5, Figure 3.9  
 ammonia 20  
 biological fixation 78–9  
 carnivorous plants 115, 463, Box 10.1  
 central to amino acids 67  
 CHNOPS perspective 66–7  
 competition 125–6, 137–8, 147–52, control on rate of decomposition 96, Box 3.3  
 detection by plants 103–4  
 distribution along gradients 100–3  
 distribution in soil 98, 103–4, Figure 3.15, Figure 3.19  
 early atmosphere 10, Table 1.2  
 epiphytes 112–13  
 eutrophication 79  
 fixation in earthworm guts 92  
 food quality for herbivores 217, 229–30  
 Haber process Box 3.2  
 industrial fixation 79, 97, Box 3.2  
*La Biosphère* 29  
 lack of nitrogen as a stress 368, 387, Chapter 10  
 Lavoisier research Box 3.1  
 leaf economic spectrum 111–12, Figure 3.26  
 leaf tissue 109–12, Figure 3.25, Figure 3.26, Table 6.4  
 lightning as source 80  
 N:P ratio in tissues 85  
 peatlands 382  
 plankton growth 85–7, Figure 3.11  
 primary production 87–9  
 representative living organisms Table 3.2  
 resource for plant growth 78–9  
 secondary metabolites 222, Figure 6.8  
 soil succession 323–4, Figure 8.21  
 storage in plants 92–3  
 transfer by mycorrhizae 118, 153  
 uptake by mycorrhizae 267–70, Figure 7.6  
 North America  
 alpine vegetation in Rocky Mountains 390, Figure 10.7  
 alvars in Great Lakes region 143–5, 149–50, 379–80, 472, Figure 10.11  
 Arctic-alpine disjuncts on cliffs 390, Figure 10.18  
 Atlantic coast sand dunes 136–7  
 beaver pond ecology 175–7, Figure 5.13  
 chaparral 377, Figure 10.10  
 changes in sea level and rare plant distributions 317–18  
 Clay belt in Ontario 431–5  
 ectomycorrhizae in deciduous forests 270–2  
 eruption of Mount St. Helens 188–90, Figure 5.27  
 Everglades 176–8, 206–8, Figure 5.40  
 fire in Acadian forests Table 5.1  
 fire in boreal forests of Ontario 470–1, Figure 12.21, Figure 12.22  
 fire in Boundary Waters Canoe Area, 166–8, Figure 5.2  
 fire frequency in the Rocky Mountains 167, Figure 5.3  
 fire frequency map for USA Figure 5.5  
 forest distribution during last ice age Figure 8.16

- North America (cont.)  
 forest gradients in Colorado Front Range Figure 11.5  
 forest gradients in Great Smoky Mountains Figure 11.3, Figure 11.4  
 forest regeneration in North Carolina 201–2  
 Great Lakes during ice age Figure 8.12  
 Hubbard Brook experiments 196–9  
 indicators for deciduous forest restoration 520–1  
 K-T outcrops in Colorado 190–2, Figure 5.28, Figure 5.29  
 landslides in Puerto Rico 185–7  
 Louisiana cypress swamps 493, 495–8, Figures 13.3–13.6  
 Mediterranean region of California 377  
 mountain pine beetles in western North America 252–3  
 Ottawa River wetlands 129–30, 198–200, Figure 11.12, Figure 11.24  
 Peace–Athabasca delta 172, Figure 5.8  
 peatland succession 324–6, Figure 8.23  
 Smoking Hills 398, Figure 10.24  
 spruce budworm cycles in forests 250–2  
 succession at Glacier Bay in Alaska 323–5  
 understorey plants in Appalachian forests Figure 5.39  
*Nothofagus* (southern beech) 309, Figure 8.8  
 null models 41, 437–9, 405–6, 440–8  
 nurse plants 262–4, Figure 7.3  
 nutria 242–4, Figure 6.17
- Orchidaceae  
 Amazon basin 5  
 CAM photosynthesis 72  
 Darwin, *On the Various Contrivances by which British and Foreign Orchids are Fertilised by Insects, and on the Good Effects of Intercrossing* 282  
 domatia for ants 113–14  
 dust seeds 106, 350–1, Figure 9.7, Figure 9.9  
 epiphytes 106  
 floral traits 304–5  
 life-form Table 2.1  
 morphological and physiological traits 55, Figure 2.11  
 mycorrhizae 269, 345, Figure 7.5  
 pine savannas 170, Box 6.1  
 pollination and evolution 55  
 smallest organelle genome in land plants 118  
 species number 52  
 tepui flora 380  
 underground orchid, mycoheterotrophy 117–18  
 ordination *see* description of vegetation  
 oyster 353  
 ozone layer, formation 20
- Pando 360  
*Panicum* spp. (panicgrass) 174, 214, 243, 380  
 parks *see* protected areas  
 parrots, large-billed 288  
 peat *see also* peatlands  
 accumulation in bog succession Figure 8.23  
 cause of autogenic burial 179  
 coal swamps 22–3, Figure 1.17  
 effects of herbivores 244  
 forest soils 166  
 global carbon cycle 22, 26, 173  
 histosol 92  
 role in reconstructing past environments 26, 300–1  
*Sphagnum* moss 382–4, Figure 10.13  
 peatlands *see also* bogs, fens, peat  
 Algonquin Park peat bog Figure 8.24  
 habitat for carnivorous plants 463  
*Calluna* health in southern England 83  
 carbon storage 24, 173, 503  
 compared with other kinds of wetlands Figure 11.6  
 decomposition 93, 95  
 Estonia 330  
 Everglades vegetation 206–8, Figure 5.40  
 evergreen foliage 114–15  
 fertility gradients 99  
 fire 170–3, 206–8  
 Hudson Bay lowland 322, 512, Table 13.5  
 lack of resources for plant growth 382–6  
 Magellanic moorland in South America 512, Table 13.5  
 matrix models for succession 330  
 Mississippi River delta Figure 13.4  
 mycorrhizae 270  
 nutrients in European fens 83–4  
 Ontario clay belt vegetation 431–5  
 Pocosin 463  
 succession 322, 324–5, Figure 8.23  
 West Siberian lowland 512  
 peripheral habitats 472 *see also* centrifugal model  
 periwinkles 242  
 phanerophytes *see* trees, Raunkiaer  
*Phragmites* spp. (reed) 472, Figure 4.13, Table 11.1, Table 11.2  
 phosphorus 79–85  
 absence as a source of stress 368, 382, 472  
 carnivorous plants 115, 463, Box 10.1  
 CHNOPS perspective 66–7  
 competition 125–6, 147–8,  
 decomposition 92–5  
 effects on ranked abundance 477, 479  
 epiphytes 112–14  
 evergreen leaves 109–11  
 functions in cells 67  
 gradients 100–3, Figure 3.17, Figure 3.25, Table 3.6  
 habitats  
 forests in Australia 460  
 pastures in Europe Figure 12.18  
 peatlands 382–4  
 riparian wetland Figure 3.10  
 sand dunes, leaching 328–9, Figure 8.27  
 shorelines in Canada Table 3.6  
*Monotropa* uptake of P from trees 273  
 mycorrhizae  
 uptake of P by seedlings during competition 153, Figure 4.24  
 transfer of P from trees to herbs 273  
 uptake of  $^{32}\text{PO}_4$  273  
 N:P ratio in tissues 85  
 plankton growth 85–7, Figure 3.11  
 primary production increase 87–9, 240  
 resorption 110  
 resource for plant growth 79, 82–5  
 storage in plant tissues 9, 109–10, 217  
 photosynthesis 580 *see also* light  
 phytosociology, vegetation classification 427–31, Figure 11.13, Table 11.1, Table 11.2  
 Pine Barrens, New Jersey 407  
 diversity and fertility 484–5  
 eutrophication 402

- Pinus palustris* (longleaf pine) 170, 224–5, 455, Figure 3.18
- plant evolution
- Asteraceae 52, 54–5
  - biogeographic regions Figure 2.13
  - continental drift 309–10, Figure 8.7
  - Divisions of plants 4–5, Table 1.1
  - evolution of flower shape 304–5, Figure 8.6
  - first land plants 6–8, Figure 1.5
  - floristic regions 57–8, Figure 2.12
  - gametophytes 306–9, Figure B8.1.1
  - Gondwana floras 309–12
  - Lepidodendron* 9 Figure 1.7
  - Magnoliids 50–2, Figure 2.3, Figure 2.6, Figure 2.7
  - molecular techniques for phylogenetic classification 50, 52, Figure 2.7
  - origin of angiosperms in Cretaceous 302–5
  - Poaceae 55–7
  - Pollination, coevolution with animals 276–83
  - Rhynia* 6–7, 306, Figure 1.5
  - seed dispersal, coevolution with animals 283–9
  - Takhtajan 59–60
- plant traits *see* traits
- Pleistocene glaciation 312–22, 323–37, Figures 8.14–8.18 *see also* ice, ice age
- Poa* spp. (bluegrass) 151, 393, Table 11.2, Figure 4.23
- Poaceae 55–7 *see also* grasslands, herbivory
- C<sub>4</sub> grasses 71–2, Figure 3.4
  - chalk grassland 145, 402, 467–8
  - competition with cacti 149
  - evolution 55–7
  - meristems at soil level 56, 374
  - rainfall 5–6, 374–5
  - Park Grass experiment 482, Box 12.2
- pollen
- as food 276 *see also* mutualism
  - evolution 307–8
  - pollination ecology, history 281–2
  - pollinia in orchids 55
- pollen records
- Amazon, Lake Pata 316
  - Ambrosia* 54–5
  - Antarctica, *Nothofagus* 311
  - British Isles, wetlands 334
  - eastern North America 318, 321, 325, Figure 8.18
  - general significance 26, 300–1
  - K-T Boundary 191
- population modeling *see also* models
- exponential growth 341–3
  - herbivory 245–52
  - Lefkovitch matrix model 361–4
  - Leslie matrix 364
  - Lotka-Volterra 290–1
  - mutualism 290–2
  - single species 340–3
  - size-structured population models 361–4
- porcupine 230
- prairies *see* grasslands
- precipitation
- acid rain 397–8
  - ANPP 88–9, 577
  - Australian rain forest 460, Figure 12.9
  - deserts 263, 370–2 *see also* main entry
  - endemic species 465–6
  - erosion Figure 5.16
  - eutrophication 79, 402, 472–3, Figure B3.2.3, Figure 12.23
  - evaporative coefficient 457–60, Figure 12.8
  - Everglades 473
  - flooding 492–3
  - gradients 412–13
  - grasslands 5–6, 374–5
  - landslides 185–7
  - leaching 90–2, 328–9, Figure 3.13, Figure 8.27
  - origin of life 11–13
  - pluvial lakes 313, Figure 8.1
  - podsoils 91
  - rain forest 154, 215–16, 233–4, 264, 311, 313, 316, 325, 412–14, 456, 473–4
  - rain shadow 56
  - rock barrens 379
  - saline wetlands 393–4, Figure 10.21
  - soil formation 90–2, 329, Figure 3.13
  - soil moisture Figure 3.6
  - soils 89–92 *see also* leaching
  - trends in Sahel Figure 3.21
  - world vegetation types 5–6, 45, Figure 1.4
- primary production 87–9, Figure 3.12
- an ecological service of ecosystems 512, 514–15, Figure 3.12, Table 13.6
  - ANPP 87–8, 580
  - balance with rates of decomposition 92–6
  - carbon cycle 22–3, Figure 1.16
  - comparison among ecosystems 88–9, Figure 3.12
  - consumption by herbivores 217, 237–41, Figure 6.15, Figure 6.16
  - definition of annual net primary production 87–8, 580
  - dominance diversity patterns in forest Figure 12.24
  - effects of grazing 237–9, Figure 6.14, Table 6.7
  - four photosynthetic types 73–4, Figure 3.3
  - nutrient limitation of production 81–7, Figure 3.9, Figure 3.11
  - oceans compared with land Box 1.1
  - origins in energy flow 10–13, 16–18
  - photosynthesis 16–18, 71–5, 389, Figure 10.16
  - photosynthetic spectrum 16–18, Figure 1.14
  - relationship to definition of stress 368, 399–402
  - removal of carbon dioxide from atmosphere 21–4, 26–7, Figures 1.16–1.18, Figure 1.20
- primates 288–9, Box 13.1 *see also* monkeys
- profile diagrams 412–13, Figure 11.2 *see also* description of vegetation
- Proteaceae
- absence of mycorrhizae 269
  - Africa, Australia 375
  - Telopea speciosissima* Figure 8.10
  - world distribution 312, Figure 8.10
- protected areas
- area and diversity 453–5
  - biodiversity hotspots 507–9, Figure 13.11, Table 13.3
  - buffer zones 516, Figure 13.14
  - core areas 502, 516, Figure 13.10, Figure 13.14
  - criteria for selection Table 13.1
  - designing a system 502–3
  - endemic plant conservation 512–13
  - frontier forests 510, Figure 13.12
  - Galapagos 500–2, Figure 13.8, Figure 13.9
  - gap analysis 427, 502, Figure 13.10

- protected areas (cont.)  
goat eradication 501–2  
isolation 516  
IUCN 504–5, Table 13.2  
levels of protection 504–5, Table 13.2  
poaching 283–4, Box 13.1  
representation 472, 503–4  
restoration 518–19, Figure 13.16  
role of vegetation classification 426–7, 502, Figure 13.10  
Ulu Gombak Forest Reserve Figure 13.1  
world ecoregions 61–2, Figure 2.14  
world floristic regions 57–8, Figure 2.12  
protozoa 93, 115, 178, Figure 1.12  
*Pseudotsuga menziesii* (Douglas fir) 415, 223, Figure 1.15, Box 9.1
- Quercus* spp. (oak)  
acorn consumption 286, 345, 347, Table 9.2  
alluvial forests, Rhine River 204  
canopy herbivory, trophic cascade 231, 233, Figure 6.13  
fire 426  
food value of acorns Table 7.6  
forests, past and present, eastern North America Figure 8.16  
Great Smoky Mountains 99, 201, 414, 463, Figure 11.4  
irradiation 398–9, Figure 10.26  
mast 284  
nurse plants 264  
regeneration 347  
savannas 374  
Shakespeare *Timon of Athens* 284
- Rafflesia arnoldii* (corpse flower) 282, Figure 7.12  
rain see precipitation  
rabbits 231, Figure 6.12, Box 6.2  
Raunkiaer 37–41  
compared to CSR 404–6  
first null model Box 11.1  
functional classification of plants 37, 40–1, Figure 2.2, Table 2.1  
life-form classification system Table 2.1  
normal spectrum Table 2.2, Box 11.1  
phanerophytes 40–2 see also trees  
redwood Box 9.1  
relative abundance 474–7, Figures 12.24–12.26 see also diversity
- relative growth rate (RGR)  
affected by duration of nutrient pulses 103–4  
CSR system 402–4, Figure 10.29, Table 10.4  
low in stressed habitats 402  
screening using seedlings 152  
seedlings 152  
size hierarchies 134  
reptiles 176, 178, 216–17, 500  
reserves see protected areas  
resources see water, light, nitrogen, phosphorus, soil, stress  
restoration 518–19, 580, Figure 13.16  
criteria for selection of protected areas Table 13.1  
Everglades 208  
monitoring and indicator requirements 520–1  
reintroducing predators 244  
removal of exotic herbivores 501–2, 507, 514,  
role of mycorrhizae 269  
targets 521  
Tigris-Euphrates marshes 195, 208, 244  
RGR see relative growth rate  
Rhine River 174, 204  
rhinoceros 212, 244  
rhizomes 117, 129, 340, 353 see also mycorrhizae  
adaptations to burial 179, 265, Figure 5.17  
adaptations to flooding 396–7, Figure 10.23  
disturbance 166–85, 187, Figure 5.6  
early land plants 6–7, 21  
grass rhizome network Figure 9.10  
grassland biomass 374  
herbivory 242–4  
*Rhynchospora* spp. (beaksedge) 141, 380, Figure 5.20, Table 4.2  
richness, species 452, 581 see also diversity  
rivers see also individual rivers by name  
carbon cycle Figure 1.16  
deltas 178, Figure 5.15  
disturbance creates habitats 174–5, Figure 5.10, Figure 5.11  
erosion before land plants 9  
gap dynamics and sediment 204  
sediment discharge Figure 5.15, Figure 5.16
- species dominance-diversity in riverine wetlands Figure 12.25  
spring flooding importance 88  
wetland competition intensity Table 4.1  
rodents 214, 232, 287  
rotifer 354  
ruderal plants  
characteristics 581, Table 10.4  
competitive strategy 132, 403  
disturbance and stress Figure 10.28  
habitat 358  
resource availability 402–3
- Sabatia kennedyana* (Plymouth gentian) 144, 317–18, 473  
salinity 392–4  
mangal (mangrove swamp) 579, Figure 10.20  
pulses in coastal wetlands 393–4, 498, Figure 10.21  
reduced seed germination 204  
regulator of stress 368  
saline wetlands Figure 11.6 see also mangal, salt marshes  
salinization of soils in arid climates 92, 97  
salt marshes 180–1, 265, 427–30, Figure 7.4, Figure 10.21, Figure 11.20  
sea cliff vegetation Figure 11.10  
source of stress 392–4, 408, Figure 10.20, Figure 10.21  
savanna see grasslands  
*Sarracenia* spp. (pitcher plants) 58, 101, 115, 384, 464  
*Schoenoplectus* spp. (bulrush) Figure 5.20  
sciophyte 74, Figure 3.3  
*Scirpus* spp. (bulrush) 179, 198, 226, 273, 304, 397, Figure 4.13, Figure 11.12, Table 5.4, Table 11.2  
seed banks 202–4, 358, 377, Figure 5.38  
seeds  
consumption by animals 218–19, 233–4, 287–9  
densities of buried seeds 202–4, Table 5.4  
dispersal by animals 234, 361, 283–7, Figure 7.1  
dispersal by waves 183  
dispersal by wind 355–7  
dispersal disruption 514, 516, Box 13.1  
evolutionary origin 307–9

- germination of Saguaro seeds 262–3, 349–50  
germination stimuli for buried seeds 202  
low survival rates 344–6  
mast years 284–6  
number produced 340–1, 343–8, Table 9.1  
protected in strobilus 218–21  
seed banks 202–4  
size 350–1  
self-thinning 132–4 *see also* competition  
sequoia, giant 300, 342, 345, 358, Figure 8.1, Box 9.1  
serpentine 109, 381–2, 581  
shade *see* light, competition, sciophyte  
sheep 217, 248–50  
Socotra front cover, 348–9, Figure 9.6  
soils  
carbon cycle Figure 1.16  
causal factors 89–91, Figure 3.13  
cellulose 94–5  
decomposition 22–4, 92–3  
earthworms 92–3, 96  
erosion *see* burial  
fungus role 23–4  
gradients 99–102  
human history 96–7  
invertebrate role 92, Figure 3.14  
leaching 91–2, 328–30  
lignin 23–4, 93–5  
mycorrhizae 267–70 *see also* main entry  
nematode role 95  
nitrogen 78–9, 98, 150, 152, 263, 324, 387  
phosphorus 79, 81–5, 110, 329, 469  
remineralization 95–6  
succession in soils  
after glaciation 323–5, Figure 8.20  
peatlands 324–5, Figure 8.23  
sand dune 328–30  
sulfur 90  
soil types 90–2  
temperature fluctuations 394  
texture and seed germination 374  
water in soils 77–8  
Smoking Hills 398, Figure 10.24  
South America  
Amazon delta sediment cores 316  
Amazon River floodplain forests Peru 174–5, Figure 5.11  
Amazon River lower valley cross section Figure 12.5  
*Azorella compacta*, world's largest cushion plant, in Andes Figure 10.1  
biodiversity hotspots Figure 13.11  
Brazil nut tree, population ecology 361–3  
Easter Island 498–500  
fire resistance of trees in Brazil 167, 170, Figure 5.4  
forest gradients in Trinidad Figure 11.2  
frontier forests Figure 13.12  
Galapagos Islands 500–2  
Magellanic moorland Table 13.5  
plant diversity, importance of Brazil 510, Figure 12.32  
plant diversity map Figure 12.10, Figure 12.11  
savannas during ice age 313, 316  
tepuis in Venezuela 380–1, Figure 10.12  
von Humboldt's exploration 37–9  
wetlands, large 512, Figure 13.13  
*Spartina* spp. (cordgrass) 243, 394, 427, Figure 4.13, Figure 10.21, Figure 11.12, Table 11.2  
species pools 335, 364, 462, 467, 484–5, Table 12.7, Box 10.2  
species richness 452, 581 *see also* diversity  
*Sphagnum* moss 4, 26, 58, 83, 102, 172, 324, 330, 333, 382–4, 433, Figure 8.23, Figure 8.24, Figure 10.13, Figure 11.6, Figure 11.15, Figure 11.16  
spruce budworm 250–2, Figure 6.23  
squirrels 218–19, 284–6, Figure 6.7, Table 7.6, Box 13.1  
St. Lawrence River  
algae and macrophyte grazing Figure 6.16  
*Carex*-dominated wetlands 172, Table 3.6  
glacial retreat 320, Figure 8.12  
vegetation zonation Figure 8.31  
wetland resource gradients Table 3.6  
storms 75, 138, 165, 183–5, 207, 349, 356, 372, 469  
burial rates 179  
changes through time 322  
gap dynamics 201, 206  
deforestation run-off 197  
hurricanes and typhoons Figure 5.21  
windthrows Figure 5.22  
stress 367–409, 581  
CSR system 402–4, Figure 10.29, Table 10.4  
competition as cause 126  
diversity effects 467–70, 472–4, Figure 12.16, Figure 12.23  
endolithic plants 394, Figure 10.22  
environmental filters Box 10.2  
evolution of carnivorous plants 115, Figure 3.29. Box 10.1 *see also* carnivorous plants  
habitats constrained by a regulator  
arctic and alpine conditions 386–90, Figures 10.14–10.18, Table 10.15  
deciduous forests in cold climates 391–2, Figure 10.19  
salinity 392–4, 408, Figure 10.20, Figure 10.21 *see also* main entry  
flooding 394–7, Figure 10.23 *see also* wetlands  
habitats lacking water  
deserts 369–73, Figures 10.2–10.6 *see also* main entry  
grasslands 373–5, Figure 10.7 *see also* main entry  
rock barrens 379–82, Figure 10.11, Figure 10.12  
shrublands 375–9, Figure 10.2, Figure 10.3, Table 10.2  
habitats with unavailable nutrients  
peatlands 383–6, Figure 10.13 *see also* main entry  
infertile habitats 472–4, Figure 3.18, Figure 12.23  
low growth rates are inherent 402 *see also* relative growth rate (RGR)  
metabolic costs 400–1  
peripheral habitats 472–4, Figure 12.23  
pollution 397–9, Figures 10.24–10.26  
positive interactions 262–5  
resource gradients 99–103  
resource supply 109–11, Figure 3.24, Table 3.7  
risk aversion 401  
role in assembly of communities from species pools Box 10.2  
scale 406–7  
seed size effects 350–1  
serpentine 381–2



- stress (cont.)  
 strain 399–400  
 stress tolerators 402–4, Figure 10.29,  
 Table 3.7, Table 10.4  
 thresholds 517, Figure 13.15  
 traits of stress tolerant plants Table 3.7  
 succession 322–36, 582  
 after disturbance  
 alluvial 174–5, 179–80  
 beavers 176, Figure 5.13  
 fire 165–6, 207, 325–6, Figure 5.40,  
 Figure 8.25  
 glaciers 323–4, Figures 8.19–8.22  
 logging 205–6  
 volcanoes 187–9  
 allogenic succession in river deltas  
 179–80  
 autogenic succession in peat bogs 179,  
 Figure 8.23  
 Clements 333–4  
 climax 323, 577  
 disagreements 332–5  
 Everglades 207, Figure 5.40  
 facilitation 264, 332, 578, Figure 8.30  
 forest  
 New Zealand 110–11  
 Tasmania 325–8, Figure 8.25  
 Gleason 334–5  
 matrix models 330–1  
 mechanisms 264, 331–2, 335  
 nurse plants 264 *see also* facilitation  
 peatlands 324–5, Figure 8.23  
 primary 322, 582  
 relationship with zonation  
 333–5  
 sand dune 264, 328–30  
 secondary 322, 582  
 sere 322, 581  
 shift from N to P limitation 85,  
 Table 3.5  
*Sphagnum* role 383–4  
 synthesis by author 335  
 Tasmanian forests 325–8, Figure 8.25  
 time scales 300, Figure 8.2  
 wetland 174–5, 207, 324–5, Figure 5.40,  
 Figure 8.23  
 succulents  
 CAM photosynthesis 72  
 competition with grasses 149  
 growth forms 370–3  
 seedling establishment 262–3, 348–50  
 spines and thorns 217–18, Figure 6.4,  
 Table 10.1  
 surface to volume ratio reduced 114–15  
 tortoise grazing 215–17, 500  
 types and distribution 36  
 sun-flecks Figure 3.3  
 swamp *see* wetland vegetation  
 Takhtajan, Armen Leonovich Box 2.2  
 floristic regions 57–8, Figure 2.12,  
 Table 2.5  
 tapirs 283–4  
 tardigrades 93  
*Taxodium* spp. (cypress) 180, 397, 495,  
 498, Figure 3.5, Figure 13.3,  
 Figure 8.16, Box 9.1  
*Telopea speciosissima* (waratah) Figure  
 8.10  
 tepui 380–1, Figure 10.12  
 termites 16, 24, 93, 212, Figure 1.13, Box  
 1.1  
*Theobroma cacao* (cocoa tree) 287, Figure  
 7.13  
 top-down control, herbivory 242, 518  
 tortoises 216–17, 288, 500–2, Figure 13.8,  
 Table 6.2  
 traits  
 aerenchyma 396–7, 400, 405  
 bark thickness 167, 170 Figure 5.4  
 buried seeds 202–4  
 clonal growth 351–4  
 effects of climate 43–4  
 evergreen leaves *see* sclerophyllous  
 leaves  
 foraging ability 152  
 growth forms 370–3  
 height 8, 143–6, Figure 1.6  
 leaf economic spectrum 111–12, Figure  
 3.26  
 life span 358–9  
 LMA (leaf mass per unit area) 111–12,  
 Figure 3.26  
 meristem location 40–2, 56, 374, Figure  
 2.2  
 pointed shoots 179–80, Figure 5.17  
 relative competitive ability 139–46  
 relative growth rate (RGR): 103–4, 134,  
 136, 152, 404, 406, 425, 427  
 pneumatophores 397  
 secondary metabolites 222–6, 372  
 seed size 350–1  
 sclerophyllous leaves 287, 375–9,  
 381–2, 462, 581, Figure 10.10  
 spines and thorns 217–18, 372–3  
 stomata density 370–5, Table 10.1  
 toothed leaves 391–2  
 trait-based assembly rules 405–6, Box  
 10.2  
 trees *see also individual genera*  
*Amborella trichopoda* as ancient  
 flowering plant 50  
 animal dispersal of fruits 283–6  
 anti-herbivore defenses 222–7  
 age/size-structured models of tree  
 populations 361–4  
 bat pollination 505–6, Figure 7.1  
 biggest Box 9.1  
 bird pollination 276–8, Figure 7.10,  
 Figure 7.11  
 cocoa tree Figure 7.13  
 cypress swamps in Louisiana 493,  
 495–8, Figures 13.3–13.6  
*see also Taxodium*  
 deer herbivory 254–5  
 defense by ants 289–90  
 deforestation of Easter Island 498–500  
 distribution along gradients 413–14,  
 Figure 11.3, Figure 11.4  
 dipterocarp 286, 578, Figure 13.1  
 Douglas fir 415, 223, Figure 1.15, Box 9.1  
 ectomycorrhizae in forests 270–2  
*Eucalyptus regnans* 325, 327–8, 360,  
 Figure 8.25, Figure B9.1.1  
 extinction in Europe due to glaciation  
 318  
 fire and longleaf pine 170, 224–5,  
 Figure 3.18  
 fire in coniferous forests 166–8  
 giant sequoia Figure 8.1, Box 9.1  
 herbivory by insects in tree canopies  
 226–7, 231–3, 252–3, Figure  
 6.13, Table 6.4  
 Magnoliids 50–2, Figure 2.3, Figure 2.6,  
 Figure 2.7  
*Nothofagus* 309, Figure 8.8  
 oldest Box 9.1  
 Pando 360  
 Raunkiaer life-from classification 40–3  
 redwood Box 9.1  
 regeneration 344–9  
 seed protection with the strobilus  
 218–21

- tropical forest conservation 510–12  
*Wollemia* discovery 52  
trophic cascade 233–4, 242–4, Figure 6.17  
turkeys 288  
*Typha* spp. (cattail) 100, 130, 143, 179, 198, 226, 265, 304, 394, 397, 422, 445, 472–3, Figure 3.10, Figure 4.13, Figure 4.17, Figure 5.7, Figure 11.12, Figure 12.27, Table 4.1, Table 5.4, Table 12.5
- Vernadsky, Vladimir 27–8  
*Victoria amazonica* (Amazon water lily) Figure 3.1  
von Helms, Jan Baptiste 97  
von Humboldt, Alexander 37–40, 45, 508  
*see also* the epigraph
- Wallace, Alfred Russel  
*A Narrative of Travels on the Amazon and Rio Negro* 49  
Amazon exploration 49  
Charles Darwin and Wallace 49  
evolution, survival of the fittest 49, 129  
Indonesian exploration 49  
Wallace's line Figure 213  
Wallacea plant diversity hotspot Figure 13.11, Table 13.3  
warfare impacts on vegetation 97, 194, Box 5.1  
wasps 225, Table 7.3  
water, as a causal factor in wetlands 394, 396–7, Figure 10.23, Figure 11.2  
*see also* wetland vegetation  
water, effects of flooding *see also* wetland vegetation  
coal production 22–3, Figure 1.17  
experimental manipulation 479–82, Figure 12.27, Table 12.5  
erosion 173–5, 178–81, Figure 5.10, Figure 5.16, Figure 5.34  
hypoxia 394, 396–7, Figure 10.23  
peat accumulation 382–4, Figure 8.23, Figure 8.24  
pluvial lakes 313, Figure 8.13  
waves 183  
water, as a resource for growth 77–8, 369–80 *see also* precipitation, deserts  
addition experiment 483–4, Figure 12.31  
capture by epiphytes 112–13  
CHNOPS context 66–7  
disturbance 183, Figure 5.19, Figure 5.20, Figure 5.35  
early atmosphere 10–12, Table 1.2  
habitats that lack water 369–80 *see also* alvars, deserts, grasslands  
nurse plants 263  
origin of photosynthesis 17–18  
primary production (ANPP) 88–9, 577, Figure 3.12  
salinity and water potential Figure 10.20  
soil formation 90–2, Figure 3.13  
soil moisture in beech woodland Figure 3.6  
stomata 8, 77–8, 370–5, 581, Table 10.1  
topography 99–10, 456, Figure 3.16  
water potential in desert shrubs 105–6, 128–9, Figure 3.22, Figure 4.4, Figure 4.5  
wave action 100, 265, Figure 5.35  
wet meadow 183, Figure 3.18  
zonation 443  
weevils 283, 345, Figure 6.3  
*Welwitschia mirabilis* in Namibian desert Figure 12.4  
wetland vegetation *see also* peatlands  
alligator effects on vegetation 242–4, 176–8, Figure 5.14, Figure 6.17  
Amazon floodplain 174–5, Figure 5.11, Figure 12.5  
beaver ponds 175–7, Figure 5.13  
burial by sediment 178–81, Figure 5.16, Figure 5.17  
buried seeds for recovery from disturbance 202–4, Figure 5.38, Table 5.4  
coal from past wetlands 22–3, Figure 1.17  
competition 129–30, 139, 141–6, 150–1, Figure 4.17, Figure 4.22, Table 4.1, Table 4.2  
dominance–diversity curves Figure 12.25  
Everglades 206–8, Figure 5.40  
experimental disturbances 198–200, Figure 5.35  
fertility and production relationships Figure 3.10  
fertility gradients 101–3, Table 2.6  
fire in peatlands 170–3, Figures 5.7–5.9  
flooding is a stress 394, 396–7, Figure 10.23, Figure 11.2  
herbivore defence in wetland plants 226  
ice damage 182, Figure 5.18  
infertile wetlands Figure 3.18  
land forms in floodplains 173–5, Figure 5.10, Figure 5.11  
Louisiana cypress swamps 493–8, Figures 13.3–13.6  
mangal (mangrove swamp) 165, 392, 579, Figure 8.31, Table 13.5  
microcosm experiments 479–82, Figure 12.27, Figure 12.28  
mycorrhizae 272–3, Figure 7.7  
nutrients limiting plant growth 83–5, Figure 3.9, Table 3.5  
Ottawa River floodplain vegetation 129–30, 198–200, Figure 5.35, Table 4.1  
plant diversity 479–82, Figure 12.27, Figure 12.28  
positive interactions among plants 265, Figure 7.4  
primary production (ANPP) 88–9, 577, Figure 3.12  
Rhine River floodplain vegetation 204  
salinity 392–4, Figure 10.20, Figure 10.21  
sedimentation 178–81, Figure 5.16, Figure 5.17  
*Sphagnum* moss 382–4, Figure 10.13, Figure 8.23, Figure 8.24  
St. Lawrence River marsh Figure 3.10  
succession 330, Figure 8.23, Figure 8.32  
Tigris–Euphrates 195  
wetland types of world 416, Figure 11.6  
world's largest wetlands Figure 13.13, Table 13.5  
zonation 332–3, 441–8, Figure 8.31, Figures 11.18–11.24  
wet meadow 198, 472, Figure 5.20  
buried seed banks 202–3, Figure 5.38, Table 5.4  
disturbance 198–200, Figure 5.35  
wildebeest Table 6.1  
willows 97, 204, 330, Table 7.3  
wolves 242, 244  
woolly mammoths 228  
world floristic regions Figure 2.12, Table 2.5  
world's largest wetlands 512, Figure 13.3, Table 13.5, Box 5.1

- xylem tension 392–3, Figure 10.20
- Yangtze River 174
- Yellow River 179, Figure 5.16
- zebras Figure 6.1, Table 6.1
- zonation 582 *see also* description of  
 vegetation, using natural  
 gradients
- altitude *see* elevation
- elevation  
 alpine vegetation of Rocky  
 Mountains Figure 10.7
- Amazon River Figure 12.5
- Colorado front range Figure  
 11.5
- Great Smoky Mountains Figure 11.3,  
 11.4
- Mont Blanc Figure B2.1.3
- Mount Chimborazo Figure B2.1.3,  
 Box 2.1
- Snowy Mountains, Australia 151,  
 Figure 4.23
- Estonia landscapes Figure 11.1
- southwestern North America 455–6,  
 Figure 12.4
- experiments  
 Snowy Mountains, Australia 151,  
 Figure 4.23
- freshwater marsh 129–30, Table 4.1
- salt marsh 265, 393, Figure 7.4
- model by Pielou 157–8, Figure 4.27
- shorelines Figure 8.31
- mangrove Figure 8.31
- salt marsh Figure 7.4, Figure 10.21
- statistical analysis 441–8, Figures  
 11.18–11.24
- succession relationship 332–3
- Zostera* spp. (eelgrass) 357, 429