

INDEX

- Abies religiosa*. *See* Oyamel fir
- abiotic effects
- on mussel abundance, 410
 - wave action on community structure, 614
- abundance, 4
- abiotic effects on mussels, 410
 - buffalo, 4–10
 - effect of consumers on tropical algae, 621
 - effect of predators on tropical sessile invertebrates, 621
 - estimating, 246–8
 - large scale studies of sea otters, sea urchins, and kelp, 405
 - North Atlantic right whale, 194
 - of Caribbean coral, 253
 - of dragonflies in relation to fish presence, 395
 - of elk at Yellowstone, 419
 - of humpback whale, 250
 - of mussels, 614
 - of red algae, 614
 - of sea otters off the Aleutian Islands, 402
 - parasites, 140
 - percent cover, 253
 - populations, 246–70
 - small scale study of sea otters and sea urchins, 404
 - southern right whale, 214
 - wildebeest, 4–10
- Acacia tortilis*
- and soil nutrient levels, 417
- Acacia* trees
- and thorn length, 358
- acclimation. *See also* acclimatization
- thermal in spinach, 124
- acclimatization, 118. *See also* acclimation
- in the toad *Rhinella arenarum*, 118
 - Leptasterias* seastars to *Pisaster*, 613
- accumulation curve analysis
- estimating population size, 251
- Acer saccharum*. *See* sugar maple
- Achillea millefolium*. *See* yarrow
- acidification
- at Hubbard Brook, 515
 - of oceans, 23
 - of terrestrial biomes, 24
 - of the ocean and carbonate depletion, 596
 - of the ocean by CO₂, 581
- Actitis macularia*. *See* spotted sandpiper
- Adam, D., 579
- Adams, P. A., 179
- adaptation, 63
- and fitness, 148
- antibiotic resistance in bacteria, 63
- anti-predator behavior in caterpillars, 185
- as physiological response, 119
- beak depth in Darwin’s finches, 64
- dermal plates in sticklebacks, 70
- for mating in barnacles, 330
- for mating in sedentary organisms, 330
- foraging in the Balearic lizard, 148
- inducing rot by microorganisms, 465
- of coral to thermal stress, 384
- ripe apple production of benzoic acid, 466
- self-sacrifice in the redback spider, 72
- semelparity in periodical cicadas, 204
- serotiny and fire, 530
- thermal in marine animals, 127
- thermal in terrestrial animals, 122
- thermal in terrestrial plants, 124
- thorns as constitutive defense, 358
- to variable water availability in plants, 130
- tropical plants and seed dispersal by extinct mammals, 464
- adaptive management
- of Black Sea ecosystem, 519
- adaptive radiation
- and high vein density in flowering plants, 452
 - Hawaiian drosophilids, 565
 - of flowering plants, 452
 - on the Galapagos, 75
- adjusted litter size
- in relation to parental investment, 202
- Aerts, R., 98
- afforestation, 117
- Agave parviflora*, 207
- age structure
- and population growth, 266
 - aspen at Yellowstone, 422
 - in Bulgaria, 267
 - in Poland, 267
 - in Uganda, 267
 - rainbow trout in Spirit Lake, 535
- aggression
- in chimpanzees, 316
 - in sea stars, 613
- agouti
- dispersers of guapinol seeds, 467
 - seed predator of *Scheelea rostrata*, 465
- ahu, 246
- Ailanthus altissima*. *See* tree of heaven
- Ainsworth, E. A., 589
- Aland
- and Glanville fritillary butterflies, 284
- Alaria esculenta*, 231
- albedo
- and clouds, 589
- Aldo Leopold Leadership Program, 624
- Aleutian Islands, 402
- alfalfa caterpillar
- and disease, 261
 - mortality, 261
- Allee effect
- and extinctions, 290
 - and per capita growth rate, 286
 - in Glanville fritillary butterflies, 286
 - in Lotka-Volterra predation model, 368
- Allee, W.C., 286
- Allele, 60
- Allen, A., 275
- Allen, W., 468
- Allison, F. R., 351
- alpha diversity
- along Bullhead Trail, 435
 - species richness within a habitat, 434
- alpine chipmunk
- elevational range shift, 599
 - fragmentation and loss of genetic diversity, 600
- alternative stable states, 541–4
- hysteresis, 543
 - of a meadow ecosystem, 543
 - theory, 541
- Altevogt, B. M., 307
- Altizer, S. M., 412
- Ambrosia deltoidea*. *See* triangle-leaf bursage
- American chestnut
- destruction and community structural integrity, 459
 - destruction by chestnut blight fungus, 459
- American ginseng
- population regulation by deer, 352
 - population viability analysis, 353
- American mink
- and niche shift, 339
- ammonification
- and nitrogen cycle, 503
- anadromous
- rainbow smelt, 237
- Anakena
- stratigraphic column in Rapa Nui, 269
- analysis of variance (ANOVA), 149
- F-value, 150
 - Tukey-Kramer test, 151
- anammox
- chemical reaction, 504
 - importance in global nitrogen cycle, 505

Anartia fatima. See banded peacock butterfly
Anartia jatrophae. See white peacock butterfly
Anax junius. See green darner dragonflies
Anderson, R. M., 370
Andrade, M. C. B., 72–3
Angilletta, M., 119–20
Anoplolepis gracilipes. See yellow crazy ant
ant–acacia mutualism
 as fully developed interdependency, 388
 benefits to acacias, 388
 benefits to ants, 388
Antechinus. See marsupial mouse
anthropogenic forcings
 and climate model projections, 595
antibiotic resistant bacteria
 Mycobacterium tuberculosis, 62
antibiotics
 production by microorganisms, 466
 rifampicin, 63
anti-herbivore defenses
 costs to plants, 360
antipredator adaptations
 aflatoxins, 466
 in burnet moth, 110
 in caterpillars, 185
 in legumes against pea weevils, 459
 in poison-dart frog, 109
 induced defense, 110
 tannins, 110
Aphanius fasciatus. See Mediterranean
 toothcarp
Aphelocoma coerulescens. See Florida scrub jay
Apis mellifera. See honeybees
aposematic coloration, 109
apparent competition
 as indirect interaction, 343
 between bighorn sheep and mule deer, 343
Appel, H. M., 110
applied research
 and Sustainable Biosphere Initiative, 623
aquifer, 40
Arabidopsis thaliana, 96
Arabis fecunda, 207
arbuscular mycorrhizae, 381
 and nutrient retention, 516
Arcese, P., 261
Area de Conservacion Guanacaste, 456
 and restoration ecology, 456
 biocultural restoration, 468
 biodiversity development, 468
 mission, 471
 principles of restoration, 471
 species inventory, 470
Armillaria solidipes, 249
arthropods
 as pioneer species, 534
 recovery at Mount St. Helens, 534
 species richness in tropical forests, 34
Asclepias. See milkweed
Asian shore crab, 361
aspen
 abundance at Yellowstone, 422
Aspergillus fungi, 466
assimilation efficiency
 and energy transfer, 489
assortative mating, 77
Atacama Desert, 34
Athens, J. S., 270
Atlantic salmon, 203
atmospheric CO₂ levels
 human impact, 581
atmospheric window
 escape of thermal radiation, 587
Augsburger, C. K., 206
Australian toadlet, 160
Austrovenus stutchburyi. See Cockles
autotrophs, 23, 88
avalanche, 117
Axelrod, R., 170

Baez, S., 416
Bahaba taipingensis. See Chinese giant yellow
 croaker
Baker, C. S., 250
Balanus balanoides
 competition for space, 329
 wave action and abundance, 614
Balda, R. P., 190
Baldwin, I. T., 359–60
Baldwin, J., 120
Balearic lizard, 148
banded peacock butterfly
 and competitive exclusion, 331
Barbeito, I., 117, 143
Barlow, J., 250–1
Barnett, T. P., 594
Baro Colorado Island, 446
barracuda, 120
Barrett, R. D. H., 71
Barrie, V., 48
Barthlott, W., 436, 444
Bartholomew, G., 178
Bartlett, R. M., 230
basic research
 and Sustainable Biosphere Initiative,
 623
Batrachochytrium dendrobatidis, 573
bats
 and hibernation, 123
Bearhop, S., 77
Becker, C. G., 573
behavioral ecology, 146–73
Belding’s ground squirrels
 alarm calls, 165
Bell, M. A., 70
Bell, T., 554
benthic zone, 42
 glass sponge community, 48
 ocean vent community, 48
Bergstrom, C. A., 71
Berlin, L., 62
Berthold, P., 76
Beschta, R. L., 419, 422–3
Best, P. B., 215
beta diversity
 along Bullhead Trail, 435
 and environmental gradients, 436
 measure of species turnover, 434
 Sorensen’s Index, 435
bighorn sheep, 227
Bihn, J. H., 537
biocultural restoration
 at Area de Conservacion Guanacaste, 469
biodiversity development
 at Area de Conservacion Guanacaste, 468
biodiversity hotspots
 and geological heterogeneity, 444
 and pollen limitation, 380
biogeographic regions
 and plate tectonics solution, 560
 puzzles, 557
biological control
 of fire ants by parasitoids, 345
biological database, 61
biological diversity, 275, 430–54
 ecosystem diversity, 275
 genetic diversity, 275
 global patterns in tropical intertidal zones,
 620
 measuring, 432–8
 on coral reefs, 383
 species diversity, 275
Biological Dynamics of Forest Fragments
 Project
 creation of artificial fragments, 569
 edge effect, 570
 effects of fragmentation, 569
 species richness and fragment size, 569
biological hierarchy, 12
biological legacies
 at Mount St. Helens, 545
biological pump, 113
biological species concept, 73
biomagnification, 491
 and food chain length, 492
 of DDT, 492
biomass pyramid
 at Silver Springs ecosystem, 487
 inverted and Mediterranean Sea ecosystem,
 488
 inverted in aquatic ecosystems, 487

- biomes, 22–54, *See also* specific types
 - and net primary production, 480
 - anthropogenic, 52–3
 - aquatic, 41–52
 - conversion to agriculture, 495
 - degraded, 288
 - influence of climate on, 29
 - terrestrial, 29–38
- biosphere, 12
- birds
 - extra-pair copulations, 159
 - learners of predatory cues, 185
- birth rates
 - in exponential growth model, 258
 - in North Atlantic right whales, 215
 - in song sparrows, 261
 - of chimpanzees, 318
- bishop pine
 - ectomycorrhizae species richness, 554
- Bismarck Archipelago, 331
- black cherry
 - soil pathogens, 463
 - test of Janzen-Connell hypothesis, 463
- Black Sea, 500
 - dead zones, 501
 - effect of economic collapse, 518
 - eutrophication, 501
- black-footed rock wallaby
 - predation by red fox, 235
- black-shouldered kite, 16
- black-winged damselfly
 - and sperm removal, 160
- Blockstein, D. E., 289
- Bodélé Depression
 - phosphorus export, 509
- Bonacum, J., 565
- Boonstra, R., 367
- Bork, H. R., 247, 270
- Bormann, F.B., 514
- bottom-up control
 - in desert grassland communities, 416
 - of Steller sea lion populations, 426
 - soil nutrient levels and grass quality, 417
- bottom-up control hypothesis, 416
- box models
 - recycling of nutrients within ecosystems, 511
- Boyce, C. K., 451
- BP oil spill
 - and NOAA’s actions, 610
 - bacterial action, 626
 - chemical dispersants, 626
 - failures by British Petroleum, 609
 - lessons learned, 626
 - problems caused, 609
- Bradyrhizobium japonicum*
 - mutualism with the soybean *Glycine max*, 391
- Branikowski, A., 318
- Braude, S., 168
- Briggs, J. S., 387
- Bristow, C. S., 510
- British Petroleum (BP)
 - oil and gas spill, 608
- Brittain, C., 397
- broadleaf lupine
 - primary succession at Mount St. Helens, 533
- Brodrigg, T. J., 451
- Bro-Jørgensen, J., 362
- brood parasitism
 - and conditional facilitation, 394
 - by great spotted cuckoo on the carrion crow, 394
 - by the brown-headed cowbird, 261
- Brown, J. L., 152
- brown-headed cowbird
 - as parasite of song sparrows, 261
- Bruchidae. *See* Pea weevils
- Buchanan, B B., 95
- buffalo, 2, 4–11
- Buffo, J., 25
- Bugnyar, T., 188
- bumblebee
 - anatomy, 182
 - temperature regulation, 182
- butterflyfish, 23
- Büyükgüzel, K., 110
- Byers, J. E., 361
- Bygott, D., 8
- Byrne, P. G., 160
- C₃ photosynthesis, 90
- C₄ photosynthesis, 91
- Cahill, J. F., 157
- Calambokidis, J., 250
- Callaway, R. M., 392
- Calopteryx maculata*. *See* black-winged damselfly
- caltrop, 64
- Calvin cycle, 90–1
- CAM photosynthesis, 92
- Cambeft, Y., 407
- camel, 135
 - minimizing heat gain and water loss, 135
- Campagna, C., 221
- Campephilus principalis*. *See* ivory-billed woodpecker
- Canada lynx
 - nonconsumptive effects, 366
 - population cycles, 366
- Canestrari, D., 394
- Canfield, D. E., 503
- Canis lupus*. *See* Gray wolf
- canopy cover, 14
 - in the Serengeti, 14
- Cantin, N. E., 596
- carbon cycle, 580–6
 - in the open ocean, 580
- carbon fixation mechanisms
 - costs and benefits, 92
 - energy and water, 92
 - environmental dependence, 92
- carbon fixation reactions, 90
- Carcinus maenas*. *See* green crab
- caribou
 - and trophic mismatch with food plants, 601
 - trophic mismatch and calf production, 601
- Carnegiea gigantea*. *See* saguaro cactus
- carnivores, 100
 - adaptations, 104
- carnivory
 - in chimpanzees, 304
- Carpenter, S. R., 540
- Carpinteria food web, 412
- carrion crow
 - conditional mutualism with great spotted cuckoo, 394
 - protection by cuckoo nestlings, 394
- carrying capacity (K)
 - and density dependence, 263
 - and logistic growth model, 263
 - unused portion, 263
- Carson, R., 493
- Carson, W. P., 446
- Cary, J. R., 366
- catch-share programs, 625
- categorical variable, 132
- caterpillars
 - anti-predator adaptations, 185
- Cedar Creek Natural History Area, 449
- Cedrela odorata*
 - exclusion from devil’s gardens, 390
- Cembran pine, 117
- Centers for Disease Control, 62
- Cercidium microphyllum*. *See* Palo Verde tree
- Chacoff, N. P., 567
- Chan, Y. F., 83
- chaparral. *See* temperate shrubland
- Chapin, F. S., 98, 491, 531
- Charmantier, A., 211
- Charnov, E. L., 156, 202
- chemosynthesis, 97
 - in Lake Whillans, 45
 - in Spirit Lake, 535
- Chen, I., 598
- Cheung, W. L., 289
- chimpanzee
 - aggression, 316
 - as model for humans, 307
 - behavioral development, 310
 - birth rates, 318
 - foraging, 303

- chimpanzee (cont.)
 inbreeding avoidance, 311
 interbirth interval, 318
 kidnapping of researchers, 306
 life table, 318
 mortality, 315
 population viability, 321
 rank and female reproductive success, 314
 rank and male reproductive success, 313
 reason for study, 302
 social relationships, 305
 tool-making, 304
 war between Kasekela and Kahama social groups, 305
 wars, 305
- chimpanzees of Gombe, 300–22
- Chinese giant yellow croaker
 endangerment from overexploitation, 289
- Chinese tallow trees
 and evolution of competitive ability hypothesis, 293
 and grasshopper herbivory, 294
 tannin levels, 293
- chlorine
 chemical reactions with ozone, 588
- chlorophyll, 86, 111
- Chondrus crispus*. See red algae
- Christner, B. C., 45
- chronosequences
 at Glacier Bay, 524
- Chthamalus stellatus*
 competition for space, 329
- Ciszek, D., 168
- citizen scientists
 and distribution of migratory species, 224
 North American Breeding Bird Survey, 353
- Clamator glandarius*. See great spotted cuckoo
- Clarkia pulchella*. See evening primrose
- classification tree
 model of rainbow smelt distribution, 239
- Clay, K., 463
- Clidemia hirta*
 logistic growth, 264
- climate
 effects on net primary production, 482
- climate change, 578–603
 and alpine tundra, 116
 and coral growth, 596
 and distribution of North Sea fish, 142
 and global hydrological trends, 594
 corporate incentives to discredit the science, 603
 ecosystem response, 596–602
 effect on phenology, 141
 effect on species distribution, 141
 public perception, 602
 scientific integrity, 578
- climate models, 591–6
 anthropogenic forcings, 593
 natural forcings, 593
 testing against current conditions, 593
 types of, 591
- climax community
 and succession, 532
- Clostridium botulinum*, 466
- CO₂ enrichment
 and crop yield, 590
 benefit to C₃ vs C₄ plants, 590
- CO₂ flux
 and cement, 581
 between atmosphere and the land, 585
 between atmosphere and the ocean, 583
 human impact, 581
 in lakes, 492
 in the terrestrial environment, 581
 land-use changes, 581
- CO₂ levels
 atmospheric at Mauna Loa, 581
 use of models, 582
- CO₂ sinks
 absorption by desert soils, 586
 global, 585
 the oceans, 580
 world's forests, 585
- CO₂ sources
 anthropogenic, 585
 terrestrial environment, 581
- CO₂ uptake
 by open oceans, 580
 photosynthesis, 581
- Coale, K.H., 111
- cockle manipulation hypothesis
 and trematode infection, 372
 tests, 372
- cockles, 350
 as ecosystem engineers, 350
 behavioral manipulation by trematodes, 372
- coefficient of relatedness (*r*), 165
 in brother–sister matings, 276
 in hymenoptera, 168
 in naked mole rats, 168
- Coenobita*. See hermit crabs
- coevolution
 predator–prey interactions, 362
- Coho salmon, 204
- Colias philodice*. See alfalfa caterpillar
- Collins, S., 186
- colonization
 by Hawaiian drosophilids, 565
 by upright algae and sessile invertebrates, 621
 of Spirit Lake, 534
- colonization rate
 and connectivity, 287
- of ants following disturbance, 537
- of sitka spruce, 526
- colony collapse disorder
 effects on honeybees, 380
 possible causes, 396
- Colosimo, P. F., 60
- Colwell, M. A., 163
- Cominella glandiformis*, 351
- commensalism, 378
 benefits, 390
- Communication Partnership for Science and the Sea (COMPASS), 625
- community, 12
- community importance
 and keystone species, 411
- community interactions
 viewed from perspective of the organism's evolutionary history, 459
- community processes
 and spatial scale, 404
- community resilience
 and microorganism species diversity, 450
- community self-regulation hypothesis, 459
- community stability
 and species diversity, 450
 facilitation hypothesis, 451
 niche differentiation hypothesis, 451
 sampling effects hypothesis, 451
- community structure, 402–6
 and dominant species, 407
 and herbivores in low intertidal zone, 618
 and keystone species, 407
 and predation in low intertidal zone, 614
 comparison of tropical and temperate intertidal zones, 620
- comparative study
 good practices, 198
- comparative-experimental approach, 623
- competition, 326–48
 and environmental variation, 339
 and soil fertilization, 333
 between *Pseudacteon* parasitoids of fire ants, 345
 between yellow crazy ants and hermit crabs, 327
 for pollinators, 330
 for space between barnacle species, 328
 interference, 328, 613
 observational challenge, 345
- competition coefficient, 338
- competitive exclusion
 and checkerboard species distribution, 331
 of hermit crabs by yellow crazy ants, 327
 of poor light competitors, 333
 of red algae by mussels, 618
 of toothcarp by eastern mosquitofish, 339
 removal experiments in butterflies, 331

- complex lifecycle
 - of *Curtuteria australis*, 351
- conditional facilitation
 - and brood parasites, 394
- condition dependence
 - survival in omnivorous spadefoot toads, 210
- confidence interval, 69
- connectivity, 413
 - colonization rate, 287
 - northwest Atlantic food web, 415
- Connell, J., 328, 345, 446, 462
- Connell, J. H., 531
- Connochaetes taurinus*. See wildebeest
- conservation ecology, 274–97
- constitutive defense, 356
 - body size in Serengeti herbivores, 356
 - secondary compounds in plants, 359
 - thorns, 358
- constraint
 - forage intake, 417
- consumption efficiency
 - and energy transfer, 488
- continental drift
 - formation of continents, 557
 - Glossopterus* disjunction solution, 560
- contingency tables
 - and chi-square test, 132
 - use for categorical variables, 132
- continuous reproduction, 253, 256, 321
- Conway, K., 48
- Cook, S. E., 48
- Cook, D., 177
- Cooper, W. E., 148
- Cooper, W. S., 524
- cooperation
 - among unrelated individuals, 169
 - evolution, 164–72
 - in Belding’s ground squirrels, 165
 - in cotton-top tamarins, 170
 - in Florida scrub jays, 166
 - in honeybees, 167
 - in naked mole rats, 168
- coprophagy, 103
- coral, 23
 - and zooxanthellae, 383
 - effects of acidification on, 24
 - reproduction, 48
- coral bleaching
 - and high water temperatures, 383
 - at Scott Reef, 536
 - mechanisms, 383
 - threat to coral reef ecosystems, 383
- coral reef, 23, 48
 - and nutrient levels, 48
 - high species diversity, 383
- Corcovado National Park
 - gold mining, 468
- Coriolis effect, 28
- corn
 - and water stress, 132
- correlation
 - and causation, 292
- correlation analysis, 6–8
- correlation coefficient (*r*), 7, 593
- corticotropin (ACTH), 367
- cortisol, 155, 367
- Corvus corone corone*. See carrion crow
- cost–benefit approaches, 146–58
 - cooperative breeding in Florida scrub jay, 166
 - game theory, 169
 - group living in pigeons, 153
 - group size in ring-tailed lemurs, 154
 - Hamilton’s model of indirect selection, 165
 - marginal value theorem applied to foraging, 156
- cotton-top tamarins, 170
- cougars
 - predation on bighorn sheep and mule deer, 343
- countercurrent heat exchange
 - in bumblebees, 182
 - in whales, 127
- coupled atmosphere–ocean general circulation models (AOGCMs), 591
 - precipitation projections to 2100, 592
 - temperature projections to 2100, 591
- coupled earth system models (CESMs), 591
- Courchamp, F., 290
- Cox-Foster, D. J., 397
- coyotes
 - population size, 251
- Crassulaceae, 92
- Crataegus monogyna*. See Hawthorn trees
- Crater Lake, 44
- Creel, S., 421
- Crescentia alata*. See jicaro tree
- Crisafulli, C., 544
- critical value, 16
- Cryphonectria parasitica*. See chestnut blight fungus
- cuckoo doves
 - and checkerboard distribution, 331
- Curtuteria australis*, 351
 - complex lifecycle, 351
- Curvularia protuberata*
 - and *Curvularia* thermal tolerance virus, 386
 - mutualism with panic grass, 385
- Curvularia* thermal tolerance virus
 - symbiosis with *Curvularia*, 386
- cutthroat trout, 81
- cyanobacteria
 - Prochlorococcus*, 510
 - Trichodesmium*, 505
- Cynodon plectostachyus*, 11
- Da Silva, P. E. A., 63
- Dainat, B., 380
- Dale, V. H., 533
- Dalsgaard, T., 505
- dandelions
 - competition for pollinators, 330
- Danio rerio*. See zebrafish
- Darwin, C., 64, 71, 164
 - difficulty with sterile insects, 164
 - sexual selection, 73
 - Voyage of the Beagle*, 75
- Darwin’s finches
 - evolution of beak morphology, 64–6
- Daskalov, G. M., 501
- Dasyprocta punctata*. See agouti
- data
 - long term in chimpanzees, 313
 - transformation, 17, 202
- David Greybeard
 - carnivory, 304
 - chimpanzee tool-making, 304
 - Goodall’s first chimpanzee up-close observation, 303
- Davidson, J., 259
- Davies, N. B., 152
- Davis, A. K., 225
- Dawkins, R., 104
- DDT
 - banned in United States, 493
 - biomagnification, 492
- De Deyn, G.B., 539
- dead zone
 - Black Sea and economic collapse, 519
 - Black Sea and overfishing, 501
 - global, 502
 - in estuaries, 52
 - in the Black Sea, 501
- death rates
 - in exponential growth model, 258
 - in Glanville fritillary butterflies, 259
 - in song sparrows, 261
- Decaestecker, E., 363
- decomposers, 101, 511
 - bacteria and BP oil spill, 626
 - use of lignin and cellulose, 512
 - use of nitrogen, 512
- decomposition
 - and autoinoculation of hydrocarbon-degrading bacteria, 627
 - in tropics vs. temperate forests, 512
 - measured in Long-Term Intersite Decomposition Experiment, 512
- Deepwater Horizon*
 - explosion, 608
 - response, 626
- deer mice
 - effect on forest secondary succession, 539

- defenses, 350–6
- deforestation
 - at Hubbard Brook, 514
 - on Rapa Nui, 247
- del Grosso, S., 483
- demographic model, 207
 - tested in *Arabidopsis thaliana*, 207
- demography, 207
 - chimpanzee, 318
- denitrification, 503
 - and anaerobic respiration, 504
 - efficiency in aquatic systems, 513
 - environmental conditions favoring, 504
 - production of greenhouse gas, 506
- Denman, K. L., 595
- density-dependent factors, 260
 - disease in black cherry, 463
 - food availability in the song sparrow, 261
- density-independent factors, 259
 - harsh winters and elk abundance, 420
 - microsite in eastern white cedar, 260
- dependent variable, 15
- desert, 34
- desiccation tolerance
 - and biome, 130
 - and dormancy, 131
 - hypotheses explaining, 130
 - in seeds, 130
- detrital food chain
 - energy flow, 487
- detritivores, 101, 486, 511
- devil's gardens
 - exclusion of *Cedrela odorata*, 390
 - of *Duroia hirsuta*, 390
- DeWalt, S. J., 264
- Diamond, J., 247, 331
- diatoms
 - in Lake Yoa, 41
 - in the Bodélé Depression, 509
- Diaz, R. J., 52, 502
- Dichanthelium lanuginosum*. See Panic grass
- Digitaria*, 12
- Diploastrea heliopora*, 596
- directed connectance, 413
 - and stability, 448
- directional selection, 66
 - effect on genetic variation, 66
 - rate of evolution, 66
- discrete reproduction, 253
- disease
 - colony collapse disorder, 380
 - in chimpanzees, 316
 - measles, 370
 - spread in host population, 370
 - West Nile virus, 353
- disjunction
 - Glossopteris*, 557
 - marsupials, 557
 - resolution of marsupial puzzle, 562
- Disney, W., 457
- dispersal, 223
 - directed by rodents, 391
 - of immigrants to Mount St. Helens, 534
 - of seeds by animals, 386
- dispersion
 - clumped, 241
 - clumped in CCD bee colonies, 397
 - in South American sea lion, 220
 - random, 220
 - uniform, 220
- distribution, 4, 218
 - and climate change, 141
 - and disturbance, 232
 - and environmental temperature, 137
 - and fire, 232
 - and solute concentration, 137
 - and water availability, 138
 - checkerboard in cuckoo doves, 331
 - disjunct at Dutch John Mountain, 219
 - disjunction, 557
 - influence of abiotic factors, 229
 - influence of climate, 229
 - large-scale effects of biotic factors, 234
 - mammals in North America, 227
 - of barnacles, 329
 - of bighorn sheep, 227
 - of chipmunks in Yosemite National Park, 599
 - of fish and climate change, 143
 - of mammals and Wallace's line, 557
 - of parasites, 140
 - of red algae limited by sea urchins, 620
 - of saguaro cactus and nurse plants, 232
 - of species and historical events, 548
 - of trees and nitrogen partitioning, 100
 - of ungulates in North America, 227
 - plants and carbon fixation mechanism, 92
 - small-scale effects of biotic factors, 232
- disturbance, 522–45
 - and species diversity, 445
 - effect on species distribution, 232
 - questions about, 523
 - storm-tossed cobbles in low intertidal zone, 618
- DNA analysis
 - barcoding, 473
 - base pair substitutions in ice plants, 139
 - extra-pair copulations in birds, 159
 - fingerprints and polyandry in spotted sandpiper, 163
 - fingerprints and relatedness of naked mole rats, 168
 - in accumulation curve estimates, 251
 - in sticklebacks, 61
 - microsatellites and Darwin's finches, 79
 - microsatellites and genetic diversity of chipmunk populations, 600
 - mitochondrial DNA and marsupial phylogeny, 562
 - of forest trees in Papua New Guinea, 442
 - of Hawaiian drosophilid phylogeny, 565
 - of killer whales, 472
 - of paternity in chimpanzees, 313
 - of Rapanuians, 247
 - of *Symbiodinium*, 384
 - polyandry in Australian toadlet, 160
 - retrotransposons and marsupial phylogeny, 563
- DNA barcoding
 - of Lepidoptera at Area de Conservacion Guanacaste, 473
- dominant species
 - and community structure, 407
- dormancy, 130
- Doroff, A. M., 402
- Douglas fir
 - and seed predation, 539
 - on Isla Victoria, 381
- dragonflies
 - effect on bee flower visitation rates, 395
- Drakare, S., 555
- Drezner, T. D., 233
- Dromiciops gliroides*. See Monito del monte
- drupes, 465
- Dryas drummondii*, 531
- Duarte, C. M., 488
- Dublin, H. T., 16
- Duggins, D. O., 404
- Duncan, D. J., 44
- dung beetles
 - and functional groups, 406
 - life history variation, 406
- Dunn, R. R., 538
- dunnock
 - mating system, 163
 - territoriality, 152
- Duroia hirsuta*
 - mutualism with *Myrmelachista schumanni*, 390
- Dutch John Mountain, 219
- Dybas, C. L., 48
- Dyer, L. A., 442
- earthworms
 - species richness, 554
- Easter Island. See Rapa Nui
- eastern mosquitofish
 - invasive species, 339
- eastern skunk cabbage
 - and endothermy, 125

- eastern white cedar
 - and recruitment, 260
 - distribution, 229
- Eberhardt, L. L., 420
- ecological niche. *See* niche
- ecological stoichiometry, 107
 - and homeostasis, 108
 - C/N/P ratio, 107
 - growth rate hypothesis, 108
- ecological threshold
 - alternative stable states, 543
- ecological traps
 - and indigo buntings, 572
 - characteristics of, 572
- ecosystem, 12
 - production, 480–6
 - structure and energy flow, 486–91
- ecosystem diversity, 275
- ecosystem engineer
 - cockles, 350
- ecosystem services
 - and the Millennium Ecosystem Assessment, 479
 - cultural, 479
 - degradation, 495
 - provisioning, 479
 - regulating, 479
 - supporting, 479
- ecosystem size hypothesis, 493
- ecosystems
 - and regime shifts, 540
 - food chain length, 491–5
- ecotones, 571
- ectomycorrhizae, 381
 - species richness and island size, 554
- ectomycorrhizal associations
 - and pines on Isla Victoria, 381
- Ectopistes migratorius*. *See* Passenger pigeon
- ectotherm, 121
 - benefits and costs, 121
- edge effect
 - and fragmentation, 288
 - and species composition, 571
 - Biological Dynamics of Forest Fragments Project, 570
 - tree mortality, 571
- Edwards, J. S., 534
- efflux
 - in black-box models, 505
- Ehrlich, P. R., 283
- El Niño Southern Oscillation (ENSO)
 - effects on Daphne Major, 64, 67
 - effects on Serengeti communities, 18
 - ocean temperatures and coral bleaching, 383
- Elanus caeruleus*. *See* black-shouldered kite
- elephant, 14
 - body temperature, 123
- feeding, 156
 - soil nutrient levels, 417
- Eliassen, S., 160
- elk
 - effects on woody plants at Yellowstone, 419
- Ellis, E. C., 52
- Ellison, A. M., 7, 50
- Elops hawaiiensis*. *See* ladyfish
- Elser, J. J., 108–9, 485, 498
- Elton, C., 366
- Emergency Response Management Application
 - and BP oil spill, 610
- emerging infectious disease
 - West Nile virus, 353
- emigration
 - rates in Glanville fritillary butterflies, 259
- endangered species
 - North Atlantic right whale, 195
 - recovery rate, 195
- Endangered Species Act
 - and Aleutian sea otters, 406
 - and chimpanzees, 307
 - and polar bears, 598
 - guidelines, 195
 - protection of gray wolf, 254
- endemic species
 - Haplochromis* in Lake Victoria, 291
- endemism
 - in biodiversity hotspots, 444
- endophyte
 - Curvularia protuberata*, 385
- endotherm, 121, 403
- enemy release hypothesis, 292
 - and distribution of pathogens, 293
- energy pyramid
 - at Silver Springs ecosystem, 487
- energy transfer
 - assimilation efficiency, 489
 - consumption efficiency, 488
 - ecosystem comparisons, 489
 - pelagic lake ecosystems, 489
 - production efficiency, 489
 - temperate forest ecosystems, 489
- English Groundfish Survey Programme, 143
- Enhydra lutris*. *See* Sea otters
- Enterolobium cyclocarpum*. *See* Guanacaste tree
- environmental conditions
 - and alternative stable states, 541
 - favoring denitrification, 504
 - favoring facilitation, 392
- environmental gradients
 - in Great Smoky Mountains National Park, 434
- environmental stability hypothesis, 494
- enzyme
 - acetylcholinesterase (AChE), 120
 - efficiency, 119
- lactate dehydrogenase, 120
- nitrogenase, 502
- rubisco, 91
- epiphytes, 23
 - CAM plants, 93
- Equus burchelli*. *See* Zebra
- Ernest, S. K. M., 202
- Erwin, T. L., 32
- essential nutrient, 97
- Estes, J. A., 403, 405–6, 424
- estimate bias hypothesis, 432
- estuaries, 51
- Eubalaena glacialis*. *See* North Atlantic right whales
- Euglena*
 - research by Heinrich, 177
- Eurasian otter
 - competition with American mink, 339
- European beech trees
 - and tree holes, 554
- European blackcap, 75
- European larch, 117, 143
- eusociality
 - characteristics, 167
 - evolution of, 146–67
 - in Hymenoptera, 167
 - in naked mole rats, 168
- eutrophic lake, 45
 - role of nutrients, 45
- eutrophication
 - and extinctions in Lake Victoria, 292
 - Black Sea, 501
- evening primrose, 277
- evenness, 432
 - of marine fish, 433
- evolution, 58–83
 - gene flow, 61
 - genetic drift, 62
 - mutation, 62
 - natural selection, 62–77
 - of antibiotic resistant bacteria, 63
 - of beak morphology in Darwin’s finches, 64–6
 - of cooperation, 164–72
 - of cooperation in humans, 172
 - of eusociality, 167–9
 - of facilitative interactions, 391
 - of induced defenses in mussels, 361
 - of omnivory, 104
 - of rot, 465
 - of semelparity, 206
 - predator–prey coevolution, 350
 - speciation, 73–7
- evolution of increased competitive ability
 - hypothesis, 292
- evolutionarily stable states
 - in Serengeti ecosystems, 16

- evolutionary puzzle
 - inefficient seed dispersal, 465
 - ravens and yelling, 191
 - evolutionary relationships, 77–81
 - in *Geospiza*, 79
 - phylogeny, 79
 - use of microsatellite variation, 79
 - evolutionary tradeoff
 - beak depth in Darwin’s finches, 67
 - energy consumption and body size, 198
 - in number of lifetime reproductive events, 203
 - number and size of offspring, 201
 - present and future reproduction, 206
 - rifampicin resistance in *Mycobacterium tuberculosis*, 68
 - Ewbanks, M. D., 105
 - Experimental Lake, 45, 226–7
 - experiments, 11
 - and replication, 87
 - controlled field, 328
 - exploitative interactions, 350–74
 - nonconsumptive effects, 366
 - exploiters
 - grazers, 352
 - parasites, 352
 - parasitoids, 352
 - predators, 352
 - exponential growth model
 - and *Paramecium*, 257
 - assumptions, 257
 - birth rates, 258
 - death rates, 258
 - formula and derivation, 257
 - in humans with migration, 268
 - intrinsic growth rate (r_m), 258
 - per capita birth rates, 258
 - per capita death rates, 258
 - per capita growth rate (r), 258
 - extent
 - and spatial scale, 567
 - extinction
 - from habitat fragmentation, 288
 - from overexploitation, 288
 - habitat degradation, 288
 - in Glanville fritillary butterfly, 284
 - large mammals and big-game hunters, 464
 - extinction rate
 - and Allee effect, 286
 - and fragment size, 570
 - and patch density, 285
 - and patch size, 284
 - in island biogeography model, 550
 - extra-pair copulations, 159, 163
 - extrapolation, 26, 34, 505, 583, 591
 - facilitation, 378–99
 - and relative neighbor effect, 393
 - conditional, 394
 - indirect, 394
 - of plants by seed dispersers, 386
 - facilitation hypothesis
 - and community stability, 451
 - facilitation model
 - at Glacier Bay, 531
 - at Mount St. Helens, 533
 - of succession, 531
 - Fagus sylvatica*. See European beech trees
 - Falkowski, P. G., 88, 113
 - Fastie, C. J., 525
 - fecundity
 - in chimpanzees, 318
 - in red colobus monkeys, 279
 - in semelparous vs. iteroparous plants, 206
 - fecundity advantage of semelparity, 206–7
 - Fee, E. J., 45
 - Feild, T. S., 452
 - Ferrel cell, 41
 - fire
 - at Area de Conservacion Guanacaste, 471
 - effects on distribution, 232
 - in temperate shrublands, 36
 - in the Serengeti, 12
 - tree-fire burn severity classes, 529
 - firefly
 - flash interpulse interval, 151
 - flashes, 148
 - Photinus greeni*, 148
 - Firmicutes, 29
 - fish
 - and dragonfly abundance, 395
 - global richness and evenness, 433
 - omnivory and latitude, 104
 - pollination rate of St. John’s wort, 395
 - fission–fusion social system, 313
 - fitness, 71
 - direct, 164
 - in the redback spider, 72
 - inclusive, 165
 - indirect, 165
 - Fitzpatrick, J. W., 166
 - Fitzwater, S. E., 87
 - Florida scrub jay
 - cooperative breeding, 166
 - flux, 43
 - folivorous insects
 - comparison of temperate vs. tropical forest communities, 441
 - food availability hypothesis, 5
 - food chain
 - energy loss, 487
 - food chain length, 491
 - biomagnification, 492
 - ecosystem size hypothesis, 493
 - environmental stability hypothesis, 493
 - estimating with stable isotope analysis, 493
 - in pelagic lake ecosystems, 489
 - in rivers, 493
 - influence on CO₂ export, 491
 - influence on primary production, 491
 - on islands, 493
 - resource availability or energy supply hypothesis, 493
- food web, 48
 - at Area de Conservacion Guanacaste, 470
 - Carpinteria, 412
 - Mukkaw Bay, 407
 - subtidal Aleutian Island, 403
 - food webs
 - and interaction strength, 413
 - and parasites, 411
 - connectivity, 413
 - directed connectance, 413
 - linkage density, 413
 - foraging
 - by chimpanzees, 303, 314
 - by sea stars, 613
 - grazer adaptations, 103
 - omnivory, 104
 - predatory strategies of carnivores, 104
 - symbioses, 103
 - Ford, A. T., 358
 - foundation species. See dominant species
 - Fourrier, M., 278
 - Fowler, D., 503
 - Fox, W., 448
 - fragmentation
 - and edge effect, 288
 - and extinction rates, 283, 288
 - and frugivory by birds, 568
 - and hawthorn tree fitness, 567
 - and population size, 283
 - and species richness, 569
 - Biological Dynamics of Forest Fragments Project, 569
 - disruption of *Oxyanthus*/hawkmoth mutualism, 288
 - of alpine chipmunk population, 600
 - population size and genetic diversity, 599
 - Frankia*, 502, 533
 - Franklin, J. F., 533
 - Frederickson, M. E., 389
 - free-air CO₂ enrichment (FACE)
 - effects on plants, 589
 - Freedman, B., 600
 - Freeman, A. S., 361
 - Froeschke, G., 140
 - Fucus*
 - competitive exclusion by red algae, 619

- functional groups, 427
 - and recovery of tropical ants, 537
 - of consumers and community structure, 621
- functional response
 - and Lotka–Volterra predation model, 370
 - in predator–prey systems, 369
 - types of, 369
- fundamental niche, 237
- Furedi, M. A., 352
- fynbos. *See* temperate shrubland
- Gagneux, S., 68–9
- Galápagos Islands
 - Darwin’s voyage, 64
 - plant species richness and island area, 550
- Gallagher, T., 274
- Gallai, N., 379
- Galloway, J. N., 503, 505
- Gambusia holbrooki*. *See* eastern mosquitofish
- game theory
 - prisoner’s dilemma, 169
- gametes
 - sexual differences, 158
- gamma diversity
 - along Bullhead Trail, 435
 - and species richness, 435
- Ganges River
 - ecosystem services, 479
 - estuary, 51
- Garcia, D., 567
- Garrity, C. M., 233
- Gasterosteus aculeatus*. *See* threespine stickleback
- Gause, C. F., 264
- Gazella thomsoni*. *See* Thomson’s gazelle
- gene flow, 61
- general circulation models, 591
- genes
 - COI, 473
 - Eda* in sticklebacks, 61
 - modifier, 61
 - rpoB* in *Mycobacterium tuberculosis*, 63
- genetic diversity, 275
 - effects of range contraction, 599
- genetic drift, 62
 - loss of genetic variation in small populations, 276
- genetically effective population size, 276
 - and population viability in evening primrose, 277
- Geocoris pallens*, 360
- geographic ecology, 548
- geographic Information systems 228
 - and map of human footprint, 228
- geometric growth model, 254
 - and value of λ , 256
 - formula and derivation, 256
- geometric growth rate
 - and gray wolf, 254
 - of American ginseng, 352
- Geospiza fortis*, 64, 79
- Geospiza fuliginosa*, 80
- Geospiza magnirostris*, 80
- Geospiza scandens*, 79
- Gilbert, B., 341
- Gilbert–Norton, L., 574
- Gilmour, J. P., 536
- giraffe, 14
- Glacier Bay
 - primary succession, 524
- Glanville fritillary butterfly
 - and metapopulation, 259
 - extinction and colonization rates, 284
- glass sponges, 48
- Gleick, P. H., 578
- Global Mammal Parasite Database, 412
- global warming
 - and elevational changes, 598
 - and latitude shifts, 598
 - effects on tundra ecosystems, 600
 - slowdown since 1998, 593
- global warming potential
 - of greenhouse gases, 587
- Glomus intradices*
 - and phosphate loss, 516
- Glossopteris*
 - and continental drift, 560
 - disjunction, 557
- Glycine max*
 - mutualism with *Bradyrhizobium japonicum*, 391
- Gmelina arborea*, 472
- golden dungfly
 - copulation duration, 157
- Gombe Stream National Park, 300
- Gombe Stream Research Center
 - population viability analysis of red colobus monkey, 278
- gomphotheres
 - dispersers of *Scheelea rostrata*, 465
- Gonzalez, A., 282
- González–Bergonzoni, I., 104
- Goodall, J., 278, 302–10
- goshawk, 154
- Gotelli, N. J., 7, 258
- Goudswaard, K., 291
- grain
 - and spatial scale, 567
- Grant, B. R., 64
- Grant, P. R., 64
- grasslands
 - effect of soil invertebrates on plant succession, 539
 - nutrient leaching, 516
- Graves, J. E., 120
- gray wolf
 - effects on elk abundance, 419
 - life history traits, 253
 - population growth, 254
 - reintroduction into western United States, 254
 - top-down effect on willows, 421
 - top-down effects at Yellowstone, 419
- Gray, S. T., 219
- grazers
 - and hypsodont teeth, 103
 - and stomach size, 103
- Great Barrier Reef
 - coral bleaching, 384
 - resilience after coral bleaching, 540
 - spawning, 48
- Great Drought, 220
- great ocean conveyor. *See* Meridional overturning circulation
- great spotted cuckoo
 - conditional facilitation with the carrion crow, 394
- great tit
 - and phenotypic plasticity, 211
 - egg laying date, 211
- green crab, 361
- green darner dragonflies
 - and migration, 223
- greenhouse gases
 - absorption of Earth’s longwave radiation, 586
 - and Paleocene–Eocene Thermal Maximum, 594
 - global warming potential, 587
 - radiative forcing, 587
- Griffith, S. C., 159
- Grime, J. P., 198
- Grinnell, J., 599
- Groom, M. J., 277
- grooming
 - chimpanzee, 306
- Grosberg, R. K., 443
- gross primary production (GPP), 480
- growth rates
 - effect of population size, 265
 - of *Clidemia hirta*, 264
 - of human population, 265
 - of polar bear populations, 597
 - southern right whale, 214
- Grzimek, B., 3
- Grzimek, M., 3
- Guanacaste tree
 - survival in horse’s gut, 465
- guapinol tree, 467
 - and agoutis, 467
- guild, 406
- gypsy moth caterpillar, 110
- gyres, 29

Haber–Bosch process
 global abundance of reactive nitrogen, 503

habitat degradation
 and extinction, 288
 biomes, 288
 Lake Tanganyika shoreline, 300

habitat expansion
 of mussels in response to *Pisaster* removal, 409

habitat fragmentation. *See* fragmentation

habitat heterogeneity
 and species composition, 434

habitat split
 amphibian decline, 573
 and species richness, 573

Haddad, N. M., 572

Hadley cell, 34

Haematopus finschi. *See* South Island oystercatcher

Haematopus ostralegus. *See* oystercatcher

Hairston, N. G. Jr., 489

Hairston, N. G. Sr., 489

Haliclona implexiformis, 50

Hall, A. R., 227

Halliwell, D. B., 237

Hallwachs, W., 467–74

halocarbons
 greenhouse gases, 587
 interactions with ozone, 588

Halofsky, J., 422

halophiles, 138

Hamilton, W. D., 164, 167, 170

Hamilton’s model of indirect selection, 165
 and alarm calls in ground squirrels, 165

Hanby, J., 8

Hanski, I., 259, 283–4, 287, 407

Haplochromis
 extinction in Lake Victoria, 291
 recovery in Lake Victoria, 292

haplodiploidy
 and coefficient of relatedness, 167

Hardin, G., 146

Harpole, W. S., 445

Harrington, L. A., 339

Hatfield, T., 83

Hatton, H., 328

Hautier, Y., 333

hawthorn trees
 fitness and scale of spatial heterogeneity, 567
 fragmentation, 567

Hazen, T. C., 626

heat balance
 model, 122

Heath, J. E., 179

Hebert, P. D. N., 473

Heinrich, B., 104, 176–91

helminths, 140

Hemigrapsus sanguineus. *See* Asian shore crab

Henry, G. H. R., 600

herbivores, 100

herbivory
 by grasshoppers on Chinese tallow trees, 294
 on Saguaro cactus, 236

hermit crabs
 on Tokelau, 326

Hess, J., 168

Heterocephalus glaber. *See* Naked mole rats

heteropterans
 evolution of omnivory, 105

heterotrophs, 100, 486

heterozygosity
 in naked mole rats, 168

hibernation, 123
 bats, 123
 rodents, 123

Hilborn, R., 11

Hinz, H. J., 295

HIV/AIDS
 mortality in human population, 266

hoary cress
 and resource hypothesis, 295
 and soil nitrogen, 295

Hobson, K. A., 77, 242

Holland Jones, J., 318

Holland, R. A., 223

Holling, C. S., 369

Holmes, J. A., 38

Holt, B. G., 557

home range, 153

homozygosity
 from inbreeding, 276

honeybees
 and eusociality, 167
 and mutualisms, 378
 pollinators of hawthorn trees, 567

Hoppe, P. P., 104

hormone
 abscisic acid (ABA), 132
 corticotropin (ACTH), 367
 cortisol, 155, 367
 jasmonic acid, 359
 PGE₂, 110
 progesterone, 421
 testosterone, 367
 thyroxin, 210

host specificity
 American folivores in tropical and temperate forests, 443
 of folivorous insects in forests, 454

Papua New Guinea folivores in tropical vs. temperate forests, 442

Howard, E., 225

Hubbard Brook
 deforestation experiment, 514
 nutrient cycling, 514
 recovery, 515

Hudson, J. M. G., 600

Hudson’s Bay Company, 366

Hughes, T. P., 540

human footprint
 and changes to mammalian distribution, 228

human impact
 on chimpanzee populations, 308

human population, 265–9
 growth rate, 265
 mortality from HIV/AIDS, 266

human population growth
 assumptions of projections, 268
 projections based on birth, death, and migration rates, 267
 variants, 268

humpback whale
 population size and mark–recapture method, 250

Hunt, T. L., 269

hunting
 chimpanzee, 304
 strategies, 104

Hutchinson, G. E., 235

hydraulic conductance
 and leaf vein density, 451
 as measure of photosynthetic capacity, 451

hydrologic cycle, 43

hygrochastic capsules, 140

Hymenoptera
 haplodiploidy, 167

Hypericum fasciculatum. *See* St. John’s wort

hyperosmotic regulators, 138

hypolithic cyanobacteria, 34

hypoosmotic regulators, 138

hypothesis, 5
 null hypothesis, 15, 132
 research hypothesis, 15, 132

hysteresis
 and alternative stable states, 543
 of a meadow ecosystem, 543

iguana lizard
 Liolaemus multiformis, 122

immigration
 abundance of small arthropods, 282
 of arthropods to Mount St. Helens, 534
 species richness of small arthropods, 282

immigration corridors
 and immigration rates, 574

- and population size, 282
- into nature preserves, 574
- immigration rates
 - and immigration corridors, 575
 - in island biogeography model, 550
- immobilization, 511
 - measured in Long-Term Intersite Decomposition Experiment, 512
- Inagaki, F., 432
- inbreeding
 - and naked mole rats, 168
 - avoidance in chimpanzees, 311
- inbreeding depression
 - in small populations, 276
- increment cores
 - at US national parks, 423
 - of trees at Glacier Bay, 525
- independent variable, 15
- indigo buntings
 - habitat preference, 572
 - reproductive success, 572
- indirect competition
 - between *Pseudacteon* parasitoids of fire ants, 345
- indirect effects
 - commonness in ecology, 627
 - of CO₂ uptake by plants, 590
 - of fish on flowering plants, 394
 - of halocarbons on surface temperature, 588
- indirect facilitation
 - of flowering plants by fish, 394
- indirect interactions, 343
 - facilitation of red algae by predators on mussels, 618
- indirect reciprocity, 172
- indirect selection
 - alarm calls in Belding’s ground squirrels, 165
 - cooperative breeding in Florida scrub jays, 166
- induced defense, 109, 356
 - synthesis and release of toxins by plants, 359
 - within species variation, 361
- infanticide
 - in chimpanzees, 316
- infectious disease
 - basic reproductive rate, 370
 - effect of vaccination program, 371
 - measles, 370
 - West Nile virus, 353
- infectious diseases
 - model of spread in host population, 370
- influx
 - in black-box models, 505
- inhibition model
 - at Glacier Bay, 532
 - of succession, 531
- interaction strength
 - and stability, 448
 - grazers and macroalgae at Tatoosh Island, 414
 - of food webs, 427
- interactions
 - strong vs. weak, 413
- interactions web
 - Mukkaw Bay, 408
- interbirth interval
 - in chimpanzees, 318
 - in North Atlantic right whales, 215
 - in southern right whale, 215
- interference competition, 328, 339
- Intergovernmental Panel on Climate Change (IPCC), 578
 - projections of climate change, 591
 - representative concentration pathways, 591
 - use of language in report, 579
- intermediate disturbance hypothesis
 - and coral diversity, 447
 - and species diversity, 446
 - wave action on ocean boulders, 447
- International Council for the Exploration of the Sea, 143
- International Fur Seal Treaty, 403
- intertidal zone
 - and competition between barnacles, 329
 - low, 614
- Intertropical Convergence Zone (ITCZ), 27, 34
- intrinsic growth rate
 - estimated in paramecia, 258
 - in exponential growth model, 258
- invasive species. *See also* non-native species
 - American mink, 339
 - enemy release hypothesis, 292
 - evolution of increased competitive ability hypothesis, 293
 - kudzu, 292
 - Mnemiopsis leidyi* in the Black Sea, 501
 - red fox, 235
 - red imported fire ants, 345
 - resource hypothesis, 295
 - Taraxacum officinale*, 330
 - tree of heaven, 292
 - yellow crazy ants, 326
- inventory
 - of Lepidoptera and their parasitoids, 470
- iron hypothesis, 87, 111
- Isla Victoria
 - effects of mycorrhizae deficiency, 381
- island biogeography
 - and fragmentation, 570
 - and immigration corridors, 574
 - management implications, 574
- island biogeography model
 - equilibrium of extinction and immigration rates, 550
 - testing, 551
 - testing distance effects, 552
 - testing size effects, 553
- iteroparous, 203
- ivory-billed woodpecker
 - as iconic species, 274
 - causes of decline, 276
 - controversy over evidence, 296
 - former density, 276
 - video analysis, 296
- Jackson, J. A., 296
- Jane Goodall Institute, 308
- Janzen, D. H., 388, 456–74
- Janzen–Connell hypothesis, 461–4
 - and soil pathogens, 463
 - and species richness, 462
 - predictions, 462
- jasmonic acid
 - reduction of gasshopper herbivory, 359
 - wound hormone, 359
- Jeffrey pine
 - directed dispersal of seeds by rodents, 387
- jicaro tree
 - dispersal by horses, 465
- Johnson, H. E., 343
- Johnson, Martin and Osa, 4
- Johnson, P., 48
- Johnson, S. D., 380
- Johnson, S. J., 288
- Jonasson, K. A., 124
- Jones, A. M., 384
- Jordan, D. B., 91
- Jørgensen, C., 160
- Journey North, 225
- Jubaea dispersa*. *See* *Jubaea* palm
- Jubaea* palm
 - on Rapa Nui, 248
- Judas, M., 554
- Kacelnik, A., 157
- Kahama social group, 305
- Kalande social group, 300, 305, 315–16
- Kalka, M. B., 355
- Kamil, A. C., 190
- Kandori, I., 330, 349
- kangaroo rat
 - adaptation for concentrating urine, 136
 - increasing insects in diet, 137
 - minimizing heat gain and water loss, 136
- Karban, R., 204
- Kasekela social group, 300, 305, 315
- Kaufman, M. J., 422
- Kay, R., 103

Kays, R. W., 227
Keeling, C. D., 581
Keith, L. B., 366
Keller, L. F., 66
kelp
 and trophic cascade, 404
 distribution in relation to light, 230
 distribution in relation to UV radiation, 231
 forest, 49
Kelson, K. R., 227
Kennedy, D., 172
Kenward, R. E., 154
Keogh, J. S., 160
Kerby, J., 601
Kessler, A., 360
keystone species
 absence in tropical intertidal zone, 621
 and community importance, 411
 and community structure, 407
 context dependency in *Pisaster*, 409
 Pisaster ochraceus, 407
Keystone Workshop, 411
Kideys, A. E., 502
Kiers, E. T., 391
killer whales
 predation on sea otters, 406, 424
 reclassification, 472
Kingsland, S. E., 363
Kinnear, J. E., 235
Kishino, H., 215
Klak, C., 139
Kleiber, M., 198
Kleypas, J. A., 24
Knight, T. M., 394
Knowlton, A., 196
Koenig, W. D., 217
Kohn, M. H., 251
Kosaka, Y., 593
Kraus, S. D., 214
Krauss, S. D., 196
Krebs, C. J., 366
Krebs, J. R., 104
Kröpelin, S., 40
Kruuk, H., 8
kudzu
 invasive species, 292
Kuenen, J. G., 504
Kunte, K., 331
Kuussaari, M., 286

La Niña
 and global cooling, 593
 and the carbon cycle, 586
Lack, D., 79
lactate dehydrogenase, 120
LaDeau, S. L., 353
ladyfish, 120

Lafferty, K. D., 412
Lake Baikal, 44
Lake Tanganyika
 habitat degradation, 300
Lake Tanganyika Catchment Reforestation and Education Project (TACARE), 308
Lake Victoria, 290
 eutrophication, 292
Lake Whillans, 45
Lake Yoa, 40, 45
 and diatoms, 41
 changes to plant communities, 40
lakes, 44
 energy transfer, 489
 eutrophic, 45
 in Antarctica, 45
 nutrient enrichment and CO₂ flux, 492
 nutrient enrichment and primary production, 492
 oligotrophic, 45
Laliberte, A. S., 227, 255
Laminaria digitata, 231
landscape, 12
landscape ecology, 566–74
landscapes
 variation in spatial configuration, 566
Large Marine Ecosystems, 623
Larix decidua. See European larch
Larson, D. W., 260
Lates niloticus. See Nile perch
Latrodectus hasselti. See redback spider
Laundré, J. W., 420
Laurance, W. F., 570–1
Le Boeuf, B. J., 221
Le Corre, M., 390
Le Quéré, C., 581
leaching
 in grasslands, 516
Leakey, L. S. B., 302
LeBauer, D. S., 484
LeBrun, E. G., 345
Leguminosae
 life history evolution, 459
Lemur catta. See ring-tailed lemurs
Lepidium draba. See hoary cress
Lepidoptera
 at Area de Conservacion Guanacaste, 470
Leptasterias hexactis
 competition with *Pisaster ochraceus*, 611
Lesica, P., 207
Leung, T. L. F., 351
liana, 32
 diversity in treefall gaps, 446
Liebhold, A., 217
Lieth, H., 482
life history classification
 Grime’s three-group scheme for plants, 198
 K-selected species, 197
 r- and *K*-selection, 197
 r-selected species, 200
life history evolution, 194–217
 in legumes, 459
life history hypothesis
 anti-predator strategy of plants, 459
life history strategies
 in sea stars, 611
life history traits
 and plant reproductive success, 459
 and resource allocation, 196
 and succession, 530
 chimpanzee, 318
 continuous reproduction, 253
 discrete reproduction, 253
 in North Atlantic right whales, 194
 in southern right whales, 215
 iteroparous, 203
 number of reproductive efforts, 203
 of passenger pigeons, 289
 offspring number and size, 201
 reproduction in gray wolves, 253
 reproduction in paramecia, 256
 semelparous, 203
life history variation
 in dung beetles, 406
life tables
 assumptions, 279
 assumptions for red colobus monkeys, 281
 calculating net reproductive rate, 279
 chimpanzees, 318
 red colobus monkeys, 278
light
 distribution of marine algae, 230
Likens, G. E., 514
limiting resource, 87
Lin, L.-H., 29
linden, 32
linear programming model
 of foraging in the savanna, 417
Link, J., 414
linkage density
 of northwest Atlantic food web, 415
Liolaemus multiformis. See iguanid lizard
Lipo, C. P., 269
litter bags
 measuring decomposition rates, 512
little brown bat, 124
Littorina littorea. See periwinkle
Loberg Lake, 70
lodgepole chipmunks
 absence of elevational range shift, 599
 large population and maintenance of genetic diversity, 600
lodgepole pine
 and serotiny, 530

at Yellowstone National Park, 523
on Isla Victoria, 381
logistic growth
 Clidemia hirta, 264
 in paramecia, 264
logistic growth model, 263
Lomas, M. W., 509
Long Term Ecological Research
 Hubbard Brook, 514
 provisions, 633
Long, S. P., 589
Long-Term Intersite Decomposition
 Experiment
 decomposition and immobilization, 512
Lonsdale, P., 48
Lotka, A. J., 335, 363
Lotka–Volterra competition model, 333–8
 assumptions, 338
 derivation, 334
 predictions, 335
Lotka–Volterra predation model, 350–65
 derivation, 364
 extensions, 368
 predictions, 364
Lovejoy, T. E., 569
low intertidal zone
 abundance of species, 614
 distribution of species, 614
Lowe, C. H., 229, 236
Lubchenco, J., 608–28
Ludwig, F., 417
Luehea seemanni. *See* linden
Lundberg, A., 152
Lupinus latifolius. *See* broadleaf lupine
Lutra lutra. *See* Eurasian otter
Luttge, U., 93
Lyons, T. W., 95

MacArthur, R. H., 197, 549
MacLulich, D. A., 366
macroparasites, 353
Macropygia mackinlayi, 332
Macropygia nigristrois, 332
Magicalcada. *See* periodical cicadas
Mahowald, N., 509
Main, T., 108
mammal community
 extinctions in Central America, 464
Mandarte Island, 261
Manduca sexta. *See* sphinx moths
mangrove forest, 50
maquis. *See* temperate shrubland
Mara ecosystem, 17, 357
‘March of the Penguins’, 159
marginal value theorem, 156
 and yarrow root behavior, 157
 copulation duration, 157
 patch residence time, 156
 test with starlings, 157
Marine Biological Laboratory
 Lubchenco’s inspiration, 611
mark–recapture
 in monarch butterflies, 225
mark–recapture method
 assumptions, 251
 formula, 250
Marquez, L. M., 386
marsupial
 phylogeny, 562
marsupial mouse, 203
Martin, J. H., 87, 111
Martin, P. S., 464
Masai Mara National Reserve, 14
Mastomys natalensis. *See* natal multimammate
 rat
Matama, H., 307
mating system
 effects of territory size, 163
mating systems, 158–64
 monogamy, 159
 polyandry, 163
 polygynandry, 160
 polygyny, 162
 types of, 159
matorral. *See* temperate shrubland
matric potential, 129
matrix
 and landscapes, 566
 buffer against extinctions, 570
Matson, P. A., 482
Matson, S. E., 626
Matthes, U., 260
Mauna Loa
 atmospheric CO₂ levels, 581
May, R. M., 370, 448
Maynard, J. A., 384
Mayr, E., 73
McClanahan, T. T., 384
McCulloch, G., 9
McGraw, J. B., 352
McGrew, W. C., 304
McLoughlin, S., 560
McNatty, A., 346
McNaughton, S. J., 12
McNickle, G. G., 157
measles
 population cycles, 370
 spread in humans, 370
medaka, 61
Mediterranean Sea ecosystem
 inverted biomass pyramid, 488
Mediterranean toothcarp, 339
medium ground finch, 64, 79
Mee, L. D., 519

megafaunal dispersal syndrome, 465
Megaptera novaeangliae. *See* humpback whale
Melanoplus femurrubrum, 543
Melitaea cinxia. *See* Glanville fritillary butterfly
Melospiza melodia. *See* song sparrow
Menge, B., 611
Menge, B. A., 409, 611, 614, 623
Mercado-Silva, N., 238
meridional overturning circulation
 and CO₂ flux, 583
mesquite tree, 233
meta-analyses
 and box plots, 98
 and effect size, 98
meta-analysis
 biodiversity hotspots and pollen limitation,
 381
 immigration corridor function, 574
 indirect effects of increased CO₂, 591
 nitrogen and phosphorus concentrations in
 leaves, 98
 nutrient limitation of NPP, 485
 of FACE experiments on plants, 589
 patterns of species–area relationships, 555
 recovery of species richness following
 disturbance, 538
metabolic rate
 in sphinx moths, 179
 mammals, 198
metapopulation
 of Glanville fritillary butterfly, 259, 283
 of red colobus monkeys, 282
 stability, 284
methane
 greenhouse gas, 587
 human-generated emissions, 587
Michaelidis, C. I., 151
Michaelis constant, 119
Michener, C., 458
microorganisms
 adaptations to induce rot, 465
microparasites, 353
 model of spread within populations, 370
microsatellite, 79, 160
middens, 218
 on Rapa Nui, 247
Mieth, A., 247, 270
migration, 223
 in Glanville fritillary butterfly, 259
 in green darner dragonflies, 223
 of insects, 223
Millennium Ecosystem Assessment, 288, 495
 drivers of ecosystem change, 479
 objective, 479
 recommendations, 496
Mills, L. S., 249
mineralization, 511

Mitchell, C. E., 293
Mitumba social group, 300, 315
Mnemiopsis leidyi
 invasive species in the Black Sea, 501
Moai, 246
model organism
 Arabidopsis thaliana, 96
 chimpanzees, 307
 Glanville fritillary butterfly, 283
 golden dungfly, 157
 Paramecium, 256
 zebrafish, 632
models, 10–11
 and complexity, 333
 and predictors, 239
 black-box or input–output, 505
 classification tree, 239
 complexity vs. realism, 368
 coupled atmosphere–ocean general
 circulation, 591
 coupled earth system, 591
 equilibrium model of island biogeography,
 550
 exponential growth, 257
 facilitation model of succession, 531
 future nitrogen fixation, 508
 general circulation, 591
 geometric growth, 254
 group size in ring-tailed lemurs, 155
 heat balance, 121
 indirect selection, 165
 infectious disease in host populations, 370
 inhibition model of succession, 531
 linear programming of grass in diet, 417
 logistic growth, 263
 Lotka–Volterra competition, 333–8
 Lotka–Volterra predation, 363–5
 marginal value theorem, 156
 NCEAS of precipitation on NPP, 483
 population size estimate, 249
 population viability analysis, 277
 populations declines from West Nile virus,
 353
 prisoner’s dilemma, 169
 rainbow smelt invasion, 239
 sensitivity, 239
 species stability, 448
 species–area relationship, 549
 specificity, 239
 territoriality, 152
 testing early climate models, 593
 tolerance model of succession, 531
 validation, 240
 water balance, 128
modifier genes, 61
modular organisms, 248
Moegistorhynchus longirostris, 381
Moisander, P. H., 506
molecular clock hypothesis, 565
Molina, M. J., 588
Molothrus ater. *See* brown-headed cowbird
monarch butterflies
 and spring migration, 225
 fall migration, 224
Monarch Watch, 224
Mondal, M. S., 51
monito del monte
 phylogeny, 562
 reconciling distribution and phylogeny, 562
monocultures
 negative effects on ecosystems, 397
 of plants and species stability, 449
monogamy
 in birds, 159
monsoon, 28
Montoya, J. P., 505
moor frog
 and growth rates, 212
 transgenerational phenotypic plasticity, 212
morel mushroom, 252
Morford, S. L., 506
Morin, P. A., 472
Morris, W., 318
mortality
 in chimpanzees, 315
 in eastern white cedar, 260
 in honeybees, 380
 in the alfalfa caterpillar, 261
 marine organisms from BP oil spill, 627
 of trees from edge effect, 571
mosquito larvae
 competition in bromeliad pools, 341
Moss, R. H., 591
Mount St. Helens
 and primary succession, 526
 arthropod recovery, 534
 biological legacies, 533
 disturbance zones, 526
 eruption, 522
mountain pine, 117
Mouristen, K. N., 372
Mugil cephalus. *See* mullet
Mukkaw Bay
 food web, 407
Mulder, C., 109
mule deer
 apparent competition with bighorn sheep,
 343
Mulholland, P. J., 513
mullet, 120
Mumme, R., 167
Murray, C. M., 314
mussels
 abundance and *Pisaster* removal, 409
 constitutive defenses, 361
 increased shell thickness as induced
 defense, 361
 survival and *Pisaster* removal, 410
 wave action and abundance, 614
mutation, 62
 ABA-deficiency, 132
 compensatory, 68
mutualism, 23, 378
 ants and acacia trees, 388
 ants and *Duroia hirsuita*, 389
 consequences of disruption, 378
 coral and zooxanthellae, 383
 disruption by habitat fragmentation, 288
 disruption by monocultures, 397
 evolutionary stability, 391
 food benefit, 385
 habitat benefit, 385
 honeybees and flowering plants, 379
 legumes and *Rhizobium*, 391
 multiple benefits to both species, 388
 plant roots and mycorrhizae, 381
 plants and pollinators, 380
Mycobacterium tuberculosis, 62, 66
 and natural selection, 63
mycorrhizae
 deficiency on Isla Victoria, 381
mycorrhizal associations, 381
Myotis lucifugus. *See* little brown bat
Myrmelachista schumanni
 mutualism with *Duroia hirsuita*, 390
Mytilus edulis. *See* mussels
naked mole rats
 and eusociality, 167
 coefficient of relatedness (*r*), 168
 inbreeding, 168
Nams, M. L., 600
natal multimammate rat, 16
National Center for Ecological Analysis and
 Synthesis
 model of NPP, 483
National Oceanic and Atmospheric
 Administration (NOAA), 608
 catch-share programs, 625
 Lubchenco as director, 625
natural forcings
 and climate model projections, 593
natural selection, 62–77
 against hybridization, 83
 alarm calls in Belding’s ground squirrels,
 165
 and animal behavior, 146
 and community interactions, 459
 and heritability of a trait, 63, 66
 and human behavior, 147
 and specialized pollination systems, 380

- directional selection, 66
- evolution of antibiotic resistant bacteria, 63
- evolution of beak morphology in Darwin’s finches, 64
- evolution of dermal plates in sticklebacks, 69–71
- evolution of induced defenses in mussels, 361
- fluctuating environment, 67
- inclusive fitness, 164
- induction of rot by microorganisms, 465
- operating on individuals, 186
- sexual selection, 73
- Nature Conservancy, 623
- nectar robbers, 392
- negative feedback
 - increased CO₂ and photosynthesis, 590
 - warming and cloud formation, 589
- neonicotinoid pesticides
 - effects on bees, 397
- Neotoma*. *See* packrats
- Neovison vison*. *See* American mink
- net primary production (NPP)
 - and precipitation on Maui, 482
 - global distribution, 480
 - global marine, 481
 - limited by nitrogen, 483
 - measured by biome, 480
 - nutrient limitation in aquatic systems, 485
 - regional and climate, 482
 - relation to gross primary production, 480
- net reproductive rate
 - of infectious disease, 370
 - projecting future population growth, 279
- neurotransmitter
 - acetylcholine, 120
- Newman, D., 277
- Ngorongoro Crater, 3
- Niagara escarpment
 - distribution of deciduous trees, 230
 - distribution of eastern white cedar, 229
- niche, 218–38
 - and species distribution, 235
 - fundamental, 237
 - Hutchinson’s definition, 235
 - n*-dimensional hypervolume, 235
 - of Saguaro cactus, 235
 - realized, 237
- niche differentiation hypothesis
 - and community stability, 451
- niche dimension hypothesis
 - species richness, 444
- niche partitioning
 - between *Pseudacteon* parasitoids, 346
 - mosquito larvae in bromeliad pools, 341
- niche shift
 - in American minks, 340
 - of Tokelau crab diet, 346
 - response to competition, 339
- Nicholson, M., 366
- Nicotiana attenuata*. *See* tobacco
- Nieminen, M., 284, 298
- Nile perch
 - and extinction of *Haplochromis*, 292
 - introduction to Lake Victoria, 290
- Nilsson, M. A., 562
- nitrate uptake velocity
 - measured with tracer nitrate, 513
- nitrates
 - at Hubbard Brook, 514
 - indirect effects, 506
- nitrification
 - and nitrogen cycle, 503
- nitrifying bacteria
 - oxidation of nitrite, 503
- nitrogen
 - fixation, 97
 - limitation of NPP, 484–5
 - use by decomposers, 512
- nitrogen cycle
 - and microorganisms, 502–5
 - use of nitrofen fertilizer, 506
 - weathering of bedrock, 506
- nitrogen fixation, 502
 - and primary succession, 533
 - by *Rhizobium*, 391
 - human impact, 502
 - model based on human behavior, 508
 - molecular reaction, 502
- nitrogen mineralization
 - and yellow rattle, 354
- nitrogenase
 - and nitrogen fixation, 502
- nitrosifying bacteria
 - oxidation of ammonia, 503
- nitrous oxide
 - greenhouse gas, 587
- nonconsumptive effects
 - and exploitation, 366
 - Canada lynx on snowshoe hare, 366
 - dragonflies scaring bees away from plants, 395
 - predation risks and elk populations, 420
- non-native species. *See also* invasive species
 - as causes of extinction, 290
- North American Breeding Bird Survey, 353
- North Atlantic right whales
 - abundance, 194
 - and ship collisions, 195
 - birth rates, 215
 - constraints on recovery, 195
 - endangered species, 194
 - life history traits, 194
 - survival rates, 195
- North Pacific Subtropical Gyre
 - and phosphorus limitation, 510
 - change in phytoplankton community, 510
- Northwest Atlantic food web
 - and linkage density, 415
- Norton-Griffiths, M., 14
- Novotny, V., 436, 438, 441
- Nowak, M. A., 172
- null hypothesis
 - foraging by Balearic lizards, 149
- Nuñez, M. A., 381
- Nunn, C. L., 412
- nurse plants, 232
 - thermal environment hypothesis, 233
- nutrient cycling
 - contrasted with energy flow, 502
 - Hubbard Brook, 514
 - within ecosystems, 511–17
- nutrient flux
 - at Hubbard Brook, 515
 - in black-box models, 505
- nutrient sink
 - in black-box models, 505
- nutrient source
 - in black-box models, 505
- nutrient spirals
 - in stream ecosystems, 511
- nutrients
 - and phytoplankton, 87
 - effects on NPP, 483
 - essential, 97
 - in the Serengeti, 12
 - iron hypothesis, 87
 - limitation of NPP in aquatic systems, 485
 - limiting, 97
 - limiting and species diversity, 444
 - nitrogen, 97
 - phosphorus, 98
 - ratio, 107
 - retention in ecosystems, 516
- O’Riain, M. J., 168
- Obama, B., 625
- Oberhauser, K., 224
- observations, 10
- ocean. *See also* open ocean
 - acidification, 580
 - CO₂ sink, 580
 - low diversity of flowering plants, 431
- ocean vent community, 48, 97
- oceans
 - and testing projections of AOGCMs, 594
- Odocoileus hemionus*. *See* mule deer
- Odum, E. P., 478
- Odum, H. T., 487
- Ogada, D. L., 439

- Ogren, W. L., 91
oligotrophic lake, 45
omnivores, 100
 adaptations, 104
omnivory
 evolution in fish, 104
 evolution in heteropterans, 105
On the Origin of Species, 164
Oncorhynchus clarki. *See* cutthroat trout
Oncorhynchus kisutch. *See* coho salmon
Oncorhynchus mykiss. *See* rainbow trout
open ocean. *See also* ocean
 and the carbon cycle, 580
 biome, 47
 chemical reactions with inorganic carbon molecules, 580
Orcinus orca. *See* killer whales
Oren, D. C., 569
Orliac, C., 247
Orr, J., 597
Oryzias latipes. *See* medaka
Osmerus mordax. *See* rainbow smelt
osmoconformers, 137
osmolarity, 137
osmoregulators
 hyperosmotic regulators, 138
 hypoosmotic regulators, 138
 salmon, 138
osmosis, 129
Otaria flavescens. *See* South American sea lion
overexploitation
 and extinction, 288
overyielding
 and species diversity, 451
Ovis canadensis. *See* bighorn sheep
Ovis canadensis sierrae. *See* Sierra Nevada bighorn sheep
Oxyanthus pyriformis pyriformis, 288
 pollination mutualism with hawkmoths, 288
oxygen
 levels in Spirit Lake, 535
Oyamel fir, 224
oystercatcher
 predator on cockles, 351
Ozgul, A., 598
ozone
 greenhouse gas, 587
ozone layer
 protection from UV-B radiation, 602
 understanding of ozone hole, 602

Pacific salmon, 203
Packer, A. P., 463
packrats
 and middens, 218
Pagothenia borchgrevinki, 137

Paine, R. T., 407, 414
 Lubchenco's advisor, 611
Palamino, J. C., 63
Paleocene–Eocene Thermal Maximum
 and greenhouse gases, 594
paleoecology, 39
 sediment core sampler, 40
Palmyra Atoll, 494
palo verde tree, 233
Pan troglodytes. *See* chimpanzees
Pan, Y., 585
Panax quinquefolius. *See* American ginseng
Pangaea
 breakup into continents, 557
panic grass
 mutualism with *Curvularia*, 385
Papua New Guinea
 and beta diversity, 436
Paramecium
 continuous reproductive life history, 256
Paramecium aurelia
 logistic growth, 264
Paramecium caudatum
 logistic growth, 264
parasites
 and food webs, 411
 effects of precipitation on distribution, 140
 effects of trematodes on cockles, 351
parasitoids
 at Area de Conservacion Guanacaste, 470
 biological control of fire ants, 345
parataxonomists
 at Area de Conservacion Guanacaste, 469
Pardonnet, S., 446
parental investment
 in relation to number of offspring, 202
 offspring size, 201
Parker, G. A., 157
Parks, S. E., 195
Parmesan, C., 141
partial pressure
 in CO₂ flux equation, 583
Parton, W., 512
Parus major. *See* great tit
Paschalococos disperta. *See* Jubaea palm
passenger pigeon
 and technology, 289
 extinction from overexploitation, 289
Passerina cyanea. *See* indigo buntings
Paxton Lake, 81
pea weevils
 as seed predators on legume, 459
Pearson, O. P., 122
Peay, K. G., 554
Peichel, C. L., 61

PEPCase (phosphoenol pyruvate carboxylase), 91
per capita growth rate
 in chimpanzees, 318
 in exponential growth model, 258
percent cover
 estimate of abundance, 253
 in desert grasslands, 416
 reduction by coral bleaching, 536
periodical cicadas, 204
 predator saturation hypothesis, 204
periwinkles
 herbivory on ephemeral algae, 619
 herbivory on *Fucus*, 620
 wave action and abundance, 614
permafrost, 30
Perry, A. L., 142
Peterson, A. T., 224
Peterson, D., 307
Peterson, R. O., 420
Petit, S., 285
Petren, K., 79
Petrogale lateralis. *See* black-footed rock wallaby
Pfennig, D. W., 209–10
phenology
 effects of climate change, 141
phenotypic plasticity
 and environmental variation, 209
 developmental in the spadefoot toad, 209
 phenological in the great tit, 211
 response to climate change, 601
 transgenerational in the moor frog, 212
Phillips, B. L., 85
phosphates
 effect of *Glomus intradices* on leaching, 516
phosphorus
 in soils, 98
 limitation of NPP, 485
phosphorus cycle, 509–11
phosphorus limitation
 North Pacific Subtropical Gyre, 510
Photinus greeni. *See* firefly
photoinhibition, 95
photons, 24
photorespiration, 91
 benefits, 95
 evolution, 95
photosynthesis, 88–97
 and ATP, 89
 and CO₂ uptake rate, 100
 and NADPH, 89
 C₃, 90
 C₄, 91
 Calvin cycle, 90
 CAM, 92
 carbon fixation reactions, 90

- chemical reaction, 88
- CO₂ uptake in FACE experiments, 589
- light reactions, 89
- photorespiration, 92
- photosystems, 89
- pigment molecules, 89
- rubisco, 90
- photosystems, 89
- Phyllobates terribilis*. See Poison-dart frog
- phylogenetic tree, 79
 - Geospiza*, 79
- phylogeny, 79
 - of marsupials, 562
 - of tropical and temperate forest trees, 441
- phylogeography
 - and molecular analyses, 562
 - monito del monte migration and evolution, 563
- phytoplankton
 - in eutrophic lakes, 45
 - in Lake Yoa, 41
 - inverted biomass pyramid, 487
 - iron limitation, 113
 - recovery at Spirit Lake, 535
 - viewed from space, 86
- Pianka, E. R., 197
- Picea sitchensis*. See Sitka spruce
- pie chart
 - initial estimates of oil fate, 610
- Pilson, D., 277
- pine trees
 - and need for mycorrhizae, 381
- Pinus cembra*. See Cembran pine
- Pinus contorta*. See lodgepole pine
- Pinus mugo*. See mountain pine
- Pinus muricata*. See bishop pine
- Pinus ponderosa*. See ponderosa pine
- pinyon pine
 - core samples, 219
 - distribution at Dutch John Mountain, 219
 - fossils, 219
- pioneer species, 130, 198
 - and edge effect, 571
 - and succession, 530
- Pisaster*
 - removal experiment, 408
- Pisaster ochraceus*
 - competition with *Leptasterias hexactis*, 611
 - keystone species, 407
- Pisaurina mira*, 543
- pitfall traps
 - for arthropods, 534
- place-specific management practice
 - Del Oro Corporation and orange peels, 471
 - Gmelina* plantations for restoration, 472
- plate tectonics
 - mechanism for continental drift, 560
 - solution to biogeographic regions puzzle, 560
- Plowright, W., 9
- pneumatophores, 132
- Poa pretensis*, 543
- Podarcis lilfordi*. See balearic lizard
- poison ivy, 359
- poison-dart frog, 109
- polar bears
 - climate change and demography, 597
 - listing as threatened species, 598
 - survival rates, 597
- polar cell, 28
- politics
 - and restoration of Area de Conservacion Guanacaste, 468
 - and the IPCC report, 579
 - departmental at Harvard University, 548
 - Goodall as environmental activist, 307
 - Lubchenco's involvement, 623
- pollen limitation
 - in St. John's wort, 396
 - in tropical forests, 380
- pollination
 - by honeybees, 379
 - commercial value, 379
- pollination rate
 - of St. John's wort, 395
 - of hawthorn, 567
- pollinators
 - specialists vs. generalists, 380
- polyandry
 - in the spotted sandpiper, 163
- polygynandry
 - in odonates, 160
 - in the Australian toadlet, 160
- polygyny
 - female defense, 162
 - female defense in Argentinian South Atlantic sea lions, 223
 - in mammals, 162
 - lek, 162
 - lek in Peruvian South Atlantic sea lions, 223
 - resource defense, 162
- polymerase chain reaction
 - and *Thermus aquaticus*, 137
 - used in accumulation curve estimates, 251
- polymorphism
 - red imported fire ants, 345
 - spadefoot toad morphs, 209
 - stickleback dermal plates, 60
- Polynesian rat
 - as invasive species, 270
 - cause of Jubaea palm extinction, 270
- polyphagous insects, 106
- ponderosa pine
 - and seed predation, 539
 - on Isla Victoria, 381
- pools
 - in black-box models, 505
- population, 12
- population bottleneck
 - and reduction of genetically effective population size, 277
- population cycles
 - Canada lynx and snowshoe hare, 365
 - natal multimammate rat and black-shouldered kite, 16
 - number of measles infections, 370
 - predicted by Lotka–Volterra predation model, 364
- population density, 259
 - in tropical intertidal zone, 620
 - of mussels following *Pisaster* removal, 409
- population growth, 246
 - and age structure, 266
 - assumptions of models, 259
 - humans, 265–9
 - in *Clidemia hirta*, 264
 - in paramecia, 264
 - of sheep in Tasmania, 259
- population regulation
 - of American ginseng by deer, 352
 - of birds by West Nile virus, 353
 - of forest arthropods by birds and bats, 355
 - of grassland plants by yellow rattle, 354
- population size, 246–70. See also abundance
 - accumulation curve analysis, 251
 - and extinction rate, 276
 - and genetic drift, 276
 - and genetic variation, 276
 - effect of food availability in the song sparrow, 261
 - estimating, 248–53
 - humpback whale, 250
 - mark–recapture method, 250
 - modular organisms, 252
 - of amphibians, 573
 - of chimpanzees, 315
 - of gray wolf, 254
 - of song sparrow, 261
 - quadrat sampling, 249
 - small populations and inbreeding depression, 276
- population viability
 - chimpanzees, 321
- population viability analysis, 277
 - count-based, 277
 - demographic, 278
 - of American ginseng, 353
 - of red colobus monkey, 278

- positive feedback
 - warming and water evaporation, 589
- Post, D. M., 493, 601
- Poulin, R., 351, 372
- Poulter, B., 586
- Poveda, K. I., 431
- power functions
 - and exponents, 199
 - and graphs, 200
 - and logarithms, 199
 - resting metabolic rate and body weight, 199
 - species richness and island area, 549
- Power, A. G., 293
- Power, M. E., 411
- Pöyry, J., 438
- precipitation, 26–8
 - and atmospheric pressure, 26
 - and net primary production, 482
 - and parasite distribution and abundance, 140
 - global patterns, 27
 - monsoon, 28
 - projections to 2100, 592
- predation
 - and community structure in low intertidal zone, 614
 - by birds on caterpillars, 185
 - by birds on periodical cicadas, 204
 - by Canada lynx on snowshoe hare, 365
 - by chimpanzees on red colobus monkeys, 278
 - by killer whales on sea otters, 406
 - by sea otters on sea urchins, 404
 - by wolves on elk, 420
 - intensity of predation by *Pisaster* on mussels, 409
 - on song sparrows, 261
 - strategies, 104
- predation risk
 - and elk behavior, 420
- predator release hypothesis, 8
- predator saturation
 - in legumes, 461
 - in passenger pigeons, 289
 - in periodical cicadas, 204
- predators
 - established communities in low intertidal zone, 618
- prediction, 5
- pressure potential, 129
- Pride, R. E., 154
- primary consumers, 486
 - as second trophic level, 403
- primary production, 23
 - in Spirit Lake, 535
- primary succession, 524–8
 - and chronosequences, 524
 - at Mount St. Helens, 532
 - facilitation model, 531
 - stages at Glacier Bay, 524
- Pringle, R. M., 290
- prisoner’s dilemma
 - evolution of cooperation, 169
 - TIT for TAT, 170
- Prochlorococcus*
 - low phosphorus needs, 510
 - super-abundance in North Pacific subtropical Gyre, 510
- Procolobus rufomitratus*, 278
 - see red colobus monkey
- producers, 486
 - as first trophic level, 403
- production. *See also* net primary production (NPP)
 - at Silver Springs ecosystem, 487
 - effects of global warming in tundra, 600
 - gross primary production (GPP), 480
 - net primary production (NPP), 480
 - secondary production, 480
 - trophic efficiency, 487
- production efficiency
 - and energy transfer, 489
 - endotherms vs. ectotherms, 491
- productivity
 - effect on microorganism community resilience, 449
- progesterone
 - in elk populations, 421
- Prosopis velutina*. *See* Mesquite tree
- Prunella modularis*. *See* dunnock
- Prunus serotina*. *See* black cherry
- Pseudacteon curvatus*
 - outcompeting *Pseudacteon tricuspis*, 345
 - parasitoid on fire ants, 345
- Pseudacteon tricuspis*
 - parasitoid on fire ants, 345
- Pseudophryne bibronii*. *See* Australian toadlet
- Pseudotsuga menziesii*. *See* Douglas fir
- Pueraria lobata*. *See* kudzu
- Puma concolor*. *See* cougars
- Pusey, A. E., 300, 310–14, 318
- P-value, 15, 151
- Pyrolobus fumarii*, 137
- quadrat, 249
- Quercus acuta*, 100
- Quercus cerrata*, 100
- Quercus crispula*, 100
- Quercus glauca*, 100
- questions in ecology
 - attributes of good questions, 633
 - Heinrich’s, 178
 - virtues of nondirected activity, 184
- radiative forcing
 - of greenhouse gases, 587
- radioactive carbon (¹⁴C)
 - fossil fuel dilution of atmospheric CO₂, 581
- rainbow smelt
 - distribution, 237
 - introduction to Great Lakes, 238
 - invasive species, 237
 - realized niche, 237
- rainbow trout
 - enzyme efficiency, 120
 - in Spirit Lake, 535
- rainfall
 - bottom-up control, 416
 - in the Serengeti, 12
- Ramankutty, N., 52
- Rana arvalis*. *See* moor frog
- range contraction
 - and human footprint, 228
 - influence on genetic diversity, 599
- Rangifer tarandus*. *See* caribou
- rank
 - and chimpanzee reproductive success, 313
 - benefits to females, 314
 - foraging success in chimpanzees, 314
- Rapa Nui, 246
 - ahu, 246
 - arrival date of colonists, 247
 - colonization, 269
 - moai, 246
- Rattus exulans*. *See* Polynesian rat
- ravens
 - and problem solving, 190
 - and social awareness, 189
 - foraging on carcasses, 186
 - insight learning, 187
 - tool use, 187
 - yelling, 186
- Ravens in Winter*, 186
- realized niche, 237
- recovery
 - of ants following disturbance, 537
 - of Black Sea ecosystem, 519
 - of North Atlantic right whale, 214
 - of willows at Yellowstone, 422
- recruitment
 - in pinyon pines, 219
 - of coral, 536
 - of seedlings in eastern white cedar, 260
- red algae
 - wave action and abundance, 614
- red colobus monkey
 - as chimpanzee prey, 304
 - life tables and predation by chimpanzees, 279
 - population viability analysis, 278
- red fox
 - as invasive species, 235
 - effect on native Australian species, 234

- red imported fire ant
 - invasive species, 345
- red mangrove, 50
 - defaunation, 551
 - islands, 551
- Red Queen hypothesis
 - host–parasite interactions, 363
 - predator and prey sprint speed, 362
 - predator–prey coevolution, 362
- redback spider, 72
 - mating effort hypothesis, 72
 - paternal effort hypothesis, 72
- Redman, R. S., 385
- Reeve, H. K., 168
- refuges
 - spatial from predators, 622
 - time of year, 622
- Regehr, E. V., 597
- regime shifts
 - in coral reef ecosystems, 540
- region, 12
- regression analyses, 15
- regression line, 15
- Reimchen, T. E., 70, 85
- reintroduction
 - gray wolves into Yellowstone ecosystem, 254
- relative neighbor effect
 - and facilitation, 393
- reproductive effort model, 206
 - tested in agave plants, 207
 - tested in yucca plants, 207
- reproductive success, 72
 - in chimpanzees, 313
 - in polar bears, 597
 - plants life history traits, 459
- research hypothesis
 - foraging by Balearic lizards, 149
- research programs
 - analogy to biological hierarchy, 632
 - Goodall at Gombe Stream, 302
 - Heinrich’s six questions, 178
 - Janzen and Hallwachs in Costa Rica, 458
 - Lubchenco and marine systems, 611
 - Pusey at Gombe Stream, 310
 - Sinclair in the Serengeti, 4
- reservoirs, 43
 - in black-box models, 505
- residuals
 - at Yellowstone National Park, 528
- resilience
 - and community stability, 448
 - and microorganism species richness, 449
 - coral reefs after bleaching, 540
 - of Black Sea ecosystem, 519
- resource allocation
 - and life history traits, 197
- resource availability or energy supply
 - hypothesis, 493
- resource competition, 328, 339
- resource hypothesis, 295
- resource partitioning
 - in sea stars, 612
- resting metabolic rates
 - Kleiber’s analysis, 198
- restoration
 - growing fragments at Area de Conservacion Guanacaste, 471
 - need in Yellowstone ecosystem, 544
 - of Area de Conservacion Guanacaste, 468
 - of Santa Rosa, 468
- retroposons
 - resolution of marsupial phylogeny, 563
- Rhabdomys pumilio*. See striped mouse
- Rhinanthus minor*. See yellow rattle
- Rhinella arenarum*, 118
- Rhizobium*, 502
 - cost of nitrogen fixation, 391
 - nitrogen fixation, 391
- Rhizobium*–legume mutualism
 - and cheating, 391
 - benefits to legumes, 391
 - benefits to rhizobia, 391
- Rhizophora mangle*. See red mangrove
- rifampicin, 63
- Riftia pachyptila*. See tube worm
- righting reflex, 119
 - in *Liolaemus multiformis*, 122
- rinderpest, 9–10
- rinderpest release hypothesis, 9
- ring-tailed lemurs, 154
- Ripple, W. J., 227, 255, 419, 422–3
- rivers, 44
 - and food chain length, 493
- RNA analysis
 - of honeybee colonies, 397
 - of prokaryotes, 432
- rocky intertidal zone
 - community development and persistence, 614
- rodents
 - and hibernation, 123
- Rodriguez, R. J., 386
- Rogers, W. E., 294
- Romme, W. H., 544
- Roossinck, M., 386
- root–shoot ratio, 132
 - control by ABA, 132
- Roots and Shoots, 309
- Rosenberg, R., 52, 502
- Rosenzweig, M. L., 206
- Rossiter, M. C., 110
- Rowland, F. S., 588
- Rubidge, E. M., 599
- rubisco, 95
 - specificity, 95
- Rudicell, R. S., 315, 317
- Ruff, S., 227
- Running, S. W., 480
- Ruschioideae, 139
- Russell, R. W., 223
- Saab, I. N., 132
- Sabo, J. L., 493
- Saccorhiza dermatodea*, 231
- Sage, R. F., 91–2
- saguaro cactus
 - and nurse plants, 232
 - climate and distribution, 229
 - minimizing heat gain and water loss, 134
 - niche dimensions, 235
- Saguinus oedipus*. See cotton-top tamarins
- Sahara
 - transitions to biome, 38–41
- salinity
 - effect on competition, 339
 - in Lake Yoa, 41
 - in oceans, 42
- Salmo salar*. See Atlantic salmon
- salt marsh, 50
- samples
 - means, 31
 - measures of variation, 37
 - standard deviation, 37
 - standard error of the mean, 37
 - variance, 36, 150
- sampling effect hypothesis
 - and community stability, 451
- Sanabria, E. A., 118
- Sanderson, E. W., 228
- Sapium sebiferum*. See Chinese tallow tree
- saprotrophs, 100, 511
- Saugier, B., 480
- scale
 - extent, 567
 - grain, 567
 - large-scale studies of sea otters, sea urchins and kelp, 405
 - small-scale studies of sea otters and sea urchins, 404
 - species–area relationship and spatial scale, 554
 - time in relation to sea otters, sea urchins and kelp, 406
- Scatophaga stercoraria*. See golden dungfly
- Schaffer, M. V., 207
- Schaffer, W. M., 206–7
- Schaller, G., 8

- Scheelea rostrata*
 - and drupes, 465
 - and gomphotheres, 465
- Scheffer, M., 540
- Schindler, D. W., 45, 491
- Schlesinger, W. H., 506, 509
- Schluter, D., 81
- Schmidt-Nielsen, K., 104, 135
- Schmitz, O. J., 543
- Schnitzer, S. A., 446
- Schoennagel, T., 530
- Schultz, J. C., 110
- Schuur, E. A. G., 482
- Scott Reef, 536
- sea ice
 - decline and climate change, 594
 - impact of decline on polar bear demography, 597
- sea otter
 - abundance, 402
 - and trophic cascade, 404
 - as prey of killer whales, 406
 - predation by killer whales, 424
- sea stars
 - competition between *Leptasterias* and *Pisaster*, 611
 - life history strategies, 611
 - Pisaster ochraceus*, 407
- sea urchin
 - and trophic cascade, 405
- sea urchins
 - as sea otter food, 403
- search image, 368
- Secchi depth, 239
- secondary compounds, 359
- secondary consumers, 486
 - as third trophic level, 403
- secondary production, 480
- secondary succession, 528–31
 - effect of seed predation by deer mice, 539
 - effects of soil invertebrates, 539
 - in lower intertidal, 614
- seed bank, 253
- seed predation
 - by deer mice, 539
 - by pea weevils, 459
 - by rodents of hawthorn, 567
- seed shadow, 461
- seed weight
 - of legumes and bruchid predation, 460
- Seitzinger, S., 504
- Selye, H., 118
- semelparity
 - demographic model, 207
 - extreme, 204
 - in periodical cicadas, 204
 - reproductive effort model, 206
- semelparous, 203
- sensitivity
 - model, 239
- Serengeti ecosystem, 2–19, 357
- Serengeti Research Institute, 3–5, 10
- Serengeti-Mara, 2, 4, 16, 646
- serotiny, 232
 - adaptation to fire, 530
- sexual dimorphism
 - in medium ground finches, 73
- sexual selection
 - in medium ground finches, 73
 - intersexual selection, 73
- Seymour, R. S., 126
- Shannon index
 - bird diversity, 440
 - formula, 453
 - measure of Lepidoptera diversity, 439
- Sheriff, M. J., 367
- Sherman, P. W., 165
- Sibley, D. A., 297
- Siemann, E., 294
- Sierra Nevada bighorn sheep
 - apparent competition with mule deer, 345
- Sigmund, K., 172
- Silver Springs ecosystem
 - and production, 487
 - biomass pyramid, 487
 - energy pyramid, 487
- Silverstein, S., 430
- Simberloff, D. S., 551, 553
- Simian Immunodeficiency Virus (SIVcpz), 316
- Simon, C., 204
- Sinapis arvensis*. *See* wild mustard
- Sinclair, A. R. E., 3–19, 356, 368
- sitka spruce
 - and succession, 524
 - colonization rates, 526
 - ring-width release, 547
- skipper butterfly, 474
- Slatyer, R. O., 531
- Slobodkin, L. B., 459
- Smith, J. N. M., 261
- Smithsonian Tropical Research Institute Laboratory, 620
- snowmelt date
 - and tree survival, 143
- snowshoe hares
 - population cycles, 365
 - stress response, 367
- social groups
 - benefits and costs, 153
 - benefits in pigeons, 154
 - chimpanzee, 313, 315
- social rank
 - and grooming in chimpanzees, 306
- social relationships
 - chimpanzees, 305
- Society for Conservation Biology, 275
- soil
 - nutrient levels and elephant foraging, 417
 - respiration rate, 483
 - type and pine seedling emergence, 387
- soil invertebrates
 - effect on plant succession rate, 539
- Solenopsis invicta*. *See* red imported fire ant
- Solidago rugosa*, 543
- Solomon, S., 602
- solute concentration
 - distribution of species, 137
- solute potential, 129
- Somero, G. N., 120
- song sparrow
 - and population size, 261
- Sorensen’s index
 - beta diversity in Papua New Guinea, 437
 - formula, 435
 - measure of beta diversity, 435
- Soto, K. H., 222
- Sousa, W. P., 448
- South American sea lion, 220
 - territoriality, 220
- South Atlantic sea lions
 - dispersion patterns in Argentina, 221
 - dispersion patterns in Peru, 222
- South Island oystercatcher
 - as host for *Curtuteria australis*, 351
- Southern right whale
 - abundance, 214
 - interbirth interval, 215
 - survival rates, 215
- spadefoot toads
 - and phenotypic plasticity, 209
 - omnivory vs. carnivory, 209
- spatial configuration
 - and landscapes, 566
- Spea multiplicata*. *See* spadefoot toad
- Speaker, A., 62
- speciation, 73–7, 82
 - adaptive radiation, 75
 - allopatric, 75
 - of Hawaiian drosophilids, 566
 - sympatric, 75
- species–area relationship
 - distance effect in birds, 554
 - scale-independence in birds, 554
- species coexistence
 - environmental variation, 339
 - natural systems, 339
 - niche partitioning, 341
 - niche shift, 339

- predicted by Lotka–Volterra competition model, 337
- species composition, 108
 - and edge effect, 571
 - and habitat heterogeneity of a community, 434
 - at Glacier Bay, 525
 - changes on red mangrove islands, 552
 - in Mukkaw Bay community, 408
 - slow recovery following disturbance, 538
- species diversity, 275
 - and community stability, 450
 - and limiting nutrients, 445
 - and overyielding, 451
 - and treefall gaps, 445
 - and water availability, 138
 - biotic and abiotic factors, 438–48
 - effect on species stability, 449
 - effects of abiotic factors, 443
 - effects of global warming in tundra, 600
 - in land vs. water and abiotic effects, 443
 - influence on microorganism community resilience, 451
 - of bacteria and tree hole size, 554
- species richness, 12, 432
 - and fragment size, 569
 - and habitat split, 573
 - and island size, 553
 - and light, 333
 - and soil fertilization, 333
 - and wave action, 447
 - as equilibrium of extinction and immigration rates, 550
 - controversy over folivorous insects, 441
 - coral and the intermediate disturbance hypothesis, 447
 - distance effects in ectomycorrhizae, 555
 - effects of biotic factors, 438
 - effects of biotic factors in Lepidoptera, 438
 - effects of large herbivores on birds, 439
 - effects on microorganism community resilience, 449
 - global plant richness, 436
 - in low intertidal zone, 614
 - in tropical forests, 32
 - in tropical vs. temperate forests, 442
 - Janzen–Connell hypothesis, 461
 - niche dimension hypothesis, 444
 - of ants after disturbance, 537
 - of ants and island area, 549
 - of earthworms, 554
 - of marine fish, 433
 - plants in the savanna, 439
 - recovery following disturbance, 538
- species stability
 - influenced by species diversity, 449
- species–area relationship
 - formula, 549
 - plants species on Galápagos Islands, 550
- species–area relationships
 - and z-values, 549
- specificity
 - model, 239
- sperm competition, 162
- Spermophilus beldingi*. *See* Belding’s ground squirrels
- sphinx moths
 - anatomy and thermoregulation, 180
 - circulatory system and thermoregulation, 180
 - flight characteristics, 180
 - metabolic rate, 179
 - temperature regulation, 179
- spinach, 124
- Spinacia oleracea*. *See* spinach
- Spirit Lake
 - chemical changes following eruption of Mount St. Helens, 534
 - primary production, 535
 - recent ecology, 544
- spotted sandpiper, 163
- Springer, A. M., 425
- spruce trees
 - and succession, 524
 - as dominant species in the taiga, 407
- St. John’s wort
 - and pollination, 395
 - pollen limitation, 396
- stability, 448–51
 - of communities, 415
 - resilience, 448
 - resistance, 448
- stability model
 - of population levels of species, 448
- stable isotope analysis, 77
 - and mangrove–sponge interaction, 50
 - and monarch butterfly roosts, 242
 - estimating food chain length, 493
 - global marine nitrogen fixation, 505
 - niche shift of Tokelau crabs, 346
 - to determine source of reactive nitrogen, 507
- stable isotope ratio, 77
- Stanford, C. B., 278
- Steenbergh, W. F., 229, 236
- Steiner, C. F., 449
- Steiner, K. E., 380
- Steinhaus, E. A., 261
- Stephan, C. I., 366
- Sterner, R. W., 108
- stickleback
 - benthic morph, 81
 - inheritance of dermal plates, 60–9
 - isolation of *Eda* gene, 61
 - limnetic morph, 81
- Stillberg long-term afforestation project, 117
- Stocker, T. F., 580, 587
- stoichiometry. *See* ecological stoichiometry
- Stokstad, E., 195, 361
- stomata
 - and tradeoffs, 90
- Stouffer, P. C., 569
- Stratford, J. A., 569
- streams, 44
 - nitrate uptake velocity, 513
 - nutrient spirals, 511
- Streisinger, G., 632
- stress
 - and facilitation, 393
 - susceptibility of bees to pathogens, 397
 - thermal in coral, 596
- stress response, 118
 - in snowshoe hares, 367
- striped mouse, 140
- Strong, D. R., 105
- Strongylocentrotus polyacanthus*. *See* sea urchins
- Strous, M., 504
- Stuart, S. N., 573
- Stuart-Smith, R. D., 433
- success in ecology
 - Heinrich’s, 176
- succession. *See also* primary succession and secondary succession
 - and life history traits, 530
 - facilitation model, 531
 - inhibition model, 531
 - mechanisms, 522–33
 - primary, 522–8
 - secondary, 522–8
 - tolerance model, 533
- Succulent Karoo
 - ice plants, 139
- Suess, H. E., 581
- sugar maple
 - distribution in Niagara escarpment, 230
- Sugg, P. M., 534
- sulfur dioxide emissions
 - and global cooling, 593
- sulfur-oxidizing bacteria, 97
- survival
 - of trees and snowmelt date, 143
- survival rates
 - and life tables, 278
 - in southern right whale, 215
 - in spadefoot toads, 210
 - of coral recruits following bleaching, 537
 - of North Atlantic right whales, 195
 - of polar bears, 597

- Sustainable Biosphere Initiative
 - applied vs. basic research, 623
 - framework, 624
 - key research topics, 624
 - priorities, 624
- Sutcliffe, W. H. J., 108
- sweating, 123
- Sylvia atricapilla*. *See* European blackcap
- Symbiodinium*
 - in coral, 383
- symbiont shuffling
 - coral and thermal anomalies, 384
 - thermal anomaly of 2005/6, 384
- Symplocarpus foetidus*. *See* eastern skunk cabbage
- Syncerus caffer*. *See* buffalo
- Szent-Györgyi, A., 611
- taiga, 31
- Takahashi, S., 96
- Takashima, T., 100
- Talbot, L. M., 10
- Talbot, M. H., 10
- Tamias alpinus*. *See* alpine chipmunk
- Tamias speciosus*. *See* lodgepole chipmunk
- Tanner, J. T., 275
- Tarangire National Park, 417
- Taraxacum japonicum*
 - competition for pollinators, 330
- Taraxacum officinale*
 - competition for pollinators, 330
- Tatoosh Island
 - interaction strength, 414
- Teal, J., 50
- Teal, M., 50
- Tedania ignis*, 50
- temperate forest, 31
 - diversity of folivorous insects, 441
 - energy transfer, 489
 - tree diversity, 434
- temperate grassland, 31
 - Lepidoptera diversity, 438
 - species diversity and stability, 449
- temperate shrubland, 36
- temperature
 - critical maximum in saguaro cactus, 134
- temperature (body)
 - critical maximum, 118
 - critical minimum, 118, 122
 - effects on enzyme efficiency, 119
- temperature (Earth's surface)
 - by 2100, 591
 - influence of latitude and season on, 25
- temperature (environmental)
 - acetylcholinesterase function, 120
 - coral bleaching, 383
 - distribution of species, 137
 - lactate dehydrogenase function, 120
 - mutualism between panic grass and *Curvularia*, 385
 - variation in oceans, 126
- temperature regulation
 - behavioral in *L. multiformis*, 122
 - benefits and costs, 121
 - endothermic animals at low temperature, 123
 - hibernation, 123
 - in bumblebees, 182
 - in cold-adapted plants, 125
 - in sphinx moths, 178
 - in whales, 127
 - linkage to water regulation in saguaro cactus, 134
 - linkage to water regulation in the camel, 135
 - linkage to water regulation in the kangaroo rat, 136
 - minimizing heat gain in desert plants, 124
 - reducing excess heat, 123
 - thermal neutral zone, 121
 - torpor, 123
- termites
 - and chimpanzee tool-use, 304
 - elemental imbalance, 108
 - wood diet, 103
- territoriality
 - in ravens, 187
 - model, 152
- territory
 - dunnocks, 152
 - economic defendability, 152
 - Florida scrub jays, 166
 - size and mating system, 163
- tertiary consumers, 486
 - as fourth trophic level, 404
- testosterone, 367
- Thamdrup, B., 505
- The Theory of Island Biogeography*, 549
- Themeda triandra*, 11
- thermal neutral zone, 121
- thermophiles, 137
- Thermus aquaticus*, 137
- Thomas, F., 372
- Thomson's gazelle, 2, 12
- threespine stickleback, 58
 - morphological variation, 58
 - questions about, 59
- threshold population size
 - and disease control, 371
 - and spread of infectious disease, 370
- Thuja occidentalis*. *See* eastern white cedar
- Tilman, D., 338, 445, 449–50
- TIT for TAT, 170
 - and cotton-top tamarins, 171
- tobacco
 - cost of producing proteinase inhibitors, 360
 - production of nicotine, 359
 - proteinase inhibitors, 359
 - recruitment of predacious bug to attack herbivore, 360
- tobacco hornworm
 - attacked by predacious bug, 360
 - consumer of tobacco, 359
- Tokelau, 326
- tolerance, 119
 - thermal tolerance in panic grass, 385
- tolerance model
 - of succession, 531
- tool use
 - in chimpanzees, 304
 - in ravens, 187
- top-down control
 - elephant foraging and tree abundance, 417
- top-down control hypothesis, 416
- top-down effects
 - of predators and herbivores on intertidal zone community development, 618
 - of wolves on willows, 421
- Tordoff, H. B., 289
- torpor, 123
 - in spadefoot toads, 209
- Tracey, R. L., 136
- tradeoffs. *See also* evolutionary tradeoff
 - foraging by Balearic lizards, 148
 - in spadefoot toads, 210
 - offspring size and number, 196
- tragedy of the commons, 146, 172
- treatments effects, 149
- tree holes
 - as islands for bacteria, 554
- tree of heaven
 - invasive species, 292
- tree rings
 - and atmospheric CO₂ levels, 581
 - at Glacier Bay, 526
 - pinyon pine at Dutch John Mountain, 219
- treefall gaps
 - and diversity of nymphalid butterflies, 446
 - species diversity, 445
- Treseder, K. K., 484
- triangle-leaf bursage, 233
- Tribulus cistoides*. *See* caltrop
- Trichodesmium*
 - and global nitrogen fixation, 505
- Trites, A. W., 222, 425
- trophic cascade, 404
 - debate over wolf/elk/aspen cascade, 422
 - in the Black Sea, 501
 - killer whale/sea otter/sea urchin/kelp hypothesis, 424

- trophic cascade hypothesis
 - of interactions between sea otters, sea urchins and kelp, 404
- trophic cascades
 - at US national parks, 423
- trophic efficiency
 - and energy transfer, 489
- trophic level
 - of food web, 403
- trophic mismatch
 - and calf production in caribou, 601
 - caribou births and food availability, 601
- tropical dry forest, 41
 - destruction of Australian, 468
- tropical forest
 - Biological Dynamics of Forest Fragments Project, 569
 - diversity of folivorous insects, 441
 - Lepidoptera diversity, 436
 - species diversity in treefall gaps, 446
- tropical rainforest, 23, 41
- tropical savanna, 34
 - biotic factors and species richness, 439
- Truman, H. T., 534
- t*-test, 151
- tube worm, 97
- tuberculosis, 62
- Tukey–Kramer test, 151
- tundra, 30
 - alpine, 116
 - impact of global warming on heath community, 600
- turgor
 - in plant cells, 130
- Turlings, T. C. J., 115
- Turner, M. G., 523, 536, 544, 566
- turnover
 - in hydrologic cycle, 43
 - in lakes, 42
 - species, 434
- turnover time, 43
- t*-value, 151
- Tweddle, J. C., 130, 145
- US Fish and Wildlife Service, 254
- Ugalde, A., 468
- ungulates
 - changes in distribution, 227
- unitary organisms, 248
- upwelling, 42
- Urquhart, F. A., 224
- Urquhart, N. W., 224
- Ursus maritimus*. *See* polar bears
- vaccination
 - and spread of infectious disease, 371
- Valencia, J., 175
- Valentine, D. L., 626
- validation
 - models, 240
- Vamosi, J. C., 380
- Vamosi, S. M., 82
- van der Heijden, M. G. A., 516
- van Groenigen, K. J., 591
- Van Mooy, B. A. S., 510
- van Nouhuys, S., 287
- Van Valen, L., 362
- vanEngelsdorp, D., 380, 397
- Vermeij, G. J., 443
- volcanic eruption
 - and global cooling, 593
 - Mount St. Helens, 522
- Volterra, V., 335, 363
- Vulpes vulpes*. *See* red fox
- Waage, J. K., 160
- Wallace, A. R., 557
 - zoogeography, 557
- Wallace’s line
 - as sharp boundary for mammalian distribution, 556
- Walsberg, G. E., 136
- Warren-Rhodes, K. A., 34
- Wasimi, S. A., 51
- wasp
 - Heinrich’s ichneumonid, 176
- Wassenaar, L. J., 242
- water
 - availability and distribution of species, 138
 - properties, 41, 128
 - use by plants at high CO₂ levels, 589
- water potential, 129
 - atmospheric, 130
 - in soils, 129
 - matric potential, 129
 - pressure potential, 129
 - solute potential (osmotic potential), 129
- water regulation
 - and root/shoot ratio in corn, 132
 - in seeds, 130
 - linkage to temperature regulation in saguaro cactus, 134
 - linkage to temperature regulation in the camel, 135
 - linkage to temperature regulation in the kangaroo rat, 136
 - pneumatophores, 132
- Watson, J. D., 548
- wave action
 - and low intertidal zone consumers, 614
- Wegener, A., 557
- Weldon, A. J., 572
- West Nile virus
 - emerging infectious disease, 353
- Westbury, D. B., 354
- western US communities
 - and trophic cascades, 423
- white cedar
 - abiotic conditions, 230
- white peacock butterfly
 - and competitive exclusion, 331
- White, H. K., 627
- Whitehead, A., 627
- Whitman, W. B., 432
- Whittaker, R. H., 29, 434
- Whytham Wood, 211
- wide-band tracheids, 139
- Wiencke, C., 230
- Wikelski, M., 223
- Wild, C., 48
- wild mustard
 - community interactions, 431
- wildebeest, 2, 4–10
 - survival and foraging constraints, 417
- Williams, J. M., 316
- Williams, K. S., 204
- Williams, S., 103
- Williamson, M., 554
- Willis, C. K. R., 124
- willow
 - patchy recovery at Yellowstone, 422
- Wilson, D. E., 227
- Wilson, E. O., 197, 548, 552
- Wilson, M. L., 318
- Winiwarter, W., 508
- winter of terror, 117
- Witte, F., 292
- wolf. *See* gray wolf
- Woodwell, G. M., 493
- Woelfenden, G. E., 166
- World Health Organization, 62
- Worm, B., 455
- Wrangham, R. W., 304
- Wroblewski, E. E., 313
- Xe, S. P., 593
- Xie, J., 586
- Yamori, W., 124
- yarrow, 157
- yellow crazy ants
 - competitive exclusion of hermit crabs, 327
 - invasive species, 326
- yellow rattle
 - effects on grassland plant communities, 354
 - hemiparasite, 354
- yellow-bellied marmots, 598
- Yellowstone National Park
 - and gray wolf population growth, 254
 - fires of 1988, 523
 - management history, 419

Yellowstone National Park (cont.) top-down effects of wolves, 418 tree-fire burn severity classes, 529	zebrafish vertebrate model, 632	zoospores kelp and UV radiation sensitivity, 231
Yohe, G., 141	zero growth isocline in Lotka–Volterra competition model, 336 in Lotka–Volterra predation model, 364	zooxanthellae, 23 and coral, 383
Yosemite National Park, 599	Zhao, M., 480	z-values and body size, 556 and latitude, 556 in earthworm species–area relationship, 554 meaning in species–area relationship, 550 variation among different groups of species, 555
Young, H. S., 494	Zhu, X., 115	Zwolak, R., 539
Young, T. P., 206–7	zonation absence in tropical intertidal, 620 of organisms along New England shoreline, 619	
<i>Yucca whipplei</i> , 207	zooplankton, 108	
Zavala, J. A., 359		
<i>Zea mays</i> . <i>See</i> corn		
zebra, 2, 9		