

Index

- abnormal uterine bleeding. *see also*
 dysmenorrhoea
 introduction, 102*t*, 102–3
 key points, 108
 menorrhagia overview, 103–5, 104*t*
 summary, 108
- abortion
 eating disorders and, 35
 legal and ethical concerns, 213–14
 mental health issues and, 204–5
 overview, 192
 religious concerns over, 212
- Academy of Postgraduate Medical
 Colleges, 258
- Acceptance and Commitment Therapy
 (ACT), 321
- accidental pregnancy, 121
- Acknowledge, Introduce, Duration,
 Explain, Thank you (AIDET), 23,
 24
- acquired immune deficiency syndrome
 (AIDS), 211
- acupuncture, 51
- adaptive behaviour to stress, 273
- adenomyosis, 107
- adolescence. *see also* paediatric and
 adolescent gynaecology
 assessment and treatment, 82
 contraception, 88
 health in, 82
 menstruation suppression, 86
 psychosexual disorders, 192
 sexual activity, 199–200
- adrenocorticotrophic hormone
 (ACTH), 43
- adverse mood effects, 203
- Advisory Council on the Misuse of
 Drugs (ACMD), 282
- African American women, 15
- ageing concerns, 17, 123, 151, 193–4
- alcohol abuse
 abortion and, 204
 breastfeeding, 284
 parenting skills, 258
 pregnancy and, 280, 284
- alcohol use disorders, 126
- alkaline haematin test, 104
- All-Party Parliamentary Group, 222
- allostasis concept, 264
- amenorrhoea, 34, 35, 85–6, 103
- American Medical Association, 21
- amniocentesis, 240
- amphetamine use, 287
- amygdala, 41
- Androgen Insensitivity Syndrome
 Support Group, 78
- androgen receptors, 203
- aneuploidies screening, 240–1
- anorexia nervosa (AN), 32*t*, 85, 87, 309
- anovulatory cycles, 85
- antenatal depression (AND), 228–9,
 232
- antenatal education, 258, 342, 352, 373
- antenatal interventions, 266, 354
- Antenatal Psychosocial Health
 Assessment (ALPHA), 233
- Antenatal Risk Questionnaire
 (ANRQ), 233
- anti-epileptic mood stabilizers, 316
- anti-social behaviour, 44
- antibiotic use, 221
- antidepressants, 313
- antiemetics, 182, 183
- antipsychotic medications, 314, 315
- anxiety
 abortion and, 204
 childbirth, 11, 223
 fetal anomaly screening, 237–8
 gynaecological cancer, 172–3
 maternal anxiety and stress, 293–4,
 319–20
 maternal cortisol and, 265
 ultrasound, 238–9
 perinatal period health assessment,
 231
 post-traumatic stress disorder
 and, 301
 pregnancy stressors, 293
 psychiatric disorders in pregnancy
 and lactation, 308–9
 psychotherapy in pregnancy, 322
 treatment, 314
 unwanted pregnancy, 213
 urinary incontinence and, 152
- anxiolytic medication, 316
- arousal/desire disorders, 190–1
- assessment and treatment. *see also*
 perinatal period health
 assessment; screening and
 detection; treatment
- acceptability and effectiveness,
 233–4
- adolescence and young children, 82
- electronic pelvic floor assessment
 questionnaire, 148
- nausea and vomiting during
 pregnancy, 180, 181–2
- in perinatal period, 231, 312–13
- psychosocial issues, 233
- assisted reproductive technologies
 (ART), 125, 141*t*, 247
- athlete triad, 87
- attachment *see also* maternal-fetal
 relationship
 birth trauma and post-traumatic
 stress, 349, 353–4
 mother-infant attachment, 118, 305
 postnatal care, 343
- attention deficit hyperactivity disorder
 (ADHD), 265
- AUDIT-C screening tool, 281
- Australian Routine Psychosocial
 Assessment (ARPA), 233
- autonomic nervous system, 41, 44, 146
- Ayurvedic medicine, 49
- B-vitamins, 17, 18*f*
- Baby M child custody trials, 215
- Background, Affect, Trouble,
 Handling, Empathy (BATHE)
 technique, 23, 24
- bacterial vaginosis, 296
- Balint, Michael (Balint groups), 24, 25
- bariatric surgery, 35, 36
- Barker hypothesis, 19
- basal ganglia, 41
- Beck Depression Inventory, 231
- behaviour and nutrition, 44–5
- behavioural activation, 267
- behaviour therapy, 321
- Beijing Declaration, 212
- Belfast Elderly Longitudinal Free-
 Living Ageing Study (BELFAST
 study), 17
- benzodiazepine use, 287
- Beyondblue study, 232
- binge eating disorder, 32, 37
- biochemical screening, 238
- biomedical perspective on care, 8
- biomedicalisation of labour, 329

Index

- biopsychosocial model of care
 brain, 45
 chronic pelvic pain, 133–4
 intrapartum care, 329
 menopause, 160, 163–4, 163*f*, 164*f*
 urinary incontinence, 148
 vasomotor symptoms, 163–4, 164*f*
 biopsychosocial role in obstetrics and gynaecology
 implications and future strategies, 6
 key points, 6
 necessity of, 1*f*, 1–2, 8
 preparatory tasks, 2*t*, 2–4
 promotion and implementation of, 4–6
 bipolar disorder, 310
 birth. *see also* childbirth; preterm birth
 breastfeeding, 222
 complications, 221–2
 experience *see* negative birth experience
 fear and pain, 220–1
 health professional and, 222–3
 infection, 221
 institution and, 223–4
 introduction, 219
 key points, 224
 litigation concerns, 223
 oxytocin, 219–20
 psychosexual disorders, 195
 stress and, 223
 summary, 224
 women and, 219
 birth trauma and post-traumatic stress
 after childbirth, 348
 antenatal factors, 352
 antenatal prevention of, 354
 attachment and, 349, 353–4
 case example, 350
 cognitive behavioural therapy, 355
 cognitive model, 349
 defined, 348
 Eye Movement Desensitisation and Reprocessing, 355, 356
 impact of, 349–50
 intervention, 355
 key points, 355–6
 longitudinal course, 351
 overview, 319, 348–50
 perinatal factors, 352
 perpetuating/maintaining factors, 353
 postnatal factors, 352–3
 postnatal prevention of, 354
 precipitating factors, 353
 predisposing factors, 353
 prevalence of, 350–1
 prevention, 354
 risk factors, 351, 352*t*
 screening issues, 354
 summary, 355
 theoretical understanding, 349
 Birth Trauma Association, 348
 black and minority ethnic (BME)
 groups, 257
 black cohosh herb, 49
 bladder pain, 191
 blue cohosh herb, 48
 body image issues, 31, 37, 173
 Body Mass Index, 125
 body weight during postnatal period, 37
 bone mineral density, 34
 borderline personality disorder, 314–15
 brain
 basic anatomy, 41
 biopsychosocial model of care, 45
 cognitive vs. emotional brain, 42
 conclusion, 45
 emotional brain, 42, 44
 hormones and, 42–3
 introduction, 41
 key points, 45
 limbic system, 41–2, 42*f*
 nutrition and behaviour, 44–5
 breast cancer survivors, 174
 breast cancer treatment, 160
 breastfeeding. *see also* psychiatric disorders in pregnancy and lactation
 alcohol abuse, 284
 among disadvantaged women, 258
 amphetamine use, 287
 benzodiazepine use, 287
 birth and, 222
 cocaine use, 287
 continuation of, 338
 impact on sexual response, 191, 193
 medication during, 316
 opioid abuse, 288
 oxytocin, 43, 219
 postnatal care, 340
 postnatal period, 37
 tobacco use, 286
 bulimia nervosa (BN), 32*t*, 35, 87, 309
 buprenorphine use, 288
 burnout, 360, 362
 C-reactive protein (CRP), 296
 caesarean section (CS), 300, 301, 304, 324, 338, 370
 Camberwell Assessment of Needs-Mothers (CAN-M), 233
 cancer/cancer therapies, 124–5 *see also* gynaecological cancer
 cannabis use, 286
 cardiotocography, 330
 care-eliciting behaviour, 245
 care-planning in perinatal period, 312–13
 Catholicism, 200
 cell-free DNA (cfDNA), 240, 242
 central nervous system (CNS), 84, 146
 cervical cancer, 169, 172
 chemokines, 296
 chemotherapy, 170, 171
 childbirth. *see also* birth; pregnancy; preterm birth
 anxiety, 11, 223
 depression, 11, 223
 experiences of, 328–9
 fear of childbirth, 300
 introduction, 10–12
 post-traumatic stress after, 348
 psychosexual disorders, 195
 childhood sexual abuse (CSA), 142, 302
 children/childhood. *see also* paediatric and adolescent gynaecology
 loss of a baby – impact, 369
 paediatric and adolescent gynaecology, 83
 parents with eating disorders, 37–8
 protection interventions, 59
 cholinergic anti-inflammatory pathway (CAP), 296
 chorioamniotic membranes, 296
 Chorionic Villus Sampling (CVS), 237
 chronic pain and marriage, 108
 chronic pelvic inflammatory disease, 107
 chronic pelvic pain (CPP)
 background, 131
 biopsychosocial approach, 133–4
 diagnosis of, 131–2
 as emergency, 142
 introduction, 131
 key points, 136
 self-management, 134–5
 summary, 135–6
 treatment/intervention approaches, 132–3
 chronic stress effects, 295–6
 cingulate gyrus, 41
 clinical implications of epigenetics, 17
 clinical practice and perinatal period
 health assessment, 232
 clitoridectomy, 66, 67, 74
 co-twin loss, 372
 cocaine use, 286–7
 cognitive behavioural therapy (CBT)
 defined, 321
 gynaecological cancer, 170
 maternal distress, 267
 menopause, 165
 overview, 10, 38
 post-traumatic stress, 355, 356
 premenstrual syndrome, 97
 substance abuse, 282
 cognitive brain, 42

- cognitive empathy, 22
 cognitive-existential group therapy, 173
 cognitive impairment, 174
 coital incontinence, 151
 collaborative communication, 22
 combined oral contraceptive pills (COCP), 98, 104
 communication. *see* patient–clinician communication
 community based midwifery care, 339
 compassion fatigue (CF), 360
 compensating mechanisms, 273
 complementary medicine (CM)
 communication and information, 48
 conclusion, 51
 evidence-based medicine, 47–8
 key points, 51
 natural products, 48–9
 overview, 47
 patient safety, 47–8
 during pregnancy, 47
 prevalence and motivation of, 47
 women's health conditions, 48–51
 complete androgen insensitivity syndrome (CAIS), 75
 comprehensive care model, 282–3
 compulsory psychosomatic training, 3
 concentrative meditation, 50
 Confidential Enquiries in Maternal and Child Health report, 228, 229
 congenital adrenal hyperplasia (CAH), 74
 conscientious objection, 212–13
 Consensus Statement on the Management of Intersex Disorders, 73
 consent concerns, 209, 332
 Consumer Satisfaction Questionnaire (CSQ), 328
 Contextual Assessment of Maternity Experience (CAME), 233
 continuous medical education (CME), 5
 continuous support in intrapartum care, 331
 contraception. *see also* fertility control
 in adolescents, 88
 arousal/libido impact by, 191
 choice of, 200
 combined oral contraceptive pills, 98
 conclusion, 99
 danazol, 99
 depression and, 201
 education, 127
 Estradiol, 98–9
 GnRH analogues, 99
 hormonal contraceptives, 200, 201–2
 key points, 99–100
 mental health impact on, 201
 psychosexual disorders, 192
 psychotropic drugs, 98
 religious concerns over, 212
 socioeconomic status, 200
 surgery and, 99
 by teens, 200
 conversion disorder, 178
 Copenhagen child cohort study, 343
 coping mechanisms, 139, 149–53, 264
 core premenstrual disorder, 95
 corticotropin-releasing hormone (CRH), 112, 295
 counselling for infertility, 114–15, 116*t*, 117*t*
 CRAFFT screening tool, 281
 crisis intervention, 259–60
 Critical Incident Stress Debriefing (CISD), 363–4
 cultural competencies, 26–7, 283
 culturally and linguistically diverse (CALD) backgrounds
 migrant/refugee women, 323–4
 overview, 319, 323
 psychotherapy, 324–5
 culture of secrecy, 134
 cyclizine, 182
 cytokines, 266, 296
 daily record of severity of problems (DRSP), 95
 danazol, 99
 death/dying concerns, 173
 deinfibulation in female genital cutting, 69, 70
 delayed puberty in girls, 84
 deoxyribonucleic acid (DNA), 16
 depot medroxyprogesterone acetate (DMPA), 86, 89, 202
 depression
 abortion and, 204
 childbirth, 11, 223
 contraception and, 201
 emergency gynaecology, 139
 fetal anomaly screening, 237
 gynaecological cancer, 172
 infertility, 111, 112
 maternal cortisol and, 265
 menopause, 10
 menstrual disorders and, 104, 105
 non-psychotic disorders, 313–14
 perinatal depression, 308
 perinatal period health assessment, 231
 post-traumatic stress disorder and, 301
 postnatal post-traumatic stress disorder, 12
 pregnancy, 11, 126
 preterm birth, 294
 psychiatric disorders in pregnancy and lactation, 308, 313–14
 tokophobia, 300, 301
 ultrasound, 239
 urinary incontinence and, 152
 desensitization technique, 321
 detection questions, 230
 detoxification treatment, 282
 developmental disabilities, 86
 developmental implications of epigenetics, 17
 Developmental Origins of Health and Disease (DOHAD), 19
 diabetic patients, 224
Diagnostic and Statistical Manual of Mental Disorders (DSM), 189, 213, 302, 350
 Dialectical Behaviour Therapy (DBT), 321
 diet and epigenetics, 17–18, 18*f*
 dimorphic sex categories, 73
 direct therapeutic work, 90
 disruptive behaviour, 44
 distress, 272
 diverse sex development (DSD)
 emotional safety, 76
 feminising surgery on girls, 74–5
 gender assignment, 76
 informed choice, 77–8
 initial presentation, 75
 key points, 79
 managing stigma, 76–7
 medical management of, 73
 multidisciplinary team, 75–6
 overview, 73
 phallogocentric gender assignment, 73–4
 public engagement and education, 78–9
 reconsidering sex, 77
 summary, 79
 DNA methyltransferases (DNMTs), 16, 17
 domestic violence and abuse (DVA)
 barriers to, 54–5, 55*t*
 benefit of clinician inquiry, 60
 changing practices, 60
 clinician role, 55–8, 57*t*
 conclusion, 61–2
 evidence of, 57*t*, 58*f*, 59–60
 front-line doctors' engagement in, 61–2
 introduction, 54
 key points, 62
 management changes, 59
 mechanisms for harm, 57*t*, 59
 patient and provider similarities, 60–1

Index

- domestic violence and abuse (cont.)
 reframing of, 60–1
 time concerns, 58–9
 victims, 210
 working through barriers, 55, 56f
- Down Syndrome, 237, 240–1
- drospirenone, 98, 202
- drugs and alcohol during pregnancy
 addiction treatment, 282
 amphetamine use, 287
 benzodiazepine use, 287
 brief intervention, 281–2
 buprenorphine/naloxone use, 288
 cannabis use, 286
 cocaine use, 286–7
 comprehensive care model, 282–3
 conclusion, 288–9
 cultural competency, 283
 introduction, 280
 key points, 289
 methadone use, 288
 opioid abuse, 287–8
 opioid pharmacotherapy, 288
 physiological considerations, 284–8, 285t
 postpartum maintenance, 283–4
 psychiatric disorders, 283
 SBIRT approach, 280–2, 281t
 slow-release morphine, 288
 tobacco use, 284–6
- Dutch Famine Birth Cohort Study, 16
- dysfunctional labour, 333–4
- dysfunctional uterine bleeding. *see*
 abnormal uterine bleeding
- causes, 106
 complementary medicine, 47
 defined, 102
 as emergency, 143
 impact of, 85–6
 introduction, 105–6
 in nonverbal patients, 86
 psychosocial aspects, 107–8
 treatment, 106–7, 107t
- dyspareunia, 191
- early pregnancy complications,
 139–42, 140f, 141t
- Early Years Agenda, 222
- eating disorders (EDs)
 anorexia nervosa, 32t, 85, 87, 309
 binge eating disorder, 32, 37
 body image, 31, 37
 bone mineral density, 34
 bulimia nervosa, 32t, 35, 87, 309
 causes of, 33
 children of parents with, 37–8
 defined, 31
 eating during pregnancy, 37
- exercise disorder, 32t
- functional gastrointestinal
 disorders, 32–3
- getting pregnant, 35–6
- gynaecological examinations, 35
- key points, 38
- low bone density, 34
- management during pregnancy, 36t
- menarche and menstruation, 33–4
- normal eating, defined, 36t
- paediatric and adolescent
 gynaecology and, 86–7
- polycystic ovarian syndrome, 34–5
- postnatal period, 37–8
- in pregnancy and lactation, 309–10
- premenstrual syndrome, 9–10, 35
- presentation of, 31
- reasons for, 33
- recovery from, 35
- risk factors, 33
- sexuality and, 35
- treatment of, 38, 314
- types, 32t
- weight gain during pregnancy, 37
- eating disorders not otherwise
 specified (EDNOS), 87
- ectopic pregnancy, 141
- Edinburgh Postnatal Depression Scale
 (EPDS), 126, 230–1, 239, 303
- education
 antenatal education, 258, 342
 continuous medical education, 5
 contraception, 127
 diverse sex development, 78–9
 female genital cutting, 69
 intrapartum care, 330–1
 parenting skills, 342
 premenstrual syndrome, 97
 psycho-sexual education, 77
- effective evaluation, 3
- efficient evaluation, 3
- elective caesarean section, 304
- elective termination of pregnancy, 142
- Electronic Medical Records (EMR), 26
- electronic pelvic floor assessment
 questionnaire (EPAQ), 148
- embryo cryopreservation, 172
- embryos, legal and ethical concerns,
 214–15
- emergency gynaecology
 assisted reproductive technologies
 complications, 141, 141t
 chronic pelvic pain, 142
 common emergencies, 139t, 139
 early pregnancy complications,
 139–42, 140f, 141t
 endometriosis, 142
 genital tract tumours, female, 143–4
 introduction, 139
 key points, 144
- menstrual problems, 143
- pelvic inflammatory disease, 143
- pelvic pain, 142
- summary, 144
- emotional brain, 42, 44
- emotional distress in pregnancy, 11
- emotional impact of losing a baby, 368
- emotional safety, 76
- emotional support for loss of a baby,
 369–70
- empathy
 after stillbirth, 373
 in communication, 22
 intrapartum care, 331
 patient–clinician relationship, 22
 teaching of, 23
 training in, 23, 24
 vicarious traumatization, 362
- employment and urinary
 incontinence, 150
- endocrine gynaecological cancer,
 171–2
- endometriosis, 131, 132, 142
- Entonox use in labour, 332
- epidural use in labour, 333
- epigenetics
 ageing, 17
 conclusion, 19
 defined, 16–17
 developmental and clinical
 implications, 17
 diet, 17–18, 18f
 exercise, 18
 fetal programming, 19
 genome, genes, DNA, 16
 introduction, 15
 maternal smoking, 18
 psychosocial health, 15–16
 sleep, 18
 social environment, 18–19
- episiotomy, 193
- erectile dysfunction, 195, 196–7
- Essential Communication
 Competencies, 23–4, 25, 27
- estradiol, *see* oestradiol/estrogen,
 oestrogen
- ethinylestradiol, 98
- European Board and College of
 Obstetrics and Gynaecology
 (EBCOG), 5
- European Consensus on Learning
 Objectives for Core
 Communication Curriculum, 23
- European Court of Human Rights, 215
- European Network for Psychosocial
 Studies of Intersex/Diverse Sex
 Development, 76
- European Network of Trainees in
 Obstetrics and Gynaecology
 (ENTOG), 5

- European Society for Human Reproduction and Embryology (ESHRE), 113–14
- European Society of Contraception (ESC), 5
- European Society of Human Reproduction and Embryology (ESHRE), 214
- eustress, 264, 272
- evidence-based medicine (EBM), 47–8, 184
- excision of clitoris, 67
- exercise and epigenetics, 18
- exercise and urinary incontinence, 150
- exercise disorder, 32*t*
- existential therapy, 321
- exogenous estrogen, 203
- eye movement desensitisation and reprocessing (EMDR), 355, 356, 365
- faecal incontinence, 340
- false positive screening, 241
- family-centered approach to postnatal care, 344
- family therapy, 282
- fatherhood, 121–3
- fear during birth, 220–1
- fear of birth (FOB). *see also* tokophobia
childhood sexual abuse, 302
Female Genital Mutilation, 302–3
mother infant attachment, 305
post-traumatic stress disorder, 301–2
tokophobia as, 300, 301
treatment studies, 303–4
- fear of childbirth (FOC), 300 (*see also* fear of birth)
- Fear of Childbirth Visual Analogue Scale, 301
- FECOND survey, 121
- female genital cutting (FGC). *see also* ‘female genital mutilation’
antenatal care, 69
care of women with, 68–9
complications of, 67
conclusion, 69–70
deinfibulation, 69, 70
educational resources, 69
gynaecological interventions, 69
illegality of, 67–8
intrapartum care, 69
introduction, 66
key points, 70
knowledge about, 66
postnatal care, 69
reasons for, 66–7
recording information, 68
reporting requirements/referrals, 68
types of, 67
- female genital mutilation (FGM), 66, 302–3, 332 *see also* female genital cutting
- female genital tract tumors, 143–4
- Female Sexual Function Index (FSFI), 151, 171
- feminising surgery on girls, 74–5
- Fertility Awareness Survey, 125
- fertility control. *see also* contraception
adverse mood effects, 203
choice of contraception, 200
conclusion, 205
introduction, 199
key points, 206
legal and ethical concerns, 211–12
mental health and abortion, 204–5
mental health and contraception, 201
psychological functioning and hormone contraception, 201–2
psychosocial influences, 199–200
sterilization, psychological consequence, 204
- fertility preservation, 124
- fertility-related knowledge, 125
- fetal anomaly screening and diagnosis
anxiety over, 237–8
depression and, 237, 239
impact of, 239–40
introduction, 237
key points, 242
non-invasive prenatal testing, 240–1
summary, 241–2
ultrasound, 238–9
- fetal growth restriction *see* intrauterine growth restriction
- fetal movements, 250
- fetal neurobehaviour, 267
- fetal programming, 11, 19
- fetal stress during pregnancy, 273
- fetoplacental blood flow, 266
- finances and urinary incontinence, 150
- “first-responder” role, 61
- 5-cytosine DNA methyltransferase (DNMT), 18
- 5-methyl-tetrahydrofolate (THF), 18
- 5Rs (Relevance, Risks, Rewards, Roadblocks and Repetition), 281
- folate, 18
- follicle-stimulating hormone (FSH), 43, 112, 161
- Fragile X syndrome, 88
- FRAMES model (Feedback, Responsibility, Advice, Menu of Options, Empathy, Self-Efficacy), 281
- Fraser guidelines, 88–9, 89*t*
- Freud, Sigmund, 4, 107
- functional gastrointestinal disorders (FGID), 32–3
- functional magnetic resonance imaging (fMRI), 147, 295
- GABA (gamma aminobutyric acid), 94
- gametes, legal and ethical concerns, 214–15
- gastrointestinal effects of
gynaecological cancer, 171
- gay men and fatherhood aspirations, 122–3
- gender assignment, 76
- gender-based violence checklist, 377–8
- gender differences/roles, 113, 134, 209–10
- gender-specific programming, 283
- generalized anxiety disorder, 173
- Generalized Anxiety Disorder scale (GAD-2), 180, 230
- genes, 16
- genital ambiguity, 74
- genital intercourse, 77
- genital tract tumors, female, 143–4
- genitourinary effects of gynaecological cancer, 171
- genome, 16
- German Criminal Code (StGB), 67
- Gestalt therapy, 321
- glycoproteins, 296
- GnRH analogues, 99, 104, 133
- GnRH-independent precocious puberty, 84
- gonadal dysgenesis, 78
- grief over loss of baby, 368
- group therapy, 282
- guilt feelings, 363
- gut microbiota, 221
- gynaecological cancer
anxiety, 172–3
body image issues, 173
cervical cancer, 169
cognitive behavioural therapy, 170
death/dying concerns, 173
depression, 172
endocrine and sexual functioning, 171–2
gastrointestinal/genitourinary effects, 171
health disparities, 174
key points, 174–5
loss/grief, 173
lymphatic system effects, 171
neurological effects, 170
physical sequelae, 169–70
psychological factors, 172
psychosexual disorders, 194
quality of life, 169
role changes/social isolation, 174
sexual relationship changes, 174
sexuality/sexual relationships, 174

Index

- gynaecological cancer (cont.)
 social factors, 174
 statistics on, 169
 summary, 174
 treatment for, 169
 urinary incontinence, 169
 gynaecological exams, 35
 gynaecological morbidity, 105
- hands-on training, 5
 health, defined, 8–9
 Health and Social Care Information Centre (HSCIC), 68
 health care professional (HCP), 189
 health disparities in gynaecological cancer, 174
 health professional and birth perspective, 222–3
 health-related behaviours, 125
 healthcare and patient–clinician relationship, 22
 heart rate variability (HRV), 44, 296
 help-seeking behaviors, 60
 hepatitis, 280, 281
 herbal medicines, 49
 hermaphroditism, 73
 Hippocratic Oath, 212
 hispareunia (painful intercourse for men), 193
 histone modification, 16
 HIV infection, 211, 257, 280, 281
 holistic therapy, 321–2
 home-away-from-home environment, 329–30
 honour killings, 211
 hormone contraceptives, 200, 201–2, 203–4
 hormone therapy, 98–9, 133
 hormone therapy (HT) for menopause, 165
 hormones and brain, 42–3
 Hospital Anxiety Depression Scale (HADS), 231
 Hot Flush Rating Scale (HFRS), 164
 hot flushes, 161–2
 human chorionic gonadotropin (hCG), 179
 Human Fertilisation and Embryology Authority (HFEA), 115
 humanistic therapy, 321
 Hyperemesis gravidarum (HG). *see* nausea and vomiting during pregnancy
 hyperhomocysteinemia, 18
 hypnosis treatment, 50, 178–9
 hypoactive sexual desire disorder (HSDD), 190
 hypogestrogenism, 87
 hypothalamic-adreno-cortical axis, 112
 hypothalamic-pituitary-adrenal (HPA) axis, 11, 293, 295
 hypothalamic-pituitary-ovarian axis, 85
 hypothalamus, 42, 43
 hysterectomy, 106, 160
 hysteroscopic resection of fibroid, 104
- immoral behaviour, 209
 Improving Access to Psychological Therapies (IAPT) strategy, 320
in vitro fertilization (IVF), 111, 214
 incontinence. *see* urinary incontinence
 incontinence impact questionnaire (IIQ), 148
 Incontinence Quality of Life instrument (I-QOL), 148
 indirect trauma, 359
 Individual Consultant Obstetricians, 312
 inequality concerns and health, 255
 infection during birth, 221
 infectious pathways, 296–7
 infertility
 conclusion, 118
 defined, 110
 fatherhood aspirations among men, 123
 impact of, 110–11
 introduction, 110
 key points, 118–19
 legal and ethical concerns, 214–16
 male aspects, 112–13
 psychosexual disorders, 193
 psychosocial care in practice, 113–15, 115*t*, 116*t*, 117*t*
 reproductive life events among men, 126–7
 stress and, 111–12
 surrogacy and, 115–18
 treatments for, 110
 infibulation of clitoris, 67
 information giving in intrapartum care, 331–2
 informed choice, 77–8
 injectable contraceptives, 200
 Institute of Medicine, 23
 Integrative Medicine (IM), 47, 51
 integrative therapy, 321–2
 intercultural communication programs, 24
 interleukins, 296
 International Association for Women's Mental Health (IAWMH), 5
 International Classification of Diseases (ICD10), 301
 International Continence Society, 146, 147
 International Federation of Gynecology and Obstetrics (FIGO), 4
 International Fertility Decision Making Study, 125
 International Pelvic Pain Society (IPPS), 135
 International Society for Clinical Densitometry, 87
 International Society for Premenstrual Disorders (ISPMD), 94
 International Society for Psychosomatic Obstetrics and Gynaecology (ISPOG)
 current achievements, 5
 educational committee, 4
 goals of educational committee, 4–5
 introduction, 2, 4
 role of, 4
 stress and, 271
 intersex, 73
 intervention and treatment. *see* treatment
 intestinal obstruction symptoms, 171
 intracytoplasmic sperm injection (ICSI), 76
 intrapartum care in relation to WHO recommendations (IC-WHO), 328. *see also* intrapartum care
 Intrapartal-Specific QPP-questionnaire (QPP-I), 328
 intrapartum care
 biopsychosocial model of, 329
 childbirth experiences, 328–9
 conclusion, 334
 consent, 332
 continuous support, 331
 dysfunctional labour, 333–4
 education of, 330–1
 empathy in, 331
 engagement of partner, 333
 environment of, 329–30
 female genital cutting, 69
 information giving, 331–2
 key points, 334–5
 pain relief, 332–3
 person-centred care, 329
 intrauterine contraceptives, 200
 intrauterine growth restriction (IUGR), 277, 373
 irritable bowel syndrome (IBS), 135
- job stress, 11
Journal of Psychosomatic Obstetrics and Gynecology (JPOG), 4, 275
 King's Health Questionnaire (KHQ), 148

- Labour and Delivery Satisfaction Index (LADSI), 328
- lactation. *see* breastfeeding; psychiatric disorders in pregnancy and lactation
- laparoscopic uterosacral nerve ablation (LUNA), 132
- laparoscopy, 132, 134, 143
- learning parenting skills, 342
- legal and ethical concerns
- abortion, 213–14
 - conscientious objection, 212–13
 - consent, 209
 - fertility control, 211–12
 - gametes, embryos, parenthood, 214–15
 - infertility, 214–16
 - introduction, 209
 - key points, 216
 - medically assisted reproduction, 214
 - sex and gender, 209–10
 - sexual violence, 210–11
 - sexuality, 209–11
 - sexually transmitted infections, 211
 - surrogate motherhood, 215–16
- levonorgestrel intrauterine system (LNG-IUS)
- endometrial hyperplasia, 98
 - oestradiol/estradiol and, 98
 - hysterectomy rates and, 103
 - medications and, 259
 - for menstrual suppression, 86
 - ovulation and, 106
 - for premenstrual disorder, 98
 - progestin component, 202
 - success of, 104
- lichen sclerosus (LS), 84
- lifestyle advice for menopause, 164
- limbic system, 41–2, 42*f*
- listening skills, 22
- lithium, 316
- litigation concerns, 223
- long acting reversible contraception (LARC), 259
- loss/grief with gynaecological cancer, 173
- loss of a baby
- administrative matters, 371
 - clinical management, 370
 - communication over, 369
 - conclusion, 373
 - contact concerns, 371–2
 - emotional impact, 368
 - emotional support, 369–70
 - impact on couple's relationship, 369
 - impact on other children, 369
 - introduction, 368
 - investigations, 370–1
 - key points, 373–4
 - loss of co-twin, 372
 - paternal impact, 369
 - peri-partum care after, 369
 - post-mortem examination, 372
 - pregnancy after, 372–3
 - prolonged grief, 368
 - psychological impact, 368–9
 - training of doctors and midwives, 373
- low bone density, 34
- lubrication concerns, 190
- luteinizing hormone (LH), 43
- lymphatic system effects, 171
- lymphedema, 171, 173, 174
- major depressive disorder (MDD), 95, 213
- maladaptive health behaviour, 15
- male aspects of infertility, 112–13
- malnutrition and abnormal uterine bleeding, 102
- marriage and chronic pain, 108
- Massachusetts male ageing study, 196
- massage therapy, 50, 332
- masturbation, 103
- Maternal Adjustment and Maternal Attitudes (MAMA), 303
- Maternal Antenatal Attachment Scale (MAAS), 246, 249
- maternal anxiety and stress, 293–4, 319–20
- maternal caregiving, 43
- maternal cortisol, 265
- Maternal-Fetal Attachment Scale (MFAS), 246
- maternal-fetal relationship (MFR)
- defined, 245–6
 - healthcare professionals, 251
 - impact of, 247
 - introduction, 245
 - key points, 251–2
 - measuring of, 246–7
 - physical/psychological health, 248
 - postnatal links, 248–9
 - pregnancy-specific contextual factors, 247
 - reasons for measuring, 249–50
 - social support and relationships, 247–8
 - summary, 251
 - when to measure, 250–1
- maternal mental health, 319–20, 320*f*
- maternal microbiome, 221, 296–7
- maternal mortality/morbidity, 304
- Maternal Mortality Report, 261
- maternal psychosocial distress
- child development and, 265
 - conclusion, 268
 - definitions and concepts, 263–5
 - effects on offspring, 266
 - guided self-help, 268
 - impact on mother and baby, 265
 - interventions, 266–7
 - introduction, 263
 - key points, 268
 - screening and detection, 266
- Maternal Representations during Pregnancy-Revised Version, 246
- Maternal Satisfaction for Caesarean Section (MSCS), 328
- maternal smoking, 18
- maternity services, 12
- Maternity Social Support Scale, 181
- matrix metalloproteinases (MMPs), 296
- Mayer-Rokitansky-Kuster-Hauser (MRKH) syndrome, 75, 78
- MBRRACE-UK report, 311
- mechanisms for harm, 57*t*, 59
- medically assisted reproduction (MAR), 214
- medically unexplained symptoms, 1
- medication
- anti-epileptic mood stabilizers, 316
 - antipsychotic medications, 314, 315
 - biomedicalisation of labour, 329
 - during breastfeeding, 316
 - lithium, 316
 - psychotropic medication, 315–16
 - selective serotonin reuptake inhibitors, 98, 196, 315
 - sleep-inducers and anxiolytics, 316
- meditation practice, 50
- Melbourne Women's Midlife Health Project (MWMHP), 161
- menarche, 33–4, 86
- menopause
- attitudes and beliefs, 162
 - biopsychosocial approach, 160, 163–4, 163*f*, 164*f*
 - chemotherapy and, 171
 - cognitive behavioural therapy, 165
 - complementary therapies, 165
 - conclusions, 165
 - defined, 160–1
 - hormone therapy, 165
 - impact on sexual response, 191
 - introduction, 9, 10
 - key points, 166
 - lifestyle advice, 164
 - mood and, 162–3
 - physiological changes, 161
 - premature menopause, 43
 - psychosexual disorders, 193–4
 - surgical menopause, 162
 - vasomotor symptoms, 161–2
- menorrhagia, 102, 103–5, 104*t*, 143
- menstruation. *see also* dysmenorrhoea
- amenorrhoea, 34, 35, 85–6, 103
 - disorders, 85

Index

- menstruation (cont.)
 eating disorders, 33–4
 emergency problems, 143
 introduction, 9
 normal menstruation, 85–6
 premenstrual symptoms without, 96
 suppression in adolescents, 86
 mental health. *see also* psychiatric disorders in pregnancy and lactation
 abortion, 204–5
 community based midwifery care, 339
 effect on urinary incontinence, 152–3
 male fertility and, 123–4
 maternal mental health, 319–20, 320f
 needs in pregnancy, 304–5
 non-psychotic mental disorders, 308–10, 313–14
 postnatal care, 37, 340–1
 prolonged grief, 368
 psychosomatic issues, 2t, 2–3, 41, 274
 urinary incontinence effect on, 152
 mentalized experiences of stress, 274
 methadone use, 288
 methylation modification, 16
 microvascular disease, 196
 midwifery-led units, 329, 338
 midwives, 339, 361, 363, 373
 migrant pregnant women, 323–4
 Million Women Study, 165
 mind-body therapies, 49, 153, 163
 Mind resilience-building programme, 267
 Mindfulness-Based Cognitive Therapy (MBCT), 321
 Mindfulness-Based Stress Reduction (MBSR), 24
 mindfulness meditation, 25, 50
 Mirena coil. *see* levonorgestrel intrauterine system
 miscarriage, 139–40, 140f, 141
 mixed urinary incontinence (MUI), 147
 mood and menopause, 162–3
 mood disorder, 142
 morbidity
 gynaecological morbidity, 105
 maternal mortality/morbidity, 304
 neonatal morbidity/mortality, 292
 postnatal care, 337
 urinary incontinence, 152–3
 mother-infant attachment, 118, 305
 motivational interviewing, 282
 multidisciplinary team (MDT), 75–6
 naloxone use, 288
 Narrative Med workshop, 24
 National Attitudes to Sex and Lifestyle surveys (Natsal), 189
 National Cancer Institute, 281
 National Center for Complementary and Integrative Medicine (NCCIM), 49
 National Child and Maternal Health Intelligence Network, 90
 National Childbirth Trust, 342
 National Institute for Health and Care Excellence (NICE)
 antenatal and postnatal mental health, 180
 fear of birth and, 300, 304
 intrapartum care, 330, 331
 pregnancy risk factors, 233
 recommendations for tokophobia, 305
 staff attitudes, 256–7
 National Survey of Family Growth (NSFG), 122
 nausea and vomiting during pregnancy (NVP)
 antiemetics, 182, 183
 assessment, 180, 181–2
 etiology of, 178–80, 179f
 introduction, 178
 key points, 184–5
 medical history, 180
 medical management, 182–3
 mild to moderate symptoms, 182
 psychological difficulties, 180–1
 psychological management, 183–4
 severe and persistent symptoms, 183
 social support, 181
 summary, 184
 triggers for, 183
 negative birth experience, 328
 neonatal morbidity/mortality, 271, 292
 neuro-behavioural development of offspring, 308
 neuroinflammatory pathways, 296
 neurological effects of gynaecological cancer, 170
 neuroticism and dysmenorrhoea, 107
 non-coital pain disorders, 191
 non-consummation, 191
 non-hormonal medications, 165
 non-hormonal treatment for PMS, 97–8
 non-invasive prenatal testing (NIPT), 240–1
 non-mentalized experiences of stress, 274
 non-neuronal cells, 147
 non-opioid analgesics, 170
 non-ovulatory premenstrual disorders, 96
 non-psychotic mental disorders, 308–10, 313–14
 non-steroidal anti-inflammatory drugs (NSAIDs), 104
 non-surgical treatment of PMS, 97–9
 nonspecific abdomino-pelvic pain, 142
 normal eating, defined, 36t
 normal menstruation, 85–6
 North American Society of Psychosocial Obstetrics and Gynecology (NASPOG), 2
 nutrition and behaviour, 44–5
 nutritional medicine, 49
 obesity and abnormal uterine bleeding, 102
 obesity and urinary incontinence, 150
 obsessional thoughts, 308
 obsessive compulsive disorder (OCD), 309
 occipito-anterior position, 334
 oestradiol, 161
 oestrogen
 deficiency of, 88
 menopause and, 161
 pelvic floor dysfunction, 193
 plasma oestrogen, 161
 vaginal oestrogen, 171
 oestrogenic environment, 83
 oestrone, 161
 oligomenorrhoea, 35, 87
 omega-3 fatty acids, 44–5
 Oncotalk program, 24, 26
 one stage genitoplasty, 74
 oophorectomy, 160
 opioid abuse, 287–8
 opioid pharmacotherapy, 288, 333
 organisational stress, 362
 orgasmic disorders, 191
 ovarian cancer, 143, 170, 172
 ovarian hormones, 10
 ovarian hyperstimulation syndrome (OHSS), 111, 141
 ovarian insufficiency, 85
 overeating disorder, 32t
 ovulation
 anovulatory cycles, 85
 Mirena coil, 106
 non-ovulatory premenstrual disorders, 96
 sexual behaviour, 9
 oxytocin
 birth and, 219–20
 breastfeeding and, 43
 effects of, 43
 maternal distress, 266
 paediatric and adolescent gynaecology (PAG)
 athletic triad, 87
 communicating with children, young people and parents, 82–3

- contraception in adolescents, 88
 delayed/precocious puberty in girls, 84–5
 eating disorders, 86–7
 examination of children, 83
 Fraser guidelines, 88–9, 89*t*
 introduction, 82
 key points, 91
 lichen sclerosus, 84
 menstrual disorders, 85
 menstruation suppression in adolescents, 86
 normal menstruation, 85–6
 physical or developmental disabilities, 86
 premature ovarian insufficiency, 87–8
 sexual abuse, 89
 sexual competence and the law, 88
 transition/transfer to adult care, 89–90, 90*t*
 traumatic injury, 84
 vulvovaginitis, 83–4
 paediatric organ retention, 372
 pain during birth, 220–1
 pain of labour, 332
 pain relief in intrapartum care, 332–3
 panhypopituitarism, 196
 parasympathetic division, 44
 parenting, legal and ethical concerns, 214–15
 parenting skills, 342
 partner engagement in intrapartum care, 333
 Paternal Antenatal Attachment Scale, 246
 Paternal Fetal Attachment Scale, 246
 paternal-fetal relationship, 251
 paternal impact of loss of baby, 369
 patient-centered care, 21, 114
 patient–clinician communication
 cultural communication competencies, 26–7
 Electronic Medical Records, 26
 empathic communication, 22
 Essential Communication Competencies, 23–4, 25, 27
 healthcare and, 22
 introduction, 21–2
 key points, 27
 skills in, 22–3
 specific communications, 25–6
 strategies for, 23
 summary, 27
 teaching communication and empathy, 23
 Patient Health Questionnaire, 230
 Patient Perception Score (PPS), 328
 patient safety and complementary medicine, 47–8
 pelvic floor dysfunction, 171, 193
 pelvic floor muscle training, 149
 pelvic inflammatory disease (PID), 143
 Pelvic Organ Prolapse/Incontinence Sexual Questionnaire (PISQ), 151
 pelvic pain, 142, 189, 191. *see also* chronic pelvic pain
 Pelvic Pain Support Network UK (PPSN UK), 135
 pelvic vein incompetence (PVI), 131
 Perceptions of Care Adjective Checklist (PCACL-R), 328
 peri-partum care after loss of a baby, 369
 periaqueductal grey (PAG), 147
 perimenopause, 160, 190
 perinatal depression, 308
 perinatal factors in post-traumatic stress, 352
 Perinatal Grief Scale, 371
 perinatal mental health problems (PMHP), 228–9
 perinatal mental health services, 312
 perinatal mental illness (PMI), 228–9
 perinatal period health assessment
 anxiety and depression, 231
 clinical practice, 232
 conclusion, 234
 detection questions, 230
 identifying risk factors, 232–4
 introduction, 228
 key points, 234–5
 maternity context, 228
 prediction questions, 230
 previous or current problems, 228–9
 psychological health assessment, 232–3
 Whooley questions, 180, 229, 230
 women's psychological status, 229
 Perinatal Psychology, 271
 Perinatal Substance Abuse Screen (5Ps), 281
 peripartum period disorders, 310–11
 person-centred therapy, 321, 329
 personal ethics (microethics), 209
 personality disorders, 310
 phallogocentric gender assignment, 73–4
 pharmacological treatment, 314
 phenothiazines, 182
 phobic anxiety disorders in pregnancy, 303
 phosphodiesterase inhibitors, 196
 physical disabilities, 86
 physical disease coping abilities, 139
 physical symptoms and postnatal care, 339–40
 Physician's Foundation, 21
 physiological changes of menopause, 161
 Pictorial Representation of Attachment Measure (PRAM), 246
 Pinard, Adolphe (Perinatology), 276
 pituitary-adrenal axis dysfunction, 105
 Plain Language, Engagement, Empathy, Empowerment, Respect (PEEER) training, 24, 26
 plasma oestrogen, 161
 polycystic ovarian syndrome (PCOS), 34–5
 pontine micturition centre (PMC), 147
 positive birth experience, 328
 positron emission tomography (PET), 295
 post-abortion stress syndrome, 213
 post-mortem examination in loss of a baby, 372
 post-traumatic stress disorder (PTSD). *see also* birth trauma and post-traumatic stress
 anxiety and depression with, 223
 birth trauma, 319
 clinical recommendations, 364–5
 conclusion, 365
 defined, 301–2
 fear of birth, 302
 following caesarean section, 324
 following childbirth, 302
 HRV levels, 44
 introduction, 12
 key points, 365
 in pregnancy and lactation, 309
 recommendations for research, 364
 tokophobia, 301–2
 vicarious traumatising in maternity care, 359–60
 postmenopause, 160
 postnatal care
 body weight, 37
 bonding and attachment, 343
 breastfeeding, 37, 340
 conclusion, 343
 eating disorders and, 37–8
 female genital cutting, 69
 introduction, 337–8
 key points, 344
 learning parenting skills, 342
 lifestyle and expectations, 341–2
 mental health, 37, 340–1
 physical symptoms and, 339–40
 post-traumatic stress, 352–3
 prevention of post-traumatic stress, 354
 relationships and, 342
 structure of, 338–9
 postnatal depression (PND), 341

Index

- postpartum blues, 308
 Postpartum Depression Screening Scale (PDSS), 231
 postpartum maintenance, 283–4
 postpartum psychosis, 310–11
 poverty concerns and health, 255, 257
 pre-conception stress, 112
 pre-menstrual tension (PMT), 9
 pre-pregnancy care for vulnerable women, 260
 precocious puberty in girls, 84–5
 prediction questions, 230
 prefrontal cortex (PFC), 295
 pregnancy. *see also* birth; childbirth;
 drugs and alcohol during
 pregnancy; fertility control;
 nausea and vomiting during
 pregnancy; psychiatric disorders
 in pregnancy and lactation; stress/
 stressors in pregnancy
 accidental pregnancy, 121
 alcohol abuse, 284
 amphetamine use, 287
 benzodiazepine use, 287
 body image and, 37
 cannabis use, 286
 cocaine use, 286–7
 complementary medicine, 47
 domestic violence and abuse, 57
 early pregnancy complications,
 139–42, 141*t*
 eating disorders, 309–10
 eating during, 37
 ectopic pregnancy, 141
 elective termination of, 142
 experiences among men, 126
 getting pregnant with eating
 disorder, 35–6
 hyperemesis gravidarum, 141–2
 introduction, 10–12
 management of eating disorder
 during, 36*t*
 maternal smoking, 18
 mental health needs in, 304–5
 miscarriage, 139–40, 141
 opioid abuse, 287
 overview, 10–12
 postnatal period and eating
 disorders, 37–8
 premature delivery, 271
 psychosexual disorders, 193
 psychosocial stress during, 292–3
 tobacco use, 284–6
 unintended pregnancy, 127
 urinary incontinence, 148
 weight gain during, 37
 Pregnancy Risk Questionnaire
 (PRQ), 233
 pregnancy-specific contextual
 factors, 247
 Pregnancy-Unique Quantification of
 Emesis (PUQE), 180
 premature delivery, 271
 premature ejaculation, 195–6
 premature menopause, 43
 premature ovarian insufficiency, 87–8
 premenopause, 160
 premenstrual dysphoric disorder
 (PMDD), 9–10, 12, 202
 premenstrual symptom screening tool
 (PSST), 95
 premenstrual syndrome (PMS)
 cognitive behavioural therapy, 97
 comorbidity with psychiatric
 conditions, 95
 complementary therapy, 97
 core premenstrual disorder, 95
 diagnosis and classification, 95
 hormone therapy, 98–9
 hormones related with, 43
 introduction, 9–10, 35, 94
 lifestyle changes and education
 about, 97
 management of, 96–7
 measurement of symptoms, 95
 non-hormonal treatment, 97–8
 non-ovulatory premenstrual
 disorders, 96
 non-surgical treatment, 97–9
 physical symptoms, 94
 progesterone-induced premenstrual
 disorder, 96
 psychological/behavioural
 symptoms, 94–5
 types of symptoms, 94–5
 variant premenstrual disorders, 95–6
 Prenatal Attachment Inventory (PAI),
 246
 preparatory tasks, 2*t*, 2–4
 preterm birth (PTB)
 corticotropin-releasing hormone,
 295
 introduction, 292
 key points, 297–8
 maternal anxiety and stress, 293–4
 methodological concerns, 294
 other psychosocial factors, 294
 psychosocial issues and
 reproductive health, 294–7
 psychosocial stress during, 292–3
 stressful life events, 293
 summary, 294, 297
 prevention of post-traumatic stress,
 354
 prevention *vs.* crisis intervention,
 259–60
 previous postpartum depression
 (PPD), 228–9
 primary dysmenorrhoea, 105, 106
 primary tokophobia, 300–1
 prior trauma exposure, 362
 professional experience, 362–3
 professional quality of life
 (ProQOL), 360
 progesterone-induced premenstrual
 syndrome, 96
 Prohibition of Female Genital
 Mutilation (Scotland) Act
 (2005), 67
 prolonged grief, 368
 prophylactic gonadectomy, 78
 prostaglandins, 106
 proximity-seeking behaviour, 245
 psychiatric disorders in pregnancy and
 lactation
 anxiety disorders, 308–9
 assessment and care-planning,
 312–13
 bipolar disorder, 310
 borderline personality disorder,
 314–15
 depression, 308, 313–14
 eating disorders, 309–10
 identification of, 311–12
 interventions for, 313
 introduction, 308
 key points, 316–17
 non-psychotic mental disorders,
 308–10, 313–14
 obsessive compulsive disorder, 309
 organization of, 312
 perinatal mental health services, 312
 personality disorders, 310
 post-traumatic stress disorder, 309
 postpartum blues, 308
 postpartum psychosis, 310–11
 psychotic disorders during
 peripartum period, 310–11
 psychotropic medication, 313,
 315–16
 schizophrenia, 311
 stepped care, 312
 suicide, 311
 tokophobia, 309
 treatment for anxiety disorders, 314
 treatment for eating disorders, 38,
 314
 psychiatric disorders with substance
 abuse, 283
 psychoprophylactic preparation
 course, 303
 psycho-sexual education, 77
 psychoanalysis, 320–1
 psychodynamic therapy, 320–1
 psychogenic agalactia, 4
 psychogenic model of infertility,
 111–12
 psychological care in diverse sex
 development, 75–6
 psychological debriefing processes, 140

- psychological health assessment, 232–3
- psychological impact of losing a baby, 368–9
- psychological morbidity and urinary incontinence, 152–3
- psychological perspective on care, 8
- psychosexual disorders
- after surgery, 195
 - arousal/desire disorders, 190–1
 - childbirth and, 195
 - contraception, STIs, and pregnancy termination, 192
 - dyspareunia and vaginismus, 191
 - erectile dysfunction, 195, 196–7
 - gynaecological cancer, 194
 - infertility, 193
 - introduction, 189
 - key points, 197–8
 - management of, 197
 - in men, 194
 - menopause, 193–4
 - non-coital pain disorders, 191
 - non-consummation, 191
 - orgasmic disorders, 191
 - phases of life, 191–2
 - pregnancy and pelvic floor disorders, 193
 - premature ejaculation, 195–6
 - presentation of, 190
 - prevalence, 189–90
 - psychogenic aetiology, 190
 - puberty/adolescence, 192
 - reproductive lifetime, 192
 - retarded ejaculation, 196
 - subfertility clinics, 194–5
 - summary, 197
- psychosocial competence, 1, 2, 3
- psychosocial issues, illness and well-being
- assessment measures, 233
 - dysmenorrhoea, 107–8
 - epigenetics, 15–16
 - infertility, 113–15, 115*t*, 116*t*, 117*t*
 - introduction, 8
 - overview, 8–9
 - precocious puberty, 85
 - summary and conclusion, 12–13
 - women's reproductive health, 9–12
- psychosocial issues, reproductive health
- antenatal education, 258
 - attitudes to different problems, 257–8
 - early intervention, 259
 - engagement with services, 255–6
 - introduction, 255
 - key points, 261–2
 - pregnancy, 292–3
 - preterm birth, 294
 - prevention vs. crisis intervention, 259–60
 - reasons for non-engagement, 256
 - reproductive choices, 260
 - risk reduction, 260
 - service delivery, 261
 - staff attitudes and service adjustments, 256–7
 - staff attitudes and training, 258
 - summary, 261
 - uptake of services, 261
 - violence and trauma, 258–9
- psychosocial stress during pregnancy (PSP)
- chronic stress effects, 295–6
 - corticotropin-releasing hormone, 295
 - hormonal and neurological correlates, 295
 - infectious pathways and maternal microbiome, 296–7
 - neuroendocrine pathways linking, 295
 - neuroinflammatory pathways, 296
 - preterm birth, 294–7
- psychosomatic issues, 2*t*, 2–3, 41, 274
- psychotherapy in pregnancy. *see also*
- culturally and linguistically diverse (CALD) backgrounds
 - anxiety and stress, 322
 - building resilience, 325
 - conclusion, 325
 - defined, 320
 - introduction, 319
 - key points, 325–6
 - maternal mental health, 319–20, 320*f*
 - types of, 320–2
- psychotic disorders during peripartum period, 310–11
- psychotropic medication, 313, 315–16
- puberty, 84, 192
- public ethics (macroethics), 209
- puerperal psychosis, 341
- purging disorder, 32*t*
- quality of life concerns, 8, 148
- Questionnaire to assess clients' satisfaction (CliSQ), 328
- radiation therapy, 169, 171
- radiofrequency ablation of fibroids, 104
- Rand Corporation, 21
- randomised control trial (RCT), 47, 51
- rape victims, 210
- re-traumatising fears, 59
- REDE training, 24
- Reflection Rounds, 25
- refugee pregnant women, 323–4
- relapse prevention, 282
- reproductive life events among men
- age concerns, 123
 - cancer/cancer therapies, 124–5
 - clinical practice, 127–8
 - fatherhood, 121–3
 - fertility difficulties, 123
 - fertility-related knowledge, 125
 - gay men, 122–3
 - infertility/infertility treatment, 126–7
 - introduction, 121
 - key points, 128
 - mental health concerns, 123–4
 - policy on, 127
 - pregnancy experiences, 126
 - summary, 127–8
 - unintended pregnancy, 121
- reproductive safety of pharmacological treatments, 315–16
- reproductive tourism, 215
- RESPECT model, 24
- retarded ejaculation, 196
- risk factors
- birth trauma and post-traumatic stress, 351, 352*t*
 - eating disorders, 33
 - perinatal period health assessment, 232–4
 - psychosocial issues and reproductive health, 260
- role changes in gynaecological cancer, 174
- Roman Catholic church, 212, 214
- ROME III questionnaire, 32
- Royal College of Obstetricians and Gynaecologists, 66
- S-adenosyl-L-methionine (SAM), 16, 17
- sacral parasympathetic neurones, 147
- SBIRT application, 282
- scenarios concept, 276–7
- schizophrenia, 311, 314
- Schwartz Center, 21
- Schwartz Reflection Rounds, 24
- Screening, Brief Intervention and Referral to Treatment (SBIRT), 280–2, 281*t*
- screening and detection. *see also*
- assessment and treatment; fetal anomaly screening and diagnosis
 - aneuploidies screening, 240–1
 - biochemical screening, 238
 - birth trauma and post-traumatic stress, 354
 - false positive screening, 241
 - maternal psychosocial distress, 266
 - substance abuse, 280–1, 281*t*
 - secondary dysmenorrhoea, 105, 106

Index

- secondary tokophobia, 301, 350
 secondary traumatic stress (STS), 360
 secrecy in management of intersex, 75
 selective serotonin reuptake inhibitors (SSRIs), 98, 196, 315
 self-blame feelings, 363
 self-determination in pregnancy care, 332
 self-efficacy in patient care, 3, 340
 self-empowerment behaviours, 60
 self-fulfillment, 272
 self-induced vomiting, 33
 self-management of chronic pelvic pain, 134–5
 sense of coherence (SoC), 330
 sepsis during birth, 221
 serotonin and norepinephrine reuptake inhibitor (SNRI), 98, 165
 serum dehydroepiandrosterone sulphate (DHEA-S), 265
 severe mental illness (SMI), 229
 sexual abuse, 89
 Sexual Assault Referral Centres (SARCs), 83, 89
 sexual competence and the law, 88
 sexual function and gynaecological cancer, 171–2
 sexual function and urinary incontinence, 151–2
 Sexual health in Young People statement, 88
 sexual side effects of hormone contraceptives, 203–4
 sexual violence, 210–11
 sexuality/sexual relationships
 eating disorders, 35
 gynaecological cancer, 174
 legal and ethical concerns, 209–11
 ovulation, 9
 transgender, 209–10
 sexually transmitted infections (STIs), 192, 211, 280
 Short Form Social Support Questionnaire, 181
 Six Simple Questions (SSQ), 328
 sleep and epigenetics, 18
 sleep and urinary incontinence, 151
 sleep-inducing medication, 316
 slow-release morphine, 288
 social activities and urinary incontinence, 150–1
 social autism, 272
 social dysfunction, 142
 social environment and epigenetics, 18–19
 social exclusion and health, 255
 Social Functioning Questionnaire, 181
 social infertility, 110
 social isolation in gynaecological cancer, 174
 social isolation in pregnancy, 323
 social tolerance concerns, 78
 somatic fibres, 146
 somatisation disorder, 178
 somatisation of distress, 189
 'special needs' mothers, 258
 specific communications, 25–6
 spectrum disorder and classification, 300
 sperm banking, 124
 Spielberger State Trait Anxiety Index (STAI), 237–8, 239
 SPIKES program, 24, 26
 spinal manipulation/mobilization, 51
 staff attitudes and training, 258
 staff well-being, 359
 Stages of Reproductive Ageing Workshop (STRAW), 160
 stepped care, 312
 sterilization, psychological consequence, 204
 stigma in diverse sex development, 76–7
 stillbirth – *see* loss of a baby
 stillbirth rates, 123
 Stillbirth and Neonatal Death Society (SANDS), (now known as Sands), 370
 stress/stressors
 abnormal uterine bleeding, 103
 birth and, 223
 infertility, 111–12
 maternal anxiety and stress, 293–4, 319–20
 maternal psychosocial distress, 263–5
 organisational stress, 362
 pre-conception stress, 112
 stress/stressors in pregnancy
 cause and effect of, 275–6
 compensating mechanisms, 273
 conclusions, 277
 as construct, 272
 degrees of, 274–5
 evidence of, 275
 intrauterine growth restriction, 277
 introduction, 223
 key points, 278
 mentalized experiences, 274
 methodological issues, 275
 Perinatology and, 276
 preterm labour and, 293
 psychotherapy in pregnancy, 322
 scenarios concept, 276–7
 voluntary vs. involuntary, 273–4
 women's liberation, 272–3
 stress urinary incontinence (SUI), 147–8, 151, 152
 Study for Future Families, 123
 Study of Women's Health Across the Nation (SWAN), 161
 subfertility clinics, 194–5
 substance abuse, 280
 suicidal behaviour, 204
 suicide, 311
 surgery
 bariatric surgery, 35, 36
 chronic pelvic pain, 132–3
 contraception, 99
 feminising surgery on girls, 74–5
 psychosexual disorders, 195
 surgical menopause, 162
 surrogacy and infertility, 115–18, 215–16
 Sustainable Development Goals (SDGs), 66
 sympathetic division, 44
 sympathetic neuronal synapse, 146
 T-ACE screening tool, 281
 Tai chi practice, 50–1
 terminal illness, 8
 testosterone, 99, 203
 tetrahydrocannabinol (THC), 286
 thelarche, 84
 thermoneutral zone in women, 162
 thyroid-stimulating hormone (TSH), 43
 tobacco use, 284–6
 tokophobia. *see also* fear of birth
 defined, 309
 depression, 300, 301
 discussion, 305
 elective caesarean section, 304
 as fear of birth, 300, 301
 introduction, 300
 key points, 305–6
 mental health needs in pregnancy, 304–5
 NICE recommendations for, 305
 post-traumatic stress disorder, 301–2
 primary tokophobia, 300–1
 recommended treatment times, 305
 secondary tokophobia, 301, 350
 spectrum disorder and classification, 300
 touching without consent, 209
 Traditional Chinese Medicine, 47, 49, 51
 Transcendental Meditation (TM), 50
 transgender, 209–10
 transition/transfer to adult care, 89–90, 90t
 transvaginal uterine artery occlusion, 104
 trauma-focused cognitive behavioural therapy (TF-CBT), 365
 Traumatic Events Scale (TES), 303

- traumatic gynaecological injury, 84
travel and urinary incontinence, 150–1
treatment. *see also* assessment and treatment
 antenatal interventions, 266, 354
 antenatal therapeutic interventions, 266
 anxiety disorders, 314
 birth trauma and post-traumatic stress, 355
 chronic pelvic pain, 132–3
 dysmenorrhoea, 106–7, 107*t*
 eating disorders, 38, 314
 fear of birth studies, 303–4
 gynaecological cancer, 169
 hypnosis, 50, 178–9
 infertility, 110
 infertility/infertility treatment, 126–7
 maternal psychosocial distress, 266–7
 non-hormonal treatment for PMS, 97–8
 non-psychotic disorders, 313
 non-surgical treatment of PMS, 97–9
 pharmacological treatment, 314
 reproductive safety of
 pharmacological treatments, 315–16
 vasomotor symptoms, 164–5
tubo-ovarian abscess, 143
tumour necrosis factor (TNF), 296
Turner Syndrome, 85, 90
TWEAK screening tool, 281
- UK Confidential Enquiries into Maternal Deaths, 15
ultrasound anxiety, 238–9
ultrasound depression, 239
UN International Conference on Population and Development, 211
UN International Conference on Women, 211
unauthorised paediatric organ retention, 372
Understanding Fertility Management in Contemporary Australia
 national survey, 121
unintended pregnancy, 121, 127
United States Food and Drug Administration (FDA), 103
unmet survivorship needs, 172
unsaturated fatty acids, 44–5
uptake of services, 261
urgency urinary incontinence (UII), 147–8, 151, 152
urinary incontinence
 ageing and later-life care, 151
 biopsychosocial impact of, 148
 conclusion, 153–4
 coping strategies, 149–53
 effect on mental health, 152
 employment and finances, 150
 exercise and obesity, 150
 gynaecological cancer, 169
 introduction, 146
 key points, 154
 mental health effect on, 152–3
 mind-body therapies, 153
 overview, 146–7
 postpartum, 340, 344
 psychological morbidity, 152–3
 quality of life concerns, 148
 relationships and, 150
 self/body image, 150
 sexual function, 151–2
 sleep and, 151
 social withdrawal, 174
 travel and social activities, 150–1
 treatment-seeking behaviour, 148–9
 types of, 147–8
British Society of Urogynaecology, 147
Uruguayan Ministry of Health, 276
uterine bleeding. *see* abnormal uterine bleeding
uterine hyperstimulation, 219
- vaginal construction, 75
vaginal oestrogen, 171
vaginismus, 191
vagus nerve, 296
Valsalva manoeuvre, 149
variant premenstrual disorder, 95–6
vasomotor symptoms (VMS)
 biopsychosocial approach, 163–4, 164*f*
 mood and, 163
 overview, 161–2
 treatment approaches, 164–5
vicarious traumatisation in maternity care
 burnout, 360, 362
 compassion fatigue, 360
 defined, 360
 empathy, 362
 experience and impact of, 361
 implications, 363
 indirect trauma, 359
 interventions, 364
 introduction, 359
 organisational stress, 362
 post-traumatic stress disorder, 359–60
 prevalence of, 361–2
 prior trauma exposure, 362
 professional experience, 362–3
 recommendations for research, 364
 secondary traumatic stress, 360
 summary, 360–1
 supportive strategies, 363–4
 theoretical issues, 359–61
 type of events, 361
 vulnerability increases, 362–4
VitalTalk program, 24
vulval pain, 189, 191
vulvovaginitis (VV), 83–4
- Waddington, Conrad H., 16
waist-hip ratio (WHR), 265
weight gain during pregnancy, 37
well-being, defined, 15
Western herbal tradition, 49
Whole Medical Systems, 47
Whooley questions, 180, 229, 230, 304–5
Wijma Delivery Expectancy/Experience Questionnaire (W-DEQ), 301, 303
women's health
 acupuncture, 51
 complementary medicine, 48–51
 herbal medicines, 49
 hypnosis, 50
 liberation and stress during pregnancy, 272–3
 massage and, 50
 meditation practice, 50
 mind-body therapies, 49
 natural products, 48–9
 nutritional medicine, 49
 psychological status, 229
 reproductive health, 8
 spinal manipulation/mobilization, 51
 Tai chi practice, 50–1
 yoga practice, 50
Women's Health Initiative, 165
Women's Reproductive Health Service (WRHS), 256
Working Model of the Child Interview, 246
World Association for Infant Mental Health (WAIMH), 5
World Health Organisation (WHO)
 female genital cutting, 66
 fertility control, 211, 214
 HIV transmission, 281
 introduction, 9, 15
 menopause, 160
 preterm birth, 292
 quality of life concerns, 146
 world of women concept, 108
 writing therapy, 133
yoga practice, 50
z-score for mean stress, 293
Zung Self-rating Depression Scale, 231