

Index

- activated state, 178
- Airy stress function, 38, 251
 - positive edge dislocation, 253, 477
 - wedge disclination, 476
- Al_2O_3 , 10
- Albenga's law, 92
- amorphous, 2
- anion
 - interstitial, 143
 - vacancy, 143, 149
- antiphase boundary (APB), 14, 383
- antiplane problem, 37, 245
- anti-site defect, 161
- anti-structure defect, 161
- Arrhenius plot, 180, 187, 198, 501
- atomic fraction, 80
- atomic radius, *see* Seitz radius
- atomic size factor, 79
- atomic volume, 79
- auxetic material, 29
- band gap
 - energy, 149, 150
 - engineering, 9
- basal plane, 376
- biharmonic equation, 39, 251
- biharmonic function, 39
- binding energy, 165, 166
- Boltzmann factor, 60
- Boltzmann relation, 109, 127
- Boltzmann's constant, 55, 57, 106
- Boltzmann's distribution, 58, 60
- Boltzmann's entropy, *see* entropy expression
- Bravais lattice, *see* lattice
- Brouwer approximation, 157
- Brouwer diagram, 158, 160
- bulk modulus, 29, 33, 42, 88, 93, 130, 138, 497
- Burgers circuit, 219
- Burgers vector, 12, 216, 219, 271
 - density, 401
- Cahn–Nye relation, 459
- capillarity effect, 118
- cation
 - interstitial, 143
 - vacancy, 142, 143, 149
- CdTe , 232
- charge neutrality, 140, 155
- chemical equilibrium, 140
 - constant, 147, 151
- chemical potential, 51, 54, 55, 128
- Coble creep, 198
- coherent
 - film, 313
 - particle, 318
- coincidence site lattice (CSL), 437, 439
 - Σ number, 438
 - $\Sigma 5$ CSL
 - FCC lattice, 441
 - simple cubic lattice, 440
- compatibility condition, *see* strain
- complex stacking fault, 384
- conduction band, 150, 153
- constitutional defect, 161
- coordination number, 116, 164, 178
- Cottrell atmosphere, 423
- CrCl_3 , 380
- creep
 - diffusional, 193, 198
 - grain boundary sliding, 199, 201
 - sigmoidal, 311
- critical passing stress, 288, 290
- critical stress, 316
- critical thickness, 313, 314, 317
- crystal structure
 - B1 (NaCl), 17
 - B2 (NiAl, CsCl), 7
 - BCC/body-centered cubic, 5
 - C1 (CaF_2), 17
 - DC/diamond cubic, 6, 407
 - FCC/face-centered cubic, 5
 - HCP/hexagonal close-packed, 7, 377
 - Li_2 (Ni_3Al , Cu_3Cl), 7, 382
 - perfect, 1
 - simple cubic, 2
 - Zincblende (GaAs , CdTe), 6
- diffusion, 9
 - grain boundary, 198
 - lattice, 198
- diffusion coefficient, 185, 501
 - interstitial solutes, 187, 506
 - self-diffusivity, 187, 502
 - substitutional solutes, 187, 503
 - vacancies, 186, 190
- diffusion equation, 183, 186, 188
- dilatometry, 121
- disclination, 12, 474, 475, 478
 - wedge, 476
- disconnection, 474, 480
- dislocation
 - array, 296, 460, 463
 - BCC metals, 410
 - bowing, 304
 - breeding parameter, 309
 - character angle, 214
 - climb, 225, 229, 366, 367
 - climb force, 268, 269
 - climb plane, 271
 - constricted node, 364, 366, 468

- dislocation (*cont.*)
 - cross-slip, 225, 228, 229, 367, 369, 386
 - cross-slip pinning, 386
 - cross-slip plane, 368
 - density, 218
 - mobile, 309
 - dissociation, 356, 359, 450
 - edge dipole, 215, 288
 - edge dislocation, 12, 13, 214, 220, 251, 260
 - equilibrium shape, 266
 - extended node, 364, 365, 468
 - geometrically necessary, 459
 - glide, 225
 - glide force, 268, 269
 - glide plane, 220, 225, 226, 233, 236
 - grown-in, 231
 - infinitesimal dislocation, 400
 - interaction, 284
 - edge–edge, 286
 - non-parallel screw, 292
 - screw–screw, 284
 - with point defect, 77, 418
 - jog, 233, 367, 371
 - jog motion, 367
 - kinetics, 306
 - kink, 413
 - left-handed screw (LHS), 220
 - line energy, 257, 260
 - line tension, 262, 263, 265, 304
 - line tension approximation, 265
 - loop, 176, 295
 - misfit dislocation, 232, 313, 315–317
 - mixed dislocation, 214, 257, 262
 - mobile, 308
 - motion
 - conservative, 225
 - in thin film, 315
 - non-conservative, 226
 - multiplication, 235
 - partial dislocation, 12, 13, 216, 349, 350, 361, 364, 371, 373
 - in HCP crystal, 379
 - leading, 363
 - trailing, 363
 - perfect dislocation, 12, 216
 - pile-up, 297
 - right-handed screw (RHS), 217, 220
 - screw dislocation, 12, 13, 214, 220, 245
 - sense vector, 219
 - source, 231, 233
 - spiral source, 234
 - stair-rod dislocation, 361, 368, 371
 - standard glide loop, 227, 228
 - superdislocation, 382, 387
 - superkink, 387
 - superpartial, 388
 - tangles, 13
 - threading segment, 317
 - dislocation core
 - distributed, 401
 - energy, 259, 261
 - reconstruction, 408, 409
 - structure, 395
 - easy core, 415
 - edge in BCC metal, 414
 - hard core, 415
 - in DC crystal, 408, 409
 - screw in BCC metal, 414
 - displacement shift complete (DSC) lattice, 446
 - DSC lattice vector, 473, 475
 - for $\Sigma 5$ CSL
 - simple cubic lattice, 447
 - for $\Sigma 11$ CSL
 - FCC lattice, 451
 - for $\Sigma 5$ CSL
 - FCC lattice, 449
 - disregistry, 397
 - distinguishable configurations, 106
 - domain boundary
 - ferroelectric, 14
 - magnetic, 14
 - double cross-slip, 235
 - dynamic strain aging, 423
 - Einstein model, 114
 - Einstein notation, 24
 - elastic field
 - edge dislocation, 251, 253
 - array, 460
 - in finite radius cylinder, 255
 - misfitting inclusion, 88
 - mixed dislocation, 257
 - point defect, 85
 - screw dislocation, 245, 246
 - array, 463
 - in finite cylinder, 247
 - elastic strain energy, 33
 - edge dislocation, 261
 - screw dislocation, 259
 - electronic defect, 140
 - energy, 48, 102, 103
 - bond energy, 103
 - interaction energy, 104
 - strain energy, 104
 - enthalpy, 50, 53, 102
 - entropy, 49, 50, 57
 - configurational, 105, 106
 - mixing, 101, 105
 - vibrational, 105, 107, 114, 115
 - entropy expression
 - Boltzmann's, 50, 57, 63
 - Shannon's, 58
 - epitaxial film, 312
 - equation of state, 51
 - equilibrium concentration, *see* point defect
 - equilibrium condition, *see* stress
 - equilibrium fraction
 - interstitial point defect, 110, 111, 125
 - substitutional point defect, 109, 127
 - vacancy, 113, 129
 - Escaig stress, 357
 - Eshelby twist, 248, 250
 - Euler's theorem, 52
 - F-center, 10
 - Fermi–Dirac distribution, 419, 423
 - Fermi–Dirac relation, 110, 127
 - Fick's first law, 184
 - Fick's second law, 186
 - Fleischer mechanism, 369
 - force dipole, 41, 84
 - Frank partial, 361, 373
 - loop, 373
 - Frank's rule, 221
 - Frank–Bilby equation, 470
 - Frank–Read source, 233, 234
 - Frenkel defect, 142, 144, 154, 159
 - Frenkel disorder, 142
 - Frenkel model of slip, 210
 - Friedel–Escaig mechanism, 369

- GaAs, 6, 9, 232
 gas constant, 55
 generalized stacking fault, 403, 404
 Gibbs free energy, 50, 54, 102
 Gibbs–Duhem relation, 52
 grain boundary, 14
 axis–angle representation, 434
 GB dislocation, 450, 470, 473, 478
 GB engineering, 431
 general grain boundary, 455
 misorientation, 433
 orientation variables, 433
 singular grain boundary, 438
 sliding, 199
 tilt boundary, 437
 $\Sigma 11$, 444
 $\Sigma 5$, 443
 asymmetric, 469
 low angle, 297, 456, 460
 symmetric, 445, 479
 twist boundary, 437
 $\Sigma 5$, 442
 low angle, 293, 463
 vicinal grain boundary, 455
 tilt, 471
 twist, 474
 grains, 1
 Green's function, 39

 halogen vacancy, 152
 hard sphere radius, 72, 80
 hardening mechanism
 dispersion hardening, 303
 solid solution hardening, 77
 strain hardening, 290, 302, 306, 311, 312, 337, 344
 Taylor hardening, 302
 harmonic function, 38
 harmonic oscillator, 60, 115
 Head's problem, 328
 Heisenberg's uncertainty principle, 61
 Helmholtz free energy, 50, 53, 56
 Hooke's law, 30
 hydrogen interstitial, 125
 hydrostatic pressure, 32, 190

 ideal shear strength, *see* strength
 ideal solution, 81

 image dislocation
 edge
 free surface, 334
 screw
 curved interfaces, 331
 free surface, 320
 general image problem, 325
 inside cylindrical
 inhomogeneity, 332
 multiple images, 324
 multiple phase boundaries, 328
 near cylindrical
 inhomogeneity, 331
 rigid surface, 322
 image pressure, 420
 image stress, 90, 256, 420
 hydrostatic, 92
 image torque, 249
 InAs, 9
 inclusion, 419
 intermetallic alloy, 161
 internal energy, *see* energy
 interstitial, *see* point defect
 isotropic elasticity, 28

 KCl, 10
 Kear–Wilsdorf lock, 385
 Kelvin's problem, 40
 King graph, 80
 King table, 82, 93, 97, 488
 Kirchhoff's law, 222

 Lamé coefficient, 32, 89
 Laplace's equation, 38, 245
 lattice, 5, 6
 BCC/body-centered cubic, 4
 FCC/face-centered cubic, 4
 hexagonal, 7, 375
 primitive tetragonal, 440
 SC/simple cubic, 4
 lattice constant, 3, 71, 72, 80
 lattice expansion, 121
 lattice parameter, *see* lattice constant
 lattice points, 4
 Legendre transform, 52
 LiF, 308
 line tension, *see* dislocation
 Lomer dislocation, 370
 Lomer–Cottrell dislocation, 369
 Lomer–Cottrell reaction, 369
 low symmetry site, 75

 meta-stable state, 178
 metal vacancy, 152
 method
 chemical equilibrium, 146, 165
 Lagrange multiplier, 145
 Miller indices, 3
 Miller–Bravais indices, 375
 misfit
 dislocation, 313, 315–317
 strain, 232, 313
 misfitting
 defect, 91
 inclusion, 86, 87, 94
 sphere, 93

 Nabarro–Herring creep, 193
 NaCl, 10
 Nernst's theorem, 50
 neutral vacancy, 149
 Ni₃Al, 382
 non-hydrostatic stress, 131
 non-shearable particles, 304
 nonstoichiometric ionic solid, 148
 normal occupancy, 146
 nucleation theory, 178

 octahedral site, 74, 75, 181
 orientation matrix, 434
 Orowan bowing, 304
 formula, 305
 Orowan equation, 307
 Orowan loop, 305
 oxidation reaction, 155

 partition function, 57, 60
 PbSe, 250
 Peach–Koehler force, 268, 270, 273, 424
 Peach–Koehler formula, 270, 271, 284
 Peierls–Nabarro dislocation, 402
 Peierls–Nabarro model, 351, 395
 phase boundary, 14, 325
 pinning point, 235, 372
 self, 418
 Planck's constant, 61
 plane strain, 38, 251, 476
 point defect
 charged, 148
 chemical potential, 122
 electronic, 11

- point defect (*cont.*)
 equilibrium concentration,
 102, 108–110, 116
 equilibrium fraction, 109, 110,
 112, 125
 formation energy, 103, 109
 formation entropy, 108, 109
 formation volume, 105, 109
 interaction with dislocation,
 77, 418
 interstitial, 11, 72, 73, 109, 123
 neutral, 148
 non-symmetric, 84, 86
 substitutional, 11, 72, 108, 126
 symmetric, 84
 vacancies, 11
 point force, 40
 Poisson's ratio, 29, 252, 262
 polycrystal, 1
 polygonization, 458–460
 positron annihilation, 118
 precipitate, 93, 94
 primitive cell, 4, 439
 prismatic plane, 377
 pyramidal plane, 377
- quasi-chemical approach, 101
 quench-resistivity, 119
- reaction rate constant, *see*
 chemical equilibrium
 Read–Shockley model, 456
 reduction reaction, 155
 regular solution, 101
 resistivity, 119
 right hand, start-finish (RH/SF)
 convention, *see* Burgers
 circuit
- saddle point, 177
 sapphire, 10
 Schmid factor, 45
 Schottky defect, 142, 154
 Schottky disorder, 142
 Seitz radius, 79, 488
 self-interstitial, 140, 141
 semi-coherent
 film, 314
 interface, 318
 particle, 319
 shear modulus, 29, 30, 212, 497
 Shockley partial, 350, 371
 loop, 374
- Si, 140
 Sievert's law, 126
 single crystal, 1
 size factor
 linear, 82
 volume, 81
 slip, 225
 slip direction, 349
 slip plane, 210, 349
 active, 349
 glide-set, 406
 primary, 235
 shuffle-set, 406, 410
 slip pyramid, 362
 slip system, 350
 slip traces, 209
 solid solution hardening, *see*
 hardening mechanism, 78
 solubility, 112
 solute, 72
 as inclusion, 419
 atmosphere, 425
 distribution around edge
 dislocation, 422
 equilibrium concentration,
 420
 interstitial, 101, 181, 187
 shear stress field, 424
 substitutional, 101, 182, 187
 solvent, 73
 solvus line, 102, 112
 spacing defect, 482
 spherically symmetric distortion,
 73, 76
 stacking fault, 12, 14, 351, 352,
 354, 358, 413
 complex, 384
 extrinsic, 354, 378
 generalized, 403, 404
 in HCP crystal, 377
 intrinsic, 354, 378
 stacking fault tetrahedron (SFT),
 374
 stacking sequence, 352, 354, 383,
 385
 Stirling's approximation, 58,
 107
 Stirling's formula, 58
 stoichiometry, 161, 162
 strain
 axial, 25
 compatibility condition, 36
 engineering, 26
 shear, 25
 tensor, 26
 transformation, 27
 strain hardening, *see* hardening
 mechanism
 strength, 77
 theoretical shear, 211, 212
 strengthening, *see* hardening
 mechanism
- stress
 axial, 21
 dimension, 21
 equilibrium condition, 35
 shear, 21
 tensor, 21, 23
 transformation, 24
 unit, 21
 stress and strain fields, *see* elastic
 field
 stress function, *see* Airy stress
 function
 substrate, 232
 superalloy, 1, 388
 surface
 energy, 118
 step, 209, 225, 480
 stress, 66, 118
- Taylor hardening, *see* hardening
 mechanism
 Taylor relation, 303
 tetragonal defect, 77
 tetrahedral site, 74, 75, 181
 thermal expansion, 46, 53, 65, 83,
 121, 497, 498
 thermodynamic potentials, 50
 thermodynamics
 first law, 48
 second law, 49
 third law, 50
 Thompson's notation, 360
 Thompson's tetrahedron, 360,
 372
 triple junction, 460
 twin boundary, 355, 413
 twinning partial, 413
- unit cell, 4
- vacancy
 activation free energy, 178
 activation volume, 178
 annihilation, 176

chemical potential, 114, 128–131	loop, 177, 295	valence band, 150, 153
condensation, 176, 177	monovacancies, 164	Vegard’s law, 81
constrained equilibrium, 167	motion, 177	Voigt notation, 27, 34
divacancies, 164	quadvacancies, 167	Volterra dislocation, 214, 215, 402
equilibrium concentration, 112, 116, 164	relaxation volume, 114	
equilibrium fraction, 116	sinks, 176	X-ray measurement, 121
formation energy, 113, 116	sources, 176	
formation free energy, 132	trivacancies, 166	yield point drop, 308
in Si, 140	vacancy diffusion, 230	Young’s modulus, 29
jump rate, 177, 178	inhomogeneous stress, 190	
	uniform hydrostatic stress, 190	ZnO, 159