

Index

* Note: *italic page numbers* indicate a main section on the subject.

- Adaptive Mesh Refinement, 773
- adiabatic invariant, 35
 - first (transverse), 35
 - second (longitudinal), 36
 - third (magnetic flux), 37
- advanced tokamak scenario, 696
- Alfvén and slow continua in tokamak plasma
 - ellipticity induced gap, 680
 - governing ODEs, 678
 - toroidicity induced gap, 680
 - triangularity induced gap, 680
- Alfvén Mach number, 130
- Alfvén waves, 57–59, 156, 161, 165
 - Alfvén frequency, 58
 - Alfvén velocity, 58
 - Alfvén wave cascades, 704
 - damping, 380
 - point disturbances, 161
- anomalous resistivity, 559, 561
- antenna impedance, 410
- apparent and spurious singularities, 476
- astrophysical concepts
 - absolute magnitude, 14
 - apparent magnitude, 13
 - basic postulate of astrophysics, 13
 - Cowling approximation, 239
 - evolution of stars, 13
 - Hertzsprung–Russell diagram, 14
 - luminosity, 235
 - opacity, 236
 - radiation pressure, 235
- astrophysical objects
 - accretion disc, 109, 111
 - Active Galactic Nuclei, 110, 111
 - magnetar, 111
 - neutron star, 111
 - pulsar, 111
 - pulsar wind nebulae, 911
 - T-Tauri star, 875
 - Van Allen belts, 35
 - Whirlpool Galaxy M51, 438
 - X-ray binary SS433, 894
 - young stellar object (YSO), 110, 111
- astrophysical phenomena
 - coronal mass ejection (CME), 16, 19
 - dynamo, 16
 - funnel flows, 875
 - interplanetary magnetic field (IMF), 130
 - magnetotail, 130
 - quiescent prominence, 662
 - solar eclipse, 16
 - solar flare, 16, 120
 - solar wind, 16, 130, 144
 - space weather, 16
 - stellar oscillations, 239
 - superflare, 305
 - X-ray emitting stars, 16
- astrophysical plasmas, 11–19
- axi-symmetric static equilibria
 - average β , 620, 633
 - average poloidal β_p , 631, 633, 640
 - diamagnetic equilibria, 641
 - equilibrium-stability β limit, 634
 - flux functions, 636
 - geometry parameters, 631
 - global confinement parameters, 631
 - governing equations, 617
 - Grad–Shafranov equation, 635
 - hoop force, 628
 - internal self-inductance ℓ_i , 629, 640
 - inverse aspect ratio, 620, 648
 - magnetic surface, 623
 - modified safety factor q^* , 632
 - orthogonal flux coordinates, 621
 - poloidal magnetic flux, 619, 635
 - resonant field lines/surfaces, 623, 683
 - safety factor, 620
 - scaling parameters, 631
 - Shafranov shift, 627, 637
 - straight-field-line coordinates, 621, 668
 - toroidal magnetic flux, 619
 - toroidal plasma current, 628
 - vacuum field equations, 642
 - vertical field, 629
- axi-symmetric stationary equilibria
 - Bernoulli equation, 712

- $\Delta(r)$ shift of the flux surfaces, 718
- magnetic/flow surfaces, 709
- nonlinear PDE for poloidal flux, 712
- poloidal Alfvén Mach number, 711
- poloidal velocity stream function, 709
- small inverse aspect ratio expansion, 716–719
- toroidally rotating plasmas, 660
- variational principle, 712
- ballooning modes
 - ballooning transformation, 683
 - Connor–Hastie–Taylor equation, 687
 - governing ODEs, 687
- β -induced Alfvén eigenmode (BAE), 702
- boundary conditions, 112
 - astrophysical models IV–VI, 143
 - laboratory models I–III, 138–141
 - line-tying, 113
- boundary layer analysis, 538
- Brunt–Väisälä frequency, 442
- Burgers’ equation, 170
- celestial mechanics
 - Kepler’s laws, 11
 - Newton’s gravitational law, 13
- centrifugal acceleration, 447
- characteristics, 169–178
 - Alfvén disturbances, 175
 - characteristic directions, 172
 - characteristic speeds, 174, 838
 - degeneracy, 178
 - entropy disturbances, 175
 - initial value problem, 172–173
 - magneto-acoustic disturbances, 175
 - normal to spatial part, 174
 - reciprocal normal surface, 176
 - space-time characteristics, 838
 - tangential discontinuities, 178
 - weak discontinuities, 170, 174–177
- classical transport coefficients, 79–83
 - Braginskii’s expressions, 81
 - electrical conductivity, 80
 - electron and ion viscosities, 82
 - electron thermal conductivity, 80
 - heat transfer function, 82
 - ion thermal conductivity, 82
 - Spitzer resistivity, 80
 - thermo-electric coupling, 80
- classification of MHD shocks, 854–865
- Clebsch coordinates, 253
- Clebsch potentials, 683
- collisions, 75–78
 - collisionality, 52
 - electron relaxation time, 76
 - electron–electron collision frequency, 76
 - electron–ion collision frequency, 76
 - ion relaxation time, 76
 - ion–ion collision frequency, 76
 - temperature equilibration time, 77
- conservation laws, 116–128
- continua for axi-symmetric stationary plasmas
 - Alfvén continua, 728
 - dispersion equation, 733, 734
 - Eulerian entropy continua, 728
 - slow continua, 728
 - trans-slow continua, 731
- continuous spectrum
 - exponential damping, 389
 - relation with branch cuts, 376, 384
 - resonant absorption, 405
 - three continua, 380
- cyclotron motion, 27–30
 - frequency, 28
 - radius, 28
 - relativistic, 32
- cylindrical plasmas
 - Alfvén’s model, 346
 - apparent singularities, 334
 - boundary condition at origin, 332, 407
 - boundary conditions, interface, 336–339
 - constant-pitch magnetic field, 346
 - curvature magnetic field, 325
 - diffuse linear pinch, 325
 - dimensionless scaling, 326
 - equilibrium, 181, 325–330
 - field line projection, 330
 - field line-bending, 344
 - force-free magnetic fields, 327
 - free-boundary modes, 342–345
 - ‘ghost’ plasma, 337, 345, 372
 - Hain–Lüst equation, 332, 335
 - interface models, 329
 - lack of equilibrium, 181
 - magnetic flux tube, 325
 - magnetic surfaces, 184
 - matrix eigenvalue problem, 331
 - pressure, Eulerian, 334
 - pressure, Lagrangian, 334
 - singularities, 333
 - spectral structure, 339
 - stability, 348–368
 - static equilibrium, 181, 183
 - ‘straight tokamak’, 328
 - system of first order ODEs, 334
 - tokamak approximation, 343
 - wave equation, 330–339
 - waves in a θ -pinch, 341
- direct and inverse cascade, 755
- disc truncation radius, 875
- discontinuities, 133–138
 - contact, 137
 - jump conditions, 133
 - Rankine–Hugoniot relations, 133
 - shocks, 133
 - tangential, 137
- discretization
 - accuracy, errors, 572
 - consistency, 572
 - efficiency, 572
 - global truncation error, 571

966

Index

- numerical stability, 572
- dissipation
 - artificial, 406
 - resistivity, magnetic diffusivity, 132
 - resonant, 416, 418, 428
 - thermal conductivity, diffusivity, 9, 132
 - viscosity, kinematic diffusivity, 132
- dissipative and ideal fluids, 83–86
- divergence $\mathbf{B}$ treatments, 814–818
 - constrained transport, 816
 - field interpolated central difference scheme, 817
 - hyperbolic cleaning, 817
 - MOC-CT, 822
 - parabolic cleaning, 817
 - Powell's source terms, 815
 - projection scheme, 815
 - vector potential, 815
- Doppler shift, 149, 174, 449, 461
- drift motion, 33–38
 - $\mathbf{B} \times \nabla \mathbf{B}$ drift, 34
 - $\mathbf{E} \times \mathbf{B}$ drift, 33
- dynamo
 - Babcock model, 296
 - coefficients α , β , 300
 - Cowling's theorem, 299
 - kinematic dynamo, 300
 - magnetic buoyancy, 298
 - magnetic diffusivity, 298
 - solar dynamo, 296
 - turbulent magnetic diffusivity, 299
- dynamo action, 762
- electrodynamics, 105
 - Ampère's law, 106
 - displacement current, 31, 106
 - electromagnetic waves, 31
 - Faraday's law, 114
 - Maxwell's equations, 30–33
 - Ohm's law, 114
 - Poisson's law, 107
 - pre-Maxwell equations, 19, 31
- ellipticity induced Alfvén eigenmode (EAE), 702
- Elsässer variables, 759
- energy
 - flow, 118
 - kinetic energy density, 119
 - potential energy density, 119
- energy principle, 204–205
 - normal modes and, 206
 - proof of, 207
- entropy waves, 149, 152–153, 156, 847
- epicyclic frequency, 515
- epicyclic modes, 517
- equilibrium for tokamak plasmas, 617–635
- essential spectra, 482
- Eulerian entropy continuum, 448
- extended MHD, 560–566
 - collisionless reconnection, 563
 - generalized Ohm's law, 562
 - Hall current, 563
 - Hall MHD, 561, 562
 - whistler wave, 561
- fast magneto-acoustic waves, 156–157, 162, 165
- finite difference methods
 - first order accuracy, 573
 - first order backward difference, 573
 - first order forward difference, 573
 - grid points, 572
 - mesh points, 572
 - second order central difference, 573
- finite element method
 - basis functions, 576
 - essential boundary conditions, 578
 - Galerkin method, 577
 - natural boundary conditions, 577
 - residual, 576
 - shape functions, 576
 - weak formulation, 577
 - weight functions, 576
 - weighted residual formulation, 577
- Fjørtoft's theorem, 492
- fluid description, 52–63
- force operator, 186–196
 - equation of motion, 186
 - homogeneous plasma, 189
 - self-adjointness, 187, 191–196
- force-free magnetic field, 127, 440, 525
 - constant pitch field, 128, 146
 - Lundquist field, 127
- Fredholm alternative, 381
- Frieman–Rotenberg formalism, 448–452
 - average Doppler–Coriolis shift, 461
 - Doppler–Coriolis operator, 458
 - generalized force operator, 452
 - in straight-field-line coordinates, 722
 - kinematic transformations, 450
 - parallel field operator, 723
 - parallel flow operator, 723
 - pre-self-adjointness relation, 455
 - quasi-Lagrangian representation, 448
- Galerkin method, 693
- gas dynamic shocks, 840–845
 - distilled energy jump condition, 843
 - distilled entropy condition, 843
 - entropy condition, 841
 - entropy-forbidden jumps, 844
 - entropy-permitted shocks, 844
 - Hugoniot adiabatic, 841
 - shock strength, 842
 - time reversal duality, 845
- gauge transformation, 125
- generalized eigenvalue problem, 152
- geodesic acoustic mode (GAM), 673, 679
- geodesic curvature of magnetic field line, 671
- ghost cells, 587
- global Alfvén eigenmode (GAE), 348
- global conservation laws, 118
 - energy, 121
 - magnetic flux, 121

- mass, 121
- momentum, 121
- Grad-Shafranov equation, 635–647
 - dimensionless flux function profiles, 649
 - large aspect ratio expansion, 637
 - low- β tokamak approximation, 638
 - numerical solution methods, 655
 - poloidal current stream function, 635
 - poloidal flux scaling, 651
 - shifted circle coordinates, 637
 - unit profiles, 649
- gravitating fluid instabilities
 - Brunt–Väisälä frequency, 241
 - convective cells, 242
 - convective instabilities, 241–242
 - Schwarzschild criterion, 241
- gravitating fluid slab
 - boundary conditions, 240
 - HD wave equation, 239–241
- gravitating plasma instabilities
 - energy principle, 280
 - Euler–Lagrange equation, 281
 - gravitational instabilities, 279–289
 - gravitational interchange, 264
 - gravitational quasi-interchange, 264
 - interchanges with shear, 285
 - interchanges without shear, 283
 - local interchange stability, 266, 286
 - magnetic shear, 265, 286
 - Newcomb’s procedure, 281
 - Parker instability, 263
 - Rayleigh–Taylor instability, 263, 286
 - Suydam’s criterion, 287
- gravitating plasma slab
 - derivation wave equation, 252–257
 - exponential stratification, 258
 - field line projection, 253–256
 - first order differential equations, 257
 - homogeneous wave problem, 249
 - matrix wave equation, 254
 - MHD wave equation, 248–264
 - one-dimensional representation, 373
 - one-dimensional systems, 249
 - second order differential equation, 255
 - total pressure perturbation, 257
- gravitation, 108
 - external, 109
 - internal, 108
- gravito-acoustic waves, 242–244
 - acoustic cutoff frequency, 244
 - Brunt–Väisälä frequency, 241
 - cavity modes, 241
 - dispersion equation, 242
 - evanescence, 243
 - f -modes, 244
 - free-boundary modes, 244
 - g -modes, 243
 - Lamb frequency, 244
 - p -modes, 243
 - Sturmian, anti-Sturmian, 243
 - turning point frequencies, 243
- gravito-MHD waves, 258–264
 - apparent crossing slow/Alfvén, 263
 - Brunt–Väisälä frequency N_B , 258
 - Brunt–Väisälä, magnetic N_m , 259
 - dispersion equation, 259
- Green’s function, 381
 - Green’s dyadic, 377
 - Laplace contour, 381, 385, 386, 390
 - poles, 376, 388
 - Riemann sheet, 384
- guiding centre approximation, 30
- gyro-motion, *see* cyclotron motion
- H-mode in tokamak, 697
- Hamiltonian formulation
 - canonical momentum, 457
 - Hamilton’s principle for linear ideal MHD, 457
 - Hamiltonian of linear perturbations, 457
- Harris sheet, 554
- helioseismology, 238, 245–248, 399, 701
 - 5 minute oscillations, 244
 - cavity modes, 246
 - f -modes, 246
 - g -modes, 246
 - Lamb frequency, 245
 - p -modes, 246
 - power spectrum oscillations, 246
 - radial wave equation, 245
 - spherical geometry, 245
 - systematics, 248
- Hilbert space, 190–191
 - inner product, 190
 - linear operator in, 190
 - norm, 190
 - self-adjoint operators, 191, 340
- Howard’s criterion, 495
- hydrodynamics
 - convective instability, 238
 - isentropic motion, 238
 - Rayleigh–Taylor instability, 238
 - Schwarzschild criterion, 238
 - solar interior, 233
 - wave equation gravitating slab, 239–241
- ideal fluids, 52
- ideal relativistic MHD, 900–902
 - characteristic speeds, 905
 - de Hoffman–Teller frame, 908
 - Friedrichs diagrams, 903
 - from conservative to primitive variables, 908
 - Lichnerowicz adiabat, 907
 - linear waves, 902–904
 - magnetic pressure invariant, 900
 - normal perpendicular shocks, 907
 - numerical challenges, 910–911
 - 1D Riemann problem, 909
 - shock conditions, 906–908
- impedance matching, 394
- incompressibility, 221

- induction equation, 107, 114
- initial value problem, 373, 396
- instabilities
 - ballooning mode, 441, 673
 - coalescence instability, 557
 - edge-localized mode (ELM), 697
 - external kink, 441, 625
 - gravitational interchange, 441
 - infernal mode, 696
 - interchange, 35, 441, 442, 673, 689
 - internal kink, 441, 626
 - Jeans instability, 166, 441
 - Kelvin–Helmholtz instability, 559
 - magneto-rotational instability (MRI), 441, 873
 - Mercier criterion, 442
 - neo-classical tearing mode, 441
 - Parker instability, 441, 443
 - quasi-interchange, 442
 - quasi-Parker instability, 444
 - Rayleigh–Taylor instability, 876
 - resistive gravitational interchange mode, 543
 - resistive wall mode, 546
 - Schwarzschild criterion, 442
 - Suydam criterion, 442
 - tearing mode, 531, 695
 - trans-slow Alfvén continuum (TSAC) modes, 734
- interface plasmas, 213–229
 - boundary conditions, 215–217
 - energy conservation, 141–142
 - first interface condition, 216, 217
 - plasma–plasma (model II*), 217
 - plasma–vacuum (model II), 216
 - second interface condition, 216, 217
 - self-adjointness, 218–219
 - variational principles, 219–220
- ion whistler wave, 565
- Iroshnikov–Kraichnan scaling, 769
- iso-thermal MHD, 783–786
 - magneto-acoustic Riemann invariant, 785, 806
- ITER, 438, 618
- Kelvin–Helmholtz instability, 478–480, 489–494
 - dispersion equation for interface plasmas, 479
 - for fluids, 489
 - in interface plasmas, 478
- kinematic expressions, 121–123
 - line element, 122
 - surface element, 122
 - volume element, 123
- kinematic MHD, 760
- kinematic viscosity, 750
- kinetic plasma theory, 38–51, 67–78
 - Balescu–Lenard collision integral, 70
 - BBGKY hierarchy, 68
 - Boltzmann equation, 39, 67–70
 - closure of kinetic equations, 75
 - collisionless Boltzmann equation, 67
 - collisions, 39
 - definition heat flow, 72
 - definition heat transfer, 73
 - definition stress tensor, 72
 - definition temperature, 72
 - distribution function, 38, 67
 - initial value problem, 48
 - Landau collision integral, 39, 69
 - Landau damping, 46–51, 273
 - local thermal equilibrium, 74
 - Maxwell distribution, 41, 74
 - moments of Boltzmann equation, 40, 70–72
 - phase mixing, 46
 - phase space, 67
 - Rosenbluth potentials, 69
 - thermal fluctuations, 72
 - thermal quantities, 41
 - van Kampen modes, 46, 273
 - Vlasov equation, 39, 67
 - Vlasov–Poisson problem, 47
- kink instability, 61
- Kolmogorov scaling, 754
- Kruskal–Shafranov condition, 62, 345, 625
- Lagrangian displacement vector, 185
- Lagrangian representation, 447
- Laplace contour, 381, 385, 386
 - deformation, 390
- Laplace transform
 - contour and convergence, 199
 - forward, 199, 373
 - Green’s function, 381
 - inverse, 199, 373, 379
- leaky mode, 392, 393
 - initial value problem, 396
 - normal-mode analysis, 395
- linearized MHD
 - counting boundary conditions, 187
 - damped and overstable waves, 188
 - Eulerian representation, 187
 - initial value problem, 198–200
 - Lagrangian representation, 187
 - linearization MHD equations, 183–186
 - stable waves and instabilities, 188
- linked magnetic loops, 126
- Liouville’s theorem, 39
- local conservation laws, 121
 - energy, 123
 - magnetic flux, 123
 - mass, 123
 - momentum, 123
- Lorentz force, 55
- loss cone, 36
- low β plasma, 380, 400
- Lundquist number, 129
- magnetic axis, 618
- magnetic bottle, 35
- magnetic confinement, 9
 - θ -pinch, 10, 60
 - cusps, 35
 - magnetic mirror, 35
 - optimization problem, 11
 - spheromak, 3

- stellarator, 3
- tokamak, 3, 9
- z -pinch, 10, 60
- magnetic field
 - no spherical symmetry, 19
 - shear, 126
 - solenoidal condition, 125
- magnetic field lines
 - curvature vector, 670
 - frozen-in, 124
 - inverse pitch, 125, 326
 - reconnection, 130
 - safety factor (q), 328
 - Serret–Frenet triad, 670
 - tearing, 130
 - x-point separatrix, 130
- magnetic flux, 113–116
- magnetic helicity, 124–128, 527
- magnetic moment, 35
- magnetic pressure, 61
- magnetic reconnection, 554–563
 - GEM challenge, 554
 - Newton challenge, 554, 560
 - self-feeding turbulent reconnection, 558
 - stationary Petschek reconnection, 558
 - Sweet–Parker reconnection, 556
- magnetic Reynolds number, 56, 129, 532, 535
- magnetic rigidity, 32
- magnetic shear, 473
- magnetic stress, 119
- magnetic structures, 17
- magnetic surface symmetry triad, 671
- magnetic surface/field line triad, 722
- magnetic tension, 119
- magnetic topology, 124
- magnetic/flow surfaces
 - Gaussian curvature, 725
 - geodesic curvature, 725
- magnetically modified Brunt–Väisälä frequency, 442
- magnetized accretion-ejection structure, 874
- magneto-rotational instability, 513
- magnetohydrodynamics (MHD), 6, 23
 - electric field secondary, 24
 - magnetic flux conservation, 116
 - Ohm's law, 24
 - spatial and temporal aspects, 147
 - symmetric hyperbolic equations, 151, 173, 175
- magnetospheres, 320–321
 - flux transfer event, 321
 - Kelvin–Helmholtz instability, 321
 - ring current, 37
 - ultra low frequency wave, 321
- Maxwell stress tensor, 119
- Maxwell's equations, 30
- Mercier criterion, 688
- MHD discontinuities
 - contact discontinuity, 846, 847
 - magneto-acoustic shock, 848, 850
 - rotational or Alfvén discontinuity, 848, 850
 - tangential discontinuity, 846, 847
- MHD equations, 56, 107
 - conservation form, 116–118
 - non-relativistic approximation, 107
 - Ohm's law, 56
 - scale independence, 110–112
- MHD equilibrium
 - conformal mapping, 656
 - Galerkin method, 660
 - gravitating plasma equilibria, 662
 - high β tokamak, 627, 633
 - iso-parametric mapping, 659
 - low β tokamak, 627, 633
 - Soloviev equilibrium, 652–655
- MHD flow regimes
 - sub-fast, super-Alfvénic, 859
 - sub-slow, 859
 - super-fast, 859
 - super-slow, sub-Alfvénic, 859
- MHD shocks
 - de Hoffmann–Teller polar plots, 865–870
 - de Hoffmann–Teller transformation, 851
 - distilled energy jump condition, 854
 - distilled entropy condition, 854
 - entropy-allowed and forbidden duality, 864
 - fast shocks, 852
 - 4–1 and 4–2 jumps, 859
 - hydrodynamic shocks, 853
 - intermediate shocks, 852
 - jump conditions in shock frame, 839
 - magneto-sonic transition values, 857
 - MHD shock conditions, 846–853
 - parallel shocks, 853, 860
 - perpendicular shocks, 852, 860
 - prograde intermediate shocks, 855, 861
 - retrograde intermediate shocks, 855, 860, 861
 - shock evolutionarity, 860, 870
 - shock strength, 857
 - slow shocks, 852
 - switch-off shocks, 853
 - switch-on shocks, 853, 860
 - time reversal duality, 859, 864
- MHD spectral theory
 - σ -stability, 283
 - accumulation fast waves, 250
 - accumulation slow waves, 251
 - Alfvén and slow continua, 269–273
 - apparent singularities, 341
 - cluster spectra, 278–279, 347, 351, 370
 - continuous spectrum, 265–279, 341, 389
 - $D = 0$ apparent singularities, 256, 257, 269
 - damping of Alfvén waves, 273
 - degenerate Alfvén waves, 250, 342
 - discrete spectrum, 341
 - essential spectrum, 250, 262
 - fast cluster point singularities, 272
 - HD and MHD, relation spectra, 262
 - heating by Alfvén waves, 273
 - historical note, 273

- improper Alfvén eigenfunction, 271
- leaky mode, 392, 393
- MHD, initial value problem, 273
- $N = 0$ genuine singularities, 256
- number of nodes of eigenfunction, 250
- orthogonality of eigenfunctions, 276
- oscillation theorems, 273–278, 341
- quasi-mode, 386, 391
- resolvent operator, 273
- role in temporal evolution, 372
- small and large solutions, 268, 270
- spectral structure, 265–279, 346
- Sturm’s oscillation theorem, 274
- Sturm–Liouville system, 274, 340
- Sturmian, anti-Sturmian, 275, 347, 348
- surface mode, 386, 393
- turning point frequencies, 251
- variational procedures, 341
- MHD spectroscopy, 245–248, 399
 - galactic plasmas, 445
 - tokamaks, 663, 702, 703
- MHD wave equations, 150–159
 - 3×3 representation, 155
 - 7×7 representation, 154
 - 8×8 representation, 151
 - admitting monopoles, 154
 - compressibility, 154
 - counting variables, 147–155
 - dimensionless variables, 151
 - dispersion equation, 155, 159
 - gravitating plasma slab, 255
 - numerical $\nabla \cdot \mathbf{B}$ wave, 154–155
 - plane wave solutions, 151
 - spurious eigenvalues, 152
 - symmetric operator, 151
 - velocity representation, 155–157
 - vorticity, 154
 - wave vector projection, 154
- MHD waves
 - asymptotic properties, 165
 - constructive interference, 161
 - cusp velocity, 165
 - dispersion diagrams, 157–159
 - eigenfrequency ordering, 157
 - envelope wave fronts, 161
 - Friedrichs diagrams, 162
 - group diagrams, 159–169
 - group velocity, 160
 - local propagation, 159
 - low- β approximation, 163
 - non-dispersive, 160
 - orthogonal eigenfunctions, 157
 - parallel propagation, 159
 - perpendicular propagation, 159
 - phase diagrams, 159–169
 - phase velocity, 160
 - relation to spectrum, 159
 - relation to stability, 159
 - return angle in group diagram, 165
 - self-gravity (Jeans), 166
 - mirror effect, 34, 36
 - misnomers
 - Larmor frequency, Larmor radius, 28
 - local field line coordinates, 253
 - magnetic contribution to angular momentum, 711
 - sound Mach number in plasmas, 846
 - non-holonomic initial data, 448
 - nonlinear conservation laws, 780–783
 - characteristic speeds, 781
 - characteristic variables, 782
 - conservative variables, 781
 - flux Jacobian, 781
 - generalized Riemann invariants, 783
 - Hugoniot locus, 788
 - linearly degenerate wave field, 789
 - method of characteristics, 782
 - overcompressive shock, 788
 - primitive variables, 781
 - quasi-linear form, 781
 - Riemann invariants, 782
 - simple wave, 782
 - strictly hyperbolic system, 782
 - structure coefficient, 789
 - normal Alfvén Mach number, 849
 - normal curvature of magnetic field line, 671
 - nuclear fusion reactions, 4–6, 15
 - α particle heating, 4
 - Bremsstrahlung losses, 7
 - CNO cycle, 5
 - confinement time, 8
 - core of the Sun, 5
 - deuterium–deuterium reactions, 8
 - deuterium–tritium reactions, 5
 - heat transport losses, 7
 - ignition condition, 7
 - in stars, 15
 - Lawson criterion, 7
 - $\text{Li}^6 / \text{Li}^7$ blanket, 4
 - product $n\tau_{\text{E}}T$, 8
 - proton–proton chain, 5
 - thermonuclear output power, 6
 - numerical methods
 - adaptive mesh refinement (AMR), 819
 - approximate Riemann solver, 807
 - arbitrary Lagrangian–Eulerian (ALE), 825
 - conservative scheme, 791
 - dimensional splitting strategy, 814
 - $\nabla \cdot \mathbf{B}$ treatments, 814
 - entropy fix, 809
 - finite volume method, 796
 - Gibbs phenomenon, 792
 - Godunov method, 798
 - high resolution method, 796
 - HLL solver, 810
 - hybrid scheme, 796
 - hyper-diffusion, 826
 - Lax–Friedrichs scheme, 791
 - linear reconstruction, 803

- minmod limiter, 804
- monotonicity preserving scheme, 792
- monotonized central-difference limiter, 804
- pseudo-convergence, 813
- pseudo-spectral method, 824
- Richtmyer two-step Lax–Wendroff scheme, 791
- Roe solver, 807
- semi-implicit methods, 828
- shock-capturing scheme, 796
- slope limiting, 803
- Strang splitting, 813
- total variation diminishing (TVD), 793
- TVDLF method, 802
- numerical MHD
 - double umbilic point, 800
 - quintuple umbilic point, 800
 - shearing box model, 823
 - solar magneto-convection, 826
 - Tanaka's splitting strategy, 818
 - triple umbilic point, 800
- Ohmic dissipation, 56
- one-fluid equations, 95–101
 - generalized Ohm's law, 97
 - maximal ordering, 95–99
 - resistive and ideal, 99–101
- orbit theory, 30
- Oscillation Theorems in complex plane, 466–470
 - alternator, 468
 - for complex frequencies, 469
 - for real frequencies, 468
- overstable mode, 452, 475
- parallel gradient operator, 668
- partial differential equations
 - Cauchy problem, 171
 - elliptic, 172
 - hyperbolic, 172
 - linear advection equation, 169
 - parabolic, 172
 - quasi-linear, 173
- phase mixing, 399, 427
 - coronal loops and holes, 432
 - running waves, 427
 - standing waves, 427
 - time scale, 427
- Picard iteration, 655
- pinch effect, 60
- planetary magnetism, 320
- plasma
 - β , 35, 326
 - Coulomb interaction, 20
 - crude definition, 3
 - Debye length, 21, 45
 - Debye shielding, 21
 - Langmuir waves, 43
 - macroscopic approach, 23–24
 - microscopic definition, 19–23
 - occurrence, 3, 19
 - perfectly conducting fluid, 6
 - plasma frequency, 44
 - quasi charge-neutrality, 21
 - Saha equation, 20
 - plasma oscillations, 43
 - Poisson adiabatic, 841
 - poloidal curvature of magnetic surface, 671
 - Poynting vector, 120, 121
 - Prandtl number, 759
 - predictor–corrector method, 605
 - pressure-driven p -modes, 483
 - primitive variables, 119
 - quadratic eigenvalue problem, 452
 - quadratic forms in MHD, 200–205
 - linearized kinetic energy, 191
 - linearized potential energy, 201
 - quantum mechanics, 32
 - quasi-mode, 386, 391, 404, 410, 413
 - rarefaction wave, 789–790
 - centred simple wave, 789
 - integral curve, 789
 - Rayleigh's circulation criterion, 515
 - Rayleigh's inflection point theorem, 492
 - Rayleigh–Taylor instability, 221–229, 478, 488
 - growth rate, 227
 - interchange instability, 222, 226
 - magnetic shear, 222, 226
 - Parker instability, 222
 - wall stabilization, 222, 227
 - relativistic gas dynamic waves
 - characteristic speeds, 890
 - entropy waves, 890
 - Huygens construction for sound waves, 891
 - linear sound waves, 890
 - phase and group speed diagrams, 890
 - shock relations, 891
 - Taub adiabat, 894
 - $3 + 1$ formalism, 889
 - relativistic gas dynamics
 - particle number conservation, 886
 - stress-energy tensor, 886
 - relativity
 - energy, 32
 - Lorentz transformation, 31, 34
 - momentum, 32
 - rest mass, 32
 - relativity and electromagnetism
 - electric four-vector, 896
 - electromagnetic field tensor, 896
 - electromagnetic stress-energy, 899
 - four-current, 897
 - Lorentz transformation for $\mathbf{E}$ and $\mathbf{B}$, 896
 - magnetic four-vector, 899
 - Maxwell equations, 895
 - relativity and thermodynamics
 - effective polytropic index, 889
 - entropy, 888, 900
 - Mathews approximation, 889
 - polytropic equation of state, 888
 - relativistic enthalpy, 887
 - Synge gas, 888

- resistive gravitational interchange mode
 - growth rate, 544
 - resistive layer width, 544
 - stability criterion, 543
- resistive MHD equations, 55, 128–132
 - induction equation, 56
 - time scale of resistive diffusion, 56
- resistive MHD spectrum, 544–553
 - Alfvén dispersion equation, 549
 - eigenvalue problem, 693
 - homogeneous compressible plasma, 549
 - ideal quasi-mode, 553
 - inhomogeneous compressible plasma, 551
- resistive normal mode analysis, 532
- resistive wall mode, 544–548
- resolvent operator, 373
- resonant absorption, 399, 400, 406
 - absorption coefficient, 430
 - coupling factor, 410, 411
 - damping, 418
 - efficiency, 410
 - energetics, 414, 415, 420
 - energy absorption rate, 407
 - foot point driving, 424
 - fractional absorption, 410, 412
 - quality factor, 417
 - role of quasi-modes, 410
 - solar applications, 428
 - temporal evolution, 419
 - tokamak, 417
- Reynolds number, 56
- Reynolds stress tensor, 119
- Richardson number, 495
- Riemann problem, 798–800
 - iso-thermal MHD, 804
- Riemann sheet, 384
- runaway electrons, 33
- Runge–Kutta methods, 605
- safety factor, 620
- saturation of ideal internal kink, 832
- scalar conservation law, 786–790
 - compound wave, 790
 - convex flux, 790
 - Godunov theorem, 795
 - integral form, 796
 - inviscid Burgers' equation, 786
 - Lax entropy condition, 788
 - Rankine–Hugoniot relation, 787
 - rarefaction wave, 789
 - Riemann problem, 788
- scale independence of MHD, 437
- Schwarzschild radius, 109
- Schwarzschild–Suydam stability criterion, 496
- self-similar transonic flows, 872
- semi-discretization, 604
- Shafranov shift, 329, 716
- Shakura and Sunyaev α -parameter, 518
- shocks
 - collisionless, 133
 - entropy condition, 135
 - gas dynamics, 133
 - MHD, 133
- single particle motion, 27–38
- slow magneto-acoustic waves, 156–157, 162, 165
- solar magnetism, 293–309
 - butterfly diagram, 295
 - coronal heating problem, 308
 - coronal hole, 292, 307
 - coronal loops, 305, 307
 - coronal mass ejection, 306, 314
 - granules, 295, 304
 - helmet streamer, 307
 - Maunder minimum, 295
 - neutral current sheet, 312
 - penumbra, 303
 - photospheric network, 295
 - polar plume, 307
 - polarities (p, f), 296
 - prominence, 301, 305
 - solar cycle, 294
 - solar dynamo, 296
 - solar flares, 305
 - solar maxima/minima, 295
 - sunspots, 294
 - supergranules, 295, 304
 - umbra, 302
- solar wind
 - critical point, 311
 - interplanetary magnetic field, 312
 - Parker model, 309
 - solar breeze, 311
 - transonic flow, 312
- sound Mach number, 843
- sound waves, 147–149
 - compressible, 149
 - longitudinal, 149
 - sound velocity, 148
 - wave equation, 148
- space weather, 292, 313–321
- special relativity
 - four-dimensional space-time, 880
 - four-velocity, 882
 - length contraction, 881
 - light-like four-vector, 884
 - Lorentz boost, 881
 - Lorentz transformation, 880
 - Minkowski metric, 883
 - proper time, 882
 - relativistic beaming, 917
 - relativistic Doppler effect, 891
 - relativistic three-momentum, 884
 - relativistic wave aberration, 891
 - space-like four-vector, 884
 - space-time diagram, 881
 - space-time event, 881
 - three-velocity addition, 885
 - time dilation, 881
 - time-like four-vector, 884

- specific heats (γ), ratio of, 42
- spectral method
 - Chebyshev polynomials, 585
 - collocation approach, 586
 - Legendre polynomials, 585
 - non-Galerkin approach, 586
 - tau approach, 586
- spectral theory
 - alternatives, 196–200
 - analogy with quantum mechanics, 190, 210, 339
 - approximate spectrum, 197
 - compact operator, 197
 - continuous spectrum, 197, 207
 - discrete (point) spectrum, 197
 - eigenvalue problem, 196
 - Fredholm alternative, 196
 - Heisenberg ‘picture’, 211
 - ideal MHD spectrum, 187
 - quadratic forms, 196
 - resolvent operator, 198
 - Schrödinger ‘picture’, 211
 - self-adjoint operators, 191
 - unbounded operator, 197
- spectral theory for stationary plasmas
 - apparent fast and slow singularities, 501
 - cluster criteria and gravitational interchanges, 495
 - complex oscillation theorem, 485
 - flow continua, 480
 - gravito-MHD wave equation for plane flow, 475
 - local Alfvén and slow frequencies, 477
 - local Coriolis shift, 499
 - local Doppler shift, 474
 - non-holonomic Eulerian entropy continua, 481
 - real oscillation theorem, 482
 - solution averaged Doppler–Coriolis shift, 475, 505
 - turning point frequencies, 477, 501
- spectral theory stationary plasmas
 - Alfvén and slow continua, 477, 481, 501
- Spectral Web, 462–470
 - conjugate path, 463
 - solution path, 463
- Spitzer resistivity, 43, 298
- stability
 - σ -stability, 209–210
 - compressibility, 188
 - constraints, 183, 186
 - field line bending, 188
 - gravity, 189
 - internal and external modes, 212
 - intuitive approach, 181–183
 - inverted glass of water, 182, 212
 - marginal (neutral), 181, 188
 - nonlinear, 182
- stability of cylindrical plasmas
 - σ -stability, 351–352
 - constant-pitch field, 354–357
 - effective wall at singularity, 339, 345
 - external kink mode, 342
 - force-free magnetic fields, 357–361
 - general energy expression, 363
 - instabilities of a z -pinch, 353
 - Newcomb’s procedure, 348–351
 - oscillation theorems, 348
 - pure interchanges, 346, 355
 - quasi-interchanges, 346, 355
 - skin current at singularity, 358
 - skin current model, 342
 - ‘small’ solutions, 359
 - ‘straight tokamak’, 361–368
 - surface mode, 343
 - Suydam’s criterion, 348–351
- stability of ‘straight tokamak’
 - $q_0 = 1$, 365
 - energy expression, 364
 - external kink modes, 366
 - internal kink modes, 364
 - low- β tokamak ordering, 355, 363
 - rational magnetic surfaces, 366
 - sawtooth oscillations, 365
 - toroidal mode number n , 343
 - wall stabilization, 344
- standard view of nature
 - flaw, 17
 - fundamental forces, 18
- static tokamak plasmas
 - Alfvén and slow continuum, 677
 - spectral variational principle, 676
 - spectral wave equation, 675
- steady-state problem, 570
- stellarator, 628
- straight cylinder with elliptical cross-section, 632
- straight tokamak approximation, 624
- straight-field-line coordinates, 722, 732
 - Christoffel symbols and curvature expressions, 671
- Sturm–Liouville equation, 569
- Sun
 - chromosphere, 294, 301
 - convection zone, 234, 237–238, 293
 - convective stability, 238
 - core, 234, 236, 293
 - corona, 294
 - differential rotation, 293, 294
 - Doppler shift, 301
 - dynamo, 238
 - heliosphere, 294, 312
 - hydrodynamics of interior, 233–234
 - hydrostatic equilibrium, 235
 - luminosity, 233
 - photosphere, 294, 301
 - radiative equilibrium, 234–237
 - radiative zone, 234, 293
 - Schwarzschild criterion, 238
 - solar constant, 233
 - standard solar model, 233
 - thermal conduction coefficient, 234
 - thermonuclear reactions, 234
 - turbulent mixing, 238
 - sunspot seismology, 430

974

Index

- supersonic flow, 133
- surface current, 137
- surface mode, 386, 393
- surface vorticity, 138
- tearing mode
 - asymptotic analysis, 535
 - constant Ψ approximation, 541
 - Δ' jump of logarithmic derivative, 542
 - Furth–Killeen–Rosenbluth solution, 541
 - growth rate, 542
 - incompressible resistive MHD, 534
 - induced by Kelvin–Helmholtz, 559
 - inner resistive layer, 536
 - matching of logarithmic derivatives, 540
 - matching to resistive layer solution, 537
 - regularity boundary conditions, 540
 - resistive layer width, 543
 - scaling of resistive layer equations, 539
- thermodynamic variables, 107
 - entropy, 108
 - internal energy, 107
- θ -pinch, 624
- time derivative
 - Eulerian, 106, 185
 - Lagrangian, 106, 185
- tokamak, 617
 - disruptions, 120
 - safety factor, 62, 125
- toroidal Alfvén eigenmode (TAE), 682, 701
- toroidal bootstrap current, 628
- toroidal curvature of magnetic surface, 671
- toroidal flow Alfvén eigenmode (TFAE), 703
- transition ellipticity to hyperbolicity, 715, 719, 838
- transonic MHD flows, 871
 - elliptic and hyperbolic flow regimes, 715
 - equilibrium for transonic plasmas, 709–715
 - fast elliptic flow regime, 716
 - forbidden flow regimes, 872
 - limiting line characteristics, 872
 - slow elliptic flow regime, 716
 - trans-slow poloidal flow ordering, 720, 724
 - transonically rotating axi-symmetric plasmas, 707
- transport theory, 42, 74
 - Chapman–Enskog procedure, 74
 - neo-classical transport, 78
 - transport coefficients, 42
 - turbulent transport, 78
- Troyon limit, 690
- two-fluid equations, 53, 78–95
 - electron skin depth, 55, 85
 - heat flow, 53
 - ideal, 86
 - quasi charge-neutrality, 55
 - ratio of masses over charges, 88
 - resistive, 54, 86
 - viscosity, 53
- Universe
 - big bang, 17
 - plasmas everywhere, 16, 19
- variational principles in MHD, 200–205
 - choice of norms, 205
 - energy principle, 204
 - extended σ -stability principle, 220
 - extended energy principle, 220
 - extended spectral principle, 220
 - Hamilton’s principle, 202
 - interface extensions, 219–220
 - modified energy principle, 210
 - Rayleigh–Ritz principle, 203
- vector potential, 124, 526, 692
 - for vacuum field, 214
- velocity shear, 473
- viewpoints
 - differential equations, 181
 - energy and force, 181–183
 - variational quadratic forms, 182
- von Neumann method, 600
- vorticity–streamfunction formulation, 751
- vorticity–velocity formulation, 751
- wave equation for incompressible plasmas, 478
- wave packet shapes, 160
- waves in two-fluid plasmas, 86–95
 - cutoff frequencies, 93
 - dispersion equation, 91, 161
 - high-frequency limits, 94
 - MHD limit, 94
 - resonance limits, 94
- z -pinch, 624