

# Contents

---

|   |           |
|---|-----------|
| <i>List of Algorithms</i>   | page xiii |
| <i>List of Symbols and Notation</i>   | xvii      |
| <i>Preface</i>  | xxiii     |
| <b>1 Preliminaries and Notation</b>   | <b>1</b>  |
| 1.1 Introduction  | 1         |
| 1.2 Content of the Book   | 3         |
| 1.3 Basic Definitions and Notation  | 6         |
| 1.3.1 Basic Graph Concepts  | 7         |
| 1.3.2 Standard Associated Matrices  | 11        |
| 1.3.3 Exploring the Graph and Cutting the Graph<br>into Smaller Pieces          | 20        |
| 1.4 Building a Graph from Data  | 22        |
| 1.4.1 $\epsilon$ -Neighbor Graph  | 23        |
| 1.4.2 $k$ -Nearest Neighbor Graph   | 24        |
| 1.4.3 Mutual $k$ -NN Graph  | 24        |
| 1.5 Basic Markov Chain Concepts   | 25        |
| 1.5.1 Transition Matrix   | 25        |
| 1.5.2 Multistep Transition Matrix   | 26        |
| 1.5.3 Some Properties of Markov Chains and States                               | 27        |
| 1.5.4 Defining a Random Walk Model on a Graph                                   | 29        |
| 1.5.5 Stationary Distribution of a Regular Markov Chain                         | 30        |
| 1.5.6 Stationary Distribution of a Random Walk on an<br>Undirected Graph        | 31        |
| 1.5.7 Fundamental Matrix of a Killed Random Walk                                | 32        |
| 1.5.8 Stochastic Complementation  | 32        |
| 1.6 Average First Passage Time, Average Commute Time, and<br>Related Quantities | 34        |
| 1.6.1 A Generic Quantity: Expected Cost before Absorption                       | 34        |
| 1.6.2 Average First Passage Cost  | 36        |
| 1.6.3 Average First Passage Time and Average Commute Time                       | 36        |
| 1.6.4 Probabilities of Absorption   | 37        |
| 1.6.5 Expected Number of Visits   | 38        |
| 1.7 Basic Notions about Kernels on a Graph                                      | 38        |
| 1.7.1 Kernel Matrix   | 39        |
| 1.7.2 Kernels on a Graph  | 41        |
| 1.7.3 Useful Transformations of the Kernel Matrix                               | 41        |

|             |   |            |
|-------------|---|------------|
| vi          | <b>CONTENTS</b>   |            |
|             | 1.7.4 Computing a Euclidean Distance Matrix from a Kernel Matrix, and Vice Versa                                      | 44         |
|             | 1.7.5 An Illustrative Example   | 45         |
| <b>1.8</b>  | <b>Useful Properties and Applications of the Laplacian Matrix and Its Pseudoinverse</b>                               | <b>46</b>  |
|             | 1.8.1 Basic Properties of $L$ , $L^+$ , and $L^+$   | 46         |
|             | 1.8.2 Application to the Computation of Random Walk–Based Quantities  | 49         |
| <b>1.9</b>  | <b>Expectation-Maximization in a Nutshell</b>   | <b>50</b>  |
|             | 1.9.1 Majorization Technique  | 50         |
|             | 1.9.2 Jensen’s Inequality   | 51         |
|             | 1.9.3 Expectation-Maximization Algorithm  | 51         |
| <b>1.10</b> | <b>Shortest-Path or Geodesic Distance</b>   | <b>54</b>  |
|             | 1.10.1 Floyd–Warshall All-Pairs Shortest-Path Algorithm   | 54         |
|             | 1.10.2 Matrix Form of the Floyd–Warshall Algorithm  | 56         |
|             | 1.10.3 Computing Connected Components from the Distance Matrix  | 57         |
| <b>1.11</b> | <b>Basic Standard Assumptions Used in This Book</b>   | <b>58</b>  |
| <b>2</b>    | <b>Similarity/Proximity Measures between Nodes</b>  | <b>59</b>  |
|             | <b>2.1 Introduction</b>   | <b>59</b>  |
|             | <b>2.2 An Illustrative Example</b>  | <b>60</b>  |
|             | <b>2.3 A Quick Reminder about Similarities and Dissimilarities</b>  | <b>61</b>  |
|             | 2.3.1 General Conditions for Dissimilarity Measures   | 61         |
|             | 2.3.2 General Conditions for Similarity Measures  | 62         |
|             | <b>2.4 Local Similarity Measures</b>  | <b>62</b>  |
|             | <b>2.5 Global Similarity and Distance Measures</b>  | <b>67</b>  |
|             | 2.5.1 Katz Index  | 68         |
|             | 2.5.2 Resistance Distance   | 69         |
|             | 2.5.3 Commute-Time Distance and Euclidean Commute-Time Distance   | 74         |
|             | 2.5.4 SimRank and an Extension for Comparing Two Graphs   | 83         |
|             | <b>2.6 Kernel-Based Similarity Measures</b>   | <b>86</b>  |
|             | 2.6.1 Exponential Diffusion Kernel  | 87         |
|             | 2.6.2 Laplacian Exponential Diffusion Kernel  | 87         |
|             | 2.6.3 Regularized Laplacian Kernel and Variants   | 89         |
|             | 2.6.4 Commute-Time or Resistance-Distance Kernel  | 92         |
|             | 2.6.5 Similarities Based on Diffusion Models: Regularized Commute-Time Kernel and Random Walk with Restart Similarity | 94         |
|             | 2.6.6 Markov Diffusion Distance and Kernel  | 97         |
|             | <b>2.7 Further Reading</b>  | <b>101</b> |
| <b>3*</b>   | <b>Families of Dissimilarity between Nodes</b>  | <b>102</b> |
|             | <b>3.1 Introduction</b>   | <b>102</b> |
|             | <b>3.2* Logarithmic Forest and Walk Distances</b>   | <b>103</b> |
|             | 3.2.1 Logarithmic Forest Distance   | 103        |
|             | 3.2.2 Walk Distance   | 104        |

| CONTENTS  | vii        |
|---|------------|
| <b>3.3*</b> The $p$ -Resistance Distance  | 105        |
| 3.3.1 Definition of $p$ -Resistance   | 105        |
| 3.3.2 An Alternative Definition of $p$ -Resistance                                      | 107        |
| <b>3.4*</b> Bag-of-Paths Framework  | 108        |
| 3.4.1 General Idea  | 108        |
| 3.4.2 Background and Notation   | 108        |
| 3.4.3 A Gibbs-Boltzmann Distribution on the Set of Paths                                | 109        |
| 3.4.4 Computing the Probability of Sampling a Path Starting in $i$<br>and Ending in $j$ | 111        |
| 3.4.5 Bag-of-Hitting-Paths Model  | 114        |
| <b>3.5*</b> Three Distance Measures Based on the Bag-of-Hitting-Paths<br>Probabilities  | 120        |
| 3.5.1 First Distance Based on the Associated Surprisal Measure                          | 121        |
| 3.5.2 Second Distance Based on the Bag of Hitting Paths                                 | 123        |
| 3.5.3 Third, Simplified Distance Based on the Bag of Hitting Paths                      | 126        |
| <b>3.6*</b> Randomized Shortest-Path Dissimilarity and the Free Energy<br>Distance      | 126        |
| 3.6.1 Randomized Shortest-Path Dissimilarity  | 126        |
| 3.6.2 Free Energy, or Potential, Distance   | 128        |
| <b>3.7*</b> Bag-of-Paths Absorption Probabilities                                       | 130        |
| 3.7.1 Computing the Bag-of-Paths Absorption Probabilities                               | 130        |
| 3.7.2 Computing Absorption Probabilities in Function of $L^+$                           | 132        |
| <b>3.8*</b> Bag-of-Paths Covariance Measure between Nodes                               | 135        |
| 3.8.1 Definition of the Bag-of-Paths Covariance Measure                                 | 135        |
| 3.8.2 Computation of the Covariance Measure   | 138        |
| <b>4 Centrality Measures on Nodes and Edges</b>   | <b>143</b> |
| <b>4.1</b> Introduction   | 143        |
| <b>4.2</b> Standard Centrality Measures   | 144        |
| 4.2.1 Closeness Centrality  | 144        |
| 4.2.2 Shortest-Path Eccentricity  | 146        |
| 4.2.3 Shortest-Path Betweenness Centrality  | 146        |
| 4.2.4 Load Betweenness Centrality   | 154        |
| 4.2.5 Shortest-Path Likelihood Betweenness  | 155        |
| <b>4.3</b> Some Closeness Centrality Measures Based on Node Similarity                  | 156        |
| 4.3.1 Katz and Total Communicability Centrality   | 156        |
| 4.3.2 Subgraph Centralities   | 157        |
| <b>4.4</b> Random Eccentricity Measure  | 158        |
| <b>4.5</b> An Electrical and Random Walk-Based Betweenness Centrality                   | 160        |
| 4.5.1 Current-Flow Node Betweenness   | 160        |
| 4.5.2 Random Walk Interpretation of Current-Flow Betweenness                            | 163        |
| 4.5.3 Group Betweenness   | 166        |
| <b>4.6</b> Markov and Current-Flow Closeness Centrality                                 | 166        |
| 4.6.1 Markov Closeness Centrality   | 166        |
| 4.6.2 Current-Flow Closeness Centrality   | 167        |
| <b>4.7*</b> Bag-of-Paths Betweenness Centrality   | 168        |
| 4.7.1 Node Betweenness Centrality   | 169        |
| 4.7.2 Group Betweenness Centrality  | 172        |

|             |  |            |
|-------------|--|------------|
| <b>4.8*</b> | Randomized Shortest-Path Node and Net Flow Betweennesses                                   | 174        |
| 4.8.1       | Randomized Shortest-Path Node Betweenness Centrality                                       | 174        |
| 4.8.2       | An Alternative RSP Betweenness Based on Net Flow   | 181        |
| <b>4.9</b>  | Some Node, Edge, and Network Criticality Measures  | 182        |
| 4.9.1       | Some Standard Network Criticality Measures   | 183        |
| 4.9.2       | Generic Node Criticality Measures Based on Node Removal                                    | 185        |
| 4.9.3       | A Node Criticality Measure Based on Communicability  | 186        |
| 4.9.4       | A Node and an Edge Criticality Measure Based on Sensitivity                                | 187        |
| 4.9.5       | An Edge Criticality Measure Based on Spanning Trees  | 190        |
| 4.9.6*      | A Node Criticality Measure Based on the Bag-of-Paths Framework                             | 195        |
| 4.9.7*      | An Edge Criticality Measure Based on Simple Free Energy Distance                           | 197        |
| <b>5</b>    | <b>Identifying Prestigious Nodes</b>   | <b>201</b> |
| <b>5.1</b>  | Introduction   | 201        |
| <b>5.2</b>  | Some Classic Node Prestige Measures  | 202        |
| 5.2.1       | Node Indegree  | 202        |
| 5.2.2       | Prestige by Proximity  | 202        |
| 5.2.3       | A Spectral Measure of Prestige   | 203        |
| 5.2.4       | Prestige Based on Indirect Links: Katz's Index, Hubbell's Index, and Total Communicability | 204        |
| <b>5.3</b>  | Citation Influence   | 207        |
| <b>5.4</b>  | Some Rating Methods Based on Least Squares   | 208        |
| 5.4.1       | Type of Graph on Which the Model Applies   | 209        |
| 5.4.2       | A Standard Linear Least Squares Model  | 211        |
| 5.4.3       | Maximum Likelihood Estimation  | 211        |
| 5.4.4       | Interpreting the Measure   | 213        |
| 5.4.5       | Probability of Winning against a Team  | 214        |
| 5.4.6       | Generalized Row Sum Method   | 214        |
| <b>5.5</b>  | PageRank Algorithm   | 215        |
| 5.5.1       | Basic PageRank   | 215        |
| 5.5.2       | PageRank and the Random Walk on a Graph  | 217        |
| 5.5.3       | Improvement to the Basic PageRank Model  | 218        |
| 5.5.4       | Calculating Score Vectors  | 220        |
| 5.5.5       | Personalized PageRank: Placing Weights on Nodes  | 221        |
| 5.5.6       | A Consensus-Reaching Interpretation of PageRank  | 221        |
| <b>5.6</b>  | HITS: Hubs and Authorities   | 224        |
| 5.6.1       | HITS Algorithm   | 224        |
| 5.6.2       | HITS and Bibliometrics   | 227        |
| 5.6.3*      | HITS and Principal Components Analysis   | 227        |
| <b>5.7</b>  | Probabilistic HITS   | 229        |
| 5.7.1       | Dealing with Multiple Clusters/Topics in a Graph   | 229        |
| 5.7.2       | Probabilistic Latent Semantic Analysis   | 230        |
| 5.7.3       | Probabilistic HITS   | 232        |

| CONTENTS  | ix         |
|---|------------|
| 5.8* A Simple Bag-of-Paths Prestige Measure   | 232        |
| 5.9 Further Reading   | 233        |
| <b>6 Labeling Nodes: Within-Network Classification</b>                              | <b>235</b> |
| 6.1 Introduction  | 235        |
| 6.2 Least Squares with Laplacian Regularization                                     | 237        |
| 6.2.1 Standard Case   | 237        |
| 6.2.2 Direct Extensions   | 241        |
| 6.3 Classification through Harmonic Functions                                       | 243        |
| 6.3.1 Basic Elementwise Solution  | 243        |
| 6.3.2 A Matrix Closed-Form Solution   | 245        |
| 6.3.3 Solution in Terms of the Laplacian Matrix                                     | 245        |
| 6.3.4 Direct Extensions   | 247        |
| 6.4 Two Simple Random Walk–Based Approaches   | 248        |
| 6.4.1 Random Walk with Restart Approach   | 248        |
| 6.4.2 Discriminative Random Walks Approach  | 250        |
| 6.5* Classification through the Bag-of-Paths Group Betweenness                      | 252        |
| 6.6 Considering Node Features: Regression Models with Laplacian Regularization      | 254        |
| 6.6.1 Simple Ridge Regression with Laplacian Regularization                         | 255        |
| 6.6.2 Kernel Ridge Regression with Laplacian Regularization                         | 257        |
| 6.6.3 Ridge Logistic Regression with Laplacian Regularization                       | 259        |
| 6.7 Considering Node Features: Adding Graph Principal Scores as Structural Features | 266        |
| 6.7.1 Maximizing Moran’s $I$  | 266        |
| 6.7.2 Minimizing Geary’s $c$  | 268        |
| 6.7.3 Local Principal Components Analysis   | 269        |
| 6.8 Considering Node Features: Autolgit Model                                       | 271        |
| 6.9 Considering Node Features: A Kernel Ridge Logistic Regression                   | 272        |
| 6.10 Further Reading  | 275        |
| <b>7 Clustering Nodes</b>   | <b>276</b> |
| 7.1 Introduction  | 276        |
| 7.2 An Illustrative Example   | 278        |
| 7.3 A Simple, Generic, Distance-Based $k$ -Means                                    | 278        |
| 7.4 Clustering with a Kernel $k$ -Means   | 280        |
| 7.4.1 Main Idea   | 281        |
| 7.4.2 Kernel $k$ -Means Algorithm   | 283        |
| 7.4.3 Kernel Iterative $k$ -Means   | 285        |
| 7.4.4 Choice of Kernel Matrix   | 290        |
| 7.4.5 Application to the Illustrative Example                                       | 290        |
| 7.5 A Simple Label Propagation Algorithm  | 292        |
| 7.5.1 Basic Label Propagation Algorithm   | 292        |
| 7.5.2 An Improved Label Propagation Algorithm                                       | 294        |
| 7.6 Markov Cluster Process  | 295        |
| 7.6.1 Main Idea   | 295        |
| 7.6.2 Markov Cluster Algorithm  | 297        |

|             |   |            |
|-------------|---|------------|
| 7.6.3       | Regularized Markov Cluster Algorithm  | 298        |
| 7.6.4       | Application to the Illustrative Example   | 299        |
| <b>7.7</b>  | <b>Simple Top-Down, Divisive, Greedy Clustering: Kernighan-Lin Algorithm</b>      | <b>301</b> |
| 7.7.1       | A Heuristic Procedure for Minimizing Graph Cut                                    | 301        |
| 7.7.2       | Difference in Graph Cut When Swapping Two Nodes                                   | 302        |
| 7.7.3       | A Heuristic Algorithm Greedily Improving Graph Cut                                | 303        |
| <b>7.8</b>  | <b>Spectral Clustering</b>  | <b>304</b> |
| 7.8.1       | Graph Cut   | 305        |
| 7.8.2       | Ratio Cut   | 307        |
| 7.8.3       | Normalized Cut  | 311        |
| 7.8.4       | Partitioning Nodes into Three or More Clusters                                    | 315        |
| 7.8.5       | Some Links between Ratio Cut and the $k$ -Means Algorithm                         | 319        |
| 7.8.6       | Variations on Spectral Clustering   | 322        |
| <b>7.9</b>  | <b>Modularity Criterion and Its Spectral Optimization</b>                         | <b>323</b> |
| 7.9.1       | Modularity Criterion  | 324        |
| 7.9.2       | Maximization of Modularity  | 332        |
| 7.9.3       | Two-Way Partitioning Based on Modularity  | 333        |
| 7.9.4       | Splitting into More Than Two Clusters: Recursive Partitioning Based on Modularity | 334        |
| 7.9.5       | Application to the Illustrative Example   | 336        |
| <b>7.10</b> | <b>A Latent Class Model Based on a Bag of Links</b>                               | <b>336</b> |
| 7.10.1      | Latent Class Model  | 336        |
| 7.10.2      | Application of the Expectation-Maximization Algorithm                             | 339        |
| 7.10.3      | Estimating the Number of Natural Latent Classes                                   | 344        |
| 7.10.4*     | Expectation-Maximization Revisited  | 345        |
| 7.10.5*     | A Few Words about the Basic Stochastic Block Model                                | 346        |
| <b>8</b>    | <b>Finding Dense Regions</b>  | <b>349</b> |
| <b>8.1</b>  | <b>Introduction</b>   | <b>349</b> |
| <b>8.2</b>  | <b>Basic Local Density Measures</b>   | <b>349</b> |
| 8.2.1       | Local Density Measure   | 350        |
| 8.2.2       | Clustering Coefficient  | 351        |
| <b>8.3</b>  | <b>Smoothing the Local Measures</b>   | <b>354</b> |
| 8.3.1       | PageRank-Like Smoothing   | 355        |
| 8.3.2       | Smoothing through Laplacian Regularization  | 356        |
| <b>8.4*</b> | <b>Bag-of-Forests Density Index</b>   | <b>357</b> |
| 8.4.1       | A Boltzmann Distribution on the Set of Forests                                    | 358        |
| 8.4.2       | Bag-of-Forests Density Index  | 359        |
| 8.4.3       | Computation of the Partition Function $\mathcal{Z}$                               | 360        |
| 8.4.4       | Computation of the Bag-of-Forests Density Index                                   | 361        |
| 8.4.5       | A Link with the Spanning Tree Criticality Measure                                 | 363        |
| <b>8.5</b>  | <b>Identifying Network <math>k</math>-Cores</b>                                   | <b>364</b> |
| 8.5.1       | Basic Properties of $k$ -Cores  | 366        |
| 8.5.2       | Computing $k$ -Cores  | 366        |
| 8.5.3       | Computing the Core Number   | 367        |
| 8.5.4       | Generalized Cores   | 369        |
| 8.5.5       | Links with a Greedy Algorithm for Finding Dense Subgraphs                         | 371        |

| CONTENTS  | xi         |
|---|------------|
| <b>8.6</b> Kernel Bottom-Up Hierarchical Clustering                                   | 372        |
| 8.6.1 A Kernel Version of Ward's Hierarchical Clustering                              | 373        |
| 8.6.2 Some Links with Spectral Clustering   | 376        |
| <b>8.7</b> Bottom-up, Agglomerative Clustering Based on Modularity:<br>Louvain Method | 377        |
| 8.7.1 Description of the Algorithm  | 377        |
| 8.7.2 Gain in Modularity When Moving One Node   | 380        |
| <b>8.8</b> Bottom-up, Agglomerative Clustering Based on a<br>Spin-Glass Process       | 381        |
| 8.8.1 A Generic Cost Function for Community Detection                                 | 381        |
| 8.8.2 A Simple Particular Cost Function   | 382        |
| 8.8.3 Optimizing the Cost Function  | 384        |
| 8.8.4 Difference in Cost Function When Moving One Node                                | 385        |
| <b>8.9</b> A Heuristic Procedure for Maximum Clique Detection                         | 386        |
| 8.9.1 A Quadratic Problem Formulation of the Maximum Clique<br>Problem                | 386        |
| 8.9.2 An Extension to $L_p$ -Norm Constraint  | 387        |
| 8.9.3 A Fixed-Point Procedure   | 387        |
| <b>8.10</b> Further Reading   | 389        |
| <b>9 Bipartite Graph Analysis</b>   | <b>390</b> |
| <b>9.1</b> Introduction   | 390        |
| <b>9.2</b> An Illustrative Example and Definition of the Biadjacency Matrix           | 391        |
| <b>9.3</b> Simple Correspondence Analysis   | 393        |
| 9.3.1 Introduction and Notation   | 394        |
| 9.3.2 A First Procedure: Maximizing Correlation                                       | 395        |
| 9.3.3 Dealing with More Than One Dimension  | 401        |
| 9.3.4 Other Derivations of Correspondence Analysis                                    | 402        |
| 9.3.5 Application to the Illustrative Example   | 404        |
| <b>9.4</b> A Probabilistic Reputation Model   | 405        |
| 9.4.1 Description of the Model  | 406        |
| 9.4.2 Likelihood Function   | 407        |
| 9.4.3 Estimating the Reputation Scores  | 407        |
| 9.4.4 A Simple Bayesian Extension   | 409        |
| <b>9.5</b> Bi-Clustering Bipartite Graphs   | 411        |
| 9.5.1 Chi Square Statistic  | 412        |
| 9.5.2 Profile Vectors   | 413        |
| 9.5.3 Chi Square Distance   | 414        |
| 9.5.4 Total Inertia of the Cloud of Profile Vectors                                   | 415        |
| 9.5.5 Decomposition of Inertia  | 416        |
| 9.5.6 Bi-Clustering Procedure   | 418        |
| <b>9.6</b> Nonnegative Matrix Factorization   | 422        |
| 9.6.1 Introduction  | 422        |
| 9.6.2 Multiplicative Update Procedure   | 426        |
| 9.6.3 Alternating Least Squares Procedure   | 431        |
| 9.6.4 Extensions of the Basic Models  | 432        |
| 9.6.5 Problem of Link Prediction  | 433        |

| xii         | CONTENTS   |            |
|-------------|--|------------|
| <b>9.7</b>  | A Latent Class Model   | 434        |
| 9.7.1       | Description of the Model   | 434        |
| 9.7.2       | Application to the Illustrative Example  | 435        |
| <b>10</b>   | <b>Graph Embedding</b>   | <b>437</b> |
| <b>10.1</b> | Introduction   | 437        |
| <b>10.2</b> | Kernel Principal Components Analysis   | 438        |
| 10.2.1      | Defining the Embedding   | 440        |
| 10.2.2      | Finding the Axes in the Direction of Maximum Variance  | 441        |
| 10.2.3      | Computing the Coordinates, or Scores   | 443        |
| 10.2.4*     | Dealing with Indefinite Similarity Matrices  | 445        |
| <b>10.3</b> | Classical Multidimensional Scaling: Basic Notions  | 447        |
| 10.3.1      | Inner Products from Euclidean Distances  | 447        |
| 10.3.2      | Node Vectors from the Spectral Decomposition of the Inner<br>Products Matrix                       | 448        |
| 10.3.3      | Case of a Non-Euclidean Distance   | 449        |
| <b>10.4</b> | Markov Diffusion Map   | 450        |
| 10.4.1      | Diffusion Distance and Diffusion Map   | 450        |
| 10.4.2      | Links with Spectral Clustering   | 455        |
| 10.4.3*     | Another Interpretation of the Diffusion Map  | 456        |
| 10.4.4      | A Kernel View of the Diffusion Map Embedding   | 457        |
| 10.4.5      | Working with a Subgraph of $G$ : Computing a Reduced<br>Markov Chain by Stochastic Complementation | 459        |
| <b>10.5</b> | Laplacian Eigenmap   | 460        |
| 10.5.1      | A First View on the Laplacian Eigenmap   | 460        |
| 10.5.2      | An Intuitive Interpretation of the Laplacian Eigenmap  | 464        |
| 10.5.3      | A Second View on the Laplacian Eigenmap Based on<br>Graph Cut                                      | 466        |
| <b>10.6</b> | A Latent Space Approach to Graph Embedding   | 466        |
| 10.6.1      | Definition of the Model  | 466        |
| 10.6.2      | Estimation of the Parameters   | 467        |
| <b>10.7</b> | Basics of Force-Directed Graph Drawing   | 469        |
| 10.7.1      | A Spring Network Model   | 472        |
| 10.7.2      | An Energy Model Based on Repulsive and Attractive Forces   | 473        |
| 10.7.3      | Algorithmic Details  | 477        |
|             | <i>Bibliography</i>  | 479        |
|             | <i>Index</i>   | 515        |

\*Chapter or section that contains more advanced material that can be skipped.