

Cambridge University Press
978-1-107-12844-6 — Erdős–Ko–Rado Theorems: Algebraic Approaches
Christopher Godsil, Karen Meagher
Frontmatter
[More Information](#)

CAMBRIDGE STUDIES IN ADVANCED MATHEMATICS 149

Editorial Board

B. BOLLOBÁS, W. FULTON, A. KATOK, F. KIRWAN,
P. SARNAK, B. SIMON, B. TOTARO

ERDŐS–KO–RADO THEOREMS: ALGEBRAIC APPROACHES

Aimed at graduate students and researchers, this fascinating text provides a comprehensive study of the Erdős–Ko–Rado (EKR) Theorem, with a focus on algebraic methods. The authors begin by discussing well-known proofs of the EKR bound for intersecting families of sets. The natural generalization of the EKR Theorem holds for many different objects that have a notion of intersection, and the bulk of this book focuses on algebraic proofs that can be applied to these different objects. The authors introduce tools commonly used in algebraic graph theory and show how these can be used to prove versions of the EKR Theorem. Topics include association schemes, strongly regular graphs, distance-regular graphs, the Johnson scheme, the Hamming scheme, and the Grassmann scheme. The book also gives an introduction to representation theory (aimed at combinatorialists) with a focus on the symmetric group. This theory is applied to orbital schemes, concentrating on the perfect matching scheme and other partitions, and to conjugacy class schemes, with an emphasis on the symmetric group.

Readers can expand their understanding at every step with the 170 end-of-chapter exercises. The final chapter discusses in detail 14 open problems, each of which would make an interesting research project.

Chris Godsil is a professor in the Combinatorics and Optimization department at the University of Waterloo, Ontario, Canada. He authored (with Gordon Royle) the popular textbook *Algebraic Graph Theory*. He started the *Journal of Algebraic Combinatorics* in 1992 and he serves on the editorial board of a number of other journals, including the *Australasian Journal of Combinatorics* and the *Electronic Journal of Combinatorics*.

Karen Meagher is an associate professor in the Department of Mathematics and Statistics at the University of Regina, Saskatchewan, Canada. Her research area is graph theory and discrete mathematics, in which she has published around 25 journal articles.

CAMBRIDGE STUDIES IN ADVANCED MATHEMATICS

Editorial Board:

B. Bollobás, W. Fulton, A. Katok, F. Kirwan, P. Sarnak, B. Simon, B. Totaro

All the titles listed below can be obtained from good booksellers or from Cambridge University Press.
 For a complete series listing visit: www.cambridge.org/mathematics.

Already published

- 112 D. W. Stroock *Partial differential equations for probabilists*
- 113 A. Kirillov, Jr *An introduction to Lie groups and Lie algebras*
- 114 F. Gesztesy *et al.* *Soliton equations and their algebro-geometric solutions, II*
- 115 E. de Faria & W. de Melo *Mathematical tools for one-dimensional dynamics*
- 116 D. Applebaum *Lévy processes and stochastic calculus (2nd Edition)*
- 117 T. Szamuely *Galois groups and fundamental groups*
- 118 G. W. Anderson, A. Guionnet & O. Zeitouni *An introduction to random matrices*
- 119 C. Perez-Garcia & W. H. Schikhof *Locally convex spaces over non-Archimedean valued fields*
- 120 P. K. Friz & N. B. Victoir *Multidimensional stochastic processes as rough paths*
- 121 T. Ceccherini-Silberstein, F. Scarabotti & F. Tolli *Representation theory of the symmetric groups*
- 122 S. Kalikow & R. McCutcheon *An outline of ergodic theory*
- 123 G. F. Lawler & V. Limic *Random walk: A modern introduction*
- 124 K. Lux & H. Pahlings *Representations of groups*
- 125 K. S. Kedlaya *p -adic differential equations*
- 126 R. Beals & R. Wong *Special functions*
- 127 E. de Faria & W. de Melo *Mathematical aspects of quantum field theory*
- 128 A. Terras *Zeta functions of graphs*
- 129 D. Goldfeld & J. Hundley *Automorphic representations and L-functions for the general linear group, I*
- 130 D. Goldfeld & J. Hundley *Automorphic representations and L-functions for the general linear group, II*
- 131 D. A. Craven *The theory of fusion systems*
- 132 J. Väinänen *Models and games*
- 133 G. Malle & D. Testerman *Linear algebraic groups and finite groups of Lie type*
- 134 P. Li *Geometric analysis*
- 135 F. Maggi *Sets of finite perimeter and geometric variational problems*
- 136 M. Brodmann & R. Y. Sharp *Local cohomology (2nd Edition)*
- 137 C. Muscalu & W. Schlag *Classical and multilinear harmonic analysis, I*
- 138 C. Muscalu & W. Schlag *Classical and multilinear harmonic analysis, II*
- 139 B. Helffer *Spectral theory and its applications*
- 140 R. Pemantle & M. C. Wilson *Analytic combinatorics in several variables*
- 141 B. Branner & N. Fagella *Quasiconformal surgery in holomorphic dynamics*
- 142 R. M. Dudley *Uniform central limit theorems (2nd Edition)*
- 143 T. Leinster *Basic category theory*
- 144 I. Arzhantsev, U. Derenthal, J. Hausen & A. Laface *Cox rings*
- 145 M. Viana *Lectures on Lyapunov exponents*
- 146 J.-H. Evertse & K. Györy *Unit equations in Diophantine number theory*
- 147 A. Prasad *Representation theory*
- 148 S. R. Garcia, J. Mashreghi & W. T. Ross *Introduction to model spaces and their operators*
- 149 C. Godsil & K. Meagher *Erdős–Ko–Rado theorems: Algebraic approaches*
- 150 P. Mattila *Fourier analysis and Hausdorff dimension*
- 151 M. Viana & K. Oliveira *Foundations of ergodic theory*

Cambridge University Press
978-1-107-12844-6 — Erdős–Ko–Rado Theorems: Algebraic Approaches
Christopher Godsil, Karen Meagher
Frontmatter
[More Information](#)

Erdős–Ko–Rado Theorems: Algebraic Approaches

CHRIS GODSIL

University of Waterloo, Ontario, Canada

KAREN MEAGHER

University of Regina, Saskatchewan, Canada



CAMBRIDGE
UNIVERSITY PRESS

Cambridge University Press
978-1-107-12844-6 — Erdős–Ko–Rado Theorems: Algebraic Approaches
Christopher Godsil, Karen Meagher
Frontmatter
[More Information](#)

CAMBRIDGE
UNIVERSITY PRESS

University Printing House, Cambridge CB2 8BS, United Kingdom
One Liberty Plaza, 20th Floor, New York, NY 10006, USA
477 Williamstown Road, Port Melbourne, VIC 3207, Australia
314-321, 3rd Floor, Plot 3, Splendor Forum, Jasola District Centre, New Delhi - 110025, India
103 Penang Road, #05-06/07, Visioncrest Commercial, Singapore 238467

Cambridge University Press is part of the University of Cambridge.
It furthers the University's mission by disseminating knowledge in the pursuit of
education, learning and research at the highest international levels of excellence.

www.cambridge.org
Information on this title: www.cambridge.org/9781107128446

© Chris Godsil and Karen Meagher 2016

This publication is in copyright. Subject to statutory exception
and to the provisions of relevant collective licensing agreements,
no reproduction of any part may take place without the written
permission of Cambridge University Press.

First published 2016

A catalogue record for this publication is available from the British Library

ISBN 978-1-107-12844-6 Hardback

Cambridge University Press has no responsibility for the persistence or
accuracy of URLs for external or third-party internet websites referred to in
this publication, and does not guarantee that any content on such websites is,
or will remain, accurate or appropriate.

Cambridge University Press
978-1-107-12844-6 — Erdős–Ko–Rado Theorems: Algebraic Approaches
Christopher Godsil, Karen Meagher
Frontmatter
[More Information](#)

To our families:
Gillian, Emily and Nicholas
Paul, Ada and Dash

Contents

	<i>Preface</i>	page xiii
1	The Erdős–Ko–Rado Theorem	1
1.1	The original proof	2
1.2	Non-canonical intersecting set systems	6
1.3	The complete Erdős–Ko–Rado Theorem	7
1.4	The shifting technique	10
1.5	The Kruskal–Katona Theorem	11
1.6	The Hilton–Milner Theorem	15
1.7	Cross-intersecting sets	17
1.8	Separated sets	19
1.9	Exercises	21
2	Bounds on cocliques	24
2.1	A clique-coclique bound	24
2.2	Equitable partitions	27
2.3	Interlacing	29
2.4	The ratio bound for cocliques	30
2.5	Application: Erdős–Ko–Rado	33
2.6	A ratio bound for cliques	35
2.7	Ratio bound for cross cocliques	36
2.8	Cocliques in neighborhoods	38
2.9	The inertia bound	39
2.10	Inertia bound: Kneser graphs	40
2.11	Inertia bound: folded cubes	40
2.12	Fractional chromatic number	41
2.13	Homomorphisms	43
		vii

2.14	Cyclic intervals	44
2.15	Exercises	45
3	Association schemes	49
3.1	Definitions	50
3.2	Commutants	51
3.3	The conjugacy class scheme	52
3.4	A basis of idempotents	54
3.5	Some fundamental identities	58
3.6	An example	60
3.7	The clique bound	62
3.8	The clique-coclique bound	64
3.9	Exercises	68
4	Distance-regular graphs	70
4.1	Metric schemes	71
4.2	A three-term recurrence	73
4.3	Cometric schemes	74
4.4	Intersection numbers and Krein parameters	76
4.5	Coding theory	77
4.6	Sturm sequences	79
4.7	Classical parameters	83
4.8	Exercises	84
5	Strongly regular graphs	87
5.1	An association scheme	87
5.2	Eigenvalues	88
5.3	Designs	90
5.4	The Witt graph	94
5.5	Orthogonal arrays	96
5.6	Partial geometries	100
5.7	Eigenspaces of point and line graphs	103
5.8	Paley graphs	105
5.9	Paley graphs of square order	107
5.10	Exercises	108
6	The Johnson scheme	112
6.1	Graphs in the Johnson scheme	112
6.2	A third basis	114
6.3	Eigenvalues of the Johnson graph	116
6.4	A fourth basis	118
6.5	Eigenvalues of the Johnson scheme	120

6.6	Kneser graphs	122
6.7	Exercises	123
7	Polytopes	126
7.1	Convex polytopes	126
7.2	A polytope from the Johnson graph	128
7.3	Perfect matching polytopes	129
7.4	Perfect matchings in complete graphs	131
7.5	Perfect matchings in complete bipartite graphs	133
7.6	Exercises	133
8	The exact bound in the EKR Theorem	135
8.1	A certificate for maximality	135
8.2	Special cases	139
8.3	The EKR bound for 2-intersecting sets	140
8.4	Wilson's matrix	142
8.5	Eigenvalues of Wilson's matrix	144
8.6	Width and dual width	148
8.7	Equality in the width bound	150
8.8	Intersecting families of maximum size	151
8.9	Equality in the dual width bound	153
8.10	Narrow subsets	157
8.11	Exercises	159
9	The Grassmann scheme	161
9.1	q -Binomial coefficients	162
9.2	q -Commuting variables	162
9.3	Counting subspaces	164
9.4	Subspace incidence matrices	167
9.5	Another basis	169
9.6	Eigenvalues of the Grassmann scheme	170
9.7	The EKR bound for q -Kneser graphs	172
9.8	Cocliques in the q -Kneser graphs	173
9.9	t -Intersecting families	175
9.10	The certifying matrix	176
9.11	Bilinear forms graphs	180
9.12	Dual polar graphs	181
9.13	Exercises	182
10	The Hamming scheme	184
10.1	Eigenvalues of the Hamming scheme	185
10.2	Idempotents	187

10.3	Partial words	189
10.4	The EKR Theorem for words	191
10.5	The complete EKR for words	193
10.6	Cross-intersecting sets of words	194
10.7	An operation on words	195
10.8	Bounds on the size of a derived set	196
10.9	Cocliques in power graphs	200
10.10	Cocliques in product graphs	203
10.11	Exercises	208
11	Representation theory	210
11.1	Representations	210
11.2	The group algebra	211
11.3	Operations on representations	212
11.4	Sums and idempotents	214
11.5	Irreducible representations	215
11.6	Schur's Lemma	217
11.7	Coordinate functions	218
11.8	Characters	220
11.9	Orthogonality of characters	221
11.10	Decomposing the regular representation	223
11.11	The conjugacy class scheme: idempotents	225
11.12	The conjugacy class scheme: eigenvalues	226
11.13	Restriction and induction	228
11.14	Exercises	230
12	Representation theory of the symmetric group	232
12.1	Permutation representations	232
12.2	Examples: orbit counting	233
12.3	Young subgroups	235
12.4	Irreducible representations	235
12.5	Kostka numbers	237
12.6	Hook length formula	238
12.7	Branching rule	239
12.8	Wreath products	242
12.9	Exercises	243
13	Orbitals	245
13.1	Arc-transitive directed graphs	245
13.2	Commutants of permutation groups	247
13.3	Generously transitive groups	248

<i>Contents</i>		xi
13.4	Multiplicity-free representations	249
13.5	Multiplicity-free representations of the symmetric group	250
13.6	An equitable partition	251
13.7	A homomorphism	253
13.8	Eigenvalues of the orbital scheme	254
13.9	Eigenspaces and Young subgroups	256
13.10	Exercises	258
14	Permutations	260
14.1	The derangement graph	261
14.2	Eigenvalues of the derangement graph	262
14.3	An eigenspace of the derangement graph	264
14.4	Cocliques in the derangement graphs	266
14.5	t -Intersecting permutations	268
14.6	Transitive permutation groups	269
14.7	2-Transitive subgroups	271
14.8	Direct products	275
14.9	Exercises	276
15	Partitions	279
15.1	Intersecting partitions	280
15.2	Perfect matchings	282
15.3	Eigenvalues of the perfect matching graph	284
15.4	The perfect matching association scheme	285
15.5	Modules of the perfect matching graph	286
15.6	EKR Theorem for perfect matchings	289
15.7	Skew partitions	289
15.8	Cliques and cocliques in the skew-partition graph	291
15.9	Eigenvalues of the skew-partition graph	293
15.10	Eigenspaces of the skew-partition graph	295
15.11	3×3 partitions	298
15.12	Inner distributions of cliques	299
15.13	Characterizing cocliques	301
15.14	Meet tables	302
15.15	Exercises	305
16	Open problems	308
16.1	Generalize the ratio bound for cliques	308
16.2	Extend the Katona cycle proof	309
16.3	Prove the EKR Theorem for the block graph of a design	310

16.4	Prove the EKR Theorem for the orthogonal array graph	311
16.5	Find an algebraic proof of the EKR Theorem for the Paley graphs	311
16.6	Determine the chromatic number of the Johnson graphs	312
16.7	Prove the EKR Theorem for 2-transitive groups	313
16.8	Determine cocliques in groups that do not have the EKR property	314
16.9	Prove the EKR property holds for other group actions	315
16.10	Calculate the eigenvalues of the perfect matching scheme	315
16.11	Prove the EKR Theorem for partitions	316
16.12	Prove EKR Theorems for other objects	317
16.13	Find maximal cocliques in graphs from an orbital scheme	318
16.14	Develop other compression operations	319
	<i>Glossary: Symbols</i>	321
	<i>Glossary: Operations and relations</i>	323
	<i>References</i>	324
	<i>Index</i>	332

Preface

There are 280 partitions of $\{1, \dots, 9\}$ into three pairwise disjoint triples. Say two such partitions α and β are skew if each triple in α contains one point from each triple in β . We can now define a graph with our 280 partitions as vertices, where two partitions are adjacent if and only if they are skew. A coclique in this graph is a set of partitions such that no two are skew. We ask the innocent question: how large can a coclique be?

There is an easy lower bound. Let Ω be the set of partitions such that the points 1 and 2 lie in the same triple. (There are 70 of these.) Clearly no two partitions in Ω are skew and so we now have a lower bound of 70 on the size of a coclique. But now we have two questions. Can we do better? And, if not, are there any cocliques of size 70 that do not have this form?

Karen asked Chris the first question in 2001, and by a process of induction and complication, we were led to this book. The complications arise because there is a close connection to the Erdős–Ko–Rado Theorem, one of the fundamental results in combinatorics. This theorem provides information about systems of intersecting sets. A family \mathcal{F} of subsets of a ground set – it might as well be $\{1, \dots, n\}$ – is intersecting if any two sets in \mathcal{F} have at least one point in common. More generally it is t -intersecting if any two elements of \mathcal{F} have at least t points in common. The most commonly stated form of the EKR Theorem is the following.

0.0.1 Theorem. *If \mathcal{F} is an intersecting family of k -subsets of $\{1, \dots, n\}$, then*

$$|\mathcal{F}| \leq \binom{n-1}{k-1}.$$

If equality holds then \mathcal{F} consists of the k -subsets that contain a given point of the underlying set. □

In our view this theorem has two parts: a bound and a characterization of families that meet the bound.

One reason this theorem is so important is that it has many interesting extensions. To address these, we first translate it to a question in graph theory. The Kneser graph $K(n, k)$ has all k -subsets of $\{1, \dots, n\}$ as its vertices, and two k -subsets are adjacent if they are disjoint. (We assume $n \geq 2k$ to avoid trivialities.) Then an intersecting family of k -subsets is a clique in the Kneser graph, and we see that the EKR Theorem characterizes the cliques of maximum size in the Kneser graph. So we can seek to extend the EKR Theorem by replacing the Kneser graphs by other interesting families of graphs. The partition graphs just discussed provide an example.

There is a second class of extensions of the EKR Theorem. In their famous 1961 paper Erdős, Ko and Rado proved the following:

0.0.2 Theorem. *If \mathcal{F} is a t -intersecting family of k -subsets of $\{1, \dots, n\}$ and n is large enough, then*

$$|\mathcal{F}| \leq \binom{n-t}{k-t}.$$

If equality holds then \mathcal{F} consists of the k -subsets that contain a given t -subset of the underlying set. \square

There are graph-theoretic analogs of this question too, but we have to work a little harder. In place of the Kneser graphs, we use the Johnson graphs $J(n, k)$. The vertices of $J(n, k)$ are the k -subsets of $\{1, \dots, n\}$, but now we deem two k -subsets to be adjacent if they have exactly $k - 1$ points in common. Again we assume $n \geq 2k$. We can show by induction that $J(n, k)$ has diameter k and thus two k -subsets are adjacent in $K(n, k)$ if and only if they are at maximum possible distance in $J(n, k)$.

Define the width of a subset of the vertices of a graph to be the maximum distance between two vertices in the subset. Then our first version of the EKR Theorem characterizes the subsets of maximum size in $J(n, k)$ of width $k - 1$, and the second version the subsets of maximum size with width $k - t$. All known analogs of the EKR Theorem for t -intersecting sets can be stated naturally as characterizations of subsets of width $d - t$ in a graph of diameter d . However, such theorems have only been proved in cases where the distance graphs form an association scheme (which for now means that they fit together in a particularly nice way). To give one example, we can replace k -subsets of

$\{1, \dots, n\}$ by subspaces of dimension k over a vector space of dimension n over $GF(q)$.

What of this book? One goal has been to show how the EKR Theorem can be tackled using tools from algebraic graph theory. But we are not zealots, and we begin by discussing most of the known proofs of the EKR bound for intersecting families; these are not algebraic. We go to develop many of the tools we need, and then we apply them to strongly regular graphs. We develop the basic properties of the Johnson scheme, and using these we offer two proofs of the EKR Theorem for intersecting families of k -sets.

We present a version of Wilson's proof of the EKR Theorem for t -intersecting families of k -subsets when $n \geq (t+1)(k-t+1)$. The main novelty is that in order to derive the characterization of the maximum families, we make explicit use of the concepts of width and dual width. (Here we are following important work by Tanaka [160].) It is comparatively easy to extend this approach to t -intersecting families of k -dimensional subspaces of a vector space over a finite field. We complete the first half of the book by treating EKR problems on words; here the Hamming schemes provide a natural framework.

In the second part of the book, we consider versions of EKR on sets of permutations and partitions. For this we need to make use of the fact that in these problems there is a natural action of the symmetric group, and this means we need information about the representation theory of the symmetric group. We treat this in some detail (although in many cases we refer the reader to the literature for proofs).

In the original version of the EKR Theorem there is a requirement that n be large relative to the size of the subsets and the size of the intersection; this condition cannot be dropped, and a significant body of work was required to determine the exact bound on n . For many of the analogs of the EKR Theorem a bound, analogous to this lower bound on n , is required. It may be possible to obtain strong results and the assumption that n (or its analog) is "sufficiently large." Such results are not the focus of this book; we are more interested in the combinatorial details involved in finding exact results.

We assume a working knowledge of graph theory, but otherwise we have tried to keep things self-contained. There are exercises of varying difficulty at the end of each chapter. In general, if there is a reference attached to the exercise, expect it to be more challenging.

This book is the culmination of many years of work, and there are many people whom we wish to thank for their assistance and encouragement in writing this book as well as many interesting and illuminating discussions. We specifically wish to thank following people: Bahman Ahmadi, Robert Bailey,

Adam Dyck, Ferdinand Ihringer, Bill Martin, Mike Newman, Alison Purdy and Pablo Spiga. Finally, we offer our gratitude to Brendan Rooney, who completed a detailed edit of the entire book. He corrected many errors, both mathematical and grammatical, and his contribution has significantly improved this book!