

Index

- [α /Fe] ratio, 114, 116, 173
- Λ cold dark matter model, 21, 25, 200, 203, 208, 210
- α -element abundance–velocity dispersion relation, 139
- α -elements, 116, 139, 173, 483, 488, 514
- α -enhancement, 140, 400
- λ_{R_c} parameter, 134
- 21 cm line, *see also* neutral atomic gas, 65, 85, 344, 346, 505
- 7 keV Fe line complex, 178
- Abel inversion, 148
- Abell radius, 175
- ablation, turbulent boundary layer, 385
- absorption by dust, 78
- absorption coefficient, 520, 521
- absorption lines towards quasars, 85
- abundance matching, 404, 405, 413
- accretion discs, 51, 52
- accretion of gas
 - cold mode, 239, 381, 384
 - hot mode, 239–241
 - onto black holes, 51, 292–296, 329, 417
 - onto galaxies, 85, 234–241, 382–388, 394
- accretion rate, 324
- acoustic peaks, 25
- action integrals, 149
- active galactic nuclei, 48–53, 125, 329, 464
 - accretion discs, 51, 52
 - coevolution with galaxies, 490
 - Compton-thick, 53
 - dusty torus, 52
 - duty cycle, 296, 299, 380
 - feedback, 144, 224, 292–299, 378, 379, 417, 491
 - flat-spectrum radio-loud quasars, 49
 - fuelling, 51
 - jets, 49, 296
 - mechanical efficiency, 295
 - quasar mode feedback, 294, 417
 - radiative efficiency, 51, 293, 295
 - radio lobes, 296
 - radio mode feedback, 294, 296, 417
 - spectral energy distribution, 52
 - Type 1, 50
 - Type 2, 50
 - unification scheme, 52
 - variability, 464
 - winds, 295
 - X-ray emission, 48, 52, 53, 75, 463
- adaptive mesh refinement, 416
- adaptive optics, 91, 438, 439
- adiabatic contraction, 224
- adiabatic fluids, 526
- adsorption, 243
- advection operator, 526
- AGB, *see* asymptotic giant branch
- age of the Universe, 14, 22, 23
- age–metallicity degeneracy, 138, 432
- AGNs, *see* active galactic nuclei
- airglow, 442
- Alfvén velocity, 258
- ambipolar diffusion, 261
- AMD, *see* angular momentum distribution
- AMR, *see* adaptive mesh refinement
- Andromeda, *see* M 31
- angular diameter distance, 16, 150, 157
- angular momentum
 - conservation, 353
 - misalignment, 357
 - of dark matter, 351, 355
 - of discs, 101, 102, 356
 - of the accreting gas, 387
 - radial flows in discs, 391
 - specific, *see* specific angular momentum
- angular momentum catastrophe, 354
- angular momentum distribution, 355, 356, 358
- angular momentum problem, 354, 356, 357
- angular speed, 58
- anisotropy parameter, 147, 148
 - global, 136
- archaeological approach, 483
- asymmetric drift, 97
- asymmetry index, 438
- asymptotic giant branch, 278, 279, 513
- atomic cooling halos, 329, 401
- atomic gas, *see* neutral atomic gas *or* ionised gas
- axions, 197
- axis ratio, 56

- background cosmological temperature, 315
- Baldwin–Phillips–Terlevich diagram, 433
- Balmer jump, 39
- Balmer lines, 140
- Balmer series, 69
- bands, *see* filters
- BAOs, *see* baryon acoustic oscillations
- bar instability, 365
- barotropic fluids, 526
- bars, 54, 58, 59, 61, 365, 367
 - axis ratios, 59
 - dynamical friction, 357, 367
 - formation, 365–368
 - long, 113
 - orbits, 366
 - rotation, 366, 367
- baryon acoustic oscillations, 26, 347
- baryon cycle, 473
- baryon fraction, 27, 191, 331, 352, 353, 384, 388
- baryon-to-photon density ratio, 312
- baryonic mass function, 47, 403
- baryonic Tully–Fisher relation, 101
- baryons, 197, 223, 310
- BCDs, *see* blue compact dwarf galaxies
- BCGs, *see* brightest cluster galaxies
- beam smearing, 94
- Bessel functions, 89
- BHAR, *see* black hole accretion rate
- bias of galaxies, 191
- biases in galaxy surveys, 444
- Big Bang, 22
- Big Bang nucleosynthesis, 26, 27, 197
- bimodality in the galaxy population, 40, 186, 406, 456
- binary supermassive black holes, 309
- BL Lacertae objects, 49
- black body, 521
- black hole accretion rate, 490, 491
- black hole mass–bulge mass relation, *see* Magorrian relation
- black hole mass–velocity dispersion relation, 161, 162
- black holes, 124, 329
 - accretion onto, 51, 292–296, 329, 417
 - core scouring, 398
 - intermediate mass, 342
 - primordial, 197
 - supermassive, *see* supermassive black holes
- blanketing effect, 280
- blazars, 49, 50
- BLRs, *see* broad-line regions
- blue cloud, 40
- blue compact dwarf galaxies, 108
- bolometric flux, 503
- bolometric luminosity, 504
- Boltzmann law, 522, 523
- Bondi mass accretion rate, 294, 417
- Bonnor–Ebert sphere, 254, 255
- bottom-heavy initial mass function, 265
- boxy bulges, *see* bulges, peanut-shaped
- boxy galaxies, 127, 128, 137
- BPT, *see* Baldwin–Phillips–Terlevich
- break radius, 129
- bremsstrahlung, 70, 75, 226, 524
- bridges between galaxies, 163, 169
- brightest cluster galaxies, 177, 185, 378, 398, 481
- brightness temperature, 180, 344, 345, 505
- broad-line regions, 52
- bubbles
 - in X-rays, *see* cavities in X-rays
 - of stellar winds, 287
- buckling instability, 366, 367
- bulge fraction, 59
- bulge–disc decomposition, 57
- bulge-to-disc ratio, 32
- bulge-to-total ratio, 32, 59
- bulgeless galaxies, 59
- bulges, 54, 58, 61
 - classical, 58
 - formation, 369–374
 - of edge-on galaxies, 60
 - peanut-shaped, 62, 368
- bulk viscosity, 529
- buoyancy, 389
- Butcher–Oemler effect, 481
- BzK criterion, 453
- C^+ or $C\ II$ or singly ionised carbon, 68
- cannibalism, galactic, 177, 398
- carbon monoxide, 76, 77, 434
 - optical thickness, 76
 - rotational transitions, 76
 - spectral line energy distribution, 434
- CAS parameters, 439
- cavities in X-rays, 296
- cD galaxies, 177, 375
- CDM, *see* cold dark matter
- central galaxies, 378
- CGM, *see* circumgalactic medium
- Chabrier initial mass function, 264
- Chandrasekhar dynamical friction formula, 302
- Chandrasekhar mass, 267
- channel maps, 89
- chemical evolution, 270–276, 393, 394
 - chemo-dynamical models, 393
 - closed-box model, 276, 393
 - effective yields, 276
 - G-dwarf problem, 393
 - instantaneous recycling approximation, 274, 383, 411
 - net yields, 271, 275
 - of discs, 390
 - primary and secondary elements, 271
 - solar neighbourhood, 393

- stellar yields, 271, 272
- true yields, 271
- circular restricted three-body problem, 303
- circular speed, 87–89, 119, 152, 352
- circularised radius, 31, 126, 127
- circumgalactic medium, 191, 331
- closed-box model, 276, 393
- clouds
 - high-velocity, 120
 - molecular, *see* molecular clouds
 - pressure-confined, 245
- clumpiness index, 438
- clustering, 188–191, 440, 441, 444, 452, 455, 456
- clustering scalelength, 189
- clusters of galaxies, 21, 165, 174–186, 195, 464
 - β -model, 181
 - 7 keV Fe line complex, 178
 - Abell radius, 175
 - at high redshift, 464
 - brightest cluster galaxies, 177, 185, 378, 398, 481
 - cD galaxies, 177, 375
 - cool-core clusters, 182
 - galactic cannibalism, 177, 398
 - intracluster light, 177, 375
 - intracluster medium, 174, 178–182, 378
 - irregular, 178
 - mass, 174, 184
 - metallicity gradients, 179
 - non-cool-core clusters, 182, 184
 - properties of galaxies, 175
 - regular, 176, 178
 - richness, 175
 - scaling relations, 184, 185
 - Sunyaev–Zeldovich effect, 179, 181, 185
 - velocity dispersion, 176
 - X-ray emission, 178, 185
- clusters of stars, *see* globular clusters *or* open clusters
- CMB, *see* cosmic microwave background
- CMDs, *see* colour–magnitude diagrams
- CNM, *see* cold neutral medium
- CO, *see* carbon monoxide
- cold dark matter, 21, 197
- cold neutral medium, 118
- collapse
 - dissipationless, 370, 371
 - dissipative, 354, 370, 371, 375
- collapse time of overdensities, 201
- collision-induced emission, 322
- collisional ionisation equilibrium, 226
- collisionally ionised gas, 74, 120
- collisionless Boltzmann equation, 517
- colour excess, 36, 80
- colour gradients, 31, 140
- colour selection, 447
- colour–magnitude diagrams, 172, 510
- colour–velocity dispersion relation, 137
- colours of galaxies, 40, 63, 447, 506
- comoving coordinates, 13, 199
- comoving distance, 13, 15
- comoving observers, 13
- comoving volume, 18
- compact groups, 167
- completeness of surveys, 444
- composite stellar populations, 281
- compression factor, 354
- Compton y -parameter, 180, 181
- Compton cooling, 231
- Compton heating, 231
- Compton integrated Y -parameter, 181
- Compton scattering, 53, 231, 315
 - inverse, 52, 180, 231
- concentration index, 438
- concentration of dark matter halos, 215–218
- conduction, thermal, 234, 378
- continuity equation, 244, 525
- contraction of dark matter halos, 224
- convection, 184
- convergence, 153–155, 519
- cool cores in clusters of galaxies, 182
- cooling
 - Compton, 231
 - radiative, *see* radiative cooling
- cooling catastrophe, 144, 232, 237
- cooling flows, 144, 183, 379
- cooling function, 227, 233, 320
 - molecular, 320
- cooling radius, 183
- cooling region, 379
- cooling time, 182, 228, 236–238
- core scouring by supermassive black holes, 398
- core-collapse supernovae, *see* supernovae, Type II
- core-Sérsic galaxies, *see* cored galaxies
- cored galaxies, 129, 137
- coreless galaxies, 129, 130, 137
- cores
 - of dark halos, 99, 217, 218, 223, 402
 - protostellar, 322
- coronae, galactic, 193, 358, 386, 387
- corotation radius, 252, 367
- correlation function, 205
 - two-point, 188, 441
 - angular, 190
- cosmic background, 492
- cosmic baryon fraction, 27, 191, 331, 352, 353, 384, 388
- cosmic eras, 21
- cosmic gas density, 485
- cosmic microwave background, 24–26, 196, 311, 344, 348
 - acoustic peaks, 25
 - power spectrum, 25
 - temperature anisotropies, 24

- cosmic noon, 475
- cosmic rays, 35, 123, 231, 232, 292, 486
- cosmic shear, 150
- cosmic stellar mass density, 481
- cosmic time, 22
- cosmic variance, 444
- cosmic voids, 186, 213
- cosmic web, 186, 214
 - baryonic, 331
- cosmological constant, 20
- cosmological density perturbations
 - growth factor, 200
 - linear evolution, 198, 199
- cosmological model, standard, 20, 21
- cosmological parameters, 20, 21
- cosmological power spectrum, 205, 206
 - evolution, 207
 - Harrison–Zeldovich, 207, 208
 - linearly extrapolated, 207
- cosmological principle, 13
- cosmological simulations, 98, 200, 212, 213, 219, 221, 354, 388, 396, 415
 - dark matter-only, 210–213, 216–218, 220
 - hydrodynamic, 215, 415–418
- cosmology, 13–27
 - cosmological parameters, 20, 21
 - deceleration parameter, 23
 - density parameter, 19
 - equation of state, 19
 - Friedmann equations, 18, 19
 - mass variance, 206, 209
- Coulomb logarithm, 302
- counter-rotating cores, 136
- critical density
 - of the Universe, 19, 203
 - of gas, 70
- critical overdensity for collapse, 202, 209
- critical overdensity for virialisation, 203
- crossing time, 246
- crowding, 64
- CSPs, *see* composite stellar populations
- curvature of the Universe, 18
- curve of growth, 333
- cusps of dark halos, 99, 217, 218, 223, 402

- D4000 break, 39
- damped Lyman- α absorbers, 332, 336
- dark ages, 310, 315
- dark energy, 20, 21
- dark energy era, 21
- dark matter, 87–99, 191, 195–224, 356
 - baryonic, 197
 - cold, *see* cold dark matter
 - hot, *see* hot dark matter
 - in dwarf galaxies, 171
 - in early-type galaxies, 145, 155, 158
 - in star-forming galaxies, 87–99
 - non-baryonic, 197
 - self-interacting, 198
 - warm, *see* warm dark matter
- dark matter halos, 97, 195–224
 - cores, 99, 217, 218, 223, 402
 - cusps, 99, 217, 218, 223, 402
 - density profiles, 215–219
 - kinematics, 213, 223
 - mass function, 209
 - merger history, 211
 - minihalos, 317
 - Navarro–Frenk–White profile, 98, 102, 215, 353
 - observational evidence, 195
 - pseudo-isothermal profile, 98
 - shape, 219–221
 - spin parameter, 223, 352
 - structure, 213–222
 - subhalos, 220, 221
 - substructures, 219, 221
 - triaxiality, 219, 220, 357
 - virialisation, 202, 351
- datacubes, 89, 90
- de Vaucouleurs $R^{1/4}$ law, 128, 146, 372
- de Vaucouleurs classification, 28
- deceleration parameter, 23
- decoupling
 - of neutrinos, 20, 27, 197
 - of photons, 24, 27, 196
- decrement of flux, 338
- delay-time distribution, 273
- density contrast of cosmological perturbations, 198
- density field of galaxies, 440
- density parameter, cosmological, 19
- density waves, 248, 252, 361, 362
- depletion into dust, 81
- depletion time, 85, 382, 385, 485
- depth of surveys, 444
- dEs, *see* dwarf galaxies, elliptical
- desorption, 243
- deuterium, 27, 319
- diffraction-limited resolution, 437
- diffuse matter, *see* interstellar medium
- dimming of surface brightness, 17
- dIrrs, *see* dwarf galaxies, irregular
- disc flaring, 120
- disc galaxies, *see* star-forming galaxies
- disc instabilities, 365
- disc-to-bulge ratio, 33
- discs, *see also* star-forming galaxies
 - bulge–disc decomposition, 57
 - angular momentum, 101, 102
 - angular speed, 58
 - axis ratios, 56

- bending modes, 367
- central surface brightness, 56, 57
- centrifugal equilibrium, 354
- colour gradients, 63
- differential rotation, 91
- dynamical heating, 364
- evolution, 269
- exponential, 55, 58, 89, 102, 359
- formation, 63, 350–365, 390
- Freeman law, 56
- inclination, 56
- inside-out formation, 63, 390
- kinematically cold, 87
- kinematically hot, 97
- metallicity gradients, 63
- of gas, 357
- scaleheight, 56, 95, 110
- scaleglength, 56, 63, 353
- sizes, 352
- stellar, 54, 55, 357
- supercritical, 250
- surface brightness, 56
- surface brightness profiles, 57, 58
- thick, 57, 110, 364
- thin, 110
- total luminosity, 58
- viscosity, 359
- warps, 93, 168, 357
- discy galaxies, 127, 128, 137
- dispersion measure, 82
- dispersion relation, 245
- dissipationless collapse, 370, 371
- dissipative collapse, 354, 370, 371, 375
- distance
 - angular diameter, 16, 150, 157
 - comoving, 13, 15
 - horizon, 16, 207
 - luminosity, 16
 - proper, 13, 15, 16
- distance indicator, 101
- distance modulus, 507
- distances, cosmological, 15
- distant galaxies, 441–469, 516
 - at very high redshift, 466, 467
 - morphology, 451
 - selection, *see* selection of distant galaxies
 - surveys, 443, 446, 469
- distant red galaxies, 453
- distribution function, phase-space, 149, 517
- distribution functions, 42–440
- DLAs, *see* damped Lyman- α absorbers
- Doppler parameter, 333
- Doppler shift, 89, 516
- downsizing, 140, 472, 479, 485, 486
- drag force, 258, 529
- dropout galaxies, *see* Lyman-break galaxies
- dSphs, *see* dwarf galaxies, spheroidal
- dust, 30, 65, 67, 78, 79, 81, 108, 144, 145, 435–437, 459
 - in distant galaxies, 451
 - in early-type galaxies, 144, 145
 - in star-forming galaxies, 78
- dust absorption, 78
- dust extinction, 30, 78, 79, 81, 108, 435–437
- dust grains, 36, 52
- dust reddening, 30, 80, 436
- dust scattering, 78
- dusty galaxies, 460
- duty cycle of active galactic nuclei, 296, 299, 380
- dwarf associations, 166
- dwarf galaxies, 29, 54
 - blue compact, 108
 - classical, 172
 - elliptical, 125
 - feedback, 389
 - formation, 401–403
 - gas content, 170, 171, 385
 - irregular, 54, 168, 401
 - rotation curves, 92
 - spheroidal, 125, 159, 168, 196, 401
 - transition types, 168
 - ultrafaint, 159, 172, 196, 401
- dynamical friction, 177, 221, 224, 301, 302, 357, 367, 374, 398, 402, 419
 - Chandrasekhar formula, 302
 - heating, 301
- dynamical mass, 146, 160, 439, 440
- dynamical modelling, 147
 - based on distribution functions, 149
 - Jeans modelling, 147
 - Schwarzschild method, 149
- dynamical spirals, 363
- dynamical time, 237
- E+A systems, 140
- early-type galaxies, 28, 125–162, 195, 369–374, 395–400, 455, 478, 479, 481, 483, 488
 - λ_{R_e} parameter, 134
 - age–mass relation, 138
 - age–metallicity degeneracy, 138
 - black hole mass–velocity dispersion relation, 161, 162
 - boxy, 127, 128, 137
 - central velocity dispersion, 132–134, 146, 155, 156, 159, 161
 - colour gradients, 140
 - colour–magnitude relation, 137
 - cored galaxies, 129, 137
 - coreless galaxies, 129, 130, 137
 - counter-rotating cores, 136

- dark matter, 145, 155, 158
- discy, 127, 128, 137
- dust, 144, 145
- dwarf elliptical galaxies, 125
- E+A systems, 140
- elliptical galaxies, 28, 125–162, 369–374, 395–400
- ellipticity, 126, 130
- evolution, 483
- extra light, 129
- Faber–Jackson relation, 158–160
- fast rotators, 133, 144, 395, 398
- formation, 369–374, 395–400, 400
- fundamental plane, 156, 157, 159, 160, 488
- interstellar medium, 141–145, 149
- isophotes, 126, 127, 130
- kinematically distinct cores, 136, 137, 397
- kinematics, 130
- Kormendy relation, 158, 160
- lenticular galaxies, 28, 125, 129, 481
- light deficit, 129
- line-of-sight velocity dispersion, 131, 134, 135, 147, 518
- line-of-sight velocity distribution, 131, 133, 134, 518
- Magorrian relation, 161
- mass distribution, 145–156
- scaling relations, 137, 138, 156–162
- size–stellar mass relation, 160
- slow rotators, 133, 144, 395
- stars, 126–141
- stellar mass fundamental plane, 157, 160
- stellar populations, 137–141
- structure, 126
- substructures, 130
- surface brightness, 127
- ultraviolet upturn, 141
- velocity dispersion–stellar mass relation, 160
- X-ray emission, 141, 149
- eddies, 259, 530
- Eddington bias, 444
- Eddington luminosity, 293, 324
- Eddington mass accretion rate, 293, 329, 417
- Eddington ratio, 294
- effective models, *see* subgrid prescriptions
- effective radius, 31, 127, 146, 161, 437
- Einasto profile, 216, 219
- Einstein angle, 152, 153
- Einstein equations, 18
- Einstein radius, 152, 154
- Einstein rings, 150–152
- Einstein–de Sitter cosmology, 22
- electric dipole, 75
- electrical conductivity, 530
- electromagnetic spectrum, 502
- ellipsoids, 127
- elliptical galaxies, *see also* early-type galaxies, 28, 125–162, 369–374, 395–400
- elliptical radius, 126
- ellipticity, 126, 130
- emission coefficient, 520, 521
- emission processes, 520–525
- emissivity, 521
- encounters of galaxies, 299, 307
 - high-speed, *see* fly-bys
- energy equation, 527
- energy loss function, 232
- entropy, 181, 183–185
- environment, 163–194, 440, 481
- environmental effects, 481
- environmental quenching, 378, 399, 402, 407, 408
- EoR, *see* epoch of reionisation
- epicycle frequency, 249
- epoch of reionisation, 338
- equation of state
 - cosmological, 19
 - of gas, 526
- equivalence, 22, 27
 - of matter and dark energy, 22, 27
 - of matter and radiation, 22, 27
- equivalent temperature of the transition
 - energy, 66
- equivalent width, 39, 178
- eras, cosmic, 21
- EROs, *see* extremely red objects
- escape fraction, 343, 468
- escape speed, 86
- Euler equation, 244, 248, 525
- Eulerian derivative, 526
- Eulerian hydrodynamic codes, 416
- evaporation, thermal, 378
- evolution
 - chemical, *see* chemical evolution
 - of galaxies, 470–496
 - pure density, 440
 - pure luminosity, 440
 - secular, *see* secular evolution
- ex situ* star formation, 374, 375, 395–397
- excitation temperature, 344, 349, 505
- exponential discs, 55, 58, 89, 102, 359
- extended Press–Schechter formalism, 210, 212, 213, 218, 222
- extinction, 30, 78, 79, 81, 108, 435–437
- extraplanar gas, 85
- extremely red objects, 452
- Faber–Jackson relation, 158–160
- Fanaroff–Riley I and II radio galaxies, 49
- Faraday rotation, 82
- fast rotators, 133, 144, 395, 398
- feedback, 283–292, 299, 325, 491
 - chemical, 327

- ejective, 388
- energy-driven winds, 291
- from active galactic nuclei, 144, 224, 292–299, 378, 379, 417, 491
- from Population III stars, 325–327
- galactic winds, 60, 75, 86, 289–291, 358
- kinetic, 293, 326, 417
- mechanical, 293, 326, 417
- momentum-driven winds, 292
- positive and negative, 292
- preventive, 389
- quasar mode, 294, 417
- quenching by, 379
- radiative, 293, 326
- radio mode, 294, 296, 417
- stellar, *see* stellar feedback
- thermal, 417
- Fermi bubbles, 124
- field galaxies, 186
- Field instability criterion, 232
- filaments
 - cosmic, 186, 213, 335
 - of gas, 241, 381
- filtering mass, 316
- filtering wavelength, 316
- filters, 502, 508
 - broad-band, 509
 - narrow-band, 457, 509
 - transmission curve, 508
- first galaxies, 328, 348
- first stars, 324, 328, 348
- flaring of gas discs, 120
- fluids, 525, 526, 529
 - viscous, 359, 529
- flux, 16, 503
 - bolometric or total, 503
- fly-bys, 62, 299, 365
- forbidden lines, 34, 70, 73
- formation
 - hierarchical models, 370, 371, 375
 - hybrid models, 372
 - monolithic models, 370, 375
 - of bulges, 369–374
 - of dwarf galaxies, 401–403
 - of early-type galaxies, 369–374, 395–400
 - of pseudobulges, 365, 365, 367, 368
 - of spheroids, 369–374
 - of stellar halos, 375
- Fornax dwarf spheroidal galaxy, 62
- fossil galaxies, 401
- fossil groups, 167
- fountains, *see* galactic fountains
- FR, *see* Fanaroff–Riley
- free streaming of dark matter particles, 197, 208
- free-fall time, 83, 246
- free-free emission, *see* bremsstrahlung
- Freeman law, 56
- freeze-out, 313
- Friedmann equations, 18, 19
- fringe interference, 91
- frosting effect, 431
- full spectral fitting, 138
- full width at half-maximum, 39
- full width at zero intensity, 40
- fundamental metallicity relation, 486
- fundamental observers, *see* comoving observers
- fundamental plane, 156, 157, 159, 160, 488
 - edge-on, 157, 159
 - face-on, 157, 159
 - stellar mass, 157, 160
 - tilt, 158, 160
- G-dwarf problem, 393
- Galactic, *see* Milky Way
- galactic cannibalism, 177, 398
- galactic coronae, 193, 358, 386, 387
 - cooling, 386
 - gas accretion, 386
- galactic fountains, 86, 290, 358, 387
- galactic winds, 60, 75, 86, 289–291, 358
- galaxies
 - at high redshift, *see* distant galaxies
 - disc, *see* star-forming galaxies
 - distant, *see* distant galaxies
 - dwarf, *see* dwarf galaxies
 - first, *see* first galaxies
 - late-type, *see* star-forming galaxies
 - spiral, *see* star-forming galaxies
 - star-forming, *see* star-forming galaxies
 - starburst, *see* starburst galaxies
- Galaxy, *see* Milky Way
- Gamma function, 44, 216
- gamma-ray bursts, 468, 469
- gas
 - atomic, *see* neutral atomic gas *or* ionised gas
 - collisionally ionised, *see* collisionally ionised gas
 - equation of state, 526
 - in clusters of galaxies, *see* intracluster medium
 - in galaxies, *see* interstellar medium
 - ionised, *see* ionised gas
 - molecular, *see* molecular gas
 - neutral atomic, *see* neutral atomic gas
 - photoionised, *see* photoionised gas
 - pregalactic, 315, 316
 - primordial, *see* primordial gas
- gas accretion, 85, 234–241, 382–388, 394
 - cold mode, 239, 381, 384
 - hot mode, 239–241
 - in absorption, 85
 - selective, 357
 - via minor mergers, 384

- gas critical density, 70
- gas fraction, 78, 100, 434
- gas inflows, 440
- gas outflows, 85, 440
- gas-to-dust ratio, 436
- gas-to-stellar-mass ratio, 47
- Gauss–Hermite series, 133
- Gaussian random field, 209
- giant molecular clouds, 121, 244, 247–253, 364
- Gini coefficient, 439
- global anisotropy parameter, 136
- globular clusters, 62, 114, 196, 376
- GMCS, *see* giant molecular clouds
- gravitational lensing, 145, 150–155, 160, 166, 185, 195, 466, 518
 - circularly symmetric lens, 150
 - convergence, 153–155, 519
 - cosmic shear, 150
 - critical surface density, 154
 - deflection angle, 151, 153, 519
 - Einstein angle, 152, 153
 - Einstein radius, 152, 154
 - Einstein rings, 150–152
 - gravitational arcs, 150, 153, 154
 - lens equation, 151, 519
 - lens plane, 150–152, 154
 - optical axis, 151
 - reduced deflection angle, 151, 152
 - shear, 150, 153, 154, 519
 - strong, 150, 152, 154, 160
 - thin lens approximation, 150, 151
 - weak, 150, 154, 155
- gravitational potential energy, 146
- gravitational radius, 146, 307, 308
- GRBs, *see* gamma-ray bursts
- green valley, 41
- grey body, 36, 522
- groups of galaxies, 165–174, 195
 - Local Group, 165, 167–174, 401, 402
 - X-ray emission, 166
- growth factor of cosmological perturbations, 200
- guide stars, 438
- Gunn–Peterson effect, 339, 340

- H₂, *see* molecular hydrogen
- H I, *see* neutral atomic gas
- H II regions, 34, 69, 111
 - electron density, 73
 - temperature, 73
- half-light radius, *see* effective radius
- half-mass radius, 158
- halo abundance matching, 404, 405, 413
- halo finders, 213
- halo gas, *see* circumgalactic medium
- halo quenching, *see* mass quenching

- halos
 - dark, *see* dark matter halos
 - of hot gas, 141, 193
 - radio, 178, 184
 - stellar, 54, 62, 375
- harassment, 299, 420
- hardness ratio, 463
- Harrison–Zeldovich power spectrum, 207, 208
- Hayashi track, 263
- HDM, *see* hot dark matter
- heating
 - by cosmic rays, 124, 229, 231
 - by photoionisation, 229, 326
 - by shocks, 235
 - Compton, 231
- helium, 27, 314
- helium abundance, 27
- helium hydride ion, 318
- helium recombination, 314
- helium reionisation, 341
- Hermite polynomials, 133
- Hertzsprung–Russell diagram, 105, 278, 510
- Hickson compact groups, *see* compact groups
- hierarchical galaxy formation models, 370, 371, 375
- hierarchical merging, 211
- high surface brightness galaxies, 56
- high-speed encounters, *see* fly-bys
- high-velocity clouds, 120
- Hill approximation, 304
- Hill radius, 304
- HIM, *see* hot intracloud medium
- homoeoids, 88
- homogeneity of the Universe, 13
- homology of stellar systems, 158
- horizon, cosmological, 16, 207
- horizontal branch, 513
- hot dark matter, 197
- hot intercloud medium, 121
- HSBs, *see* high surface brightness galaxies
- Hubble classification, 3, 4, 470
- Hubble constant, 14, 21
- Hubble flow, 14, 516
- Hubble parameter, 14, 16, 19
- Hubble sequence, *see* Hubble classification
- Hubble time, 14
- Hubble–Lemaître law, 14
- hybrid galaxy formation models, 372
- hydrodynamic codes
 - Eulerian, 416
 - Lagrangian, 416
- hydrodynamic simulations, 215, 415–418
- hydrodynamics, 525
 - energy equation, 527
 - Euler (or momentum conservation) equation, 244, 248, 525

- mass conservation (or continuity) equation, 244, 525
- viscous terms, 529
- hydrogen
 - ionised, *see* ionised gas
 - molecular, *see* molecular hydrogen
 - neutral atomic, *see* neutral atomic gas
- hydrogen burning limit, 264
- hydrogen deuteride, 319
- hydrostatic equilibrium, 119, 149, 185, 253, 255, 387
 - of a self-gravitating slab, 110
 - of discs, 119
- ICM, *see* intracluster medium
- ideal fluids, 526, 529
- IFUs, *see* integral field units
- IGM, *see* intergalactic medium
- IMF, *see* initial mass function
- in situ* star formation, 374, 375, 395–397, 399
- inclination of discs, 56
- inflation, 23, 27, 207
- inflows of gas, 440
- initial mass function, 36, 263–265, 268, 277, 278, 327, 424, 426, 429, 431
- instability
 - Field criterion, 232
 - Jeans, 244–247
 - thermal, 118, 231, 232, 252, 380
 - violent disc, 374, 396, 398
- instantaneous mixing, 274
- instantaneous recycling approximation, 274, 383, 411
- integral field spectroscopy, 89, 131, 457
- integral field units, 89
- integrated flux, 36
- integrated light from galaxies, 64, 277
- intensity, 503
- intensity mapping, 346
- interacting galaxies, 163
- interferometers, 91
- intergalactic medium, 192, 325, 331–343, 448, 468
 - metallicity, 336, 337, 389
 - warm-hot, 193
- internal quenching, *see* mass quenching
- interstellar dust, *see* dust
- interstellar medium, 35, 65–87, 170, 171, 433–437
 - average pressure, 118, 256
 - Baldwin–Phillips–Terlevich diagram, 433
 - carbon monoxide, 67
 - column density, 66
 - diagnostic diagrams, 433
 - dilution of the metallicity, 270
 - enrichment, 270
 - evolution, 266–270, 485
 - gas consumption, 266–270
 - metallicity, 104
 - molecular, *see* molecular gas *or* molecular hydrogen
 - neutral atomic gas, 34, 47, 65, 67, 87, 118, 144, 344
 - of distant galaxies, 451
 - of early-type galaxies, 141–145, 149
 - of star-forming galaxies, 65–87, 451
 - of the Milky Way, 117–124
 - phases, 65, 69, 118
 - porosity, 71
 - Reynolds number, 259
 - scaleheight, 97
 - three-phase model, 121
 - turbulence, 258
- intracluster light, 177, 375
- intracluster medium, 174, 178–182, 378
 - density, 181
 - entropy, 181, 184, 185
 - metallicity, 178, 179
 - temperature, 181
- intragroup medium, 166
- ionisation fraction, 71
- ionisation parameter, 336
- ionisation potential, 69, 71, 74
- ionised gas, 69, 74, 120
- IRA, *see* instantaneous recycling approximation
- irregular galaxies, 28
- ISM, *see* interstellar medium
- isochrones, 278
- isophotes, 30, 126, 127, 130
 - boxy, 127, 137
 - discy, 127, 137
 - of early-type galaxies, 126, 127, 130
- isothermal fluids, 526
- isothermal shocks, 528
- isothermal sphere, 88, 152, 153, 156, 216
- isotropic rotators, 136
- isotropy of the Universe, 13
- J*-ladder, 434
- Jeans equations, 147, 185
- Jeans instability, 244–247
- Jeans length, 208, 245, 316
- Jeans mass, 196, 246, 316
 - cosmological, 316
- Jeans modelling, 147
- Jeans swindle, 244
- jets
 - in active galactic nuclei, 49, 296
 - stellar, 262
- Johnson–Cousins system, 508
- jump conditions, 528
- K correction, 446, 459
 - morphological, 30, 470
- K+A systems, *see* E+A systems

- Kelvin–Helmholtz instability, 385
- Kennicutt law, *see* Schmidt–Kennicutt law
- Keplerian fall of rotation curves, 88
- kinematically distinct cores, 136, 137, 397
- kinetic energy, 146
- kinetic energy tensor, 136, 518
- King analytic profile, 176, 182
- Kolmogorov theory, 259
- Kolmogorov–Obukhov law, 531
- Kormendy relation, 158, 160
- Kroupa initial mass function, 264
- Lagrangian derivative, 526
- Lagrangian hydrodynamic codes, 416
- Lagrangian points, 303
- Lane–Emden equation, 254
- Large Magellanic Cloud, 81, 169
- large-scale structure, 188–191, 213
- Larson initial mass function, 264, 327
- Larson second law, 257
- last scattering surface, 24, 314
- late-type galaxies, *see* star-forming galaxies
- LBGs, *see* Lyman-break galaxies
- lensing, *see* gravitational lensing
- lenticular galaxies, *see also* early-type galaxies, 28, 125, 129, 361, 399, 481
- LF, *see* luminosity function
- Lick indices, 138, 432
- limiting flux, 444
- limiting magnitude, 444
- Lindblad resonances, 362
- line profiles, 131, 133, 148
 - damping wings, 333
 - global, 94, 100
 - Lorentzian, 333
 - Voigt, 333
- line-of-sight velocity dispersion, 131, 134, 135, 147, 518
- line-of-sight velocity distribution, 131, 133, 134, 518
- line-of-sight velocity, mean, 518
- lithium, 27, 314, 319
- lithium hydride, 319
- lithium recombination, 314
- LLSs, *see* Lyman-limit systems
- LMC, *see* Large Magellanic Cloud
- Local Group, 165, 167–174, 401, 402
 - chemical pattern, 172
 - galaxies, 167, 168
 - segregation of dwarf galaxies, 170
 - star formation histories, 172
- local standard of rest, 111
- local thermodynamic equilibrium, 523
- logarithmic gravitational potential, 251
- look-back approach, 483
- look-back time, 22
- Lorentz profile, 333
- LOSVD, *see* line-of-sight velocity distribution
- low surface brightness galaxies, 56
- LSBs, *see* low surface brightness galaxies
- LSS, *see* large-scale structure
- LTGs, *see* star-forming galaxies
- luminosity, 16, 503
 - bolometric or total, 504
 - mechanical, 286
- luminosity density, 44, 475
- luminosity distance, 16
- luminosity function, 43, 176, 403, 440
- luminosity-weighted quantities, 431
- luminous infrared galaxies, 107
- Lyman continuum, 71
- Lyman series, 69
- Lyman- α , 333, 467
- Lyman- α cross section, 339
- Lyman- α forest, 193, 331–333
- Lyman–Werner photons, 326
- Lyman-break galaxies, 447, 448
- Lyman-limit systems, 85, 334, 336
- $M20$ parameter, 439
- M31, 14, 62, 167, 373, 402
- M32, 126, 168, 401
- M33, 63, 72, 168
- Mach number, 527
- Magellanic Stream, 169
- magnetic field, 81, 122, 234, 257, 529, 530
 - Alfvén velocity, 258
 - ambipolar diffusion, 261
 - Faraday rotation, 82
 - flux freezing, 257
 - magnetic breaking, 262
 - magnetic critical mass, 257
 - magnetic flux, 258
 - magnetic waves, 258
 - magnetosonic waves, 258
 - polarisation of stellar light, 123
 - pressure, 530
 - tension, 530
 - Zeeman effect, 123
- magnetohydrodynamics, 529
- magnitude
 - AB, 506, 507
 - absolute, 506, 507
 - apparent, 506
 - bolometric absolute, 508
 - solar, 508
 - Vega, 507
- Magorrian relation, 161
- main sequence
 - of star-forming galaxies, 105, 411, 475
 - of stars, 278, 512
- main-sequence time, 267
- Malmquist bias, 444

- mass conservation equation, 244, 525
 mass loss from stars, 86, 266, 267, 274, 407
 mass quenching, 378, 396, 405, 408
 mass variance, cosmological, 206, 209
 mass–metallicity relation, 64, 104, 139
 mass-anisotropy degeneracy, 133, 148, 149, 155
 mass-to-light ratio
 stellar, 59, 101, 158, 279
 total, 158
 matter component of the Universe, 20
 matter era, 22
 maximum disc, 95
 Maxwellian distribution, 72, 74, 333, 522
 mean atomic (or molecular) weight, 65, 526
 mean free path, 24, 259
 merger history, 211
 merger mass ratio, 212
 merger quenching, 379
 merger rate, 164, 165, 211, 212
 merger rate evolution, 472
 merger remnants, 307
 merger timescale, 305, 306
 merger tree, 211
 mergers, 62, 108, 163–165, 211, 212, 299–309, 371, 396, 472
 binary, 300
 dissipationless, *see* mergers, dry
 dissipative, *see* mergers, wet
 dry, 163, 300, 307, 372, 396, 408
 major, 211, 300, 382
 minor, 211, 300, 384, 396
 multiple, 300
 of dark matter halos, 211
 of disc galaxies, 371–373, 379, 396, 398
 of galaxies, 163, 299–309, 371–373, 379, 396–398, 407, 408
 of spheroids, 372, 396–398, 408
 of supermassive black holes, 309
 orbital parameters, 305, 306
 wet, 163, 300, 309, 372, 396, 407
 merging, *see* merger or mergers
 metal abundance, *see* metallicity
 metal enrichment, 325
 metallicity, 36, 64, 104, 137, 139, 144, 280, 486, 513, 515
 evolution, 486
 of discs, 63
 of the intergalactic medium, 336, 337, 389
 of the interstellar medium, 104
 of the intracluster medium, 179
 solar, 515
 stellar, 104, 488
 metallicity distributions of individual stars, 393
 metallicity gradients, 63, 179, 391, 392
 microwave diminution, 181
 migration, *see* radial migration
 Milky Way, 14, 108–124, 373
 bar, 113
 bulge, 113, 368
 centre, 124
 corona, 387
 disc, 109, 110
 gas accretion, 120, 383
 globular clusters, 114
 interstellar medium, 117–124
 magnetic field, 124
 metallicity, 364, 393
 metallicity gradient, 109, 111
 star formation history, 383
 stellar components, 108–117
 stellar disc, 109
 stellar halo, 114
 stellar streams, 114
 thick disc, 110
 thin disc, 110
 velocity dispersion, 110
 virial radius, 170
 missing baryon problem, 191, 192
 missing satellite problem, 172, 403
 modes of perturbations, 248
 modified Newtonian dynamics, 97
 molecular clouds, 75, 122, 241, 244, 246, 253, 256, 261
 age, 122
 collapse, 261
 dense cores, 121, 244, 247, 256
 equilibrium, 253
 giant, *see* giant molecular clouds
 magnetic field, 257
 turbulence, 122, 256
 virial theorem, 256
 molecular gas, 67, 75, 76, 246
 photodissociation, 68, 76, 242, 326
 molecular hydrogen, 75, 144, 318
 critical density, 322
 molecules
 formation, 242
 primordial, 318, 348
 momentum conservation equation, 244, 248, 525
 MOND, *see* modified Newtonian dynamics
 monolithic galaxy formation models, 370, 375
 morphology evolution, 470
 morphology of galaxies, 28–34, 437, 451, 470
 morphology–density relation, 171, 186, 399

N-body simulations, 365, 396, 415
 narrow-line regions, 52
 Navarro–Frenk–White profile, 98, 102, 215, 353
 Navier–Stokes equation, 529
 neutral atomic gas, 34, 47, 65, 67, 87, 118, 144, 344
 neutral fraction, 71

- neutrinos, 20, 197
 - decoupling, 20, 27, 197
- NFW, *see* Navarro–Frenk–White
- nightglow, *see* airglow
- NLRs, *see* narrow-line regions
- non-baryonic dark matter, 197
- non-homology of stellar systems, 160, 219
- non-parametric morphological indices, 438
- non-relativistic particles, 20, 197
- nucleosynthesis, primordial, 26, 27, 197
- number density of galaxies, 43
- O/B associations, 289
- observables of galaxies, 422
- observers, comoving, 13
- Ohm's law, 530
- open clusters, 111
- optical depth, 292, 520
 - effective, 338
 - Gunn–Peterson, 339
- outflows of gas, 85, 440
- overdensities, cosmological, 200, 201
- overshining effect, 431
- oxygen, 70, 104
- PAHs, *see* polycyclic aromatic hydrocarbons
- pair instability supernovae, 325
- passive galaxies, *see* early-type galaxies
- peculiar galaxies, 163
- peculiar velocities of galaxies, 14, 516, 517
- permitted lines, 34, 70
- phase mixing, 301
- phase space, 133, 517
- phase-space density, *see* distribution function,
 - phase-space
- phases of the interstellar medium, 65, 69, 118
- photo- z , *see* photometric redshift
- photodisintegration, 325
- photodissociation, 68, 76, 242, 326
- photoelectric absorption, 53
- photoevaporation, 326
- photoheating, *see* photoionisation heating
- photoionisation, 69, 76, 326, 336
- photoionisation heating, 229, 326
- photoionised gas, 69–74, 120
- photometric redshift, 422, 423
- photon decoupling, 24, 27, 196
- PISNe, *see* pair instability supernovae
- pitch angle, 248
- Planck function, 521
- Planck time, 23, 27
- planetary nebulae, 513
- point spread function, 437
- Poisson equation, 199, 244, 248, 253
- polycyclic aromatic hydrocarbons, 36
- Population I stars, 114, 321
- Population II stars, 114, 321
- Population III stars, 117, 321–328, 348
 - collapse, 321
 - feedback, 325–327
 - initial mass function, 327
- populations, stellar, 30, 277, 430
- position angle, 93, 126
- post-starburst galaxies, 481
- power spectrum
 - cosmological, *see* cosmological power spectrum
 - of the cosmic microwave background, 25
 - of turbulence, 259, 531
- power-law galaxies, *see* coreless galaxies
- preheating, *see* feedback, preventive
- prescriptions, subgrid, 416
- Press–Schechter formalism, 209
 - extended, 210, 212, 213, 218, 222
- pressure equilibrium, 118, 255
- pressure-confined clouds, 245
- primeval fireball, 310
- primordial gas, 318
 - cooling, 317–321
- primordial nucleosynthesis, 26, 27, 197
- progenitor bias, 397, 446
- protoclusters, 466, 481
- protostars, 323
- pseudo-isothermal density profile, 98
- pseudobulges, 59, 365, 366
 - formation, 365, 365, 367, 368
- PSF, *see* point spread function
- Q parameter, Toomre, 250
- QSOs, *see* quasars
- quasar mode feedback, 294, 417
- quasars, 48, 329, 468
 - peak of activity, 342
 - radio-loud, 49
 - radio-quiet, 49
- quasi-stars, 330
- quasi-stellar objects, *see* quasars
- quenching, 377–380
 - by negative feedback, 379
 - environmental, 378, 399, 402, 407, 408
 - mass, 378, 396, 405, 408
 - merger, 379
- quiescent galaxies, *see* early-type galaxies
- r-processes, 272
- radial migration of stars, 58, 270, 360
- radiation component of the Universe, 20
- radiation era, 22
- radiation temperature, 315
- radiative association reaction, 318
- radiative cooling, 225–239, 317, 320, 357
 - of primordial gas, 317–321

- radiative processes, 520–525
- radiative transfer, 520
- radio galaxies, 49, 177, 296, 463
 - at high redshift, 462
 - broad-line, 49
 - Fanaroff–Riley I and II, 49
 - head–tail, 177
 - narrow-line, 49
- radio halos, 178, 184
- radio lobes, 296
- radio mode feedback, 294, 296, 417
- radio relics, 177
- radio telescopes, 89
- radio–infrared correlation, 428
- ram–pressure stripping, 171, 224, 302, 304, 402, 420
- Rankine–Hugoniot equations, 75, 528
- Rayleigh criterion, 390
- Rayleigh–Jeans approximation, 522
- recipes, *see* prescriptions
- recombination, 69, 226
 - cosmological, 24, 27, 196, 310–314, 343
 - of helium, 314
 - of lithium, 314
- recombination lines, 69, 523
- recombination spectrum, 344
- red giant branch, 513
- red sequence, 40
- reddening, *see* colour excess *and* dust
- redshift
 - cosmological, 14, 15, 422, 516
 - photometric and spectroscopic, 422, 423
- reduced mass, 306
- reflection nebulae, 78
- reionisation, 24, 27, 310, 338
 - epoch of, 338
 - models, 342
 - observational evidence, 338
 - of helium, 341
- relativistic particles, 20, 197
- relaxation, 300
 - collisionless, 300, 301
 - two-body, 300
 - violent, 301, 370
- relics, radio, 177
- resolution
 - spatial, 90
 - spectral, 37, 90
- resonant scattering, 331
- reverse shocks, 286
- Reynolds number, 259
- richness of clusters of galaxies, 175
- ring galaxies, 163
- ripples, *see* shells
- Roche radius, *see* Hill radius
- rotation curves, 87, 91–94, 102, 390
 - asymmetric drift, 97
 - differential rotation, 91
 - flat, 87
 - Keplerian fall, 88
 - mass decomposition, 94, 95
 - maximum disc, 95
 - shapes, 91, 93
 - tilted-ring model, 93
- rotation instability, 390
- rotation measure, 82
- rotation velocity, 100
- Rydberg formula, 523
- s-processes, 272
- S0 galaxies, *see* lenticular galaxies
- Sérsic galaxies, *see* coreless galaxies
- Sérsic index, 31, 128, 137, 162, 188, 216, 370
- Sérsic law, 31, 128, 129, 146, 177, 216, 370
- Sérsic profile, *see* Sérsic law
- Sagittarius A*, 124
- Sagittarius dwarf galaxy, 114
- Sagittarius stream, 114
- Saha equation, 311, 522, 523
- Salpeter initial mass function, 263
- SAMs, *see* semi-analytic models
- satellite galaxies, 378
- satellite quenching, *see* environmental quenching
- scale factor, 13, 15, 199
- scale radius of dark matter halos, 215, 216
- scaling laws, *see* scaling relations
- scaling relations
 - evolution, 488
 - of clusters of galaxies, 184, 185
 - of early-type galaxies, 137, 138, 156–162
 - of galaxies, 99–106, 137, 138, 156–162, 408–415
 - of star-forming galaxies, 99–106, 410
- Scalo birthrate parameter, 106
- Scalo initial mass function, 264
- scattering
 - by dust, 78
 - Compton, 53, 231, 315
 - inverse Compton, 52, 180, 231
 - resonant, 331
 - Thomson, 24, 196, 231, 293, 311, 341
- Schechter function, 43, 176, 440
- Schmidt–Kennicutt law, 83, 417
- Schwarzschild criterion, 184
- Schwarzschild method, 149
- Schwarzschild radius, 292
- Sculptor dwarf spheroidal galaxy, 114
- secular evolution, 358, 390
- SED, *see* spectral energy distribution
- Sedov solution, 285
- seeing disc, 437
- selection of distant galaxies, 441–469
 - in radio, 462

- in the infrared to millimetre, 459
- in the near-infrared, 452
- in X-rays, 463
- optical, 447–449
- with integral field spectroscopy, 457
- with narrow-band imaging, 457
- with slitless spectroscopy, 457
- self-shielding, 76, 242
- semi-analytic models, 419
- Seyfert galaxies, 49
- SFGs, *see* star-forming galaxies
- SFMS, *see* star formation main sequence
- SFR, *see* star formation rate
- shape of dark matter halos, 219–221
- shear
 - in gravitational lensing, 150, 153, 154, 519
 - of gas, 359
- shear viscosity, 529
- shell galaxies, 163
- shells, 130
- SHMR, *see* stellar-to-halo mass relation
- shock heating, 235
- shock radius, 236
- shocks, 74, 86, 286, 367, 527
 - isothermal, 528
 - jump conditions, 528
- signal-to-noise ratio, 443
- simple stellar populations, 277
- simulations
 - cosmological, *see* cosmological simulations
 - hydrodynamic, 386, 388, 415
 - subgrid prescriptions, 416
 - N*-body, 365, 396, 415
 - of galaxy mergers, 418
 - of individual galaxies, 365, 418
- single-dish telescopes, 91
- singular isothermal sphere, 88, 152, 153, 156, 216
- size evolution of galaxies, 470
- size–stellar mass relation, 106, 160
- sizes of galaxies, 33
- sky background, 442
- SLED, *see* spectral line energy distribution
- slitless spectroscopy, 458
- slow rotators, 133, 144, 395
- Small Magellanic Cloud, 169
- SMBHs, *see* supermassive black holes
- SMC, *see* Small Magellanic Cloud
- SMF, *see* stellar mass function
- SMGs, *see* submillimetre galaxies
- smoothed particle hydrodynamics, 416
- SNe, *see* supernovae
- SNRs, *see* supernova remnants
- solar absolute magnitudes, 508
- solar abundance, 515
- solar neighbourhood, 110, 111, 119, 120
- Solomon process, 326
- Soltan argument, 295
- sound horizon, 26
- sound speed, 235, 244, 258, 527
- source function, 520
- spaxels, 89, 458
- specific angular momentum, 101, 351, 352, 388, 390
 - retained fraction, 352
- specific angular momentum–stellar mass relation, 101
- specific intensity, 503
- specific star formation rate, 106, 429, 477
- spectra
 - of galaxies, 34–42, 276–283
 - Balmer jump, 39
 - continuum discontinuities, 433
 - D4000 break, 39
 - of stars, 278
 - synthetic, 277, 282
- spectral energy distribution, 34, 36
 - photometric, 37
- spectral index of the cosmological power spectrum, 206
- spectral line energy distribution, 434
- spectral lines
 - doublets, 70
 - forbidden, 34, 70, 73
 - line ratios, 73, 74
 - permitted, 34, 70
 - thermal broadening, 69, 118
- spectral regions, 502
- spectroscopic redshift, 422, 423
- spectroscopy, 89
 - 2D, 90
 - datacubes, 89, 90
 - integral field units, 89
 - long-slit, 89, 90
- spectrum of the Universe, 492
- SPH, *see* smoothed particle hydrodynamics
- sphere of influence, 162
- spherical collapse model, 200, 201
- spheroids, *see also* early-type galaxies, 125, 370
 - formation, 369–374
- spin of galaxies, 306
- spin parameter, 223, 352
- spin temperature, 344, 505
- spiral arms, 58, 248, 252, 361, 362, 364
 - density waves, 248, 252, 361, 362
 - formation, 361
 - grand design, 58
 - leading and trailing, 252, 362
 - pattern speed, 361
 - pitch angle, 58
 - swing amplifier, 362
 - tightly wound, 248
- spiral galaxies, *see* star-forming galaxies
- spiral pattern speed, 252

- SPS models, *see* stellar population synthesis models
 sSFR, *see* specific star formation rate
 SSPs, *see* simple stellar populations
 standard candles, 111
 standard stars, 507
 star formation, 241, 241, 265
 ex situ, 374, 375, 395–397
 in situ, 374, 375, 395–397, 399
 self-regulated, 86
 star formation efficiency, 263
 star formation evolution, 473, 474
 star formation history, 36, 64, 268, 281, 380, 389, 395
 exponentially declining, 380, 383
 star formation laws, 83
 star formation main sequence, 105, 411, 475
 star formation rate, 55, 64, 75, 78, 83, 85, 106, 268,
 282, 424, 429
 Scalo birthrate parameter, 106
 specific, 106, 429, 477
 star formation rate density, 474, 475
 star formation rate indicators, 424, 425, 427–429
 star formation rate surface density, 83
 star formation timescale, 268, 359
 star-forming galaxies, *see also* discs, 28, 54–124, 195,
 449, 453, 488
 anaemic spirals, 176
 bulgeless, 59
 colours, 63
 dark matter, 87–99
 dust, 78
 formation, 350–365, 380–394
 fountains, *see* galactic fountains
 gas fraction, 78, 100
 gas-to-stellar-mass ratio, 78
 interstellar medium, 65–87, 357, 451
 main sequence, 105, 411, 475
 photometry, 63
 scaling relations, 99–106, 410
 size–stellar mass relation, 106
 star formation history, 64, 382
 stellar components, 54–65
 Tully–Fisher relation, 99, 100, 411, 488
 X-ray emission, 34, 35, 428, 463
 starburst galaxies, 54, 55, 59, 60, 107, 412, 461, 477
 luminosity function, 106
 starbursts, 40, 108, 163, 309
 stars, 34
 asymptotic giant branch, 278, 279, 513
 brown dwarfs, 264
 Cepheids, 111
 Chandrasekhar mass, 267
 cooling sequence, 513
 feedback, *see* stellar feedback
 first, *see* first stars
 G dwarfs, 394
 giant, 279
 globular clusters, 62, 114, 196, 376
 Hayashi track, 263
 horizontal branch, 513
 isochrones, 278
 main sequence, 278, 512
 mass loss, 86, 266, 267, 274, 407
 mass return, 86, 266, 267, 274
 metallicity, 104, 488
 of the stellar halo, 62
 open clusters, 111
 planetary nebulae, 513
 Population I, *see* Population I stars
 Population II, *see* Population II stars
 Population III, *see* Population III stars
 radial migration, 58, 270, 360
 red giant branch, 513
 remnants, 267
 spectral types, 510
 standard, 507
 supergiant, 279
 supermassive, 330
 T-Tauri, 262
 white dwarfs, 513
 X-ray binaries, 143, 429
 yields, 271, 272
 starvation, 378
 stellar evolution, 512
 stellar feedback, 86, 224, 267, 284–292, 325, 354,
 358, 376, 377, 383, 388, 402
 ejective, 388
 energy coupling, 388
 fountains, *see* galactic fountains
 mass return, 86, 266, 267, 274
 preventive, 389
 problems, 388
 winds, 75, 286
 stellar groups, 111
 stellar halos, 54, 62, 375
 formation, 375
 stellar jets, 262
 stellar mass, 45, 430, 431, 452
 stellar mass assembly history, 395
 stellar mass evolution, 479
 stellar mass function, 45, 389, 403
 stellar migration, 58, 270, 360
 stellar population synthesis models, 277, 431
 stellar populations, 30, 277, 430
 composite, 281
 in early-type galaxies, 137–141
 simple, 277
 stellar streams, 62, 111, 168
 stellar systems, 517
 collisional, 300
 collisionless, 300, 517
 homology, 158
 non-homology, 160, 219
 pressure-supported, 134
 stellar wind bubbles, 287

- stellar winds, 75, 286
- stellar-to-halo angular momentum ratio, 352
- stellar-to-halo mass ratio, 352
- stellar-to-halo mass relation, 403, 405
- Strömgren sphere, 71
- strangulation, 378
- streams
 - of gas, *see also* filaments of gas, 169
 - stellar, 62, 111, 168
 - tidal, 62, 304
- stripping, *see* ram-pressure stripping *or* tidal stripping
- structural indices, 438
- structure formation, 196–213
- subgrid prescriptions, 416
- subhalo abundance matching, 404, 405, 413
- subhalo mass function, 221, 222
- subhalos, 220, 221
- submillimetre galaxies, 460, 461
- subresolution recipes, *see* subgrid prescriptions
- subsonic motions, 527
- substructures
 - of dark matter halos, 219, 221
 - of early-type galaxies, 130
- Sun, *see* solar
- Sunyaev–Zeldovich effect, 179, 181, 185
- superbubbles, 86, 289
 - blow-out, 86, 290
- supermassive black holes, 51, 124, 161, 309, 329, 468
 - binary, 309
 - coalescence, 309
 - direct collapse, 330
 - first, 329
 - mergers, 309
 - seeds, 329
 - sphere of influence, 162
- supernova explosions, 284, 327
- supernova feedback, *see* stellar feedback
- supernova rate, 291
- supernova remnants, 35, 75, 284
- supernovae, 21, 40, 86, 116, 280, 324, 327, 328, 513
 - adiabatic phase, 285
 - blow-away, 327
 - blow-out, 327
 - pair instability, 325
 - radiative phase, 285
 - Sedov solution, 285
 - snowplough phase, 286
 - Type Ia, 116, 140
 - Type II, 40, 116, 280, 324, 513
- superposition principle, 244
- supershells, 289
- supersonic motions, 527
- surface brightness, 17, 30, 56, 503, 504
 - cosmological dimming, 17
 - of discs, 56
 - of early-type galaxies, 127
 - surface brightness profiles, 30, 56, 57
 - surface of last scattering, 24, 314
 - surveys of galaxies, 443
 - swing amplifier, 362
 - synchrotron radiation, 49, 52, 286, 296, 524
 - systemic velocity, 91
 - SZE, *see* Sunyaev–Zeldovich effect
- telescopes, 10, 11
 - radio, 89
 - single-dish, 91
- telluric lines, 443
- temperature anisotropies, 24
- TFR, *see* Tully–Fisher relation
- thermal conduction, 234, 378
- thermal evaporation, 378
- thermal history of the Universe, 27
- thermal instability, 118, 231, 232, 252, 380
- thermal relics, 197
- thermal speed, 74
- thermally pulsating asymptotic giant branch stars, 278
- thermodynamic equilibrium, 522
 - local, 523
- thick discs, 57, 110, 364
 - formation, 364
- thin discs, 110
- Thomson cross section, 179, 293
- Thomson scattering, 24, 196, 231, 293, 311, 341
- three-body problem, circular restricted, 303
- three-phase model of the interstellar medium, 121
- tidal forces, 302
- tidal radius, 303
- tidal stirring, 402
- tidal streams, 62, 304
- tidal stripping, 171, 221, 302, 402, 420
- tidal tails, 303
- tidal torques, 223, 351, 357
- tightly wound spiral, 248
- Toomre instability criterion, 250
- top-heavy initial mass function, 265
- torus, dusty, 52
- tracer populations, 147
- transfer function of the cosmological power
 - spectrum, 207
- transient spirals, 362
- transitions
 - electronic, 75
 - fine structure, 68
 - rotational, 34, 75
 - vibrational, 34, 75
- triaxiality of dark matter halos, 219, 220, 357
- Tully–Fisher relation, 99, 100, 411, 488
 - baryonic, 101
- turbulence, 69, 118, 119, 258, 385
 - cascade, 530
 - dissipation scale, 530

- energy power spectrum, 259, 531
- Kolmogorov theory, 259
- Reynolds number, 259
- turbulent boundary layer ablation, 385
- turbulent pressure, 119, 247
- turbulent wake, 385
- turnaround time of overdensities, 201
- two-body orbit, 305
- two-body relaxation, 300
- two-photon emission, 313
- UFDs, *see* ultra-faint dwarf galaxies
- ULIRGs, *see* ultra-luminous infrared galaxies
- ultra-faint dwarf galaxies, 159, 172, 196, 401
- ultra-luminous infrared galaxies, 107
- ultraviolet background, 120, 229, 230
- ultraviolet continuum, 37
- ultraviolet upturn, 141
- unstructured moving mesh, 416
- UVB, *see* ultraviolet background
- UVX method, 464
- V/σ ratio, 55, 95
- vacuum energy, 20, 21
- velocity dispersion
 - central, 132–134, 146, 155, 156, 159, 161
 - line-of-sight, 131, 134, 135, 147, 518
 - of clusters of galaxies, 176
 - virial, 146, 307, 308
- velocity dispersion tensor, 518
- velocity dispersion–stellar mass relation, 160
- velocity field, 91, 93
 - spider diagrams, 93
- violent disc instability, 374, 396, 398
- virial coefficient, 146
- virial mass, 155, 174, 203, 307
- virial radius, 155, 203, 353
- virial temperature, 141, 166, 178, 234, 317, 376
- virial theorem, 145, 146, 166, 171, 185, 202, 256
- virial velocity dispersion, 146, 307, 308
- virialisation of dark matter halos, 202, 351
- viscosity, 359, 529
- viscous forces, 529
- viscous terms, 529
- voids, cosmic, 186, 213
- Voigt profile, 333
- warm dark matter, 198
- warm ionised medium, 120
- warm neutral medium, 118
- warm–hot intergalactic medium, 193
- WDM, *see* warm dark matter
- weakly interacting massive particles, 197
- WHIM, *see* warm–hot intergalactic medium
- white dwarfs, 513
- Wien law, 522
- WIM, *see* warm ionised medium
- WIMPs, *see* weakly interacting massive particles
- winding problem, 58
- winds
 - energy-driven, 291
 - from active galactic nuclei, 295
 - galactic, 60, 75, 86, 289–291, 358
 - mass loading factor, 270, 291
 - momentum-driven, 292
 - stellar, 75, 286
- WNM, *see* warm neutral medium
- Wolf–Rayet galaxies, 40
- Wouthuysen–Field effect, 344
- X_{CO} factor, 77
- X-ray binaries, 143, 429
- X-ray cavities, 296
- X-ray emission
 - from active galactic nuclei, 48, 52, 53, 75, 463
 - from clusters of galaxies, 178, 185
 - from early-type galaxies, 141, 149
 - from groups of galaxies, 166
 - from star-forming galaxies, 34, 35, 428, 463
- X-ray–infrared correlation, 429
- yields, 271, 272, 275, 276
- zodiacal light, 442
- zoom-in simulations, 418