

Index

- access, 59, 146, 173, 241, 248, 304, 320, 321, 414, 419, 460, 461, 496, 497, 499, 507, 518, 524, 526, 566, 585, 586, 587, 593
- acculturation, 301, 314, 495, 498
- accumulate, 132, 143
- ACT, 168, 389, 452, 462, 488, 541
- ADHD, 14, 15, 17, 37, 58, 60
- adoption studies, 99, 113, 114, 115
- Affordable Care Act, 387, 392, 497
- African American
- access, 321, 500
 - biological and genetic factors, 320
 - church attendance, 318
 - educational attainment, 307, 308
 - employment, 308, 313
 - genetic factors, 311
 - health care, 296
 - health care access, 321
 - immigrants, 291, 305
 - intersectionality, 307, 311, 314
 - kin networks, 317, 335
 - marriage, 311, 334
 - neighborhood stress, 316
 - parenthood, 312, 313, 335
 - physical health, 319, 320
 - physical health, biological, and genetic factors, 311
 - poverty, 309
 - sources of strain, 315, 317, 318
 - sources of support, 317, 318
 - spirituality, 318
 - stressors, 300, 314
 - violence, 316
 - women, 179, 279, 305, 306
- age of onset, 120, 154
- agitation, 340, 341, 345
- alcohol dependence, 22, 27, 403
- allostatic load, 189, 319
- altruistic suicide, 135, 363, 516
- American Indian, 149, 289. *See also* Native American
- Americans with Disabilities Act, 164, 582
- anger, 296, 299, 338, 340, 341, 401, 481
- anomic suicide, 135, 136, 516
- anomie, 133, 134, 135, 137, 177
- antisocial personality disorder, 471
- anxiety, 8, 14, 31, 524, 553
- arrest, 468, 469, 470, 471, 472, 476, 477, 479, 490, 491
- arrest rates, 469, 470, 474
- Asian, 149, 288, 290, 293, 297, 300, 302, 495, 497, 498, 499, 507
- ASPD, 471, 473, 478, 491
- assertive community treatment. *See* ACT
- attention deficit hyperactivity disorder. *See* ADHD
- Beers, Clifford, 531, 536, 576
- beliefs, 8, 10, 19, 146, 161, 298, 299, 317, 335, 344, 351, 393, 402, 424, 506
- biological psychiatry, 99, 100, 101, 119, 124
- bipolar disorder, 148, 241, 248, 279, 255
- birth cohorts, 13, 17, 339, 341
- Black. *See* African American
- bootstrap taxometrics, 94, 95
- brain, 98, 99, 100, 101, 103
- brain imaging, 105, 106
- Caribbean immigrants, 301, 310
- categorical, 4, 54, 83, 84, 85, 88, 95, 448
- Center for Epidemiologic Studies Depression Scale (CES-D), 8, 85, 323
- children's mental health, 178, 448
- chronic care, 392
- chronic disease, 319, 342, 349, 588
- chronic strains, 126, 129, 133, 137, 593
- chronic stressors, 178, 187
- CIT, 486
- civil commitment, 468, 474, 579, 582
- classification of mental disorders, 2, 45, 61
- coercion, 50, 159, 398, 542
- cohabitation, 329, 335
- cohort, 340, 458
- communities, 70, 233, 375
- community-based care, 414, 573, 577, 578, 580, 588
- community-based interventions, 503, 510
- comorbidity, 22, 54, 92, 150, 271, 286
- competency, 225, 483, 505
- Complete State Paradigm, 4
- computerized tomography, 105

conceptual validity, 25, 26, 30, 31
 conduct disorder, 36, 39, 478
 consumers, 508, 529, 532, 534, 537, 540, 545
 coping resources, 126, 130, 173, 196, 204, 300, 314
 coping strategies, 130, 133
 criminal justice system, 310, 390, 467, 475, 482
 criminality, 475, 490
 criminalization, 467, 468, 474
 Crisis Intervention Team, 486
 cross-cultural, 147, 151, 161
 CT scan, 105
 cultural competence, 502
 culture, 511

dangerous, 227, 388, 403, 467, 475
 decline, 18, 77, 524, 567
 deinstitutionalization, 50, 158, 457, 470, 580
 depression, 93
 deviance, 133, 135, 139
Diagnostic and Statistical Manual of Mental Disorders, 2, 20, 27, 45, 84, 151, 436, 505
 Diagnostic Interview Schedule, 261, 285
 diathesis-stress theory, 132–33, 149, 158
 dimensional, 52, 53–56, 84–85, 85–87, 88–91, 94–95
 discrimination, 149–50, 178, 205, 298–99, 405–8, 498, 556–58
 distress, 10–11, 12, 13, 14, 19, 30, 36–38, 48, 57–60, 85, 173, 175, 177, 179, 181–83, 194–96, 220, 231, 255, 270, 323
 diversion, 485–88
 divorce, 174, 188, 311, 328–29, 331, 333, 334, 348–49
 dopamine, 109–10
 drug abuse, 285, 298, 473, 478, 568
 drug dependence, 14
 drug industry, 17
 DSM-III, 27, 31, 49–53, 57, 90
 DSM-IV, 36, 58
 DSM-5, 3, 29, 33–36, 38, 53–56, 59, 63, 64, 89, 151
 Durkheim, Emile, 10, 135–36, 177, 516–18
 dysfunction, 29–30, 34, 38, 100–103, 109

earnings, 272, 343, 345, 346, 353, 355, 494
 economic hardship, 345–46
 education, 133–34, 158–60, 242, 307, 310, 343, 348, 351, 353, 418, 522, 523
 egoistic suicide, 135, 516
 emotions, 67, 277, 339–41, 351–55, 401, 402
 employment, 175, 224–39, 264, 278, 313–14, 346–47, 353
 epidemiology, 2, 21–23, 31, 43, 151, 152, 155, 241
 ethnicity, 292, 334–35, 417, 501, 503, 504
 evidence-based practices, 168, 438, 440, 462–63, 464–65, 585, 588

false positives, 30–33, 33–36, 36–39
 family therapy, 158, 161
 fatalism, 177, 256–59, 351, 354
 flourishing, 72, 74, 76, 77–78, 78–80, 295
 fMRI, 105
 forced treatment, 532, 533, 539, 541
 forensic assertive community treatment, 463, 488

fragmentation of care, 28, 444, 445, 463, 464, 570
 Freud, Sigmund, 267–70

GBMI, 483–84
 gender, 221, 231, 266–80, 286, 306–11, 331–32, 417
 gene environment interactions, 121
 generation, 13–14, 244–45, 302, 343, 348, 497
 genetics, 112–18, 404

happiness, 10, 12, 67, 68, 72
 health care reform, 387, 413, 414–15, 419, 456, 585–89
 hedonic well-being, 68–69, 72
 heritability, 120
 Hispanic, 287–88, 334, 417, 494, 496, 499, 506, 508
 Hispanic Asian, 150
 homeless (homelessness), 157, 365, 453, 460, 471, 489, 581
 Housing First, 489–90
 human rights, 171, 360, 529, 533, 543–44

immigration, 149–50, 494, 495, 497
 impairments, 29, 349, 75, 148, 157, 349, 353
 incarceration, 472–74, 478–79, 483, 490, 531, 532
 income, 154–55, 157–58, 242–43, 263–64, 273, 278, 298, 308, 310, 345–46, 418–19, 524
 incompetence, 403–4, 408, 482
 incompetent to stand trial, 474, 482–85
 inequality, 11–12, 239–40, 242, 243–45, 264, 307
 inpatient treatment, 17, 433
 insanity defense, 482–83, 485, 582
 institutional theory, 442–43, 444–45, 570
 insurance, 53, 59, 169, 171, 407, 413–14, 418–19, 497, 581, 586–87
 integrated services, 158, 410, 412, 429–30, 462–63, 587–88

jails, 164, 468–69, 472–74, 474, 486, 491

labeling theory, 139–43, 394–95, 408
 Latino, 150, 287–88, 291, 301, 555
 LGBT, 305, 307, 310, 312, 313, 315, 317, 332, 551, 564, 569
 life course, 198, 202, 245–50, 333–34, 338, 355–56, 422, 593
 life events, 89, 128–30, 131, 150, 174, 175, 185, 187, 194–95, 197–98, 198
 life-cycle, 341, 343
 lifetime prevalence, 2, 14, 150, 154, 305, 473
 lifetime risk, 154
 long-term care, 389, 580

major depressive disorder, 16, 22, 40, 41, 59, 263
 major life events, 128, 133, 174
 major mental disorders, 476, 481
 managed care, 51, 53, 160, 321, 414, 435, 456–57, 538–40, 581
 marital dissolution, 325, 328–29, 330–37
 marital quality, 332–33
 marriage, 11, 12, 174, 278, 311–12, 322–37, 347, 355, 559, 577
 mastery, 1, 69, 130, 131, 174, 229, 230, 274, 278, 299, 351–52
 maturity, 269, 341–42

- measurement of mental disorder, 20, 43
 Medicaid, 392, 412, 434, 440, 442, 453, 456–57, 538, 578–79, 587, 588
 medicalization, 15, 16, 18, 57–60, 61–62
 Medicare, 346, 412, 419, 445, 579, 587, 588
 medication, 16, 17, 59, 62, 162, 444, 547, 563, 566
 mental disorder, 1, 4, 13, 18, 20, 22, 23, 27–30, 45, 67, 176, 239
 mental health care organization, 431
 mental health consumer, 529
 mental health courts, 486
 mental health organizations, 435, 444
 mental health parity, 581, 586
 Mental Health Parity and Addiction Equity Act, 389, 411, 585, 586
 mental health services research, 457, 509
 mental illness, 1, 15, 17, 46, 56, 66, 82, 94, 100, 127, 138, 148, 162, 163, 252, 283, 363, 365, 394, 417, 447, 467
 Merton, Robert, 133–36
 migration, 149, 161, 297, 300–302, 516
 minority groups, 147, 161, 178, 315, 390, 418, 493, 503
 modified labeling theory, 141, 395–97, 402, 406, 408
 MRI, 105
- National Institute of Mental Health, 55, 88, 101, 290, 399, 422, 444, 454, 457, 525, 533, 537, 542
 Native American, 290
 need for care, 416, 419
 neighborhood context, 7, 31, 134, 137, 192, 198, 201, 316, 366, 391, 471, 477
 neighborhoods, 137, 139, 143, 192, 198, 203, 247, 305, 316, 354, 374, 390, 414, 422, 468, 500
 networks, 97, 102, 106, 222, 317, 429
 neuroanatomy, 98
 neurons, 101, 107
 neurotransmitters, 98, 107, 109, 118, 123
 NGRI. *See* not guilty by reason of insanity
 not guilty by reason of insanity, 474, 482
- obesity, 320
 offenders, 468, 471, 484, 486, 492
 offenses, 468, 472, 476, 483, 491
 outpatient commitment, 398, 424, 444, 541, 542, 582
- parents, 7, 63, 112, 151, 208, 213, 244, 254, 315, 347, 536, 587
 parity, 169, 411, 585
 pathways to care, 411, 423, 428
 Patient Protection and Affordable Care Act, 389, 411, 445, 585
 peer support, 391, 446, 545, 587
 PET. *See* positron emission tomography
 pharmaceutical, 18, 98, 547
 policy, 1, 18, 33, 60, 67, 81, 155, 165, 334, 387, 407, 420, 450, 469, 490, 536, 573, 578, 589
 positive mental health, 11, 67, 69, 75, 79
 positron emission tomography, 105, 110
 post-traumatic stress disorder, 58, 90, 121, 204, 301, 305, 375, 381
 powerlessness, 275, 297, 351, 354, 516
 prevalence estimates, 32, 81
- prevention, 67, 168, 375, 418, 502, 508, 518, 520, 522, 554, 576
 primary deviance, 139, 143
 prisons, 164, 468, 472, 583
 problem-focused coping, 276
 prosperity, 10, 345, 355
 providers, 171, 375, 390, 410, 419, 428, 432, 435, 453, 464, 500, 503, 538, 545, 570, 582, 588
 psychiatric epidemiology, 21, 23, 44, 91, 241, 294
 psychiatric nosology, 2, 45, 47, 56, 59, 83
 psychological distress, 7, 11, 128, 132, 173, 211, 218, 229, 234, 284, 294, 296, 322, 332, 380, 497
 psychotherapy, 4, 59, 60, 170, 171, 461
 PTSD. *See* post-traumatic stress disorder
 public health, 48, 66, 360, 463, 509, 512, 552
- quality of care, 389, 411, 414, 511, 576
- race, 134, 178, 261, 271, 282, 294, 303, 307, 321, 334, 495, 503, 515, 557, 567
 racial discrimination, 201, 283, 298, 311
 racism, 147, 297, 298, 307, 315, 495, 498, 511
 recession, 135, 236
 recovery, 153, 157, 171, 300, 377, 378, 462, 534, 540, 544, 545, 583, 586
 religion, 147, 287, 519
 Research Domain Criteria (RDoC), 3, 56, 87, 101
 risky sexual behavior, 321
 roles, 6, 137, 147, 171, 177, 179, 188, 226, 248, 275, 304, 331, 343, 412, 583
- satisfaction, 11, 68, 179, 227, 294, 308, 322, 438
 Scheff, Thomas, 394, 401
 schizophrenia, 4, 49, 96, 98, 106, 112, 120, 129, 148, 151, 152, 158, 176, 241, 248, 253, 288, 396, 405, 413, 565
 secondary deviance, 140
 selection bias, 117, 284, 322, 477
 self-esteem, 1, 130, 172, 213, 226, 237, 266, 278, 299, 319, 374, 395, 398, 408, 541, 569
 sense of control, 130, 137, 176, 230, 351, 382, 480
 sensitivity, 272, 474, 502
 serious mental illness, 18, 85, 160, 164, 389, 405, 455, 478, 508, 564
 serotonin, 109, 117
 service use, 38, 416, 421, 427, 506
 severe and persistent mental illness, 170, 447, 451, 456, 460, 461, 462, 466, 573, 581, 586
 severe mental illness, 164, 389, 409, 438, 446, 467, 473, 475, 478, 488, 499, 550
 severity, 3, 48, 89, 95, 285, 426, 557
 SMI. *See* serious mental illness
 smoking, 321, 525
 social integration, 10, 70, 135, 137, 208, 324
 social isolation, 137, 154, 219, 388
 social networks, 11, 153, 174, 179, 192, 208, 210, 218, 311, 318, 388, 396, 408, 422, 425, 441, 561, 571, 592
 social phobia, 14, 85, 248, 286
 social reaction theory, 4
 Social Security, 346, 391, 578
 social stratification, 11, 240, 257, 589

798

Index

- social support, 6, 93, 131, 153, 172, 173, 182, 203, 207,
 209, 212, 214, 229, 238, 276, 304, 317, 327, 347,
 381, 392, 556, 587, 592
- socio-demographic, 293, 415, 416, 425, 516, 521
- sociological approaches, 1, 5, 127
- specificity, 31, 99, 121, 206
- SPMI. *See* severe and persistent mental illness
- stigma, 15, 23, 61, 63, 124, 142, 178, 219, 236, 315,
 388, 392, 393, 399, 401, 407, 425, 497, 508, 550,
 556, 593
- stress, 28, 29, 60, 93, 111, 123, 126, 127, 138, 145, 149,
 173, 180, 181, 183, 184, 187, 191, 196, 200, 202,
 216, 228, 255, 273, 299, 315, 324, 333, 352, 358,
 371, 384, 390, 516, 560, 593
- stressful life events, 7, 121, 150, 235, 256, 300
- structural strain, 126, 135
- structural strain theory, 127, 133
- subjective well-being. *See* well-being
- substance abuse, 13, 67, 135, 177, 286, 290, 335, 389,
 413, 446, 453, 470, 477, 492, 552, 564, 567, 584
- substance dependence, 13
- suicide, 10, 135, 209, 279, 290, 360, 512, 513, 514,
 516, 563
- prevention, 166, 513, 520, 524, 526
- protective factors, 519
- risk factors, 19, 136, 390, 516
- survival, 320, 343, 402, 467, 491, 552
- survivor, 529, 532, 534, 538, 540, 543, 547
- symptom checklist, 20, 26, 284, 359
- trauma, 58, 90, 191, 194, 198, 301, 320, 362, 365, 375,
 377, 380, 480, 519, 547, 562, 584
- treatment, 7, 15, 16, 26, 33, 45, 50, 59, 61, 64, 67, 81,
 118, 133, 140, 155, 160, 161, 167, 192, 248, 279,
 283, 296, 307, 387, 389, 390, 396, 404, 410, 412,
 417, 423, 428, 434, 452, 462, 474, 480, 484, 488,
 497, 500, 507, 529, 541, 543, 547, 563, 573, 576,
 580, 582
- trends, 6, 18, 56, 138, 180, 199, 233, 340, 348, 393,
 404, 473, 512, 530, 540, 546, 567
- true prevalence, 20, 23, 32
- twin studies, 95, 113, 121
- undesirable events, 129
- unemployment, 126, 136, 138, 175, 202, 224, 233, 305,
 396, 450
- utilization, 75, 335, 388, 409, 426, 451, 459, 495
 of mental health services, 146, 154, 161, 288, 321,
 415, 418, 496, 592
- validity of diagnostic criteria, 4, 26
- values, 8, 12, 140, 178, 300, 317, 387, 482, 489, 498,
 505, 518, 583
- vectors, 339, 350, 352
- violence, 58, 154, 180, 196, 247, 271, 297, 316, 360,
 375, 384, 390, 404, 467, 479, 488, 513
- welfare, 11, 156, 243, 372, 389, 449, 451, 454, 492,
 575, 578
- well-being, 7, 10, 12, 54, 67, 68, 75, 76, 93, 137, 146,
 179, 208, 210, 214, 224, 227, 233, 273, 294, 304,
 309, 314, 319, 322, 326, 333, 338, 344, 347, 366,
 394, 509, 560, 588
- WHO. *See* World Health Organization
- widowhood, 328, 331, 336
- work, 40, 75, 153, 166, 175, 183, 200, 224, 226, 231,
 263, 269, 272, 275, 308, 315, 320, 346, 381, 416,
 438, 574
- World Health Organization, 9, 39, 67, 146, 151, 152,
 154, 172, 270, 523, 527