

Index

Bold page numbers represent the instance where the term is mentioned specifically.

- Absolute humidity, 57
Acid deposition, 88–89
Acid rain, 88
Active layer, 121–124
Afforestation, **4**, 10, 18, **21–22**, 47
Africa, 1–2, 10–11, **18–20**
Aggressive species, 185–186
Agricultural expansion, 15, 20, 24, 27, 149, **151–152**, 161, 171, 174, 176, 188, **192–193**
Agricultural production, **23–24**, 26–30, 102, 154–161, 188–189, 192
Albedo, 41, **57–58**, 61, 64, 68, 70, 108, 135–137
Alpine forest, 5, 63, 65, 67, 135
Alternative states, 103, 133, 137, 141, 144, 177
Amazon, 7, 11, 14, 24, 30, 32, 44, 62, 68, 83–84, 108–111, 133–134, 151, 154, 157, 160–169
Ammonia, 86
Ammonification, 85–86, 91
Ammonium, 85–88, 91–92
Anaerobic conditions, 52, 119–121
Angiosperms, 9–10, **56**, 95, 179
Anisohydric, 56
Apatite, 93, 98
Arable land, 29, 79, 175, 187–188
Arbuscular mycorrhizal fungi, 100, 126
Arctic, 5, 50, 65, 67, 136–137, 182
Ash, 51, 79, 92, 99, 125
Atlantic forest, 14, **104**
Atmospheric deposition, 93, 102, 106, 113
Attractors, 103, 106
Australia, 20–21, 119, 133–134, 139–142
Autocovariance, 143
Autotrophic respiration, 71
Averaging effect, 107

Basin of attraction, 103, 105, 113
Benefits, 145–148, 157–158, **165**, 169–171, **173–177**
Bifurcation, 103–105, 142, 143
Biodiesel, 32
Biodiversity loss, **178**, 183, **184**
Bioenergy, 26, 31–32, 193
Bioethanol, 32
Biofuels, **26**, 31–32, 161, 193
Biogeochemical benefits, 173

Biogeography of forests, **3**, 5
Bistability, 103, 120, 141, 142
Blue water, 39, 40
Boreal forests, **10**, 76, 79, 121, 136
Borlaug hypothesis, 153
Bosque tropical, 9
Boundary layer height, 109, 112
Broadleaf, 5, 7, 9, 42, 87
Broad-leaved rainforests, 9
Buffering effect, 107, 187

Caatinga, 9
Calcium, 71, 97
Calorie demand, 27, 187
Canopy breezes, 63, 68, 111, 174
Canopy interception, 42–43
Canopy storage capacity, 42
Canopy water retention, 42
Carbon assimilation, 4, 56, 66
Carbon balance, 56, 66, 71, 74
Carbon cycle, 71–84
Carbon losses, 33
Carbon starvation, 56
Carbon stock, 2, 33, 35–37, 166, 171
Carboxylates, 95
Carrying capacity, 116
Cattle production, 24
Cattle ranching, 14–15, 30, 150–151
Cavitation, 4, 56, 66
Central America, 15
Civilization, 3, 18
Climate benefits, 173
Climate change, **44–45**, **58**, 142, 183
Climate warming, 44, 59, 69
Cloud base height, 44–45, 108
Cloud condensation nuclei, 62–63, 70
Cloud deposition, 44, 114
Cloud forest, 43–45, 69, 114
Cloud microphysics, 62, 70
Cloudiness, 5, 44, 59
Clouds, 35, 37, 43–45, 62, 113
Cold sensitivity, 66
Cold stress, 4, 66
Collective outcomes, 159

Common pool, 159
Community managed forests, 159–160
Community structure, 181
Concentration time, 47
Condensation, 43–45, 62–63, 101
Conifers, 10, 49, 56, 132
Conservation, 84, 156, 162–163, 165–171, 185–186, 191
Conserved state, 149
Consumer behavior, 188
Convective boundary layer, 108–109
Conversion of forest, 4, 14–16, 20–21, 23–24, 31, 80, 82, 171–172, 182
Cooling effect, 41
Corruption, 157
Critical slowing down, 143
Crop breeding, 29
Crop diversification, 192
Crop landraces, 30
Cropland, 21, 23–24, 30–32, 82–83, 85, 176, 187–189
Crown Lands Alienation Act, 21
Cultivation, 15, 25–26, 79, 84–85, 99–100, 127, 128
Cultivation period, 128
Currency devaluation, 156

Decomposition, 72–73, 79–80, 84–86, 88, 96, 99
Deforestation, 4
Deforested state, 103
Degraded forest, 4
Demographic factors, 150, 153
Denitrification, 86, 88, 91–93
Desiccation, 4–5, 56, 66
Dew point, 44–45
Diets, 27, 187
Diffusion, 54–55, 57, 88
Discount rate, 146, 158, 162
Displacement of land use, 30, 32, 149, 155
Displacement uses, 149
Distribution of species, 181
Disturbance, 4, 66–67, 79, 103, 105, 124, 129–142, 147, 182–183, 185–186
Disturbance diversity, 185
Diversity–stability hypothesis, 107
DOC, 83
Domestic costs, 156, 176
Drainage, 52, 122, 141–142
Drivers of deforestation, 23–26, 149–152
Dry deposition, 101, 113
Dry forests, 7–9
Dry tropics, 6

Easter Island, 3
Ecological reserves, 186
Economic development path, 22
Economic factors, 26, 150, **154–156**
Economic modelling, 163–165
Economic uses, 148–149
Ecosystem function, 104, 107, 144, 147–148, 181
Ecosystem services, 147–148, **169–171**, 183
Education, 166
Embolism, 56, 66
Emission, 62, 70, 72, **76–80**, 84–85, 89–90, 161, 170–171, 174, 189

Energy balance, 55, 57, 59, 61, 70, 108–109
Environmental externalities, 145
Environmental factors, 38, 54, 150, 162–163
Erosion, 3, 39–40, 45–46, 50–52, 72, 73, 79, 83–84, 92, 96, 99–101, 125, 130–132, 174–175
Europe, 2, 11, **18**
Evaporation, 40, **54–59**, 60–61, 100–101, 110
Evapotranspiration, 39–42, 44–45, **54–59**, 60–64, 68, 70
Evapotranspiration recycling, 59, 110
Evergreen semi-deciduous, 7, 14
Extensive systems, 85
External benefits, 171, 177, 192
Externalities, 145
Extinction, 180–182, 185
Extracellular phosphatases, 94, 175

Fallow period, 29, 85, 128
Farm abandonment, 16
Feedback, 44, 62, 68, 103, **106–141**
Fertilized soil, 87
Fertilizers, 28–30, 89, 117, 129, 175, 188–191
Fiber, 153, 165
Fire, **50–52**, 62, 69, 73, 79–80, 92, 99–100, **132–135**
Fire frequency, 133–134
Fire suppression, 134
Fixation, 85–86, 96–97, 100, 125
Flammability, 133
Flash flood, 47
Fog, 43–45, 69–70, 101, 113–114
Food, 15, 20, 26–32, 89, 153, 165–166, 173, 184, **187–193**
Food security, 187, **192**
Forest cover change, **10–22**
Forest scarcity path, 22
Forest transition, 22, 155–156
Forested area, 2, 10–11, 13, 15–18, 22, 33, 45, 76, 155
Fossil fuel, 31, 84, 89
Freezing, 65, 66, 106, **135–138**
Frontier forest, 4, 151
Frontier land, 146, 159
Frost, 5, **63–67**, 135–137
Frost damage, 5, 66–67, 135
Frost desiccation, 5, 66
Frost heaving, 65
Frost hollows, 64
Frost stress, 63
Fuel, 15, 16, 26, 31–32, 84, 89, 133, 147, 152, 165
Fuelwood, 146, 150, 152, 167
Functional diversity, 185

Germination, 5, 66
Globalization, 30
Governance, 160
Grassland, 7, 23, 24, 26, 41, 82–83, 122, 133, 135, 140
Grazing, 118, 160, 169, 183
Green revolution, 28, 30, 154, 189–190
Green water, 39–40
Gross primary production (GPP), 71, 73–76, 147
Groundwater, 40, 46, 49, **52, 70**, 90, 119, 138–142, 175
Growing season, 4–5, 43, 48, 50, 66, 122
Guard cells, 55
Gymnosperm, 56, 179

Habitat, 45, 49, 66, 68, 104, 135, 147, 173, 180–187	Leaching, 72–73, 83, 86, 88, 90, 96, 98–100, 125
Halophytes, 49	Leaf area index, 8, 42, 49, 57–58, 65, 115
Harvesting, 15–17, 26, 90, 131, 137, 152 , 166, 168	Leakage, 32, 156, 171
Heliophytes, 149	Lidar, 37
Herbicides, 188	Life expectancy, 166
Hopkins’ biogeoclimatic law, 5	Lifting condensation level, 109, 112
Horizontal precipitation, 43	Literacy, 166
Hotspots of biodiversity, 166, 180, 185	Litter, 42–43, 46, 72–76, 86–88, 95–97
Human disease, 186–187	Litter interception, 42–43
Human health, 186–187	Local management, 159
Human welfare, 169–170	Logging, 24–25 , 78–79, 121, 166, 177
Humus, 72–73, 86, 88, 96, 129	Long-wave radiation, 63
Hydraulic failure, 3, 56	Low temperature photoinhibition, 65, 66
Hydraulic redistribution, 118	
Hydrograph, 47	Macroeconomic modes, 163
Hydrological benefits, 173–174	Macropore, 45
Hydrophobicity, 51, 53	Maintenance respiration, 71
Hydrophytes, 49	Malaria, 169, 187
Hysteresis, 105, 116	Mangroves, 6, 7, 49, 67, 135
	Manufactured capital, 169
Ice nuclei, 62, 70	Marginal net benefits, 146, 148
Immobilization, 86, 96, 127, 175	Markets, 14, 145, 150, 152, 154–156, 168–170
Inbreeding depression, 180	Mass wasting, 130, 147
Income stability, 192	Maximum temperatures, 63
Indirect values, 149	Medical care, 166
Infectious disease, 169, 186–187	Medicine, 148, 166, 173, 184
Infiltration, 45–46 , 47, 50–53, 117–118	Mesophytes, 49
Infiltration-excess runoff, 45–47	Mesoscale circulations, 63, 70, 174
Infrastructure extension, 149–151	Methane, 73
Insecticides, 29, 188	Microbial activity, 73, 86, 91
Insecure tenure, 158	Microclimate, 39, 45, 58, 63–67, 135, 137
Institutional factors, 153, 156–157	Microeconomic models, 163–164
Institutional instability, 162	Micronutrients, 71
Insurance hypothesis, 107	Microwave, 34–35
Intensification, 28–29, 153–155, 188–191	Migrations, 156
Interannual variability, 68, 142	Minimum temperatures, 63, 66, 135
Interception, 42–43, 50–52, 54, 121–122	Mismanagement, 157
Internal benefits, 192	Modified natural forest, 4
International trade, 30, 154–155, 188	MODIS, 35, 61
Intertropical convergence zone, 6	Monocultures, 188, 191–192
Invasions, 180, 192	Monsoon forests, 9
Inverse tree lines, 64–65	Mycorrhizae, 73, 95, 100, 126
Investment, 30, 158, 160, 161, 164, 168, 170	Mycorrhizal fungi, 95, 100, 126
Iron Age, 20	
Irreversibility, 103	N deposition, 89, 90, 97
Irrigation, 28–30, 113, 117, 141, 170, 176, 190	Near InfraRed, 34
Isohydic, 56	Negative covariance effect, 107
	Net ecosystem carbon balance (NECB), 74
Jobs, 22, 165, 171	Net ecosystem production (NEP), 73
	Net primary production (NPP), 73
Kampfzone, 5	Net profit, 146
Katabatic flows, 65	Nitrate, 85, 86, 88, 90–92, 175
Keystone species, 147, 186	Nitric oxide, 87
Kuznet’s curve, 155	Nitrification, 85–86, 88, 90–93, 175
	Nitrogen cycle, 85–92
Land concessions, 61, 67	Nitrous oxide, 90, 190
Landsat, 35	Noise-induced transitions, 142
Landslides, 129–132	Non-timber forest products, 145, 149, 166 , 173
Land-use change, 24, 26, 31, 32, 71, 77–78, 80, 82–84, 155, 180–182, 185–187	
Large-scale land acquisitions, 161	Occluded pool, 93
Latent heat flux, 55, 61, 108–109	Occult deposition, 113
Latent heat of vaporization, 55	Occult precipitation, 43–45, 69
	Oil palm, 20, 31, 165, 191–192

Open access, 159, 168
Opportunity costs, 145, 170
Optical window, 33
Optimal level of deforestation, 146
Organic aerosols, 59, 62, 70
Orographic clouds, 44, 45, 114
Ostracism, 159
Outsourcing of deforestation, 156
Overconsumption, 27
Overexploitation, 168

P availability, 93–96, 126
P limitations, 96–97, 126
P sorption, 93
Paired watershed, 50
Paper products, 24
Pasture, 22–24, 43, 58, 68, 82 84, 99, 108–109, 146, 170, 174
Pathogens, 187–188
Peak flow, 47, 50, 52
Peat swamp forest, 192–193
Performance enhancing effect, 107
Permafrost, 121–125, 136
Pests, 188, 191–192
Pharmaceutical products, 166, 173
Phosphatase enzyme, 95, 100, 126
Phosphorus cycle, 93–100
Photosynthesis, 55, 56, 65, 66, 71–72, 85, 93–94
Phreatophytes, 49, 52, 54
Plantation, 4, 15, 20, 25, 28, 31–32, 76, 104, 155–156, 192–193
Planted forest, 4, 25
Policy, 150, 156–162
Policy failure, 157
Population, 26–27, 32–33, 150, 152–153
Potential function, 106
Precipitation, 42–44, 106–112
Precipitation recycling, 40, 59–61, 70, 108–110
Predator loss, 184
Price, 22, 31, 145–146, 149–154, 156–157, 164–168
Primary biological aerosols, 62
Primary forests, 13, 17, 161, 186
Private benefits, 145, 166, 171
Private land, 159
Profits, 156, 160
Property rights, 157–160
Protected land, 159, 182–183, 185–186
Proximate causes, 149–152
Public benefits, 145
Public goods, 145–146
Public land, 159
Pyromineralization, 99

Radar, 35–37
Radiative cooling, 63–67, 135–137
Rainfall variability, 68, 124
Rainforests, 7, 9, 20, 74, 83
Random drivers, 142, 143
Recycling ratio, 60, 61, 109, 110
REDD, Reduced Emissions from Deforestation and Degradation, 33, **170–171**

Reforestation, 4, **21–23**, 47, 104, 155–156, 174
Regeneration capacity, 66
Regional models, 164
Relative humidity, 43–46, 50, 57
Remote sensing, 33–38
Repeated deforestation, 127
Replacement cost, 167
Reproduction, 66, 135, 181
Reservoir species, 187
Resilience, 103–107, 177
Resource availability, 105–118
Response diversity, 107, 185
Restoration, 104, 144, 174, 178
Returns, 145, 158, 160, 168
Reversibility, 103
Road construction, 132, 151
Root depth, 58, 61, 106
Root uptake, 86
Runoff, 39–41, **45–46**, 50–53, 59–60, 90, 101, 125, 169
Rural credit, 156
Rural wages, 156, 176

Salinity, 138–142
Salt, 49, 52, 70, 106, 138–142
Salt marshes, 6, 135
Saprolite, 83, 129
SAR, Synthetic Aperture Radar, 35
Saturation vapor pressure, 44, 57
Saturation-excess runoff, 45–47, 53
Sciophytes, 49, 65
Sclerophyllous forests, 9
Seasonal precipitation fluctuations, 68
Second generation biofuels, 193
Secondary forests, 4, 25, 26, 83, 89, 128, 186
Seed production, 66
Sensible heat flux, 55, 68, 108–109, 112
Shear strength, 130
Shelterwood forest regeneration, 137
Shifting cultivation, 25–26, 79, 117, 126–128
Short Wave Infrared, 34
Sink of Carbon, 77–78, 84
Slash and burn, 18, 20, 25, 52, 79, 83–84
Smallholder agriculture, 153, 156
Smoke, 62, 92, 96
Snow interception, 43, 50
Snowmelt, **50**, 69
Snowpack, 39, 50, 69
Social benefits, 146
Soil barrier, 96–97
Soil cohesion, 83, 130
Soil conservation, 84, 191–192
Soil cryoturbation, 65
Soil erosion, *see* “Erosion”
Soil infiltration capacity, 45–46, 51, 117–118
Soil mantle, 130
Soil mass balance, 131
Soil moisture, 51, 57–58, 70, 73, 91, 100–101, **117–118**, 125
Soil pH, 91, 98, 100
Source of Carbon, 77–78, **84**
South Asia, 15–16

- Species abundance, 181–182
- Stem-flow, 42–43, 117
- Stewardship, 159
- Stomata, 54–58
- Streamflow, 39, 47, 50
- Subsistence, 31, 147, 151–152
- Subsurface stormflow, 46
- Succession, 89, 128
- Surface energy balance, 55, 57, 59, 61, 108–109
- Surface roughness, 57, 58, 61, 106
- Sustainable intensification, 189
- Technological factors, 153–154
- Teleconnections, 30, 68, 174
- Temperate forests, 1, 9–10
- Tenure, 156–162
- Thermal IR, 35
- Threatened species, 181–182
- Throughfall, 42, 43, 101
- Tillage, 82, 85, 174
- Timber, 14–20, 78, 145–153, 165–166
- Trace gases, 62, 90
- Transactional constraints, 96
- Transpiration, 39, 40, 47–49, **54–59**, 61, *See also* “evapotranspiration”
- Tree-line, 5, 64–66, 165–136
- Trophic interactions, 184
- Tropical forest, 1, 6, 7–9, 13, 25–26
- Turgidity, 56
- Undercut slopes, 131
- Urbanization, 32–33
- Vadophytes, 49, 54
- Variance, 107, 142–143
- Variance spectra, 143
- Volatile organic compounds (VOCs), 62
- Waste, 187–188
- Water cycle, 40–41, 59–60, 109
- Water repellency, 51
- Water storage, 47, 69, 173
- Water table depth, 5, 119, 120, 122
- Water yield, **47–52**, 54, 69
- Watering up, 52, 54, 70
- Waterlogging, 52, 70, 105–106, 119–121
- Weathering, 93–96, 98–99
- Weeds, 29, 188, 191
- Wet deposition, 113
- Wet tropics, 6, 47, 133–134
- Willingness to pay, 145, 166
- Wood combustion, 31
- Wood extraction, 104, 149–152
- Woodlands, 13, 23, 145
- Xerophytes, 49
- Xylem, 10, 55–56
- Zoonotic infections, 187