

## Index

- ABL, 34  
 abrupt waves, 234  
 absorptivity, 54  
 advection, 33  
 advection-aridity approach, 149  
 albedo, 54, 59  
   values, 59  
 antecedent precipitation index, 143  
 aquifer, 2, 263  
 aridity index, 149  
   long-term (*E/P*) dependency on, 158  
 atmospheric boundary layer, 34  
   bulk similarity, 48  
   general structure, 36  
   similarity functions, 40  
 atmospheric evaporative demand, 143  
   complementary with actual evaporation, 147, 152  
 atmospheric rivers, 98  
 atmospheric surface layer, 36  
   neutral, 40  
   with density stratification, 43
- base flow, 2  
   and groundwater storage trend, 437  
   definition, 373  
   evaporation effect, 421  
   sources, 421  
 base-flow time scale, 422  
   invariance, 433, 434  
 base-flow, catchment-scale  
   aquifer parameters of small basins, 428  
   exponential decay process, 422, 433  
   geomorphic assumptions, 426  
   parameterizations, 421  
   recession rate from basin characteristics, 426  
   recession rate from streamflow data, 424  
   related to aquifer outflows, 421  
   size and topography effects, 435  
 basin, 10  
 binomial distribution, 530  
 blending height, 70
- Boltzmann transform  
   desorption, 357, 358  
   sorption, 323  
 bores, 234  
 Boussinesq equation, 391  
   linearized form, 404  
   steady-state form, 391  
 Boussinesq, correction coefficient, 186  
 Bowen ratio, 135  
 Budyko framework, 158. *See also*  
   Schreiber–Oldekop hypothesis  
   general form, 159  
 bulk-transfer method, 132
- capillarity. *See* surface tension  
 capillary barrier, 465  
 capillary conductivity, 287  
   empirical functions, 292  
   estimation with conceptual models, 295  
   hysteresis, 288  
 capillary conductivity  
   determination, 288  
 capillary rise, 271, 273  
 capillary rise with evaporation, 353  
   from stationary shallow water table, 353  
   unsteady soil drying at daily time scale, 354  
 capillary zone number, 378, 384, 389  
 catchment, 10  
 catchment drainage, characteristic time scale, 422  
 catchment-scale response to precipitation.  
   *See* unit hydrograph *and* unit response  
   linear, nonstationary, 506  
   nonlinear, stationary, 502  
 celerity, 196  
 central limit theorem, 433, 532  
 channel roughness (Gauckler–Manning), 192  
 characteristic time scale  
   catchments drainage, 422  
   soil drying, 357
- characteristics, propagation of  
   disturbances, 199, 209, 219, 220  
 Chézy equation, 192  
 Chinook, 98  
 Clausius–Clapeyron equation, 26  
 cloud cover, 57  
 complementary principle, evaporation, 147  
 conservation, equation of  
   energy, 28  
   mass, 14  
   mass and momentum in hydraulic groundwater theory, 389  
   mass and momentum in porous materials, 299  
   mass in hydraulic theory, 185, 188  
   momentum in hydraulic theory, 188  
   water vapor, 34  
 conservaton, equation of  
   momentum in hydraulic theory, 187  
 continuity, equation of  
   constant density fluid in rigid porous material, 299  
   finite control volume, 14  
   in hydraulic theory, 185, 188, 390  
   water, air, and solid in deformable porous material, 302  
 continuity, equation of  
   at a point, 14  
 convection, 33  
 convolution integral, 598  
   causal and nonanticipatory system, 599  
   discrete formulation, 482  
   discrete formulations, 600  
   finite memory, 599  
   illustration of folding, 599  
   moments, 600  
   nonlinear (stationary) extension, 502  
   nonlinear (stationary) series, 602  
   nonstationary (linear) extension, 506  
   regular (linear, stationary), 480  
 creeping flow, 283, 290  
   in a tube (Hagen–Poiseuille), 284  
   with free surface, 189  
 cyclone, 90

- Dalton number, 39, 590
- Darcy's law  
 additional driving forces, 291  
 at a point, 283  
 dimensional basis for creeping flow, 283  
 in a sand column, 281  
 in anisotropic medium, 285  
 in deformable materials with two immiscible fluids, 304  
 in hydraulic theory, 389  
 in partly saturated materials, 287  
 limitations for high flows, 290  
 limitations for low flows, 291
- degree-day method  
 snowmelt, 114, 115
- delta function, (Dirac), 596
- density  
 dry air, 24  
 moist air, 25  
 water, 16  
 water vapor, 24
- density function, (probability), 519
- depression storage, 2
- desorption  
 boundary conditions, 398  
 solutions, 399
- desorptivity  
 capillary, 358, 360  
 hydraulic, 398
- diffusion approximation of free surface flow, 203  
 advectivity, 204  
 advectivity and kinematic wave celerity, 204  
 and the Muskingum method, 253  
 applicability, 206  
 diffusivity, 204, 206
- displacement height, 41
- distribution function, (probability), 519  
 initial, 539  
 parameter estimation, 527  
 symmetrical, 521  
 theoretical, 526
- double mass curve, 102
- drag coefficient, 40
- drainable porosity, 385
- drainage area, 10
- drainage density, 426
- drought flow, 2, 373
- Dupuit formula, 395  
 exactness, 395
- dynamic sublayer, 38, 40
- eddy correlation, 131
- eddy covariance, 131
- effective stress in soil, 302, 306, 341
- elastic porous material  
 case of constant vertical load, 306  
 strains, 300  
 stresses and strain rates of fluids, 304
- elastic porous material  
 stresses, 302
- emissivity, atmospheric, 60
- emissivity, surface, 54, 59, 60
- energy budget at the surface  
 closure problem, 52, 131  
 diurnal self-preservation, 152, 362  
 equation, 51, 112, 136  
 global long-term averages, 6, 66  
 local examples, 52  
 minor terms, 64
- energy-budget method  
 for wet surfaces, 137  
 for wet surfaces without advection, 140  
 with Bowen ratio, 136  
 with profiles of wind and scalar, 137
- equilibrium evaporation, 141
- evaporation  
 average values, 3  
 climatology, 166  
 complementary principle, 147  
 definition, 2  
 global trend from land surfaces, 6  
 maximal values, 5  
 mechanisms, 130  
 methodologies, 130  
 operational methods, 143
- evaporation, daily from soil, 354, 357  
 diurnal change by self-preservation, 362  
 effect of vegetation, 361  
 first and second stage of drying, 355  
 small times, 357
- evapotranspiration, 2
- event water, 456
- extreme value distributions, 539  
 asymptotic, 539  
 first asymptote, 539  
 generalized, 545  
 third asymptote, 542
- extreme values, 539
- fair-weather flow, 2
- fetch, 70
- Föhn, 98
- footprint scale, 69
- Forchheimer's equation, 291
- free surface  
 approximation in unconfined aquifer, 384  
 condition, 183  
 condition in porous material, 386, 388
- free surface wave celerity  
 dynamic, 196, 201, 236  
 kinematic, 201, 202, 208  
 Lagrange's, 196, 237
- frequency curve, 523. *See also* probability plots, (empirical)
- frequency, (relative), 518
- friction slope, 187, 188  
 effect of rain drop impact, 189, 191  
 empirical equations, 191  
 from similarity considerations, 190
- friction velocity, 36  
 as related to friction slope, 189
- front  
 cold, 90  
 occluded, 91  
 warm, 90
- front of soil moisture  
 drying, 355  
 sharp approximation, 343  
 wetting, 325
- Froude number, 191, 199, 217
- gamma distribution, generalized, 536
- gas constant (specific)  
 dry air, 24  
 moist air, 25  
 water vapor, 26
- Gauckler–Manning equation, 192
- geometric distribution, 522, 527
- groundwater, 2  
 groundwater advectivity, hydraulic, 414, 420  
 groundwater celerity, hydraulic, 420  
 groundwater diffusivity, hydraulic, 404, 414  
 groundwater storage trend, 437
- hail, 89
- half-life  
 catchment water drainage, 422  
 soil drying, 357
- headwater basins, 452
- hillslope flow number, groundwater, 414
- homogeneous, statistically, 70, 72  
 illustration, 76
- hurricane, 96

## 606 Index

- hydraulic conductivity, 282  
 effective values, 286  
 empirical functions, 292  
 in partly saturated materials, 287,  
*See also* capillary conductivity  
 scale dependence, 286  
 second-order tensor, 285
- hydraulic head in porous material, 282  
 gradient, 283, 305
- hydraulic jump, moving, 234
- hydraulic theory  
 assumptions in open-channel flow,  
 187  
 assumptions in unconfined groundwa-  
 ter flow, 389  
 open-channel flow, 184  
 steady groundwater flow, 391
- hydrograph, 451
- hydrologic analysis  
 methodologies, 7  
 practical scope, 1
- hydrologic cycle  
 and climate change, 5  
 definition, 2
- hydrologic cycle, origins of the concept,  
 562  
 Aristotle's views, 568  
 atmospheric, 562, 563  
 Common Opinion, 577  
 rainfall percolation theory, 564, 565
- hydrologic data  
 historical information, 550  
 regionalization of flood records, 552
- Hydrology, 1
- hysteresis, 273  
 effect of entrapped air, 275  
 independent domain, 276
- infiltration and other losses at catchment  
 scale  
 initial loss, 351
- infiltration, 2, 318
- infiltration and other losses at catchment  
 scale, 350  
 independent of rainfall, 351  
 proportional to rainfall intensity, 353
- infiltration capacity, local, 319, 336  
 closed-form solution, 338  
 cumulative, 324, 336  
 effects of air and soil variability, 339  
 empirical expressions, 340  
 horizontal. *See* sorption  
 rate, 325, 336
- scaling, 325, 338  
 wetting front, 325
- infiltration, rainfall, 321, 341  
 boundary conditions, 321  
 sharp front approximation, 343  
 time to ponding, 342
- instability, conditional, 97
- instantaneous unit hydrograph, 479. *See*  
*also* unit response at catchment scale  
 related to S hydrograph, 481  
 related to unit hydrograph, 480
- integral scale, 70
- interception, 2, 106  
 amounts, 107, 110  
 empirical methods, 111  
 evaporation, 108  
 loss, 107  
 loss mechanisms, 107  
 vegetation structure parameters, 110
- internal boundary layer, 69
- internal equilibrium layer, 69
- irrigation requirements  
 folk wisdom, 166
- Karman constant, von, 41
- kinematic approach, 17
- kinematic flow number, 217
- kinematic-wave approximation of free  
 surface flow  
 celerity, 208, 209, 420  
 in unconfined sloping aquifer, 419  
 linear case, 210  
 linear kinematic channel, 211, 489, 500  
 overland flow, 217, 219
- Kleitiz–Seddon law, 209, 240
- Laplace equation  
 for mass and momentum conservation  
 in porous materials, 300  
 for surface tension, 269
- lapse rate  
 definition, 29  
 dry adiabatic, 29  
 saturated adiabatic, 31
- latent heat  
 CO<sub>2</sub> fixation, 52  
 fusion, 27  
 sublimation, 27  
 vaporization, 6, 27, 51
- leaf-area index, 63, 111  
 values, 63
- Leibniz formula, 595
- logarithmic profile  
 in free surface flow, 190  
 in lower atmosphere, 40, 42
- log-gamma distribution, generalized, 536
- lognormal distribution, 533
- loss rate, 350
- lumped kinematic approach  
 definition, 17  
 free surface flow in open channels, 211  
 interception, 109  
 overland flow, 227  
 streamflow routing, 240
- lysimeter, 166, 585, 589
- macropores, 456, 584  
 catchment experimental studies, 459
- maximum evaporation, 158
- mean, 521
- mean-profile methods, 134
- median, 522
- melt index, 115
- mixed layer, 36
- mixing length, 70
- mixing ratio, 24
- moments, 520  
 adjustment with historical information,  
 551  
 method of, 527  
 regionalization for floods, 555  
 theorem of, 602
- momentum equation  
 at a point, 15  
 finite control volume, 16  
 in hydraulic theory, 187, 188
- monoclinal rising wave, 239
- Muskingum streamflow routing, 240  
 adjustment for nonlinearity, 255  
 conceptual derivation, 240  
 estimation of parameters by calibration,  
 248  
 estimation of parameters from channel  
 characteristics, 251  
 implementation, 246  
 numerical diffusion, 251  
 storage function, 241  
 time of travel, 242  
 unit response function and moments,  
 245
- Muskingum–Cunge–Dooge method  
 (MCD), 253  
 application, 254
- Navier–Stokes equation, 15, 186
- new water, 456, 462

- nonlinear response at catchment scale  
 functional analysis with nonlinear  
 convolution, 502, 602  
 physical rationale for nonlinear storage  
 elements, 505  
 routing with nonlinear storage  
 elements, 503  
 normal distribution, 531
- Obukhov length, 43  
 occlusion, 91  
 old water, 456  
 overland flow, 2, 183, 216, 453  
 basis for design parameterizations,  
 453  
 infiltration excess, 453  
 kinematic wave, 218, 219  
 lumped kinematic approach, 227  
 saturation excess, 454  
 overland flow, kinematic approach  
 recession hydrograph (steady inflow),  
 222  
 rising hydrograph (steady inflow), 220  
 short rainfall burst, 225  
 time to steady equilibrium, 221  
 unsteady lateral inflow, 219
- parameterization, definition, 8  
 parameterizations (concise) of catchment  
 unit response  
 kinematic channel, 211  
 parameterizations of linear catchment  
 response, 486  
 parameters  
 effective, 286  
 parameters, effective, 10  
 Penman approach, 137  
 adjustment for atmospheric stability,  
 140  
 percentiles, 522  
 permeability (intrinsic), 283  
 dimensional basis for creeping flow,  
 284  
 permeameter, 282  
 photosynthesis, 64  
 plotting position, 523  
 Weibull, 523  
 pore  
 effective radius or size, 271  
 size distribution, 271  
 volume. *See* porosity  
 porosity, 263  
 potential evaporation, 142
- apparent, 143. *See also* atmospheric  
 evaporative demand  
 apparent as complement of actual  
 evaporation, 147  
 of interception, 108  
 Penman approach, 137  
 proportional to actual evaporation, 143  
 true, 143
- power law (or fractal) distribution, 547  
 precipitable water, 23, 25  
 precipitation  
 areal average, 99  
 average values, 3  
 data for design, 102, 103  
 data reliability, 117  
 duration, 488  
 excess, 341, 351, 453, 475  
 intensity-duration-frequency, 103  
 maximal values, 5, 106  
 measurement techniques, 117  
 mechanisms, 87  
 net, 107  
 orographic effects, 97  
 recycling, 88  
 return period, 104  
 spatial distribution, 102  
 temporal distribution, 102  
 types, 89
- precipitation gages  
 minor losses, 120  
 wind effect on catch, 117
- pre-event water, 456  
 preferential flow paths, 456  
 catchment experimental studies, 459  
 probability, 518  
 probability (graph) paper, 525  
 probability plots, (empirical), 523
- quantiles, 522  
 estimation from basin characteristics  
 (floods), 553
- radiation  
 extraterrestrial, 57  
 longwave, 54, 59  
 net, 54  
 shortwave, 54, 56
- rainfall. *See also* precipitation  
 excess, 341, 351, 453, 475  
 largest observed, 106
- random variable, 518  
 continuous, 519  
 discrete, 518
- range, 73  
 rational method, 353, 486  
 design intensity, 488  
 duration of design storm, 488  
 recurrence interval. *See* return period  
 regionalization of flood data, 552  
 quantiles from basin characteristics,  
 553  
 relative humidity, 24  
 residence times, 5  
 return period, 522  
 adjustment with historical information,  
 550
- Reynolds  
 analogy, 42  
 equation, 186  
 fluxes, 33  
 stresses, 186
- Reynolds number, 189  
 in porous material, 290
- Richardson–Richards equation, 299, 308  
 for flow in riparian aquifer, 373  
 for infiltration, 318
- riparian aquifer outflow rate, hydraulic  
 theory  
 for long times, 403, 408, 427  
 for short times, 400, 426  
 from a hillslope, 415, 427  
 from linear horizontal aquifer, 408,  
 427
- roughness (length)  
 for momentum, 41, 43  
 for sensible heat, 42, 43  
 for water vapor, 42, 43  
 in free surface flow, 191, 192  
 scalar, 43
- routing, 233  
 runoff coefficient, 353, 487  
 runoff, average values, 4
- S hydrograph, 478  
 satiation, 275  
 saturation  
 degree of, 271  
 effective, 272  
 residual, 272
- scaling  
 aquifer slope effects, 414  
 capillary effects, 377, 378  
 catchment-scale base flow, 428  
 hillslope aquifer flow, 414  
 infiltration capacity, local, 338  
 linear horizontal aquifer flow, 406

## 608 Index

- scaling (cont.)  
 long-time nonlinear horizontal aquifer flow, 401  
 overland flow, 217  
 short-time nonlinear horizontal aquifer flow, 399  
 sorption, 325  
 steady aquifer outflow from rain, 393  
 steady saturated aquifer outflow, 383  
 unit and S hydrograph, 478
- Schreiber-Oldekop hypothesis, 158  
 general form, 159  
 parametric functions, 159
- shallow-water equations, 184, 187, 216.  
*See also* hydraulic theory (open channel flow)  
 numerical solutions, 233  
 relative magnitude of terms, 203  
 scaled for overland flow, 217  
 steady flow, 187
- shallow-water equations, linearized  
 diffusion analogy, 204  
 dynamic part, 195  
 general form, 194, 199  
 kinematic approach, 210  
 solution of complete system, 199
- sheet flow. *See* overland flow
- shock  
 dynamic, 234  
 kinematic, 239
- sill, 73
- similarity, turbulence, 39  
 bulk ABL, 48  
 for turbulent fluxes, 39  
 Monin–Obukhov, 43  
 neutral surface layer, 40
- skew, coefficient of, 521
- sleet, 89
- snowmelt  
 energy budget, 112  
 evaporation, 114  
 temperature melt index method, 115
- soil drying, time scale, 357
- soil heat flux  
 empirical methods, 63  
 measurement, 62
- soil moisture, 2. *See also* soil water
- soil-water characteristic, 266  
 empirical functions, 280  
 hysteresis, 273
- soil-water content (volumetric), 265  
 residual, 272
- soil-water diffusion formulation, 289  
 for infiltration capacity, 336  
 for rainfall infiltration, 343  
 for sorption, 321
- soil-water diffusivity, 290  
 direct measurement, 326  
 empirical functions, 293, 294, 333, 334  
 for exact solution of sorption, 327  
 of linearized soil, 335  
 weighted mean for linearization, 335, 356
- solar constant, 56, 57
- sorption as initial phase of infiltration  
 capacity, 319, 321  
 an exact solution, 327  
 nearly-exact solution for nonlinear soils, 331  
 solution for linear soil, 335  
 wetting front, 325
- sorptivity, 324  
 relevance as soil property, 325  
 role in infiltration capacity, 337, 338
- specific heat  
 dry air, 26  
 moist air, 29  
 water, 27  
 water vapor, 26
- stability, atmospheric  
 Monin–Obukhov similarity, 43
- state, equation of, 24, 25
- stationary, 72  
 versus homogeneous, 72
- stemflow, 107, 109
- storage equation, 14. *See also* lumped  
 kinematic approach  
 vegetation canopy, 107
- storm runoff  
 mechanisms, 453, 468  
 parameterization options, 468  
 subsurface flows, 456
- stream order, 451
- structure function, 72, 74
- sublimation, 2
- sunshine, duration of, 57
- surface flux, specific  
 any passive admixture of the air, 135  
 eddy covariance, 131  
 horizontal momentum, 36  
 latent heat, 6, 51  
 sensible heat, 6, 36  
 variance methods, 132  
 water vapor, 6, 35
- surface resistance to evaporation, 145
- surface runoff, 2
- surface tension, 269  
 temperature dependency, 269
- surges, 234  
 analysis, 235  
 flood disasters, 237
- temperature  
 global trend, 5  
 potential, 31  
 virtual, 25  
 virtual potential, 31
- tensiometer, 267
- Terzaghi–Jacob equation, 308
- throughfall, 107, 108
- throughflow, in permeable soil layer, 462
- time of concentration, 486
- time of travel  
 Muskingum wave, 242
- time to ponding, during rain infiltration, 342  
 scaling, 344
- time to saturation for interception, 109
- time, compression reference, 346  
 example application, 348  
 from known time to ponding, 347  
 from rainfall intensity, 347
- time–area function, 489
- transfer coefficients, 39, 40
- transmissivity, effective of unconfined aquifer, 430
- transpiration, 2
- tropical storm, 96
- true velocity in porous materials, 284
- turbulence scales  
 internal boundary layer, 69  
 internal equilibrium layer, 69  
 vertical to horizontal, 68
- turbulent fluctuations, 33
- turbulent fluxes, 33
- typhoon, 96
- unconfined riparian aquifer, hydraulic flow  
 hillslope drainage, 413
- unconfined riparian aquifers  
 boundary conditions, 376  
 common approximations, 375  
 effective parameters, 374  
 importance of capillary zone, 377, 388

- initial fully saturated state, 380
- simplified geometry, 375
- unsteady flow in, 373
- unconfined riparian aquifers, hydraulic flow
  - between two parallel open channels, 394
  - boundary conditions for drainage, 396
  - from steady rainfall, 392
  - incorporation of capillary zone, 419
  - linearized formulation, 404
  - outflow rate in general, 396
- uniform, quasi-, 34, 67
- unit hydrograph, 475. *See also* unit response at catchment scale
  - direct estimation from available data, 482
  - instantaneous, 479
  - limitations, 476
  - scaling, 478
  - with catchment characteristics, 486
- unit impulse, 595. *See also* delta function
- unit response, 598. *See also* convolution integral
  - unit response at catchment scale. *See also* unit hydrograph
    - concise parameterizations, 486
    - to calculate outflow due to arbitrary input, 480, 482
  - unit response for different linearized channels
    - Muskingum channel, 245
  - unit response for different linearized open channels
    - complete shallow-water channel, 200
    - diffusion channel, 205
    - kinematic channel, 211
    - purely dynamic channel, 197
  - unit response for linear riparian aquifers
    - hillslope, 417
    - horizontal bed, 409
- vadose zone, 2
- vapor pressure, 24
  - saturation, 26
- vapor transport, integrated, 99
- variation, coefficient of, 521
- variogram, 72
- Vedernikov number, 203
- Volterra series, 502, 602
- water budget
  - atmospheric at mesoscale, 162
  - global scale, 3
  - long-term ( $E/P$ ) dependency on aridity, 158
  - methods to estimate evaporation, 130, 156
  - soil moisture profile at local scale, 164
  - terrestrial at catchment scale, 156
- water table, 2
- watershed, 10
- wave-like motion of water table, 419, 464
- weather systems with precipitation
  - extratropical convective, 91
  - fronts, 90
  - large-scale tropical convective, 96
  - seasonal tropical, 96
- width function, 491
- zero-flux plane, 355, 356, 358