

INDEX OF SUBJECTS

- acetabulum, 65
- acromial process, 254
- adenosine triphosphate (ATP), 331
- aerobic metabolism, 331
- akinetic movement, 307
- allometry, 339
- Alvarez, Walter, 414–415, 442
- amnion, 69
- Amniota, 69–70, 424
- anaerobic metabolism, 331
- analogous structures, 45
- anapsid condition, 70
- Andrews, Roy Chapman, 382–383, 387
- angiosperms, 257, 370–372, 374
- Ankylosauria
 - brain size of, 257
 - defense adaptations of, 254, 257–259
 - description of, 251–254
 - global distribution of, 254
 - mastication and diet of, 254–257
 - monophyly of, 261
- Ankylosauridae, 254
- antorbital fenestra, 74–75
- arboreal hypothesis, 178–179
- Archosauria, 74–75, 84
- Archosauromorpha, 74–75
- artifacts, 357
- asteroid impact
 - as cause of K-Pg extinction, 413
 - concept of, 402
 - and effect on paleoclimate, 419–420
 - and evidence of global consequences, 439–442
- atomic structure, 37–39
- Aves, 185–187
- Avetheropoda, 144–147
- Avialae
 - cladogram of, 168
 - evolution of, 181–185
 - features of, 175–176
- background extinctions, 418
- Bakker, Robert T.
 - career highlights of, 404
 - and competitive superiority of endothermy, 365
 - and concept of birds as dinosaurs, 394–395
 - Dinosaur Heresies* (book), 374
 - and endothermic metabolism in dinosaurs, 333–334
 - and predator/prey biomass ratios, 335–337
- Barrett, Paul, 407–408
- Barrick, R., 347–348
- basal archosaurs, 84
- basal avialans, 446, *see Archaeopteryx*
- bennettitaleans, 366, 371
- benthic, 425
- Benton, M. J., 179, 357, 366
- biosphere, 2
- biostratigraphy, 26, 30
- birds
 - diagnostic features of, 190–193
 - evolution of fingers of, 172–174
 - origin of flight of, 178–179
 - and shared features of Therapoda, 175–176
 - and transition to modern form, 168–169
- bonebeds, 10, 288
- bones
 - fossilization of, 8–10
 - Haversian, 342–343
 - histology of, 343–345
- brain size
 - Ankylosauria, 257
 - Ceratopsia, 290
 - Euornithopoda, 310
 - Pachycephalosauria, 273
 - Sauropoda, 204
 - Stegosauria, 246–247
 - Theropoda, 127
- brain : body weight ratios, 339
- braincase, 65
- Brooke, Richard, 381
- Brown, Barnum, 394–395
- Brusatte, Stephen, 111, 150, 406–407
- Butler, Richard J., 406–408
- cannibalism, 132
- Carnian Stage, 96–98
- carpals, 65
- Carpenter, Ken, 250
- carpometacarpus, 192
- Carrano, Matthew, T., 406–407
- Carrier, D. R., 77
- cellular respiration, 331
- Central Asiatic Expeditions, 382–383
- centrum, 63
- Ceratopsia
 - brain size of, 290
 - and completeness of fossil record, 361
 - evolution of, 292–297
 - global distribution of, 279
 - locomotion of, 284–285
 - mastication and diet of, 278–284
 - nests of, 285–287
 - social behavior of, 286–290
- ceratopsian frill, 278, 296
- Ceratopsidae, 295
- characters, 49, 52–53
- Charig, A., 362–366
- Chasmosaurinae, 295
- Chicxulub (Mexico), 417
- Chondrichyes, 61
- Chordata, 60–61
- circumnarial depression, 312
- citric acid cycle, 329
- clades, *see also* monophyletic groups
- cladograms
 - Ankylosauridae, 261
 - Archosauria, 85
 - Archosauromorpha, 74
 - Avialae, 168
 - basal Euornithopoda, 317
 - basal Iguanodontia, 317
 - basal Neoceratopsia, 294

- cladograms (cont.)
 - Cerapoda, 268
 - Ceratopsia, 292
 - Ceratopsidae, 295
 - Chordata, 62
 - Coelurosauria, 152
 - as compared to “trees of life”, 56
 - Dinosauria, 93, 106
 - Dinosauromorpha, 87
 - Eurypoda, 261
 - Genasauria, 304
 - Hadrosauridae, 318
 - Marginocephalia, 276
 - Mesozoic Era birds, 182
 - as method to measure completeness
 - of fossil record, 360–361
 - Nodosauridae, 262
 - Ornithodira, 76
 - Paraves, 161
 - prosauropods, 214
 - Sauropoda, 215
 - Sauropodomorpha, 202
 - Stegosauria, 260
 - structure of, 49–52
 - Tetrapoda, 69
 - Thyreophora, 240
 - as a tool to map evolution, 52–54
- Clarke, Julia, 187, 408
- classification systems
 - Linnean, 44–45, 55
 - phylogenetic, 46–49
- clavicles, 65
- climate, *see* paleoclimate
- clumped isotopes, 349–350
- Coelurosauria, 111, 148–151
- co-evolution, 372–375
- competitive edge, 362–366
- completeness of fossil record, 360
- Compsognathidae, 152
- computer-aided tomography (CT), 291
- condensations, 172
- continent formation, 32–34
- continental drift, 32
- continental flood basalt (CFB), 442
- convergent evolution, 148–151
- Cope, Edward Drinker, 388
- coprolites, 11
- coracoid, 65
- core-to-extremities temperature
 - measurements, 347–348
- coronoid, 230
- coverage metric, 360
- Cretaceous Period
 - climate of, 35–36
 - diversity of vertebrate faunas during, 368–369
 - and tectonic activity during, 33–34
- Cretaceous–Paleogene extinction, *see* K–Pg extinction
- crurotarsal ankle, 84, 86
- Crurotarsi, 74, 84
- cursorial hypothesis, 178–179
- Darwin, Charles, 44, 57–58
- decay reactions, 26–27
- Deccan Traps, 369, 420–423, 442
- defense adaptations
 - Ankylosauria, 254, 257–259
 - Sauropoda, 211
- definition (phylogenetics), 55
- Deinonychosauria, 160–165
- dental battery, 282–283
- denticles, 235
- derived characters
 - Ankylosauria, 261
 - Archosauria, 85
 - Archosauromorpha, 74
 - Avialae, 168
 - basal Euornithopoda, 304
 - Ceratopsidae, 295
 - definition of, 52
 - Dinosauria, 197
 - Dinosauromorpha, 87
 - Euornithopoda, 317
 - Eurypoda, 260
 - Hadrosauridae, 318
 - Mesozoic birds, 182
 - Ornithischia, 230
 - Ornithodira, 76
 - Sauropoda, 214
 - Tetrapoda, 69
 - Theropoda, 144
 - Thyreophora, 240
- Diapsida, 71–73
- diastema, 230
- digitigrade, 203
- “dimensionless speed,” 336
- Dingus, L., 360
- Dinosaur Heresies* (book), 372
- dinosaur–bird evolution
 - disputes over evidence of, 169–175
 - and thecodont ancestry hypothesis, 176
- Dinosauria
 - and early perceptions of, 384–387
 - evolution of, 93–98
 - fossil record of early, 87–88
 - monophyly of, 76
 - stance, 75–76
- Dinosauria* (book), 301
- Dinosauromorpha, 85–87
- dinosaurs
 - and changes in global diversity, 429–437
 - etymology of, 3
 - geologic timeframe of, 17
 - global distribution of, 340–342
 - impact of paleoenvironments on
 - diversity of, 358
 - metabolic strategies of, 350–351
 - methods to estimate mass of, 218–219
 - methods to measure growth of, 343–345
 - proposed causes for extinction of, 437–438
 - “Sue,” 15
 - theories on dominance during Late Triassic, 362–366
 - during the Victorian Age, 382–385
- Diplodocoidea, 214–215, 217–222
- direct temperature measurements, 347–350
- disarticulated bones, 8
- disaster biotas, 440
- DNA hybridization, 186
- Dodson, P., 337, 360
- Dollo, Louis, 390
- Dollo’s Law of Irreversible Evolution, 390
- dynamic similarity, 336
- ectothermic poikilotherms, 348–349
- ectothermy, 330, 334
- Enantiornithes, 183
- encephalization quotient (EQ), 338–339
- endemism, 366–367, 369
- endosymbionts, 210
- endothermic homeotherms, 348–349
- endothermy
 - and anatomical adaptations for, 333–336
 - and bone histology, 343–345

- definition of, 330
- as diagnostic characteristic, 332
- in dinosaurs, 398
- and encephalization quotient, 338–340
- and heart structure, 338
- and locomotion, 334–335
- and predator/prey biomass ratios, 335–337
- Enlightenment, 383–384
- epicontinental seas, 33, 35
 - Euornithopoda, 315–319
- Eurypoda, 260–261
- evolution
 - Ceratopsia, 292–297
 - Dinosauria, 93–98
 - Euornithopoda, 315–319
 - Pachycephalosauria, 276–277
 - Sauropoda, 213–217
 - Stegosauria, 259–262
 - Theropoda, 110–111
- evolutionary advantage, 362–366
- Evolutionary Synthesis, 57–58
- expeditions
 - Central Asiatic, 382–383
 - Deer River, Canada, 392–393
 - logistics of, 13–14, 17–20
- Extant Phylogenetic Bracketing, 122–123
- extinctions
 - and asteroid hypothesis, 402
 - and challenges of determining rate of dinosaur, 429–437
 - and Deccan Traps as cause of, 442
 - of life at K-Pg boundary, 424–428
 - proposed causes of dinosaur, 437–438
 - and “pulse-press” hypothesis, 442–443
 - scientific standards for plausible theories of, 437–438
 - and survivorship patterns, 428
 - types of, 401–402
- Farlow, J. O., 218, 250
- Fastovsky, David, 360
- feathers
 - components of, 190
 - and dinosaurs, 98–99
 - evolution of, 99–101
 - homology of, 173
 - origin of, 177
 - and role in endothermy, 332–333
- femur, 65
- fibula, 65
- fingers, 65, 172–174
- flight, 178–179
- foramen magnum, 65
- foraminifera, 425
- fossils
 - and collection of, 11–14
 - in folklore, 381–383
 - impact of paleoenvironment on, 16
 - logistics of collection of, 17–20
 - and relative dating, 29–30
 - types of, 8–11
- fractionation, 345
- Fricke, H., 348–349
- furcula, 145
- gastroliths, 123
- Gauthier, Jacques A., 91, 172, 400–401
- Genasauria, 232
- geochronology, 26–29
- geologic periods, 30–31
- ghost lineages, 360–361
- gigantothermy, 350
- girdles (anatomy), 63–68
- global distribution
 - Ankylosauria, 254
 - Ceratopsia, 279
 - dinosaurs, 340–342
 - Euornithopoda, 302–303
 - Pachycephalosauria, 268–269
 - Theropoda, 111
- glycolysis, 331
- Gnathostomata, 61–63
- Gondwana, 33
- gradual extinction, 430–431
- Grady, J. M., 350
- gymnosperms, 198
- Hadrosauridae, 318
- half-life, 28
- Haversian bone, 342–343
- heat capacity, 34
- Heilman, G., 176
- Hennig, Willi, 400
- hierarchy, 47–49
- homeothermy, 330, 347–348
- Hominoidea, 53
- Hopson, J. A., 309–310, 339
- Horner, J. R., 132, 135, 314, 404–405
- How To Build a Dinosaur* (book), 135
- humerus, 65
- Hunting for Dinosaurs* (book), 154
- Huxley, T. H., 176
- hyoid bones, 256
- hypotheses testing, 3
- hypothesis of relationship, 53
- ichnofossils, 11
- ichthyornithiformes, 184
- ichthyosaurs, 424
- Iguanodontia, 302–303, 317
- ilium, 65
- impact winter, 419
- iridium, 415–417
- ischium, 65
- isotope-based temperature measurements, 345–350
- isotopes, 28–29, 38
- Jerison, H.J., 339
- Jurassic Park* (movie), 135
- Jurassic Period
 - and break-up of Pangaea, 32–33
 - climate of, 35
 - diversity of vertebrate faunas during, 357, 367–368
- keel, 192
- keratin, 231
- Kielen-Jawarowska, Zofia, 154–156
- kinetic movement, 308
- K-Pg boundary
 - and changes in mammal population, 428
 - and marine fossil record, 424–425
 - and plant fossil record, 425–428
 - and survivorship patterns, 428
- K-Pg extinction
 - and causal evidence of marine extinction, 424–425
 - and effects of asteroid impact, 414–423
 - major events of, 414
- k-strategy, 213, 315
- Larson, P., 15
- Late Triassic

- Late Triassic (cont.)
 - and diversity of vertebrate faunas, 357–362, 366–367
 - and evolution and global dispersal of dinosaurs, 95–98
 - and theories of dinosaur dominance, 362–366
- latitudinal gradients, 348–349
- Laurasia, 33
- Lee, M.S.Y., 179
- Lepidosauromorpha, 72
- Li, Q., 179
- limbs
 - Euornithopoda, 303–305
 - Sauropoda, 202–204
 - Tetrapoda, 65
 - Theropoda, 115–116
- lines of arrested growth (LAGs), 343–345
- Linnaeus, Carolus, 44
- Linnean classification, 44–45, 55
- lithostratigraphy, 26, 29–30
- locomotion
 - Ceratopsia, 284–285
 - Euornithopoda, 303–305
 - prosauropods, 199–200
 - Sauropoda, 211
 - Stegosauria, 241–242
 - Theropoda, 112–115
- macroflora, 426
- Macronaria, 213–217
- Main, R. P., 249–251
- Mammalia, 53
- Maniraptora, 156–165
- Mantell, Gideon, 381, 385
- Marginocephalia, 236, 268
- marginocephalian shelf, 276
- Marsh, O. C., 216, 222, 250, 388
- mass extinctions, 418–419
- mastication, 229–232, 372–375
- mastication and diet
 - Ankylosauria, 254–257
 - Ceratopsia, 278–284
 - Euornithopoda, 306–308
 - Pachycephalosauria, 272
 - Sauropoda, 209–211
 - Stegosauria, 242–246
 - Theropoda, 127–132
- matrix (rock), 18
- megaomnivore, 155
- melanosomes, 137
- mesotarsal ankle, 86
- mesotarsal joint, 76
- metabolism, 330, 333–337
- metacarpals, 65
- metatarsals, 65
- microtektites, 416
- mille annos* (Ma), 28
- minimal divergence time (MDT), 360–361, 361
- molecular clocks, 401
- molecular evolution, 186
- monophyletic groups
 - Ankylosauria, 261
 - Dinosauria, 75
 - Euornithopoda, 304
 - Eurypoda, 260
 - and homology, 52
 - Neoceratopsia, 292
 - Ornithischia, 229
 - Pachycephalosauria, 276
 - Saurischia, 106
 - Sauropoda, 202
 - Sauropodomorpha, 197
 - Stegosauria, 260
 - Theropoda, 111
- monotypic bonebeds, 313
- mosasaurs, 425
- nares, 68
- natural selection, 57–58
- Neoceratopsia, 292
- Neosauropoda, 214–215
- Neotheropoda, 145
- nests
 - Ceratopsia, 266
 - Euornithopoda, 314–315
 - prosauropods, 201
 - Sauropoda, 211–213
 - Theropoda, 136–139
- neural arch, 63
- node, 50
- Nodosauridae, 254, 262
- non-avian dinosaurs, *see* dinosaurs
- Nopcsa, Franz Baron, 399
- Norell, Mark A., 405
- Norian Stage, 95–98
- notochord, 61
- nuchal ligament, 202
- numeric age
 - and discrepancies in Late Triassic time scale, 95
 - methods to determine, 26–30
- nutrient turnover, 343
- obligate bipeds, 94
- occipital condyle, 65
- oceanic nutrient cycling, 425
- olfactory bulbs, 247
- On the Origin of Species* (book), 57
- ontogeny, 286
- opisthopubic, 228
- orbit, 65
- Ornithischia, 91–93, 202
- Ornithodira, 74, 76, 84–85
- Ornithomimosauria, 152–156
- Ornithopoda
 - brain size of, 310
 - evolution of, 315–319
 - global distribution of, 302–303
 - limbs of, 306
 - locomotion of, 303–305
 - mastication and diet of, 306–308
 - nests of, 314–315
 - sexual selection of, 310–313
 - taxonomy of, 303
- Ornithothoraces, 181
- Ornithuromorpha, 183–185
- Osborn, H. F., 223
- ossified tendons, 305
- osteoderms, 217
- Ostrom, John H., 98, 176, 393–394
- oviraptorosaurids, 157–160
- Owen, Sir Richard, 3, 303, 384–386, 400
- oxidation, 331
- Pachycephalosauria
 - brain size of, 273
 - evolution of, 276–277
 - global distribution of, 268–269
 - mastication and diet of, 272
 - paleoenvironment of, 269
 - sexual selection of, 275–276
 - skeletal system of, 273–275
 - social behavior of, 275
- palate, 68
- paleobiology, 390, 392–395
- paleoclimate, 34–36
- paleoenvironments, 16–17
- paleontology

- and addressing large-scale questions, 326
- during the Enlightenment, 383–384
- Golden Age of, 388
- modern use of cladistic analysis in, 400
- science of, 16–21
- palynoflora, 426
- Pangaea, 32–34
- parasagittal stance, 75–76
- Paraves, 160–165
- patellar groove, 185
- pectoralis muscle, 193
- pelvis, 91
- permineralization, 10
- phalanges, 65, 172–174
- pharyngeal gills, 61
- phylogenetic systematics, 46–49, 64
- phylogeny, 44
- physiology, 330
- pioneer communities, 424
- Pisanosaurus, 89
- planktonic, 425
- plant–herbivore co-evolution, 372–375
- plantigrade, 203
- plate tectonics, 32, 39
- plesiosaurs, 425
- pleurocoels, 145
- pleurokinesis, 308
- pneumatic bones, 177, 192
- pneumatic foramina, 145
- poikilothermy, 330, 347–348
- polar ice caps, 35
- precocity in young, 319
- predentary bone, 228
- press-pulse hypothesis, 442–443
- primitive characters, 52
- principle of parsimony, 54
- prosauropods, 198–201, 214
- protozoan lesion, 132–133
- pseudosuchians, 85
- Pterosauria, 75, 84
- pubis, 65
- “pull of the Recent,” 357
- pygostyle, 192
- radius, 65
- rarefaction, 360
- rate of decay reaction, 27–29
- Reid, R. E. H., 350
- relationships (evolution), 44–45
- relative dating, 29–30
- replacement (bones), 10
- reproductive adaptations
 - Ceratopsia, 286–290
 - Pachycephalosauria, 275–276
 - prosauropods, 200–201
 - Sauropoda, 211–213
 - Stegosauria, 247–248
 - Theropoda, 133–134
- Reptilia, 72–73
- respiratory turbinates, 340
- rhamphotheca, 231
- Riggs, E. S., 222
- Rogers, Kristina Curry, 217
- Rogers, R., 348–349
- rostral bone, 277
- r-strategy, 213, 315
- Ruben, J. A., 332, 340
- sacrum, 65
- Sadler, P.M., 360
- Saurischia, 91–93, 106
- Sauropoda
 - brain size of, 204
 - cladogram of, 215
 - derived characters of, 214
 - evolution of, 213–217
 - habitat of, 204–205
 - limbs of, 202–204
 - locomotion of, 211
 - mastication and diet of, 209–211
 - nests of, 211–213
 - respiratory system of, 206–209
 - skeletal system of, 202–206
 - social behavior of, 211
- Sauropodomorpha, 196–198, 202
- scapula, 65
- Schweitzer, Mary H., 135
- science and popular media, 3–4
- secondary palate, 256
- sedimentary rock, 26–29
- sedimentologists, 16
- Seeley, H. G., 91, 107, 387
- Sellers, W. I., 337
- semi-lunate carpal, 157
- Sereno, Paul, 405–406
- sexual dimorphism, 133, 247
- sexual selection
 - definition of, 133
 - Euornithopoda, 310–313
 - Pachycephalosauria, 275–276
- shocked quartz, 416
- Showers, W., 347–348
- Signor–Lipps effect, 430–431
- Silesaurids, 88
- skeletal system
 - birds, 192–193
 - Pachycephalosauria, 273–275
 - Sauropoda, 202–206
 - Tetrapoda, 63–65
- Sloboda, Wendy, 295
- Smith, John Maynard, 246–248
- social behavior
 - Ceratopsia, 286–290, 297
 - Pachycephalosauria, 275–276
 - “prosauropods,” 200
 - Sauropoda, 211
 - Stegosauria, 247–248
 - Theropoda, 133
- Society of Vertebrate Paleontology, 4
- soft tissue, 8–11
- soft tissue recovery, 135
- stable isotopes, 345–347
- stance
 - Archosauria, 84
 - Ceratopsia, 292
 - digitigrade, 112
 - Dinosauria, 75–76
 - Euornithopoda, 303
 - evolution of, 77
 - plantigrade, 112
 - tripodal, 210
- stapes, 65
- Stegosauria
 - brain size of, 246–247
 - evolution of, 259–262
 - locomotion of, 241–242
 - mastication and diet of, 242–246
 - monophyly of, 260
 - social behavior of, 247–248
 - spines and plates of, 248–251
- stepwise extinction, 430–431
- Sternberg, Charles H., 392–393
- sternum, 65
- stratigraphy, 26, 361
- Strauss, D. J., 360
- Stromer, Ernst, 396–397
- Sue (*Tyrannosaurus rex*), 15
- supracoracoideus muscle, 193

- Synapsida, 70–71
synsacrum, 192

taphonomy, 16
tarsals, 65
tarsometatarsus, 192
Taylor, Bert L., 248
teeth
 isotopic content of vs. latitudinal
 gradient, 348–349
 Theropoda, 116–124
temnospondyl, 341
temporal fenestrae, 70
Tendaguru (Tanzania), 211
terrestrial life requirements
 amniotic eggs, 69–70
 erect stance, 77
 locomotion, 76
Tetanurae, 145
Tetrapoda
 braincase, 65–68
 cladogram of, 69
 limbs, 65
 skeletal system, 63–65
thecodont ancestry hypothesis, 176
Thecodontia, 176, 400

thermoregulation, 249–251
Theropoda
 balance of, 126
 brain size of, 127
 convergent evolution of, 148–151
 derived characters of, 144
 evolution from non-avian to avian
 dinosaurs, 175–176
 evolution of, 110–111
 feathers of, 127
 global distribution of, 110
 homology of monofilamentous and
 vaned feathers, 173
 limbs of, 115–116
 locomotion of, 112–115
 mastication and diet of, 127–132
 monophyly of, 111
 nests of, 136–139
 reproductive adaptations of, 133–134
 respiratory system of, 145–149
 sensory development, 122–126
 social behavior of, 133
 teeth of, 116–124
Thulborn, R.A., 336–337
Thyreophora, 210, 235, 240–241,
 259

tibia, 65
titanosaurs, 215, 217
trackways, 336–337
tree of life, 45–46
Triassic–Jurassic mass extinction,
 366
tympanic membrane, 65
Tyrannosauroidae, 151

ulna, 65
ungual phalanges, 65
unidirectional respiration, 146
unstable isotopes, 26–27
upper temporal fenestra, 71–73
Ur-dinosaur, 84

Vertebrata, 61–63
volcanism, 420–423

Williams, Maurice, 15
Witmer, L. M., 126, 291
Witmerlab (web site), 291

Xu, Xing, 127, 165, 401–402, 408–409

zygapophyses, 145

INDEX OF GENERA

<i>Acanthostega</i> (<i>akantho</i> - spine; <i>stega</i> - roof, cover), 63	<i>Ankylsaurus</i> (<i>ankylo</i> - fused; <i>sauros</i> - lizard, reptile), 96, 253	<i>Baptornis</i> (<i>bapto</i> - dipped, submerged; <i>ornis</i> - bird), 184
<i>Achelousaurus</i> (after Achelous, a Greek mythological river deity; <i>sauros</i> - lizard, reptile), 281, 347	<i>Anomospterus</i> (<i>a</i> - without; <i>non</i> - law; <i>pteri</i> - fern, a reference to abundant growth), 370	<i>Barosaurus</i> (<i>bary</i> - heavy; <i>sauros</i> - lizard, reptile), 398
<i>Achilonychus</i> , 405	<i>Apatosaurus</i> (<i>apato</i> - trick or false, because O. C. Marsh thought that the tail bones resembled those of a lizard, <i>sauros</i> - lizard, reptile), 92, 129, 202, 205–206, 211, 217, 346	<i>Baryonyx</i> (<i>bary</i> - heavy; <i>onycho</i> - claw, nail), 128, 145
<i>Acronanthosaurus</i> (<i>akros</i> - high; <i>akantha</i> - spine; <i>sauros</i> - lizard, reptile), 134	<i>Apsaravis</i> (<i>apsara</i> -winged consorts prominent in Buddhist and Hindu art; <i>aves</i> - bird), 405	<i>Beipiaosaurus</i> (after Beipiao, Liaoning Province [China]; <i>sauros</i> - lizard, reptile), 159
<i>Aegyptosaurus</i> (Egypt's lizard; <i>sauros</i> - lizard, reptile), 396	<i>Aquilapollenites</i> (<i>aquila</i> - eagle; <i>pollenites</i> - pollen-like), 427	<i>Blikanasaurus</i> (from Bilikana [South Africa]; <i>sauros</i> - lizard, reptile), 213
<i>Aerosteon</i> (<i>aeros</i> - air; <i>osteon</i> - bone), 145	<i>Araucaria</i> (after Arauco Province [Chile]), 371	<i>Brachiosaurus</i> (<i>brachion</i> - arm; <i>sauros</i> - lizard, reptile), 203, 206–207, 211, 220–222, 368
<i>Afrovenator</i> (<i>afro</i> - after Africa; <i>venator</i> - hunter), 148, 406	<i>Archaeornithomimus</i> (<i>archaeo</i> - ancient; <i>mimus</i> - mimic), 343	<i>Brachylophosaurus</i> (<i>brachys</i> - arm; <i>lophos</i> - crest; <i>sauros</i> - lizard, reptile), 311, 318
<i>Agilisaurus</i> (<i>agilis</i> - nimble; <i>sauros</i> - lizard, reptile), 303, 315–316	<i>Archaeopteryx</i> (<i>archaeo</i> - ancient; <i>pteryx</i> - wing), 98, 168–169, 173–176, 179–181, 183, 185, 188, 332, 345, 352, 368, 385, 393, 401	<i>Brontosaurus</i> (<i>bronto</i> - thunder; <i>sauros</i> - lizard, reptile), 196, 201, 222, 249
<i>Alamosaurus</i> (after the Ojo Alamo Formation [Texas]; <i>sauros</i> - lizard, reptile), 217–221	<i>Argentinosaurus</i> (after Argentina; <i>sauros</i> - lizard, reptile), 215, 220	<i>Byronosaurus</i> (from Byron Jaffe; <i>sauros</i> - lizard, reptile), 405
<i>Albertosaurus</i> (after Alberta (Canada); <i>sauros</i> - lizard, reptile), 119, 151	<i>Arrhinoceratops</i> (<i>a</i> - without; <i>rhinos</i> - nose, snout; <i>kera</i> - horn; <i>ops</i> - face), 281	<i>Caenagnathasia</i> (<i>kainos</i> - recent; <i>gnathus</i> - jaw), 157
<i>Alexornis</i> (after American paleontologist Alexander Wetmore; <i>ornis</i> - bird), 183	<i>Asilisaurus</i> (<i>asili</i> - from the Swahili for ancestor; <i>sauros</i> - reptile, lizard), 85	<i>Camarasaurus</i> (<i>camara</i> - chamber; <i>sauros</i> - lizard, reptile), 200, 203, 210–211, 216, 223, 368
<i>Alioramus</i> (<i>ali</i> - other; <i>ramus</i> - branch, as in another branch of tyrannosaurids), 133	<i>Avaceratops</i> (after amateur paleontologist Ava Cole, who collected the fossil; <i>kera</i> - horn; <i>ops</i> - face), 297	<i>Camptosaurus</i> (<i>kamptos</i> - flexible; <i>sauros</i> - lizard, reptile), 315
<i>Alligator</i> (likely a sixteenth-century corruption of the Spanish <i>el lagarto</i> [the lizard]), 345	<i>Avisaurus</i> (<i>avi</i> - bird; <i>sauros</i> - lizard, reptile), 183	<i>Carcharodontosaurus</i> (<i>Carcharodon</i> - genus for the Great Whale Shark; <i>sauros</i> - lizard, reptile), 110, 116, 127, 150, 165, 396, 406
<i>Allosaurus</i> (<i>allo</i> - other, different; <i>sauros</i> - lizard, reptile), 112, 114, 116, 118, 120, 129, 132, 134, 150, 165, 207, 334, 418	<i>Bagaceratops</i> (<i>baga</i> - small [in Mongolian]; <i>kera</i> - horn; <i>ops</i> - face), 281, 292	<i>Carnotaurus</i> (<i>carnis</i> - flesh, meat; <i>sauros</i> - lizard, reptile), 115, 118, 120, 147–148, 401
<i>Altirhinus</i> (<i>alto</i> - high, tall; <i>rhinos</i> - nose, snout), 313	<i>Bahariasaurus</i> (<i>bahariya</i> - Egyptian rock formation; <i>sauros</i> - lizard, reptile), 394	<i>Caudipteryx</i> (<i>cauda</i> - tall; <i>pteryx</i> - wing), 127, 160
<i>Amargasaurus</i> (after Amarga Canyon, Neuquen Province [Argentina]; <i>sauros</i> - lizard, reptile), 221		<i>Centrosaurus</i> (<i>centro</i> - center; <i>sauros</i> - lizard, reptile), 281, 288, 292–293, 297, 393
<i>Anchiornis</i> (<i>anchi</i> - close; <i>ornis</i> - bird), 163, 173		
<i>Anchisaurus</i> (<i>anchi</i> - close; <i>sauros</i> - lizard, reptile), 199		

<i>Cephalaspis</i> (<i>kephale</i> - head; <i>aspis</i> - shield), 62	<i>Deltadromeus</i> (<i>delta</i> - delta; <i>dromeus</i> - runner), 406	<i>Eoraptor</i> (<i>Eos</i> - Greek goddess of dawn; <i>raptor</i> - thief, stealer), 87–89, 95, 102, 111, 406
<i>Ceratosauros</i> (<i>kera</i> - horn; <i>sauros</i> - lizard, reptile), 118, 133, 147	<i>Dicraeosaurus</i> (<i>dikraios</i> - bifurcated; <i>sauros</i> - lizard, reptile), 398	<i>Eozostrodon</i> (<i>Eos</i> - Greek goddess of dawn; <i>oster</i> - nimble; <i>don</i> - tooth), 363
<i>Changchengornis</i> (Chang Cheng [Chinese] - Great Wall; <i>ornis</i> - bird), 181	<i>Dicroidium</i> (<i>dikos</i> - forked; <i>eidos</i> - similiar to), 366	<i>Epidendrosaurus</i> (<i>dendro</i> - tree; <i>sauros</i> - lizard, reptile), 179
<i>Changyuraptor</i> (long-feathered raptor [China]), 161	<i>Dilong</i> (emperor dragon [in Chinese]), 127	<i>Epidexpteryx</i> (<i>epi</i> - close; <i>pteryx</i> - bird), 179
<i>Chasmosaurus</i> (<i>chasm</i> - ravine; <i>sauros</i> - lizard, reptile), 278, 280, 288–289, 293, 296, 393	<i>Dilophosaurus</i> (<i>di</i> - two; <i>lophos</i> - crest; <i>sauros</i> - lizard, reptile), 118, 133, 147, 334, 418	<i>Equisetum</i> (<i>Equus</i> - genus of modern horse; <i>saeta</i> - hair, the modern horsetail plant), 370
<i>Chindesaurus</i> (from Chinde Mesa, Arizona; <i>sauros</i> - lizard, reptile), 96, 95	<i>Dimetrondon</i> (<i>di</i> - two; <i>metros</i> - measured, long; <i>don</i> - tooth), 71	<i>Eryops</i> (<i>eryo</i> - draw, drag, elongate; <i>ops</i> - face), 390
<i>Chungkingosaurus</i> (after Chungking [China]; <i>sauros</i> - lizard, reptile), 246	<i>Dimorphodon</i> (<i>di</i> - two; <i>morphos</i> - shape; <i>don</i> - tooth), 75, 364	<i>Eshanosaurus</i> (<i>Eshan</i> - Eshan county [China]; <i>sauros</i> - lizard, reptile), 157
<i>Coelophysis</i> (<i>koilos</i> - hollow; <i>physis</i> - nature), 93, 95–96, 118, 132, 134, 136, 147, 165, 177	<i>Diplodocus</i> (<i>diplo</i> - two, twin; <i>docus</i> - spar, beam), 200, 204, 206, 211, 217, 222–223, 368	<i>Euoplocephalus</i> (<i>eu</i> - true; <i>hoplon</i> - shield; <i>kephale</i> - head), 252, 255–256, 258
<i>Colorisaurus</i> (after the Los Colorado Formation [USA]; <i>sauros</i> - lizard, reptile), 199	<i>Dreadnoughtus</i> (<i>dreadnought</i> - English battleship), 217, 219–220	<i>Eusthenopteron</i> (<i>eu</i> - true; <i>theno</i> - palm of hand; <i>pteryx</i> - fin), 62–63
<i>Compsognathus</i> (<i>compso</i> - neat, elegant; <i>gnathos</i> - jaw), 128, 152, 334, 368	<i>Dromiceiomimus</i> (<i>Dromiceius</i> - genus of emu [older nomenclature]; <i>mimus</i> - mimic), 117, 120, 152	<i>Gallimimus</i> (<i>Gallus</i> - genus of chicken; <i>mimus</i> - mimic), 117, 120, 152
<i>Confuciusornis</i> (after the Chinese philosopher Confucius; <i>ornis</i> - bird), 134, 181, 344	<i>Dromomeron</i> (<i>drom</i> - run; <i>meros</i> - femur), 96	<i>Gasparinisaura</i> (after Argentinian paleontologist Z. Gasparini; <i>sauros</i> - lizard, reptile), 315–316
<i>Corythosaurus</i> (<i>korytho</i> - from Corinthian, as in a Corinthian helmet [armor]; <i>sauros</i> - lizard, reptile), 308, 310, 312, 375	<i>Dryosaurus</i> (<i>dryos</i> - oak; <i>sauros</i> - lizard, reptile), 313, 318, 398	<i>Gastonia</i> (after R. Gaston, who discovered it), 238
<i>Cryolophosaurus</i> (<i>cryo</i> - cold; <i>lophos</i> - crest; <i>sauros</i> - lizard, reptile), 133, 134	<i>Dryptosaurus</i> (<i>drypto</i> - tearing; <i>sauros</i> - lizard, reptile), 151	<i>Giganotosaurus</i> (<i>giga</i> - large; <i>noto</i> - south, southern; <i>sauros</i> - lizard, reptile), 110, 132, 148, 150, 157, 165
<i>Cynognathus</i> (<i>kyon</i> - dog; <i>gnathos</i> - jaw), 363	<i>Edmontosaurus</i> (after Edmonton, Alberta [Canada]; <i>sauros</i> - lizard, reptile), 129, 254, 307, 312, 318, 335, 337, 375	<i>Ginkgoites</i> (ginko-like), 371
<i>Dacentrurus</i> (<i>da</i> - very; <i>kentron</i> - spine; <i>ura</i> - tail), 245, 259	<i>Einiosaurus</i> (<i>einio</i> - derived from North American Indian Blackfoot for buffalo; <i>sauros</i> - lizard, reptile), 281	<i>Giraffatitan</i> (<i>giraf</i> - tall; <i>titan</i> - large), 219–220
<i>Daspletosaurus</i> (<i>dasples</i> - frightful; <i>sauros</i> - lizard, reptile), 128, 133, 151	<i>Elaphrosaurus</i> (<i>elaphros</i> - fleet; <i>sauros</i> - lizard, reptile), 398	<i>Gorgosaurus</i> (<i>gorgo</i> - after the gorgons of Greek mythology; <i>sauros</i> - lizard, reptile), 126, 129, 151, 334, 393
<i>Deinocheirus</i> (<i>deino</i> - terrible; <i>cheirus</i> - hand), 154–156, 418	<i>Emausaurus</i> (EMAU is an abbreviation for Ernst Moritz Arndt Universität; <i>sauros</i> - lizard, reptile), 240	<i>Gorilla</i> (name given to wild, hairy people reported to inhabit northwestern Africa, in a fifth-century BC Greek translation of an earlier voyage), 53
<i>Deinonychosaurus</i> (<i>deino</i> - terrible; <i>onychos</i> - claw; <i>sauros</i> - lizard, reptile), 132	<i>Enaliornis</i> (<i>en</i> - belonging to; <i>ali</i> - other; <i>ornis</i> - bird), 184	<i>Gryposaurus</i> (<i>grypos</i> - hooked nose; <i>sauros</i> - lizard, reptile), 311, 318
<i>Deinonychus</i> (<i>deino</i> - terrible; <i>onychos</i> - claw), 99, 112, 116–117, 127, 132, 145, 156, 161, 393	<i>Enantiornis</i> (<i>enantos</i> - opposite; <i>ornis</i> - bird), 183	<i>Guaibasaurus</i> (after the Guaiba River [Brazil]; <i>sauros</i> - lizard, reptile), 90, 95, 111
	<i>Eocursor</i> (<i>Eos</i> - Greek goddess of dawn; <i>cursor</i> - runner), 98	
	<i>Eodromaeus</i> (<i>eo</i> - dawn; <i>drom</i> - run), 89, 111	<i>Haplocanthosaurus</i> (<i>haplos</i> - single; <i>akantha</i> - spine; <i>sauros</i> - lizard, reptile), 211

<i>Heloderma</i> (<i>helos</i> - wart; <i>dermos</i> - skin), 218	<i>Kentrosaurus</i> (<i>kentron</i> - prickly, spiny; <i>sauros</i> - lizard, reptile), 247–248, 250, 259, 398	<i>Malawisaurus</i> (after Malawi; <i>sauros</i> - lizard, reptile), 217
<i>Herrerasaurus</i> (after V. Herrera, the Argentine rancher who discovered it; <i>sauros</i> - lizard, reptile), 87–89, 95, 102, 111, 118, 406	<i>Kentrsaurus</i> (<i>kentron</i> - prickly, spiny; <i>sauros</i> - lizard, reptile), 247	<i>Mapusaurus</i> (Mapu is an abbreviation of the word Mapuche, an indigenous Argentinian people, and refers to “Earth”; <i>sauros</i> - lizard, reptile), 132
<i>Hesperonis</i> (<i>hesper</i> - western; <i>ornis</i> - bird), 184–185, 344	<i>Kizylkumavis</i> (after the Kyzylkum Desert [Kazakhstan and Uzbekistan]; <i>avis</i> - bird), 183	<i>Marasuchus</i> (a reference to the mara, a Patagonian rodent; <i>sauros</i> - lizard, reptile), 85–87, 93–96, 334
<i>Heterodontosaurus</i> (<i>hetero</i> - different; <i>don</i> - tooth; <i>sauros</i> - lizard, reptile), 233, 334	<i>Kotasaurus</i> (after the Kota Formation [India]; <i>sauros</i> - lizard, reptile), 213	<i>Massospondylus</i> (<i>masso</i> - massive; <i>spondyl</i> - spool, referring to the centrum), 200, 345–346
<i>Hexinlusaurus</i> (after He Xin-Lu [China]; <i>sauros</i> - lizard, reptile), 303, 316	<i>Lagerpeton</i> (<i>lagos</i> - hare; <i>erpeto</i> - creep), 85, 94, 96	<i>Matonidium</i> (after British botanist W. G. Maton; <i>eidos</i> - similiar to [in this case, the genus <i>Matonia</i> , a living genus of fern]), 370
<i>Homalocephale</i> (<i>homalos</i> - even; <i>kephale</i> - head), 269, 272–273, 275	<i>Lagosuchus</i> (<i>lagos</i> - hare; <i>suchus</i> - crocodile), 85	<i>Megalosaurus</i> (<i>mega</i> - large, great; <i>sauros</i> - lizard, reptile), 145, 148, 165, 384
<i>Homo</i> (<i>homo</i> - same), 52	<i>Lambeosaurus</i> (after Canadian paleontologist L. M. Lambe; <i>sauros</i> - lizard, reptile), 307, 310, 312, 393	<i>Melanorosaurus</i> (<i>melanos</i> - black; <i>oros</i> - mountain; <i>sauros</i> - lizard, reptile), 200
<i>Huayangosaurus</i> (after Hua Yang Guo Zhi [Chin Dynasty name for Sichuan Province, China]; <i>sauros</i> - lizard, reptile), 245, 259	<i>Leaellynasaura</i> (after Leaellyn Rich, who helped to discover it; <i>sauros</i> - lizard, reptile), 309	<i>Microraptor</i> (<i>micro</i> - small; <i>raptor</i> - thief, stealer), 110, 127, 161–162, 169, 173
<i>Hylaeosaurus</i> (<i>hylaïos</i> - forest; <i>sauros</i> - lizard, reptile), 384	<i>Leptoceratops</i> (<i>lepto</i> - slender; <i>kera</i> - horn; <i>ops</i> - face), 281, 292, 296	<i>Mononykus</i> (<i>mono</i> - one; <i>onychus</i> - claw), 158, 405
<i>Hypacrosaurus</i> (<i>hypakros</i> - highest, referring to the spine; <i>sauros</i> - lizard, reptile), 310, 313–315, 347	<i>Lesothosaurus</i> (after Lesotho [southern Africa]; <i>sauros</i> - lizard, reptile), 232, 235, 240, 316	<i>Montanoceratops</i> (from Montana [USA]; <i>kera</i> - horn; <i>ops</i> - face), 292, 296, 347
<i>Hypsilophodon</i> (<i>hypsi</i> - high; <i>lophos</i> - crest; <i>don</i> - tooth), 307, 315–316	<i>Lewisuchus</i> (<i>Lewis</i> - A. D. Lewis, Chief Preparator at Harvard’s Museum of Comparative Zoology; <i>suchus</i> - crocodile), 87	<i>Mussasaurus</i> (<i>mus</i> - mouse, because the specimen, a hatchling, was small; <i>sauros</i> - lizard, reptile), 200
<i>Iberomesornis</i> (<i>ibero</i> - of the Iberian peninsula [Spain and Portugal]; <i>mes</i> - middle; <i>ornis</i> - bird), 183	<i>Lexovisaurus</i> (after the Lexovil, Gallic Celts enlisted to fight Julius Caesar; <i>sauros</i> - lizard, reptile), 245	<i>Muttaborrasaurus</i> (after Muttaborra [Australia]; <i>sauros</i> - lizard, reptile), 313
<i>Ichthyornis</i> (<i>ishthys</i> - fish; <i>ornis</i> - bird), 185, 344	<i>Limusaurus</i> (<i>limus</i> - mire, mud; <i>sauros</i> - lizard, reptile), 172–174	
<i>Ichthyostega</i> (<i>ichthys</i> - fish; <i>stegos</i> - roof), 63	<i>Lufengosaurus</i> (after Lu-Feng, Yunnan Province [China]; <i>sauros</i> - lizard, reptile), 199	
<i>Iguanodon</i> (<i>iguana</i> - iguana; <i>don</i> - tooth), 236, 303–305, 307, 313, 315, 381, 383, 386, 418	<i>Macroolithus</i> (<i>macro</i> - large; <i>lithos</i> - eggs), 136	
<i>Ingenia</i> (after the Ingeni locality [Mongolia]), 157	<i>Magyarosaurus</i> (after Magyars - Hungarian people; <i>sauros</i> - lizard, reptile), 217	
<i>Janenschia</i> (after German paleontologist Werner Janensch), 345, 397	<i>Maiasaura</i> (<i>maia</i> - mother; <i>saura</i> - lizard, reptile [female ending]), 311, 313–315, 318, 321, 345–346, 418	
<i>Jobaria</i> (after Jobar, a creature in Tuareg [Saharan nomadic tribe] mythology), 406	<i>Majungasaurus</i> (from Mahajanga [Madagascar]; <i>sauros</i> - lizard, reptile), 121, 129, 131	
<i>Kannemeyeria</i> (after the South African D. R. Kannemeyer), 363		

<i>Nothronychus</i> (<i>nothro</i> - sluggish; <i>onychus</i> - claw), 158	<i>Patagopteryx</i> (after Patagonia [Argentina]; <i>pteryx</i> - wing), 184, 344	<i>Regaliceratops</i> (<i>regalis</i> - royal; <i>ceratops</i> - horned face), 281
<i>Onchopristis</i> (giant saw), 130	<i>Pedopenna</i> (<i>pedo</i> - foot; <i>penna</i> - feather), 173	<i>Rhea</i> (the wife of the Titan Krnos, in Greek mythology), 340
<i>Onychiopsis</i> (appearing like <i>Onychium</i> , a living genus of fern; <i>onychus</i> - claw, a reference to the curved "fiddlehead"), 370	<i>Pentaceratops</i> (<i>penta</i> - five; <i>kera</i> - horn; <i>ops</i> - face), 281, 296	<i>Riojasaurus</i> (after Rioja [Argentina]; <i>sauros</i> - lizard, reptile), 199
<i>Ophisthoocoelicaudia</i> (<i>opisthe</i> - backward, behind; <i>koilos</i> - hollow; <i>cauda</i> - tail), 211	<i>Pikaia</i> (after Mt. Pika [British Columbia, Canada]), 60	<i>Rugops</i> (<i>ruga</i> - wrinkle; <i>ops</i> - face), 406
<i>Ornitholestes</i> (<i>ornitho</i> - bird; <i>lestes</i> - robber), 119, 133	<i>Pinacosaurus</i> (<i>pina</i> - pine, pine nut; <i>sauros</i> - lizard, reptile), 253, 258	<i>Rutiodon</i> (<i>ruti</i> - wrinkle; <i>don</i> - tooth), 86, 363
<i>Ornithosuchus</i> (<i>ornitho</i> - bird; <i>suchus</i> - crocodile), 176	<i>Pisanosaurus</i> (<i>Pisano</i> - after Juan A. Pisano, and Argentine paleontologist), 89, 96, 316	<i>Saltasaurus</i> (after Salta Province [Argentina]; <i>sauros</i> - lizard, reptile), 197, 201, 217
<i>Orodromeus</i> (<i>oros</i> - mountain; <i>dromeus</i> - runner), 303, 315–316, 319, 321, 347	<i>Plateosaurus</i> (<i>plateos</i> - flat; <i>sauros</i> - lizard, reptile), 68, 195, 198, 200, 334	<i>Sanjuansaurus</i> (from San Juan Province, Argentina; <i>sauros</i> - lizard, reptile), 89
<i>Oryctodromeus</i> (<i>orycto</i> - dug out; <i>dromeus</i> - runner), 315	<i>Pleuromeia</i> (<i>pleuro</i> - rib; <i>meion</i> - small; a reference to the underground nutrient-storing part of the stem [corm] which is small relative to its ancestors), 370	<i>Sarcosuchus</i> (<i>sarco</i> - carnivorous; <i>suchus</i> - crocodile), 406
<i>Otozoum</i> (from Otis, a giant), 199	<i>Postosuchus</i> (<i>post-</i> behind; <i>suchus</i> - crocodile), 86, 363	<i>Saturnalia</i> (after the Roman festival of the winter solstice), 88, 90
<i>Ouranosaurus</i> (<i>ourane</i> - brave [in Nigerian]; <i>sauros</i> - lizard, reptile), 313, 318, 418	<i>Prenocephale</i> (<i>prenes</i> - sloping; <i>kephale</i> - head), 266, 270	<i>Saurolophus</i> (<i>sauros</i> - lizard, reptile; <i>lophos</i> - crest), 132, 311, 318
<i>Oviraptor</i> (<i>ovi</i> - egg; <i>raptor</i> - thief, stealer), 119, 124, 133, 136–137, 157, 286, 405	<i>Proceratosaurus</i> (<i>pro</i> - before; that is, before <i>Ceratosaurus</i>), 133	<i>Sauronithoides</i> (<i>sauros</i> - lizard, reptile; <i>ornithoides</i> - bird-like), 119
<i>Pachycephalosaurus</i> (<i>pachy</i> - thick; <i>kephale</i> - head; <i>sauros</i> - reptile, lizard), 272	<i>Prosaurolophus</i> (<i>pro</i> - before; that is, before <i>Saurolophus</i>), 311, 318	<i>Sauropelta</i> (<i>sauros</i> - lizard, reptile; <i>pelte</i> - shield), 253, 256–257
<i>Pachyrhinosaurus</i> (<i>pachy</i> - thick; <i>rhinos</i> - nose, snout; <i>sauros</i> - lizard, reptile), 270, 281, 291, 297	<i>Protarchaeopteryx</i> (<i>pro</i> - before; that is, before <i>Archaeopteryx</i>), 127	<i>Sazavis</i> (<i>saz</i> - clay [in Uzbek]; <i>avis</i> - bird), 183
<i>Pagiophyllum</i> (<i>pagio</i> - fixed, fastened; <i>phyllum</i> - leaf), 371	<i>Protoceratops</i> (<i>proto</i> - before, early; that is, before <i>Ceratops</i>), 128, 136, 249, 266, 279, 285–286, 288, 290, 292, 296–297, 314, 381, 418	<i>Scelidosaurus</i> (<i>skelis</i> - limb; <i>sauros</i> - lizard, reptile), 240, 259–260
<i>Panoplosaurus</i> (<i>pan</i> - all; <i>hoplon</i> - shield; <i>sauros</i> - lizard, reptile), 253, 255	<i>Protosuchus</i> (<i>proto</i> - before; <i>suchus</i> - crocodile), 86, 363	<i>Schizoneura</i> (<i>schizo</i> - split, divided; <i>neura</i> - neuron, brain), 370
<i>Panphagia</i> (<i>pan</i> - all; <i>phagein</i> - to eat, referring to its inferred omnivorous diet), 89	<i>Pseudolagosuchus</i> (<i>pseudo</i> - false; that is, false <i>Lagosuchus</i>), 87	<i>Scutellosaurus</i> (<i>scutellum</i> - small shield; <i>sauros</i> - lizard, reptile), 240, 259
<i>Parahesperornis</i> (<i>para</i> - near; that is, similiar to <i>Hesperornis</i>), 184, 215	<i>Psittacosaurus</i> (<i>psittaco</i> - parrot; <i>sauros</i> - lizard, reptile), 279, 282, 284, 286, 290, 293, 346	<i>Sequoia</i> (after Sequoyah ["George Guess"], originator of the Cherokee language), 371
<i>Paranthodon</i> (<i>para</i> - near; <i>anthos</i> - flower; <i>don</i> - tooth), 246	<i>Rahonavis</i> (<i>rahon</i> - menace from the clouds [in Malagasy]; <i>avis</i> - bird), 135, 181	<i>Shamosaurus</i> (<i>shamo</i> - desert [in Chinese]; <i>sauros</i> - lizard, reptile), 253, 262
<i>Parasaurolophus</i> (<i>para</i> - near; that is, similiar to <i>Saurolophus</i>), 310, 315	<i>Rajasaurus</i> (real dinosaur [Indian]), 406	<i>Shunosaurus</i> (after Shuno, an old name for Sichuan Province [China]; <i>sauros</i> - lizard, reptile), 203, 211, 213, 216
<i>Parksosaurus</i> (after paleontologist W. A. Parks; <i>sauros</i> - lizard, reptile), 315, 316	<i>Rapetosaurus</i> (<i>rapeto</i> - mischievous; <i>sauros</i> - lizard, reptile), 129	<i>Shuvuuia</i> (bird [in Mongolian]), 135, 346, 405
<i>Passer</i> (to pass), 75, 88, 110, 168	<i>Raptorex</i> (<i>raptor</i> - thief, stealer), 151	<i>Silesaurus</i> (<i>sil</i> - from Silesia; <i>sauros</i> - lizard, reptile), 85
		<i>Silvisaurus</i> (<i>silva</i> - forest; <i>sauros</i> - lizard, reptile), 253
		<i>Sinornis</i> (<i>sino</i> - China; <i>ornis</i> - bird), 183

<i>Sinornithosaurus</i> (<i>sino</i> - China; <i>ornitho</i> - bird; <i>sauros</i> - lizard, reptile), 127, 134, 161–162, 173	<i>Tarchia</i> (<i>tarchi</i> - brain [in Mongolian]), 253	<i>Tyrannosaurus</i> (<i>tyranno</i> - tyrant; <i>sauros</i> - lizard, reptile), 15, 30, 98, 109–110, 115, 119–120, 122–129, 132–135, 139, 144, 148, 151, 186, 334, 343–344, 346–347, 387, 394, 401
<i>Sinosauripteryx</i> (<i>sino</i> - China; <i>sauros</i> - lizard, reptile; <i>pteryx</i> - wing), 127, 128, 134, 136, 152, 157, 173	<i>Tawa</i> (Hopi Indian [USA] name for Sun God), 93	
<i>Sinraptor</i> (<i>sinae</i> - indigineous Chinese people; <i>raptor</i> - thief, stealer), 150	<i>Telmatosaurus</i> (<i>telmat</i> - swamp; <i>sauros</i> - lizard, reptile), 318	
<i>Sordes</i> (Latin for filth), 101	<i>Tenontosaurus</i> (<i>tenon</i> - tendon; <i>sauros</i> - reptile, lizard), 132, 318	<i>Vegavis</i> (after Vega Island Province; <i>avis</i> - bird), 187
<i>Sphaerotherolus</i> (<i>sphaira</i> - ball; <i>tholos</i> - dome), 340	<i>Texacephale</i> (Texas - state of origin [USA]; <i>cephale</i> - head), 270	<i>Velociraptor</i> (<i>velo</i> - swift; <i>raptor</i> - thief, stealer), 117–118, 128, 135, 156, 334, 340, 418
<i>Spinosaurus</i> (<i>spina</i> - spine; <i>sauros</i> - lizard, reptile), 129–131, 145, 148–151, 165, 313, 396–397, 406	<i>Thecodontosaurus</i> (<i>theko</i> - socket; <i>don</i> - tooth; <i>sauros</i> - lizard, reptile), 200	<i>Vorona</i> (bird [in Malagasy]), 183
<i>Stagonolepis</i> (<i>stagon</i> - drop, a reference to the drop-like pits on the scutes; <i>lepis</i> - scale), 86, 363	<i>Thescelosaurus</i> (<i>theskelos</i> - astonishing; <i>sauros</i> - lizard, reptile), 315–316, 338	<i>Vulcanodon</i> (after Vulcanus, the Roman god of Fire; <i>don</i> - tooth), 201, 213
<i>Staurikosaurus</i> (<i>stauriko</i> - a reference to the Southern Cross, a constellation; <i>sauros</i> - lizard, reptile), 90, 95	<i>Tianyulong</i> (from the Tianyu Museum of Nature [China]), 229, 231, 235, 290, 332	<i>Wendiceratops</i> (after Wendy Sloboda, who discovered it, <i>kera</i> - horn; <i>ops</i> - face), 281, 292
<i>Stegoceras</i> (<i>stegos</i> - roof; <i>kera</i> - horn), 270, 273–275, 340	<i>Tikaalik</i> (Inuktitut eskimo [Canada] word for “burbot” a freshwater fish), 62, 63	<i>Wielandiella</i> (after US paleontologist/paleobotanist G. R. Wieland), 371
<i>Stegosaurus</i> (<i>stegos</i> - roof; <i>sauros</i> - lizard, reptile), 92, 96, 129, 228, 238, 243, 246–251, 259, 263, 288	<i>Titanosaur</i> (after the Titans, of Greek mythology; <i>sauros</i> - lizard, reptile), 215	<i>Williamsoniella</i> (after British paleobotanist W. C. Williamson), 371
<i>Struthiosaurus</i> (<i>Struthio</i> - genus of ostrich; <i>sauros</i> - lizard, reptile), 115, 152, 219	<i>Tornieria</i> (after German paleontologist G. Tornier), 398	<i>Wuerhosaurus</i> (after Wuerho [China]; <i>sauros</i> - lizard, reptile), 259
<i>Stygimoloch</i> (<i>stygi</i> - of the river Styx [boundary of Hades or hell]; <i>moloch</i> - devil), 275, 418	<i>Torosaurus</i> (<i>tauro</i> - bull; <i>sauros</i> - lizard, reptile), 281, 296	
<i>Suchomimus</i> (<i>suchus</i> - crocodile; <i>mimus</i> - mimic), 406	<i>Torvosaurus</i> (<i>torvus</i> - savage; <i>sauros</i> - lizard, reptile), 145	<i>Yandusaurus</i> (<i>yan</i> - salt; <i>du</i> - capital [in Chinese]; <i>sauros</i> - lizard, reptile), 316, 318
<i>Syntarsus</i> (<i>syn</i> - fused; <i>tarsos</i> - tarsus), 132–134, 136, 345–346	<i>Triceratops</i> (<i>tri</i> - three; <i>kera</i> - horn; <i>ops</i> - face), 75, 88, 96, 129, 132, 229, 249, 282–283, 286–288, 290, 292, 315	<i>Yangchuanosaurus</i> (after Yangchuan County [China]; <i>sauros</i> - lizard, reptile), 134
<i>Szechuanosaurus</i> (after Szechuan Province [China]; <i>sauros</i> - lizard, reptile), 148	<i>Troodon</i> (<i>troo</i> - wound; <i>don</i> - tooth), 132, 341	<i>Yi qi</i> (Mandarin pronunciation of dinosaur), 163–164
	<i>Tuojiangosaurus</i> (after Tuojiang [China]; <i>sauros</i> - lizard, reptile), 242, 246, 259	<i>Yinlong</i> (hidden dinosaur [Chinese]), 293
<i>Tarbosaurus</i> (<i>tarbos</i> - terror; <i>sauros</i> - lizard, reptile), 115, 132	<i>Tylocephale</i> (<i>tyle</i> - swelling; <i>kephale</i> - head), 270	<i>Yunnanosaurus</i> (after Yunnan Province [China]; <i>sauros</i> - lizard, reptile), 199
		<i>Yutyranus</i> (<i>yu</i> - feather; <i>tyranus</i> - tyrant), 127, 153, 333
		<i>Zephyrosaurus</i> (<i>Zephyros</i> - Greek god of the West Wind; <i>sauros</i> - lizard, reptile), 316, 318