

# Index

- abaecin*, 17–18  
 abiotic reservoirs, 528–534  
 abundance thresholds, 623–624, 641  
     percolation phenomenon, 630–633  
     plague–great gerbil system, 625–630  
 acquired immunity, 99, 102, 103, 114–115,  
     181–182, 302, 413, 466, 524  
*Adalia bipunctata*, 191, 205–206, 213, 215, 216  
 adaptive deme formation hypothesis, 449  
 adaptive immunity, 114, 161, 181  
 aetiology/aetiological agent, 324, 372–377  
*Africanastromyces*  
     *buceros*, 132  
     *giganticus*, 132  
 agent-based models (ABMs), 199–200  
 aggregated parasite distribution, 63, 417, 558  
 agricultural ecosystems, 429  
 Akaike Information Criterion (AIC), 237–238,  
     240, 627, 631, 636  
 alcelaphine herpesvirus type 2, 133  
 Alexander, H. M., 164  
 Allee effects, 210, 547  
*Alytes*  
     *muletensis*. See toads, Mallorcan midwife  
     *obstetricans*. See toads, common midwife  
*Ampelomyces quisqualis* (*Cicinnobous cesatii*), 447,  
     449  
 amphibian–Bd systems, 511–516  
     direct extinction, 528  
         abiotic reservoirs, 528–534  
         biotic reservoirs, 534  
     extinction of small populations, 535  
     host population decline, 519–524  
     integral projection model (IPM), 520–521  
         inclusion of temperature dependency,  
         523  
     recovery from Bd-induced population  
         declines, 537–538  
     sublethal effects of Bd on amphibian hosts,  
         536–537  
     temperature and Bd load, 526–527  
     transmission dynamics and reproduction  
         number, 516–519  
     variability in Bd virulence, 524–526  
 amphibians, 369  
 amphipod crustaceans, native and invader,  
     265–268  
     enemy release, 283–286  
     intraguild predation, 269–271  
     parasites, 266–268  
     parasites and predation on higher-order  
         prey, 271  
     parasites and predation on lower-order  
         prey, 271–272  
     parasitism and cannibalism, 272–274  
*Anaplasma*, 131  
     *centrale*, 132, 152  
     *marginale*, 132, 152  
     *omatjenne*, 152  
     *phagocytophilum*, 75  
 anaplasmosis, 132  
 Anderson and May's epidemiological models,  
     63, 91, 225–226, 231, 235, 418, 557  
 anorexia, 99  
 antelope, Saiga, 408, 412  
 anthelmintic treatments  
     buffalo, 134  
     rabbits, 613–616  
     Soay sheep, 97–99, 101  
 anther-smut disease, 188, 201  
 age-specific resistance, 163–167  
 evolution of resistance in age-structured  
     populations, 172–173  
     implications, 178–182  
     invasion of adult and juvenile resistance  
         genes, 173–176  
     numerical dynamics of adult and  
         juvenile resistance genes, 176–178  
 evolution of resistance in non-  
     age-structured populations, 167–170  
 genetic variation in resistance, 164  
 pathogen life cycle, 163–164  
 transmission, 164  
 virulence, 164  
 anthrax, 469  
 antibodies, 106, 114, 181  
 anti-nuclear (ANA), 107, 111  
 auto, 373  
 effect of immunosenescence, 111  
 faecal, 113

- IgA, 105, 106, 107, 603, 615
- IgE, 106
- IgG, 106, 107, 111, 603, 615
- Mycobacterium bovis*, 346
- Mycoplasma*, 585
- Mycoplasma gallisepticum*-specific, 580
- Puumala hantavirus, 74
- Rift Valley Fever virus, 145
- strongyle-specific, 107–109
- T helper cell-mediated, 613
- antigens, 114, 373
- antimicrobial peptides (AMPs), 17–19
- Aonchotheca* (= *Capillaria*) *muris-sylvatica*, 74
- apex predator, 321, 326, 336
- Aphanomyces astaci*, 263, 288
- aphids, 204, 463, 489, 499
- Aphis nerii*, 489, 499
- apidaecin*, 17
- Apis mellifera*, 190, 209
- Apodemus*, 70
  - flavicolis*. *See* mice, yellow-necked
  - sylvaticus*. *See* mice, wood
- apparent competition, 275
- Arabidopsis*, 450
- armyworm, African, 227, 492
- armyworm, fall, 230–231, 240–241, 255
  - cannibalism and reduced infection rates, 253–254
  - effect of warming on baculovirus transmission, 240–241
  - moths, 188, 492
  - soybean-induced defences against baculoviruses, 243–246
- arrested development, 299, 402, 408–409
- Artemia*
  - franciscana*, 288
  - parthenogenetica*, 288
- Asclepias*, 480. *See also* milkweeds
  - curassavica*, 486, 488, 489, 499–500
  - incarnata*, 486, 487, 488
- ash dieback, 430, 445
- aspergillosis, 116
- assortative contact, 195, 197–198, 200
- Atepolus*, 528
- Austropotamobius pallipes*, 262
- avian influenza virus, 492, 566
- Babesia*, 131
  - bovis*, 133
  - microti*, 75
  - occultans*, 133
- babesiosis, 133
- Bacillus Calmette-Guerin* (BCG) vaccine, 345
- Bacillus licheniformis* PWD1, 207
- baculoviruses, 226, 227–231, 254, 255
  - eco-evolutionary dynamics, population structure and transmission, 246–250
  - effects of cannibalism, 253–254
  - effects of warming on transmission, 239–241
  - epizootics, transmission and experiments, 231–235
  - field transmission experiments, 232, 240
  - long-term dynamics, 235–237
  - plant defences and transmission, 241–246
- badgers, bovine tuberculosis (bTB) in, 342, 344–346, 362
  - among-group transmission, 353–355
  - attempts to control, 345, 459, 463
  - capture-mark-recapture model, 349–350
  - diagnostic testing, 346
  - directions for future research, 360–362
  - disease management, 356
  - disease pathology, 347–349
  - historical transmission routes, 352
  - mechanism underlying sex differences, 350–351
  - population demography, 356–357
    - integrated population model (IPM), 357–360
  - predictive models, 347
  - social group living, 353
  - social networks, 355
  - within-group transmission, 353
- Bartonella*, 74
- basic reproductive number/ratio/rate ( $R_0$ ), 33, 52, 66–70, 326, 332, 588, 589, 623, 630, 631
  - Chlamydia*, 207
  - determining parameters, 140–142
  - effect of covariance, 37–39
- Batrachochytrium dendrobatidis* (Bd), 263, 287, 369, 468, 511. *See also* amphibian-Bd systems
  - natural history, 512
- bats, 369
- Bibersteinia trehalosi*, 372
- bighorn sheep pneumonia, 368–370, 371–372, 391–392
  - areas for further research, 391
  - compartmental (SIR-like) disease transmission models, 388–390
  - domestic Caprinae spillover, 378–379
  - management of in the wild, 390–391
  - pathogen control, 379–381
  - population viability analysis (PVA), 386–387
  - seasonality, 381–383
  - sheep life history and subspecies, 370–371
  - system aetiology, 372–377
  - trade-offs between transmission and virulence, 377–378
  - transmission and prevalence, 384–385
- biodiversity-parasitism relationships, 282, 287, 288
- biosecurity, 288–289, 290
- birds. *See also* individual species
  - childhood-like diseases in, 161
  - inhibition of infections, 215
  - migration and immunity, 495
  - sex biases in transmission of STIs, 207
  - STIs and promiscuity, 205
  - transmission of STIs, 207
- bison, 251, 252–253
- Black Death, 624

- black-capped chickadees, 585  
 blue jays, 480  
 bluegill sunfish, 460, 465, 468, 471  
 bluetongue virus, 133  
*Bombus*  
   *lucorum*, 9  
   *terrestris*, 4, 6, 8, 9–10, 13, 14, 15, 21, *See also*  
     *Crithidia bombi*  
*Bordetella bronchiseptica*, 602, 612–613  
 bovine ephemeral fever virus, 133  
 bovine herpesvirus 1, 133  
 bovine herpesvirus 4, 133  
 bovine tuberculosis (bTB), 69, 131–135, *See also*  
   badgers, bovine tuberculosis (bTB) in  
   gastrointestinal worms and, 135–144  
   Rift Valley Fever virus and, 144–146  
 bovine viral diarrhoea, 133  
 Brock ELISA, 346  
 BrockTB StatPak antibody test, 346  
*Brucella abortus*, 131, 132  
 brucellosis, 131, 132, 134, 152, 566  
   Bayesian state-space model of  
     transmission, 251, 252–253  
 buffalo, African  
   gastrointestinal worms and bovine  
     tuberculosis infection, 135–144  
   interaction of Rift Valley fever and bovine  
     tuberculosis, 144–146  
   interactions between gastrointestinal  
     worms, 146–151  
   Kruger National Park study, 134–135  
   multi-parasite interactions, 151–154  
   parasites and diseases, 130–131  
 buffalo, Cape, 69  
 bumblebees. *See Bombus; Crithidia bombi*  
*Bunostomum trigonocephalum*, 101  
 butterflies. *See* monarch butterflies  
  
*Caligus clemensi*, 545, 546, 547, 552–553  
*Caluna vulgaris*, 298  
 cancers, transmissible, 322, 324, 327, 334,  
   335–336  
*Candida*, 205  
 canine distemper, 368, 369, 567  
 canine transmissible venereal tumour (CTVT),  
   324, 327, 333, 334, 335  
 cannibalism, 253–254, 269, 272–274, 276,  
   279, 281,  
*Capillaria*, 101  
*Capra hircus*, 371  
 capture-mark[–release]–recapture (CMR/  
   CMRR), 349–350, 358, 590–592, 593  
 cardenolides, 480, 481, 485–488, 489,  
   499–500  
   lipophilic, 489  
 cats, feral, 336  
*Ceriodaphnia*, 467, 473, 474  
   *dubia*, 460  
*Chabertia ovina*, 101  
*Chaoborus*. *See* midge larvae  
 chasmothecia, 439–440, 443–444, 448  
 childhood disease, 161  
  
*Chlamydia*, 190, 200, 205, 207, 211–212,  
   213–214, 215, 217  
   *abortus*, 132  
   *pecorum*, 188, 214  
   *pneumonia*, 132  
 chytridiomycosis, xix, 263, 369, 511, 512, 534,  
   536  
*Cicinnobolus*, 447  
   *cesatii*, 447  
 climate change, 473  
   effect on baculovirus transmission, 226,  
     230, 239–240  
   effect on koala populations, 212  
   effect on predatory functional responses,  
     272  
   effects of warming on reindeer–nematode  
     interactions, 606–608  
   effects of warming on the rabbit–helminth  
     system, 605–609  
   effects on migration, 499  
   effects on oak powdery mildew, 433,  
     447–448  
   parasite spread and, 263  
 clonal theory, 13  
*Clupea pallasii pallasii*, 548  
 coccidia, 77–78, 79, 80, 101, 152  
 coccidiosis, 303  
*Coccipolipus hippodamiae*, 190, 191, 201–203,  
   204, 205, 209, 212, 216  
 coefficient of variation, 194, 196, 197,  
   234–235, 241  
 coevolution. *See* host–parasite coevolution  
 coinfection, 58–62, 297  
   experimental approaches to quantifying  
     interspecific parasite interactions,  
       75–79  
   findings from wild rodent studies, 79–81  
   future issues in the study of, 82–83  
   helminth–helminth models, 63–66, 71–73  
   helminth–microparasite models, 66–70  
   helminth–microparasite studies, 73–75  
   in laboratory rodents, 59  
   rabbit–helminth system, 609–613, 617  
   studies and theory of within-host  
     interaction, 62–63  
   studies in wild rodents, 70–71  
 community assembly, 71, 146–151  
 community structure  
   invasive species/parasite interactions and,  
     265, 266, 281–282  
   parasite, 62–63, 148–149  
 compartmental models, 388–390  
 competitive release, 275, 336  
 contact network, 327–328, 329, 356, 382  
   sexual, 198, 200  
*Cooperia*, 131  
   *fuelleborni*, 132, 148–151  
   *hungi*, 132  
 corixids, 465  
 Cormack–Jolly–Seber (CJS) model, 349, 358  
 corridor disease, 133  
 covert infections, 227–228, 232, 236, 254

- coyotes, 467
- Crangonyx pseudogracilis*, 266, 269, 270, 284–286
- crayfish, 262
- crayfish plague, 263, 288
- crickets, 188, 210, 495
- Crinia signifera*, 369
- Crithidia*. *See also* *Crithidia bombi*
  - expoeki*, 6
  - mexicana*, 6
- Crithidia bombi*, 6–9
  - defence against, 16–20
  - effect of microbiota, 20–23
  - genetics, 11–16
  - infection dynamics, 15–16
  - prevalence in space and time, 9–10
- critical community size, 623
- Cryptosporidium*, 101, 131
  - bovis*, 133
  - ubiquitum*, 133
- Cucumispora ornata*, 284
- Culex*, 369
- culling, 463
  - of badgers, 459, 463
  - selective, 464–466
- cytokines, 105, 135–136, 145, 327, 603–604
- damselfly
  - larvae, 474
  - nymphs, 469
- Danaus plexippus*. *See* monarch butterfly
- Daphnia*, 14. *See also* *Daphnia*–parasite–predator system
  - dentifera*, 52, 460, 464, 465
  - magna*, 460, 465
  - pulicaria*, 460, 465
  - retrocurva*, 460, 465
- Daphnia*–parasite–predator system, 460, 472–473
  - disease suppression/promotion mechanisms
    - consumption of carcasses and/or spore spreading, 470–472
    - fuelling of spore production by trophic cascades, 472
    - reduction in host density, 463–464
    - selective culling, 464–466
    - shifts in competitor community composition, 467
    - shifts in host demography or class structure, 466–467
    - shifts in predator community composition, 468
    - trait-mediated indirect effects (TMIEs), 468–469
- Darwin, C., 301
- defensin*, 17
- density-dependent prophylaxis (DDP), 19, 254, 464
- density-dependent recruitment, 358–360
- density-dependent transmission. *See* transmission, density-dependent
- deterministic systems/modelling frameworks, 146–149, 199, 200, 328, 329, 497, 530
- Dianthus pavonius*, 164, 165, 167, 174, 176, 180, 182, 183
- Dikerogammarus*
  - haemobaphes*, 266, 284
  - villosus*, 266, 284
- dilution effect, 467
- dipteracin*, 180
- directly transmitted parasites, 100
- disassortative contact, 195, 197–198, 200
- disease promotion/suppression. *See* *Daphnia*–parasite–predator system
- disease spread. *See also* superspreaders
  - coevolution and sexual reproduction, 39
  - covariance and, 37–39, 46–50
  - genetic diversity and, 45–46
  - genetic models of, 33
  - heterogeneity in sexual contact and, 192, 198, 200
  - in spatially structured hosts, 343–344
  - mechanistic mathematical models, 225–227, 237
- disease triangle, 432
- Dreissena polymorpha*, 266
- Drosophila*, 180
- drug-resistance, 563–564
- Dual Path Platform antibody test (DPP), 346
- East Coast fever, 133
- Echinorhynchus truttae*, 268, 269–271, 273, 274, 284
- ectoparasites, 58
- effective partner acquisition rate, 196
- Ehrlichia*, 131
  - ondirii*, 132
  - ruminantum*, 132
- Eichhornia crassipes*, 266
- Eimeria*, 77, 80
  - apionodes*, 78
  - hungaryensis*, 76, 78
- emerging infectious diseases (EIDs), 266, 321, 336, 511, 565, 567
- endemic infection, 263, 266, 287, 344, 443, 586, 587–588, 593, 613
  - virulence evolution, 588–590
- endoparasites, 58
- enemy release, 262, 282–286, 288
- Entomophaga maimaiga*, 230
- enzootic, 511, 528, 530–534, 537–538
- epidemics
  - childhood, 161
  - fungal, 464
  - models of, 433
  - tree, 445
  - wild plant, 429
- epidemiological feedbacks, 39–40
- epizootics, 231, 234–235, 241–243, 250, 252–253, 255, 326, 372, 516, 550, 555

- epizootics (cont.)  
 amphibian-Bd systems, 526, 530–533, 535, 538  
 chytridiomycosis, 511  
 consequences of cannibalism, 253  
 effect of covert infections, 227  
 plague–great gerbil system, 632, 634, 637  
 sea louse, 562  
 short-term, 237–238, 240–241
- Erysiphe*, 451  
*alphitoides*, 442–445, 447, 449–450, 451  
*hypophylla*, 442–443  
*quercicola*, 443–445, 449–450
- Escherichia coli*, 18, 145, 215
- eucalypt beetle–*Parobia* interaction, 201–203, 204, 207, 208
- exploitation model, 66
- extirpation, 383, 511
- faecal egg count (FEC)  
 effect of tolerance, 116  
 McMaster egg counting technique, 102  
 reindeer–parasite system, 403, 413–416  
 Soay sheep–parasite system, 96–97, 98, 102, 103–106, 116
- Felis catus*, 336
- Fibrillanosema crangonycis*, 286
- field transmission experiments, 229, 232–233, 238, 240, 242, 246, 249
- fish predation. *See* *Daphnia*–parasite–predator system
- Flamingolepis liguloides*, 288
- Flavobacterium columnare*, 563
- fleas, 74, 624–625, 629, 630–631, 633–636, 637–638
- floating pennywort, 266
- foot and mouth disease, 131, 133, 326
- force of infection, 15, 40, 50, 147, 517, 528, 534, 604–605, 635  
 age-related, 172, 173  
 effect of climate warming, 606–608  
 interannual variation, 102, 105  
*Mycoplasma ovipneumoniae*, 377, 382  
 STIs, 194, 212  
 Tasmanian devil facial tumour disease, 328, 330, 333
- foxes, red, 336, 467
- froglet, common eastern, 369
- frogs  
 American bullfrog, 263  
 Cuban tree, 527  
 lowland leopard, 519  
 mountain yellow-legged, 512, 516, 519, 530–533, 534  
 northern corroboree, 369  
 Pacific chorus, 534  
 whistling tree, 537
- functional response, 263, 271–272, 273, 287  
 type II, 556, 560  
 type III, 236
- Fusobacterium necrophorum*, 372
- Gambusia affinis*, 262
- Gammarus*, 281, 287  
*duebeni celticus*, 266, 268, 269–271, 272–274, 276, 283  
*pulex*, 266, 269–271, 272, 274, 276, 283–284  
*tigrinus*, 266, 269, 270, 283
- Gasterosteus aculeatus*, 549
- GB virus C, 215
- gene expression, 12, 17, 20, 309–311, 603
- gene-for-gene model of host–parasite compatibility, 11, 35, 164, 450
- Generalized Threshold Mixed Model, 633
- genital tract infection, 211, 213
- gerbils, 71  
 great. *See* plague–great gerbil system
- giant liver fluke, 566
- Giardia lamblia*, 78
- Gilliamella apicola* (Orbaceae), 21
- Global Panzootic Lineage (BdGPL), 526
- global warming, 255
- goats, 368, 370, 371, 378–379, 383
- goldfinches, American, 580, 584, 585
- gonorrhoea, 191
- Gram-negative bacteria, 18
- Graphidium strigosum*, 601, 602  
 coinfection, 610, 611–613  
 dynamics of infection, 604–605  
 effects of climate and seasonality, 606–609
- growth–defence trade-off hypothesis, 450
- Gryllodes sigillatus*, 188
- gypsy moth  
 baculoviruses, 230–231, 236–237, 255  
 evolutionary dynamics, 246, 249, 250  
 genotype-by-genotype effects, 254  
 tannin-induced defences, 242–246, 250  
 transmission, 235
- haemonchosis, 132
- Haemonchus*, 131  
*contortus*, 101, 132, 148–151  
*placei*, 132, 148–151
- Haemorrhous mexicanus*. *See* house finch
- Handicap Principle, 301, 307
- hare  
 mountain, 420  
 snowshoe, 420
- healthy herds hypothesis, 458, 459, 460, 464, 471, 474
- heartwater, 132
- Heligmosomoides*  
*mixtum*, 74  
*polygyrus*, 73, 74, 75–77, 78  
*polygyrus bakeri*, 73, 76  
*polygyrus polygyrus*, 76
- Helix aspersa*, 188, 211
- herring, 546, 547  
 Pacific, 548
- Hesperomyces virescences*, 188
- heterogeneity, xxii, 82, *See also* rabbit–helminth system  
 contact and disease transfer, 352  
 defence, 91

- in immune response, 604
- in infectivity, 342, 343, 347, 353
- in sexual contact, 192–198, 200, 206, 212–213, 216
- Soay sheep–parasite system, 102–106, 113, 115–116
- TB transmission and, 139
- transmission dynamics and, 233, 235, 237, 240–241, 242–243, 246–248, 250, 252
- HIV, 66, 129, 215
- honey bees, 19
  - sexually transmitted infections (STIs), 190, 209
- horizon scanning, 263, 287, 290
- horses, 189
- host
  - defences, 16–20, 109, 604
  - intermediate, 6, 42–43, 63, 268, 271, 274
  - population demography, 344, 356–360
  - range, 378–379, 574
- host density, 232, 252, 269–271, 275, 283, 529, 538
  - contact rate and, 517
  - disease spread and, 576
  - effects on basic reproductive number, 33
  - intensity of *O. gruehneri* infection and, 416–419
  - parasite abundance and, 299, 398
  - predator-driven reduction in, 461–464
  - thresholds, 565, 634–635
  - virulence and, 40–41
- host–parasite coevolution, 18
  - disease spread and sexual reproduction, 39
  - effect on covariance and genotype frequencies, 37–38, 52
  - environmental effects, 255
  - genetic basis, 11–16
  - genetic models, 32–33, 52
  - Potamopyrgus–Microphallus*, 45, 47
- House Finch Disease Survey, 585
- house finch–*M. gallisepticum* system, 161, 566, 574–575
  - capture–mark–release–recapture analyses, 590–592
  - changes in disease prevalence and host population size, 581–583
  - seasonal variation in disease prevalence, 576–577
    - experimental tests of, 580–581
    - mechanisms causing, 579
  - virulence evolution, 583–584
    - changes in patterns of, 586–587
    - in endemic populations, 588–590
    - in non-equilibrium conditions, 587–588
    - single evolutionary lineage, 584–586
- hyacinth, 266
- Hydrocotyle ranunculoides*, 266
- hymenoptaecin*, 17
- Hymenoscyphus fraxineus*, 430
- immune priming, 13, 19–20, 114–115
- immune system, 17, 19, 61, 161, 302, 362, 603
  - defences, 106–107, 114, 304
  - effect of resource levels, 472
  - mechanism for evading, 324, 327
  - parasitic effects on, 129, 135, 144
  - self–non-self recognition, 34
  - stress-induced enhancement, 468
- Immunocompetence Handicap Hypothesis (ICHH), 301, 302, 303, 304, 310
- immunomodulation/immunosuppression, 69, 109, 112, 300, 303, 304, 310–311, 350, 382, 496
- immunoparasitology, 96, 118
- immunosenescence, 111
- individual-based models (IBMs), 64–66, 94, 333, 347, 450, 529, 530
- infection intensity, 65
  - bees/parasitic cells, 7–8, 13, 22
  - effect of tolerance, 116
  - reindeer–nematode system, 409, 413–416
  - strongyle, 103, 112
  - wild salmon, 546, 553
  - within-host dynamics and, 382
- infectious bovine rhinotracheitis, 133
- infracommunity, 71
- innate immunity, 302
- integral projection [or population] models (IPMs)
  - amphibian–Bd systems, 520–523
  - badger–bTB system, 357–360
  - Soay sheep system, 116–117
  - Tasmanian devil facial tumour disease, 329, 333, 336
- interactionist parasite communities, 58, 62–63, 83
- intraguild predation (IGP), 263, 266, 269–271, 281, 474
  - cannibalism and, 272–274
  - density-mediated model, 275–278
  - on lower-order prey, effects on parasites, 271–272
  - trait-mediated models, 279–280
- invasive alien species (IAS), 262–265, *See also*
  - amphipod crustaceans, native and invader
  - effect of parasitic interactions on community structure, 281–282
  - horizon scanning, predicting and managing impacts, 287–289
- inverse gene-for-gene model of host–parasite compatibility, 11
- inverse matching alleles model of host–parasite compatibility, 34, 38, 45
- isolationist parasite communities, 58, 62, 73, 78, 83
- iteroparity, 206
- Ivermectin, 76, 78
- Ixodes ricinus*, 75
- keratoconjunctivitis, 211
- koalas, 188, 190, 200, 211–212, 213–214, 215, 217
- Koch's postulates, 326, 372–373, 374, 574

- Lactobacilli, 215  
*Lactobacillus* (Bifidobacteriaceae), 21  
 ladybirds, STIs in, 190, 191  
   behaviours and reduced infection risk, 208–209  
   *Coccipolipus* interaction, 201–203  
   density-dependent transmission, 210  
   geographical and seasonal variation in prevalence, 205–206  
   impact of male-killing bacterial symbionts, 215–216  
   promiscuity and prevalence, 204–205  
   stabilising factors, 212–213  
*Lagopus lagopus scoticus*. *See* red grouse  
 latent period, 202, 206, 330  
*Leishmania*, 6  
*Lepeophtheirus salmonis*, 545–547, 553  
*Lepomis macrochirus*. *See* bluegill sunfish  
*Leptomonas*, 6  
*Leptospira*, 101, 132  
*Lithobates yavapaiensis*, 519  
*Litoria verreauxii verreauxii*, 537  
 lizards, 204  
 lobsters, 463  
 lumpy skin disease virus, 133  
 lungworm, 372  
*Lymantria dispar*. *See* gypsy moth  
 Lyme disease, 458–459, 467
- macroparasite–macroparasite interactions, 146–151  
 macroparasite–microparasite interactions  
   coinfection studies, 59, 73–75  
   gastrointestinal worms and bovine tuberculosis infection, 135–144  
   models, 66–70  
   theory of, 68–69  
 macroparasites, xix, 58, 91, 112, 115, 134, 324, 514, 635  
   effect of diet on burden, 472  
   epidemiology, 116  
   evolution of virulence, 563  
   heterogeneity in burden, 102–103  
   host–macroparasite models, 63, 556–558  
   regulation of host population, 397, 400, 419  
 Major Histocompatibility Complex (MCH), 324, 327, 335  
 malaria, 66, 181  
 malignant catarrhal fever, 133  
 malnutrition, 97, 109–111  
*Mannheimia haemolytica*, 372, 373  
*Marshallagia marshalli*, 401, 413, 420  
   effects on reindeer body condition and reproduction rates, 409–413  
   free-living stages of, 406–409  
   observational studies of life history, 403–404  
   seasonal fluctuations in infections, 404–406  
 matching alleles model of host–parasite compatibility, 34, 36, 39, 45–46, 52  
 matrix population models (MPMs), 116  
 mean-field approximation, 198, 199, 329, 347  
 medication, plastic vs. fixed, 490–491
- Mehdinema alii*, 188  
*Meles meles*. *See* badgers, bovine tuberculosis (bTB) in  
*Melophagus ovinus*, 101  
 metapopulation, 164, 326  
*Metschnikowia*, 52, 460, 464, 465, 470  
   *bicuspidata*, 459, 460, 465  
 mice, 70, 71, 73, 467  
   coinfection studies, 59  
   deer, 78  
   New Holland, 336  
   white-footed, 78, 420  
   wood, 70, 72, 73, 76, 79, 80  
   yellow-necked, 70, 74  
 microbiota, 450, 598  
   impact of mating and partner diversity, 204–205, 215  
   in Soay sheep, 113  
   in social insects, 20–23  
*Microbotryum*, 163  
 microparasite–macroparasite interactions, 144–146. *See also* macroparasite–microparasite interactions  
 microparasites, 58, 59, 112, 134, 324, 514  
   coinfection studies, 73–75  
   diagnostic techniques, 152–153  
   immune response, 74  
   model, 276  
   mutation, xix  
   vaccinations, 154  
*Microphallus*, 32, 43–45  
   adaptation and disease spread, 45–46  
   covariance and disease spread, 46–50  
*Microtus agrestis*. *See* voles, field  
 midge larvae, 460, 466–467, 468–469, 471, 472–473, 474  
 midge, phantom, 460  
 migration, 566  
   birds, 495  
   bumblebee, 10  
   butterfly. *See under* monarch butterflies  
   effect on parasite dynamics, 492–493  
   parasite, 45  
   salmon, 544, 547, 564  
 migratory allopatry, 492, 545, 547  
 migratory culling, 492, 494–495, 496, 497, 500–502  
 migratory escape, 492, 493–495, 497, 500, 566  
 milkweeds, 480, 482, 484, 493, 496  
   availability, 499–500  
   effect of toxins on host–parasite interactions, 485–488, 502  
   influences on the pharmaceutical and nutritional traits of, 488–489  
   trait-mediated indirect effects (TMIEs), 484  
   vaccination theory, 489–490  
 monarch butterflies  
   cascading TMIEs in the parasite system, 488–489  
   effect of medicinal milkweeds on parasite virulence evolution, 489–490

- evolution of medication behaviour, 490–491
- migration, 480–482
  - effect on immunity and host–parasite evolution, 495–497
  - infection dynamics and, models of, 497–498
  - multi-trophic interactions and, 499–502
  - parasite infection and, 493–495
- milkweed toxins, TMIEs, and host–parasite interactions in, 485–488
- parasite system, 480–482
- toxicity of, 480
- trait-mediated indirect effects (TMIEs), 484
- Moniezia*, 132
- mosquito, 369
- mosquito fish, 262
- Muller's ratchet, 39
- mussels, zebra, 266
- Mycobacterium*
  - bovis*, 131, 132, 134, 136, 137, 144, 345–346, 347–349, 353, 356, 357, 359, 362
  - tuberculosis*, 136
- Mycoplasma conjunctivae*, 369
- Mycoplasma gallisepticum*. *See* house finch–*M. gallisepticum* system
- Mycoplasma ovipneumoniae*, 372–377
  - carriage patterns, 380–381
  - fade-out, 388–390
  - host range and spillovers, 378–379
  - seasonality, 382
  - spatial structuring and disease transmission, 383–384
  - spillover risk, 386
  - transmission and prevalence, 384–385
  - transmission and virulence, 377–378
- mycoplasmal conjunctivitis, 574, 578, 580–581, 584, 592
- Myodes glareolus*. *See* voles, bank
- myxoma virus, 588
- natural selection, 95, 99, 115, 246–247, 250, 254–255, 333, 357, 484, 490
- negative binomial distribution, 102, 103, 418, 558
- Neisseria gonorrhoeae*, 191
- Nematodirus*, 132
- Nemhelix bakeri*, 188, 211
- network-based models, 198, 356
- newts, spotted, 527
- Noctuidonema guyanense*, 188
- Nosema apis*, 209
- Notophthalmus viridescens*, 527
- oak powdery mildew, 429–432, 450
  - climate-driven seasonality, 433, 439–441
  - evolution of resistance to, 445–447
  - growth–defence trade-off, 450–451
  - models incorporating host growth dynamics, 448–449
  - pathosystem, 442, 443–445, 450–452
  - pathosystem models capturing long-term behaviour of, 447–448
- occlusion bodies, 227–229, 231, 241
- Oesophagostomum*, 101, 132
- Oncorhynchus*. *See* salmon, Pacific
- Ophryocystis elektroscirrha*, 482–484
  - effect of milkweed toxins and TMIEs on interactions with host, 486–488
  - effect of multi-trophic interactions and migration on host infections, 499–502
  - effect of seasonal migration on host infections, 493–495
  - effect of TMIE cascades, 489
  - host, 486–488
  - transmission models, 497–498
- ordinary infectious disease (OID), 191, 198
- Oryctes monoceros*, 188
- Orycionema genitalis*, 188
- Oryctolagus cuniculus*, 334
- Osteopilus septentrionalis*, 527
- Ostertagia gruehneri*, 401, 420
  - effect on reindeer fitness, 417–418
  - effects on reindeer body condition and reproduction rates, 409–413
  - model of fecundity and intensity of infection, 413–416
  - observational studies of life history, 403–404
  - seasonal fluctuations in infections, 404–406, 408
- ovine herpesvirus type 2, 133
- Ovine SNP50 Beadchip (Illumina), 95
- Ovis*
  - aries*, 371, *See also* sheep, Soay
  - canadensis*. *See* bighorn sheep
  - canadensis canadensis*, 370–371
  - canadensis nelsoni*, 370–371
  - canadensis sierrae*, 370
- Oxidation Handicap Hypothesis (OHH), 304–305, 310
- oxidative stress, 303
- Pacifastacus leniusculus*, 263
- pair approximation, 199–200
- pandemic, xix
- panmixis, 10
- Parabronema*, 132
- parainfluenza 3 virus, 101, 133
- Parobia*. *See* eucalypt beetle–*Parobia* interaction
- Passer domesticus*. *See* sparrows, house
- Pasteurella*, 372, 373, 385
  - multocida*, 372
- Pasteuria*, 470–471
  - ramosa*, 460, 465
- pathogen accumulation hypothesis, 447
- pathosystem, 429–432, 442, 443, 445, 447–448, 450–452
- percolation theory, 630–633
- Peromyscus*, 71, 79, 80
  - leucopus*, 78, 420
  - maniculatus*, 78

- phenology, 565  
 fungus, 442  
 ladybird, 206, 212, 216  
 oak, 442  
 tree, 433, 446, 448, 449, 450  
 phocine distemper virus, 161, 368, 369  
*Phyllactinia* spp., 442  
 phyllosphere, 432, 446–447, 451  
 pigeons, 495  
 plague-great gerbil system, 624–625  
   abundance threshold, 625–630  
   as percolation phenomenon, 630–633  
   automated monitoring of, 639–641  
   effects on invasion and persistence, 636–637  
   spillover, 633  
 cyclic time series, 637–639  
 hyperbolic joint host-vector threshold, 633–636  
 plant defences, 241–246, 250, 450  
 plant diseases, 429, 432, *See also* anther-smut disease; oak powdery mildew  
   climate-driven seasonality and interannual transmission, 433  
   juvenile resistance, 161–163  
 plants, medicinal. *See* milkweeds  
*Pleistophora mulleri*, 268, 269–270, 272–274, 276, 283  
 pneumonia. *See* bighorn sheep pneumonia  
*Poecile atricapillus*, 585  
*Polycaryum laeve*, 465  
 polygyny/polyandry, 192, 196, 205, 207, 546  
 population viability analysis (PVA), 386–387  
 Possum TB, 187  
*Potamopyrgus antipodarum*, xxii, 32, 42, 52  
   covariance and disease spread, 46–50  
   genetic diversity and disease spread, 45–46  
   parasites, 42–45  
 powdery mildews, 443, *See also* oak powdery mildew  
   grapevine, 442, 447  
   phylogeny, 442  
   tropical, 440  
 predation, 555, *See also* *Daphnia*–parasite–predator system; intraguild predation (IGP)  
   multi-host food webs, 559–562  
   parasite-mediated with a single prey species, 556–559  
   parasites that escape, 562  
 prevalence, 9–10, 204–205, 384–385, 576–581  
 primates, 161, 180, 189, 206, 208  
 Project FeederWatch, 585  
*Protostrongylus*, 372  
*Pseudacris regilla*, 534  
*Pseudomys novaehollandiae*, 336  
*Pseudophryne pengilleyi*, 369  
 Puumala hantavirus, 74  
*Pythium*, 161  
  
*Quercus*, 242, 450  
   *petraea*, 449  
  
*robur*, 446, 449  
*rubra*, 242  
  
 rabbit–helminth system, 600–602  
   drug treatment, 613–616  
   effects of climate and seasonality, 605–609  
   effects of coinfection, 609–613  
   future research considerations, 616–618  
   heterogeneities in responses and dynamics of infection, 602–605  
 rabbits, 161, 334, 588, *See also* rabbit–helminth system  
   bacterial infection, 602  
 rabies, 463  
*Rana*  
   *muscosa*, 512, 516, 521, 523, 527, 528, 529, 534  
   *sierrae*, 512, 516, 528, 537  
 Randomised Badger Culling Trial (RBCT), 345  
*Rangifer tarandus*, 398  
   *platyrhynchus*. *See* reindeer, Svalbard  
 rat, black, 336  
*Rattus rattus*, 336  
 red grouse  
   female ornamentation and male mate choice, 305–307  
   genomic basis of chronic parasite burden, 311–313  
   parasites, 298–299, 458  
   parasitic effects  
   effect of environmental variation in response to, 307–309  
   effects of testosterone, 303–305  
   on physiology and expression of sexual traits, 302–303  
   on population dynamics, 299–301, 400  
   short-term gene-expression responses to, 309–311  
   selective predation of, 464  
   regulation (of host population dynamics), 356–357  
 reindeer, Svalbard  
   effects of warming on reindeer–nematode interactions, 606–608  
   models of population dynamics and the consequences of including the effect of parasites on fitness, 416–420  
   parasite fecundity and intensity of infection, 413–416  
   parasite life-history differences and seasonal changes in infections, 402–409  
   parasite system, 398–402  
   parasitic effects on body condition and reproduction rates, 409–413  
 reservoir host, 288, 544, 547–550, 564, 624, 626  
 reservoir, environmental, 327, 528–533, 535  
 resistance, 115–117, 524, 537–539  
   age-related, 161–163, *See also* anther-smut disease  
   growth-defence trade-off, 450–451

- phyllosphere microbial interactions and intrinsic, 445–447
- Rhombomys opimus*. *See* plague–great gerbil system
- Rickettsia*, 215
- Rift Valley Fever virus, 131, 133, 134, 144–146
- robin, American, 369
- Saiga tatarica*. *See* antelope, Saiga
- Salmo salar*. *See* salmon, Atlantic (farmed)
- Salmo trutta*, 268, 550
- salmon, Atlantic (farmed), 547, 548, *See also* salmon–sea louse system
- salmon, Pacific, 493, *See also* salmon–sea louse system
  - chinook, 547, 548
  - chum, 548, 550, 552, 556, 559–562
  - coho, 548, 550, 551, 556, 559, 561, 562
  - cutthroat trout, 547, 548, 550, 556
  - pink, 548, 549, 550–552, 554–555, 556, 559–560, 561–562
  - sockeye, 548, 550, 551, 552–555
- Salmonella*, 205, 215
- salmon–sea louse system, 544–545
  - anthropogenic changes to, 545–552
  - conservation and management issues, 564–565
  - effects of interspecific competition, 554–555
  - effects of intraspecific competition, 552–554
  - evolution of drug resistance, 563–564
  - evolution of virulence, 563
  - host species, 548
  - multi-host food webs, 559–562
  - parasite-mediated predation with a single prey species, 556–559
- Sarcophilus harrisii*. *See* Tasmanian devil
- SARS, 327
- Save the Tasmanian Devil Program (STDP), 326
- Schistosoma*, 52, 131
  - matthei*, 132
- schistosomiasis, 132
- sea lice, 493, *See also* salmon–sea louse system
- sea urchins, 463
- seals, 161
  - harbour, 369
- SEI models. *See* Susceptible–Exposed–Infected (SEI) models
- SEIR models. *See* Susceptible–Exposed–Infected–Recovered (SEIR) models
- semelparous organisms, 545, 547
- sex differences in disease susceptibility, 350–351
- sexual selection, 3, 297
  - effect on STI epidemiology, 206–207
  - ornamentation in female red grouse and, 305–307
  - theoretical models, 301, 310
- sexually transmitted infections (STIs), 187–192
  - dynamics of coinfections, 214–216
  - effect of mating rates and sexual selection, 206–207
- epidemiological dynamics of, 192–194
- epidemiology in natural populations, 201–204
- geographical and seasonal variation in prevalence, 205–206
- host behaviours and reduced infection risk, 208–210
- importance of non-sexual transmission for, 213–214
- intercohort transmission, 206–206
- modelling heterogeneity in sexual contact, 193–198
- network approximations, 199–200
- promiscuity and prevalence, 204–205
- sex biases in transmission of, 207
- stabilising factors in STI–host dynamics, 210–213
- sheep, bighorn. *See* bighorn sheep pneumonia
- sheep, domestic, 377, 383, 390
  - gastrointestinal nematode species, 402
  - Old World, 371
  - spillover, 378–379
- sheep, Soay, 420
  - dynamics and diversity of parasites, 100–102
  - immune function and fitness, 107–109
  - immune priming, 114–115
  - immune response to strongyle infections, 106–107
  - malnutrition and disease susceptibility, 109–111
  - measurement of parasites, 94–95
  - population dynamics and diversity, 97–100
  - population history, 92–94
  - predictors and consequences of heterogeneity in nematode burden, 102–106
  - research on individual-scale processes, 111–113
  - suitability as a study population, 95–97
  - use of integral projection models (IPMs), 116–117
- shrimp
  - brine, 288
  - demon, 266
  - Ponto-Caspian ‘killer’, 266
- SI models. *See* Susceptible–Infected (SI) models
- Silene*, 201
  - acaulis*, 163
  - latifolia*, 164, 165, 166, 182
  - maritima*, 164
  - rupestris*, 164, 166
- SIR models. *See* Susceptible–Infected–Recovered (SIR) models
- SIS models. *See* Susceptible–Infected–Susceptible (SIS) models
- SIV infection, 189, 206
- smallpox, 251
- snails, 206, 211, 466, *See also* *Potamopyrgus antipodarum*

- social immunity, 19  
 soybean, 243–246  
 Spanish Flu, xix  
 sparrows  
   house, 369, 468, 581, 585  
   rufous-collared, 207  
 spillback, 547  
 spillover, 146, 263, 282, 368, 378–379, 386,  
   502, 547, 567, 633  
*Spinus tristis*. *See* goldfinches, American  
*Spirobacillus cienkowskii*, 465, 470  
*Spiroplasma*, 216  
*Spodoptera*, 254  
   *exempta*. *See* armyworm, African  
   *frugiperda*. *See* armyworm, fall  
 squirrels, Cape ground, 209  
*Staphylococcus aureus*, 391  
 starlings, European, 495  
*Stercorarius skua*, 92  
 stickleback, 546, 547  
   three-spined, 549  
 STLV infection, 206  
 stochastic systems/processes, 146–149, 199,  
   200, 214, 535  
   models, 333, 357, 450, 530  
 storks, Spanish white, 499  
 strongyle nematodes, 95, 99, 100–102  
   association with TB, 136  
   effect of warming on, 117  
   faecal egg count, 103–106  
   immune response to, 106–109, 114  
 subclinical infections, 398  
 supershedders, 343, 369, 534, 611, 612, 613  
 superspreaders, 207, 327, 328, 342, 347, 362,  
   369  
 susceptible hosts, 66, 140, 170, 172, 227, 249,  
   329, 360, 388, 432, 439, 517, 520, 535,  
   579, 623–624, 630  
 Susceptible–Exposed–Infected (SEI) models,  
   328, 347  
 Susceptible–Exposed–Infected–Recovered  
   (SEIR) models, 229, 231, 243, 249, 254,  
   276, 347  
 Susceptible–Infected (SI) models, 66, 136, 137,  
   347, 349, 536  
 Susceptible–Infected–Recovered (SIR) models,  
   66, 141, 170, 433, 434–435, 557  
 Susceptible–Infected–Susceptible (SIS)  
   models, 517, 518  
 swans, Bewick's, 492  
*Syncerus caffer*. *See* buffalo, African  
 tadpole–trematode system, 474  
*Taenia hydatigena*, 101  
 Tasmanian devil facial tumour 2 (DFT2), 335  
 Tasmanian devil facial tumour disease (DFTD),  
   321–324  
   conservation actions and research, 323–327  
   evolution, 330–333  
   future directions for research, 334–336  
   quantifying transmission to identify  
     control options, 327–329  
   quantifying transmission to predict  
     epidemic outcome, 329–330  
*Taylorella*  
   *asinigenitalis*, 189  
   *equigenitalis*, 189  
*Teladorsagia circumcincta*, 100, 105, 114, 401  
 testosterone, 207, 300–301, 303–305, 308,  
   310–311, 350, 382  
 Th1/Th2 immune response, 74, 106, 135–136,  
   137, 603–604  
*Theileria*, 131, 152–153  
   *buffeli*, 133  
   *mutans*, 133  
   *parva*, 133, 153  
   *velifera*, 133  
 theileriosis, 131  
 threshold population size, 192  
*Thylacinus cynocephalus*, 321  
 ticks, 75–76, 131, 135, 152  
 toads  
   common midwife, 528, 529, 536  
   Mallorcan midwife, 519, 526, 527  
 tolerance, 8, 111–112, 115–117, 481, 524,  
   538–539, 602  
   factors effecting, 111–112  
   monarch butterfly infection, 484, 486–488,  
     489, 496  
   nutrition-dependent, 111  
   oak powdery mildew, 446, 450–451  
   Tasmanian devil tumour disease, 333  
 trait-mediated effects (of parasitism),  
   263–265, 275  
   models of, 278–281  
 trait-mediated indirect effects (TMIEs), 117  
   cascading, 488–489  
   *Daphnia*–predator system, 468–469  
   plant-mediated, 484  
   resource quality and, 241  
 transmission. *See also* individual species and  
   infections  
   among-group, 353–355  
   density-dependent, 40–41, 102, 169, 192,  
     210, 236, 253, 276, 461, 519, 535, 550,  
     565  
   frequency-dependent, 163, 169, 174, 192,  
     194, 201, 214, 253, 329, 330, 391, 518,  
     528, 535  
   horizontal, 227, 279, 482, 580  
   intercohort, 206–206  
   mass-action, 630, 633  
   sexual. *See* sexually transmitted infections  
     (STIs)  
   social, 200  
   trophic, 562  
   vertical, 6, 190, 200, 214, 215, 227, 254, 284,  
     498  
   within-group, 353  
 transmission trade-offs. *See* virulence, trade-  
   offs between transmission and  
 tree swallow, 215  
*Trichostrongylus*, 100, 131  
*Trichostrongylus defexus*, 132

- Trichostrongylus retortaeformis*, 601  
 coinfection, 610–613  
 drug treatment, 614–616  
 dynamics of infection, 602–605  
 effects of climate and seasonality, 606–609  
*Trichostrongylus tenuis*, 297–299, 458  
 effect of testosterone, 303–305  
 effect on host's gene-expression responses, 309–311  
 effects on host physiology and the expression of sexual traits, 302–303  
 genomic basis of susceptibility to, 311–313  
 within-pairs infection, 306  
*Trichuris*, 132  
*muris*, 83  
 trickle infections, 82, 114  
 trophic cascades, 275, 278, 321, 326, 336, 466, 472  
 trout, 512, 550, 553  
 Atlantic sea, 550  
 brown, 268  
 cutthroat, 547, 550, 556  
 Dolly Varden, 550  
*Trypanosoma equiperdum*, 189  
 trypanosomes, 12, 13, 24  
 tuberculosis (TB), 66, 129, *See also* bovine tuberculosis (bTB)  
*Turdus migratorius*, 369  
 urinary tract disease, 211  
*Ustilago violacea*, 188  
 vaccination theory, 489–490  
*Varroa* mites, 190  
 virulence, 3, 8–9, 38, 276, 286, 332, 524  
 anther-smut disease, 164  
 classic and cryptic, 279  
 covert infections and, 254  
 density-dependent, 39, 40–41  
 effect of medicinal plants on, 484, 486, 489–490  
 effect of migration on, 496–497, 500–502  
 evolution in salmon-sea louse system, 563  
 evolution of in house finch–*M. gallisepticum* system, 583–584, 593  
 changes in patterns, 586–587  
 in endemic populations, 588–590  
 non-equilibrium conditions, 587–588  
 evolution of in plant parasites, 431–434  
 in STIs, 208  
 levels of, 413  
 pathogen evolution and, 246  
 salmon-sea louse system, 545  
 trade-offs between transmission and, 377–378, 437–439, 447–448, 449–450, 484, 490  
 variability in *Batrachochytrium dendrobatidis* (Bd), 524–526, 537  
 voles  
 bank, 71, 72, 74  
 field, 71, 74–75  
 Vuillemin, P., 447  
*Vulpes vulpes*, 336  
 Watanabe–Akaike Information Criterion (WAIC), 238  
 West Nile Virus, 369  
 white nose syndrome, 369  
 Withering-Syndrome Rickettsia-Like Organism (WS-RLO), 566  
*Wolbachia*, 215  
 World Organization for Animal Health (OIE), 288  
*Xenopsylla* spp., 624  
*Yersinia pestis*. *See* plague–great gerbil system  
 zebra finch, 207  
*Zonotrichia capensis*, 207  
 zoonosis, 74, 131, 146, 633  
 zoospores, 471, 512, 519, 520–521, 523  
*Zootoca vivipara*, 204