

## THE GENERAL ASSEMBLY OF GALAXY HALOS: STRUCTURE, ORIGIN AND EVOLUTION

IAU SYMPOSIUM 317

### *COVER ILLUSTRATION:*

This is a montage of three images illustrating hot topics of our Symposium, clockwise from the bottom:

1) the Milky Way galaxy arching above the platform of ESO's Very Large Telescope (VLT) on Cerro Paranal, Chile. The extent of our galaxy's cloudy and dusty structure can be seen in remarkable detail as a dim glowing band across the observation deck. Our galaxy is surrounded by several smaller satellite galaxies. Prominent here, to the left, are the Small Magellanic Cloud and Large Magellanic Cloud dwarf galaxies which are members of our Local Group of galaxies. Credit: John Colosimo ([colosimophotography.com](http://colosimophotography.com))/ESO.

2) a contrasting pair of galaxies: NGC 1316, and its smaller companion NGC 1317 (right). Although NGC 1317 seems to have had a peaceful existence, its larger neighbour bears the scars of earlier mergers with other galaxies. Credit: ESO.

3) the surface brightness of a simulated halo (standard halo number 8 in Johnston et al. 2008, ApJ, 689, 936), as viewed from an external perspective. The panel is 300 kpc on a side. Adapted from Fig. 14 in Johnston et al. (2008).

Cambridge University Press & Assessment  
978-1-107-13819-3 — The General Assembly of Galaxy Halos (IAU S317)  
Edited by Angela Bragaglia , Magda Arnaboldi , Marina Rejkuba , Donatella Romano  
Frontmatter  
[More Information](#)

## IAU SYMPOSIUM PROCEEDINGS SERIES

*Chief Editor*

THIERRY MONTMERLE, IAU General Secretary  
*Institut d'Astrophysique de Paris,  
98bis, Bd Arago, 75014 Paris, France  
montmerle@iap.fr*

*Editor*

PIERO BENVENUTI, IAU Assistant General Secretary  
*University of Padua, Dept of Physics and Astronomy,  
Vicolo dell'Osservatorio, 3, 35122 Padova, Italy  
piero.benvenuti@unipd.it*

INTERNATIONAL ASTRONOMICAL UNION  
UNION ASTRONOMIQUE INTERNATIONALE



THE GENERAL ASSEMBLY OF  
GALAXY HALOS: STRUCTURE,  
ORIGIN AND EVOLUTION

PROCEEDINGS OF THE 317th SYMPOSIUM  
OF THE INTERNATIONAL ASTRONOMICAL  
UNION HELD IN HONOLULU, USA  
AUGUST 3–7, 2015

Edited by

**ANGELA BRAGAGLIA**  
*INAF Osservatorio Astronomico di Bologna, Italy*

**MAGDA ARNABOLDI**

*European Southern Observatory, Germany and INAF Osservatorio Astronomico  
di Torino, Italy*

**MARINA REJKUBA**

*European Southern Observatory, Germany*

and

**DONATELLA ROMANO**

*INAF Osservatorio Astronomico di Bologna, Italy*



Cambridge University Press & Assessment  
978-1-107-13819-3 — The General Assembly of Galaxy Halos (IAU S317)  
Edited by Angela Bragaglia , Magda Arnaboldi , Marina Rejkuba , Donatella Romano  
Frontmatter  
[More Information](#)



Shaftesbury Road, Cambridge CB2 8EA, United Kingdom  
One Liberty Plaza, 20th Floor, New York, NY 10006, USA  
477 Williamstown Road, Port Melbourne, VIC 3207, Australia  
314–321, 3rd Floor, Plot 3, Splendor Forum, Jasola District Centre, New Delhi – 110025, India  
103 Penang Road, #05–06/07, Visioncrest Commercial, Singapore 238467

Cambridge University Press is part of Cambridge University Press & Assessment,  
a department of the University of Cambridge.

We share the University's mission to contribute to society through the pursuit of  
education, learning and research at the highest international levels of excellence.

[www.cambridge.org](http://www.cambridge.org)  
Information on this title: [www.cambridge.org/9781107138193](http://www.cambridge.org/9781107138193)

© International Astronomical Union 2016

This publication is in copyright. Subject to statutory exception and to the provisions  
of relevant collective licensing agreements, no reproduction of any part may take  
place without the written permission of Cambridge University Press & Assessment.

First published 2016

*A catalogue record for this publication is available from the British Library*

ISBN 978-1-107-13819-3 Hardback

Cambridge University Press & Assessment has no responsibility for the persistence  
or accuracy of URLs for external or third-party internet websites referred to in this  
publication and does not guarantee that any content on such websites is, or will  
remain, accurate or appropriate.

## Table of Contents

Preface .....	xii
Origins of Stellar Halos..... <i>K. V. Johnston</i>	1
Tracing the stellar halo of an early type galaxy out to 25 effective radii .....	9
<i>M. Rejkuba</i>	
Stellar halos around Local Group galaxies..... <i>A. W. McConnachie</i>	15
Resolving the extended stellar halos of nearby galaxies: the wide-field PISCeS survey..... <i>D. Crnojević, D. J. Sand, N. Caldwell, P. Guhathakurta, B. McLeod, A. Seth, J. D. Simon, J. Strader &amp; E. Toloba</i>	21
Intragroup and Intracluster Light..... <i>J. C. Mihos</i>	27
New axes for the stellar mass fundamental plane .....	35
<i>P. L. Schechter</i>	
Direct imaging of haloes and truncations in face-on nearby galaxies..... <i>J. H. Knapen, S. P. C. Peters, P. C. van der Kruit, I. Trujillo, J. Fliri, M. Cisternas &amp; L. S. Kelvin</i>	39
Very Low-Mass Stars with Extremely Low Metallicity in the Milky Way's Halo .....	45
<i>W. Aoki, T. C. Beers, T. Suda, S. Honda &amp; Y. S. Lee</i>	
Searching for chemical relics of first stars with LAMOST and Subaru .....	51
<i>H. Li, W. Aoki, G. Zhao, S. Honda, N. Christlieb &amp; T. Suda</i>	
Inhomogeneous chemical enrichment in the Galactic Halo .....	57
<i>C. Kobayashi</i>	
Exploring the early Universe with extremely metal-poor stars..... <i>T. T. Hansen, N. Christlieb, C. J. Hansen &amp; T. C. Beers</i>	64
Planetary Nebulae and their parent stellar populations. Tracing the mass assembly of M87 and Intracluster light in the Virgo cluster core..... <i>M. Arnaboldi, A. Longobardi &amp; O. Gerhard</i>	69
RR Lyrae to understand the Galactic halo .....	77
<i>G. Fiorentino</i>	
PN populations in the local group and distant stellar populations .....	83
<i>W. Reid</i>	
The Outer Galactic Halo As Probed By RR Lyr Stars From the Palomar Transient Facility + Keck..... <i>J. Cohen, B. Sesar, S. Banholzer, the PTF Collaboration</i>	91
Globular clusters and their contribution to the formation of the Galactic halo ..	97
<i>E. Carretta</i>	

Did globular clusters contribute to the stellar population of the Galactic halo? . . . . .	104
<i>C. Charbonnel &amp; M. Krause</i>	
Are the globular clusters with significant internal [Fe/H] spreads all former dwarf galaxy nuclei? . . . . .	110
<i>G. S. Da Costa</i>	
RR Lyrae stars as probes of the Milky Way structure and formation . . . . .	116
<i>P. Pietrukowicz &amp; OGLE collaboration</i>	
Globular clusters in M31, Local Group, and external galaxies . . . . .	120
<i>S. S. Larsen</i>	
Globular clusters as tracers of the halo assembly of nearby central cluster galaxies	128
<i>M. Hilker &amp; T. Richtler</i>	
Recent Results from SPLASH: Chemical Abundances and Kinematics of Andromeda's Stellar Halo . . . . .	134
<i>K. M. Gilbert, R. Beaton, C. Dorman &amp; the SPLASH collaboration</i>	
Globular Cluster Streams as Galactic High-Precision Scales . . . . .	140
<i>A. H. W. Küpper, E. Balbinot, A. Bonaca, K. V. Johnston, D. W. Hogg, P. Kroupa &amp; B. X. Santiago</i>	
Stellar kinematics and dark matter in dwarf galaxies . . . . .	145
<i>G. Battaglia</i>	
Globular Clusters, Dwarf Galaxies, and the Assembly of the M87 Halo . . . . .	153
<i>E. W. Peng, H.-X. Zhang, C. Liu &amp; Y. Liu</i>	
Chemical Abundances of Metal-poor stars in Dwarf Galaxies . . . . .	159
<i>K. A. Venn, P. Jablonka, V. Hill, E. Starkenburg, B. Lemasle, M. Shetrone, M. Irwin, J. Norris, D. Yong, G. Gilmore, S. Salvadori, A. Skuladottir &amp; E. Tolstoy</i>	
Chemical enrichment in Ultra-Faint Dwarf galaxies . . . . .	164
<i>D. Romano</i>	
Multiple populations in the Sagittarius nuclear cluster M 54 and in other anomalous globular clusters . . . . .	170
<i>A. P. Milone</i>	
Investigating the earliest epochs of the Milky Way halo . . . . .	176
<i>E. Starkenburg &amp; the Pristine Team</i>	
Metallicity Gradients in the Halos of Elliptical Galaxies . . . . .	182
<i>J. E. Greene, C.-P. Ma, A. Goulding, N. J. McConnell, J. P. Blakeslee, T. Davis &amp; J. Thomas</i>	
Kinematics and Angular Momentum in Early Type Galaxy Halos . . . . .	190
<i>J. P. Brodie, A. Romanowsky &amp; the SLUGGS team</i>	
Stellar populations of stellar halos: Results from the Illustris simulation . . . . .	197
<i>B. A. Cook, C. Conroy, A. Pillepich &amp; L. Hernquist</i>	
Gas accretion from halos to disks: observations, curiosities, and problems . . . . .	204
<i>B. G. Elmegreen</i>	

*Contents*

vii

Studying stellar halos with future facilities . . . . .	209
<i>L. Greggio, R. Falomo &amp; M. Uslenghi</i>	
The formation of the smooth halo component . . . . .	215
<i>J. Peñarrubia</i>	
Resolving the stellar halos of six massive disk galaxies beyond the Local Group . . . . .	222
<i>A. Monachesi, E. F. Bell, D. J. Radburn-Smith, R. S. de Jong, J. Bailin, B. Holwerda &amp; D. Streich</i>	
Stellar halos and the link to galaxy formation . . . . .	228
<i>A. Helmi</i>	
The early gaseous and stellar mass assembly of Milky Way-type galaxy halos . . . . .	235
<i>G. Hensler &amp; M. Petrov</i>	
Contributions to the Galactic halo from in-situ, kicked-out, and accreted stars . . . . .	241
<i>A. A. Sheffield, K. V. Johnston, K. Cunha, V. V. Smith &amp; S. R. Majewski</i>	
Which processes shape stellar population gradients of massive galaxies at large radii? . . . . .	247
<i>M. Hirschmann</i>	
Dual Stellar Halos in Early-type Galaxies and Formation of Massive Galaxies . . . . .	253
<i>M. G. Lee &amp; I. S. Jang</i>	
IAU Symposium 317 Summary . . . . .	259
<i>R. G. Gratton</i>	
The Milky Way, the Galactic Halo, and the Halos of Galaxies . . . . .	266
<i>O. Gerhard</i>	
<i>r</i> -Process Elements as Tracers of Enrichment Processes in the Early Halo . . . . .	272
<i>J. Andersen, B. Nordström &amp; T. T. Hansen</i>	
Origin of strong magnetic fields in Milky Way-like galaxies . . . . .	274
<i>A. M. Beck</i>	
Resolved Stellar Halos of M87 and NGC 5128: Metallicities from the Red-Giant Branch . . . . .	276
<i>S. A. Bird</i>	
Subaru Hyper Suprime Cam Survey of the Andromeda Halo . . . . .	278
<i>M. Chiba, M. Tanaka &amp; Y. Komiyama</i>	
Galactic Archaeology with the Subaru Prime Focus Spectrograph . . . . .	280
<i>M. Chiba, J. Cohen &amp; R. F. G. Wyse</i>	
Clues on the first stars from CEMP-no stars . . . . .	282
<i>A. Choplin, G. Meynet, A. Maeder, R. Hirschi, S. Ekström &amp; C. Chiappini</i>	
Formation and evolution of sub-galactic structures in a cosmological context . . . . .	284
<i>K. Chun, J. Shin &amp; S. S. Kim</i>	
The extended stellar substructures of four metal-poor globular clusters in the Galactic bulge . . . . .	286
<i>S.-H. Chun &amp; Y.-J. Sohn</i>	

Measuring the Stellar Halo Velocity Anisotropy With 3D Kinematics . . . . .	288
<i>E. C. Cunningham, A. J. Deason, P. Guhathakurta, C. M. Rockosi,     R. P. van der Marel &amp; S. Tony Sohn</i>	
Proper-Motion Based Kinematics Study of Galactic RR Lyraes . . . . .	290
<i>A. K. Dambis, L. N. Berdnikov, A. S. Rastorguev &amp; M. V. Zabolotskikh</i>	
From the Outskirts of Galaxies to Intra Cluster Light . . . . .	292
<i>K. Dolag, R.-S. Remus &amp; A. F. Teklu</i>	
Photometric Metallicity of the Sagittarius Stream in the south Galactic cap . . . . .	294
<i>C. Du, J. Gu, Y. Jia, X. Peng, Z. Wu, J. Ma, X. Zhou &amp; Y. Liang</i>	
Tracing the Galactic Halo: Obtaining Bayesian mass estimates of the Galaxy in the presence of incomplete data . . . . .	296
<i>G. Eadie, W. Harris, L. Widrow &amp; A. Springford</i>	
Halo formation and evolution: unification of structure and physical properties . . . . .	298
<i>A. D. Ernest &amp; M. P. Collins</i>	
Lithium evolution from Pre-Main Sequence to the Spite plateau: an environmental solution to the cosmological lithium problem . . . . .	300
<i>X. Fu, A. Bressan, P. Molaro &amp; P. Marigo</i>	
Hot subdwarf stars in the Galactic halo Tracers of prominent events in late stellar evolution . . . . .	302
<i>S. Geier, T. Kupfer, V. Schaffenroth, U. Heber &amp; the MUCHFUSS collaboration</i>	
Searching for planetary nebulae at the Galactic halo via J-PAS . . . . .	304
<i>D. R. Gonçalves, T. Aparício-Villegas, S. Akras, A. Cortesi,     M. Borges-Fernandes, S. Daflon, C. B. Pereira, S. Lorenz-Martins,     W. Marcolino, A. Kanaan, K. Viironen, C. M. de Oliveira, A. Molino,     A. Ederoclite &amp; the J-PAS Collaboration</i>	
A universality of dark-halo surface density for the Milky Way and Andromeda dwarf satellites as a probe of the coldness of dark matter . . . . .	306
<i>K. Hayashi &amp; M. Chiba</i>	
Chemo-dynamical evolution model: Enrichment of <i>r</i> -process elements in the Local Group dwarf galaxies . . . . .	308
<i>Y. Hirai, Y. Ishimaru, T. R. Saitoh, M. S. Fujii, J. Hidaka &amp; T. Kajino</i>	
Chemical evolution of r-process elements in the Draco dwarf spheroidal galaxy .	310
<i>M. N. Ishigaki, T. Tsujimoto, T. Shigeyama &amp; W. Aoki</i>	
Connection between cusp-core problem and too-big-to-fail problem in CDM model	312
<i>K. Kato, M. Mori &amp; G. Ogiya</i>	
Two New Ultra-Faint Star Clusters in the Milky Way Halo . . . . .	314
<i>D. Kim</i>	
Disk dwarf galaxy as the progenitor of the Andromeda giant stream . . . . .	316
<i>T. Kirihara, Y. Miki, M. Mori &amp; T. Kawaguchi</i>	
Chemical Evolution of R-process Elements in the Hierarchical Galaxy Formation	318
<i>Y. Komiya &amp; T. Shigeyama</i>	

*Contents*

ix

The Milky Way evolution under the RAVE perspective . . . . .	320
<i>G. Kordopatis on behalf of the RAVE consortium</i>	
Imaging of NGC 5907's stellar stream . . . . .	324
<i>S. Laine, C. J. Grillmair, D. Martínez-Delgado, A. J. Romanowsky, P. L. Capak, R. G. Arendt, M. L. N. Ashby, J. E. Davies, S. R. Majewski &amp; R. J. GaBany</i>	
What can isolated elliptical galaxies tell us about Cold Dark Matter? . . . . .	326
<i>R. R. Lane, T. Richtler &amp; R. Salinas</i>	
Reconstructing the Accretion History of the Galactic Halo Using Stellar Chemical Abundance Ratio Distributions . . . . .	328
<i>D. M. Lee, K. V. Johnston, B. Sen &amp; W. Jessop</i>	
Measure the local dark matter density with LAMOST spectroscopic survey . . . . .	330
<i>C. Liu, Q. Xia &amp; S. Mao</i>	
Halo Mass Estimation for Galaxy Groups : The Role Of Magnitude Gaps . . . . .	332
<i>Y. Lu, X. Yang &amp; S. Shen</i>	
Impact of NLTE on research of early chemical enrichment of the dwarf galaxies . . . . .	334
<i>L. Mashonkina, P. Jablonka, P. North &amp; T. Sitnova</i>	
Very Metal-poor Stars Observed by the RAVE Survey . . . . .	336
<i>G. Matijević &amp; the RAVE Collaboration</i>	
Near-Field Cosmology with RR Lyrae Variable Stars: A First View of Substructure in the Southern Sky . . . . .	338
<i>C. Navarrete, S. Duffau, A. K. Vivas, M. Catelan, G. Hajdu, G. Torrealba, C. Cortés, V. Belokurov, S. Koposov &amp; A. J. Drake</i>	
Study of the Milky Way's hot coronal gas with its dwarf galaxies . . . . .	340
<i>S. Pasetto, M. Cropper, Y. Fujita, C. Chiosi &amp; E. K. Grebel</i>	
Identifying Remote Halo Giants in High-Latitude Fields with Kepler 2 . . . . .	342
<i>R. C. Peterson</i>	
Several evolutionary channels for bright planetary nebulae . . . . .	344
<i>M. G. Richer &amp; M. L. McCall</i>	
The Milky Way's halo in 6D: <i>Gaia</i> 's Radial Velocity Spectrometer performance . . . . .	346
<i>G. Seabroke, M. Cropper, D. Katz, P. Sartoretti, P. Panuzzo, O. Marchal, A. Gueguen, K. Benson, C. Dolding, H. Huckle, M. Smith &amp; S. Baker</i>	
Morphology and Structures of Nearby Dwarf Galaxies . . . . .	348
<i>M. Seo &amp; H. B. Ann</i>	
Discovery of new dwarf galaxies around NGC4631 with Subaru/Hyper Suprime-Cam . . . . .	350
<i>M. Tanaka, M. Chiba &amp; Y. Komiyama</i>	
CNO abundances in giants of the peculiar globular cluster NGC 1851 . . . . .	352
<i>G. Tautvaišienė, A. Drazdauskas, C. Lardo, S. L. Martell, E. Pancino, E. Stonkutė, &amp; Gaia-ESO Consortium</i>	

The Stellar Age- $T_{\text{eff}}$ -Kinematical Asymmetry in the Solar Neighborhood from LAMOST . . . . .	354
<i>H. J. Tian, C. Liu, J. L. Carlin, Y. H. Zhao &amp; X. L. Chen</i>	
Baryonic inflow and outflow histories in disk galaxies as revealed from observations of distant star-forming galaxies . . . . .	356
<i>D. Toyouchi &amp; M. Chiba</i>	
Stellar orbital properties as diagnostics of the origin of the stellar halo . . . . .	358
<i>M. Valluri, S. R. Loebman, J. Bailin, A. Clarke, V. P. Debattista &amp; G. Stinson</i>	
Building Blocks of the Milky Way's Stellar Halo . . . . .	360
<i>P. van Oirschot, E. Starkenburg, A. Helmi &amp; G. Nelemans</i>	
How the first stars shaped the faintest gas-dominated dwarf galaxies . . . . .	362
<i>R. Verbeke, B. Vandenbroucke &amp; S. De Rijcke</i>	
The Dynamical Evolution of Galactic X-ray Coronae in Clusters . . . . .	364
<i>R. Vijayaraghavan &amp; P. Ricker</i>	
Globular cluster clustering around ultra compact dwarf galaxies in the halo of NGC 1399 . . . . .	367
<i>K. Voggel, M. Hilker &amp; T. Richtler</i>	
Age-metallicity-velocity relation of stars as seen by RAVE . . . . .	369
<i>J. Wojno, G. Kordopatis, M. Steinmetz, G. Matijević, P. J. McMillan, the RAVE Collaboration</i>	
The LAMOST Complete Spectroscopic Survey of Pointing Area at Southern Galactic Cap . . . . .	371
<i>H. Wu, M. Yang, M. I Lam, F. Yang, C.-J. Wu, T.-W. Cao &amp; LAMOST Collaboration</i>	
A catalog of M-type star candidates in the LAMOST data release 1 . . . . .	373
<i>J. Zhong, S. Lépine, J. Li, L. Chen, &amp; J. Hou</i>	
Author index . . . . .	375

## Preface

The IAU Symposium 317 titled “The General Assembly of Galaxy Halos: Structure, Origin and Evolution” was held during the IAU General Assembly XXIX in Honolulu, Hawaii, from August 3 to 7, 2015.

The IAU Symposium 317 aimed at bringing the studies of the Milky Way halo together with the perspective on external galaxies’ stellar halos and their evolution. The motivation for understanding the physics of galaxy halos begins with the statement from Eggen, Lynden-Bell and Sandage (1962, ApJ 136, 748): “The time required for stars in the (Milky Way) halo to exchange their energies and angular momenta is very long compared with the age of the Galaxy. Hence, knowledge of their present energy and angular momenta tells us something of the initial conditions under which they formed.” This statement, which is more than half a century old, illustrates the wealth of information contained in the dynamics and chemical composition of stars in the halos of galaxies and their implication for the models of galaxy formation. This quest starts right at our doorsteps with the study of the Milky Way galaxy. Because we live in it and its light dominates our skies, we can study its stars with state-of-the art instrumentation out to its farthest outskirts.

Measuring the physical parameters of the structural components of the MW thin and thick disk, bulge and halo with imaging and spectroscopic surveys from the ground tells us when these components formed and whether they were dominated by accretion or by dissipative collapse of the MW own gas. These surveys also tell us about the frequency and the generations of stars that emit the light that we see today in our sky, and about the stars progenitors that are responsible for their chemical content. And the future looks even brighter: astronomers are now preparing for a big revolution brought about by the Gaia satellite. They are assessing all the observational implications of the most accredited models for the formation of the Milky Way to be tested against the measurements provided by this space mission. The Gaia satellite will measure the parallaxes and proper motions for the MW stars with exquisite precision such that we shall obtain a tridimensional map distribution for nearly one billion stars around our Sun and a kinematical and chemical census of all Galactic components!

What about the MW halo then? Our Galaxy halo turned out to be a livelier environment than was previously believed. Chemical tagging of globular clusters permitted to discover distinct multiple stellar generations. The accreted stars found in the halo are associated with several different substructures like for example the disrupted Sagittarius dwarf. This substructure provides 20% of all the debris of the stellar halo in the Milky Way, including multiple extended stellar streams. The modelling of these streams constrains the Galaxy potential and its associated mass to  $\sim 5 - 8 \times 10^{11} M_{\odot}$  within 200 kpc, in agreement with the kinematics of halo stars and satellites in the Local Group. Similar complex network of structures is found in the halo of the Andromeda galaxy (M31), the giant spiral galaxy closest to us, as well. Numerous dwarf galaxies and globular clusters, but also streams without clear progenitors contribute to this network as shown by the map of the red giant stars in the M31 halo from the PAndAS survey.

Are halos and streams found around disk galaxies only? No, galaxy halos are ubiquitous in luminous galaxies and we now know that they also extend out to hundred kiloparsecs, that they have complex morphologies with a maze-like web of tails, plumes and spurs, and that they harbor multiple stellar components, with different chemical content and ages. Vivid testimony of these intricate luminous substructures are shown by the very deep images, reaching surface brightness levels to 1% of the night sky. Also the two

xii

dimensional maps of discrete tracers like planetary nebulae and globular clusters allow to see substructures both in space and velocity. The recent beautiful example for the giant elliptical galaxy M87 shows the debris of a satellite disrupted in its halo forming a crown and provides evidence that the outer halo is still growing.

To understand how the galaxy assembly took place we need to combine observations with theoretical modelling. This is because we deal with a long sequence of events, where mass accretion, i.e. stars and gas brought in by smaller satellites, and dissipative collapse of the galaxies own gas play important roles, leading to the formation of different structural components that we see today in our own Milky Way and in external galaxies.

The IAU Symposium 317 provided a vibrant forum where experts discussed many different aspects of the global assembly, formation and evolution of galaxy halos and their constituents. Hundred and sixty-eight participants were officially registered, but many more attended the Symposium joining us from the parallel sessions and shared our enthusiasm for the research on stellar halos. By bringing together observers and theorists, we made progress toward a coherent picture of the formation and evolution of the halos in the MW, Andromeda and more distant galaxies.

The Scientific Organizing Committee (SOC) made a terrific job in putting together a stimulating scientific program, and supporting the participation of many young astronomers. The SOC members took an active role during the Symposium also, by chairing the sessions and fostering lively discussions with timely posed and insightful questions. We wish to thank all of them here: Wako Aoki, Kenneth Freeman, Doug Geisler, Ortwin E. Gerhard, Oleg Gnedin, Laura Greggio, Rodrigo Ibata, Alan McConnachie, Poul Erik Nissen, Eric Peng, Chis Sneden, Else Starkenburg and Enrico Vesperini.

The organisation for the Symposium was provided by the IAU personnel. Everything went smoothly and we wish to thank in particular Cathy Cox and Lisa Idem for their help.

The program listed 13 sessions that included 17 invited talks, 39 oral contributions, a summary talk and a plenary talk for the whole Assembly. There were many poster contributions and the scientific program had two poster sessions dedicated to 21 short contributions of 2 minutes each, where the scientific highlights of the poster contributions were presented. We wish to warmly thank all participants for their valuable contributions to the success of our Symposium, and in particular Raffaele Gratton for the summary talk and Ortwin Gerhard for the plenary talk.

During the conference, we received the sad news of the passing away of Dr Nigel Douglas, senior researcher at the Kapteyn Institute in Groningen, Netherlands. He was one of the builders of the Planetary Nebulae Spectrograph (P.N.S) and the first Principal Investigator; his contribution to the study of stellar halos was acknowledged by the P.N.S team members attending the Symposium and shared with the participants of the IAU Symposium 317.

We include in the following the scientific program of the Symposium, and are proud to share the proceedings of these exciting contributions with the entire IAU community.

*Magda Arnaboldi, Angela Bragaglia, Marina Rejkuba, Donatella Romano, Editors*

**Table 1.** Program of IAUS 317

1. GLOBAL PROPERTIES OF STELLAR HALOS FROM THE MILKY WAY TO EXTERNAL GALAXIES		
I - Monday, 3 August 2015 10:30-12:30 am		
SOC Chairs	Welcome address	
Kathryn Johnston	Origins of Stellar Halos	invited
Marina Rejkuba	Tracing the stellar halo of an early type galaxy out to 25 effective radii	contributed
Alan McConnachie	Stellar halos around Local Group galaxies	invited
Matthias Steinmetz	Investigating the earliest epochs of the Milky Way halo	contributed
Denija Crnojevic	Resolving the extended stellar haloes of nearby galaxies: the wide-field PISCeS survey	contributed
Chair: Else Starkenburg		
II - Monday, 3 August 02:00-03:30 pm		
Chris Mihos	Intragroup and Intracluster Light	invited
Justin Read	Stellar halos: a rosetta stone for galaxy formation and cosmology	invited
Paul Schechter	New axes for the stellar mass fundamental plane	contributed
Johan Knapen	Direct imaging of haloes and truncations in face-on nearby galaxies	contributed
Chair: Oleg Gnedin		
III - Tuesday, 4 August 08:30-10:30 am		
Ortwin Gerhard	The Milky Way, the Galactic halo, and the halos of galaxies	plenary
IV - Tuesday, 4 August 10:30-12:30 pm		
2. HALO STARS AND CHEMICAL EVOLUTION		
Anna Frebel	Chemical abundances of the most metal-poor stars in the Milky Way	invited
Kevin Schlaufman	The Most Ancient Stars in the Milky Way's Halo	invited
Wako Aoki	Very Low Mass Stars with Extremely Low Metallicity in the Milky Way's Halo	contributed
David Yong	Neutron-capture element and Sc abundances in low- and high-alpha Galactic halo stars	
Haining Li	Searching for chemical relics of first stars with LAMOST and Subaru	contributed
Chiaki Kobayashi	Inhomogeneous chemical enrichment in the Galactic Halo	contributed
Chair: Chris Sneden		
V - Tuesday, 4 August 02:00-03:30 pm		
3. DISCRETE CONSTITUENTS OF STELLAR HALOS IN THE MILKY WAY AND IN EXTERNAL GALAXIES : PLANETARY NEBULAE and GLOBULAR CLUSTERS		
Terese Hansen	Exploring the Early Universe with Extremely Metal-Poor Stars	contributed
Magda Arnaboldi	Planetary Nebulae and their parent stellar populations: tracing the mass assembly of the giant elliptical galaxy M87 and the intracluster light in the Virgo cluster core	contributed
Giuliana Fiorentino	RR Lyrae to build up the Galactic Halo	contributed
Warren Reid	PN populations in the Local Group and distant stellar populations	invited
Judith Cohen	Outward Bound with RR Lyrae Stars: Studies of the Outer Halo of the Milky Way	contributed
Chair: Angela Bragaglia		

VI - Wednesday, 5 August 10:30-12:30 pm		
Eugenio Carretta	Globular clusters and their contribution to the formation of the Galactic halo	invited
Giampaolo Piotto	Single & Multiple Stellar Populations in Globular Clusters: Chemical Tagging, Photometric Sequences, and Dynamics	invited
Corinne Charbonnel	Did globular clusters contribute to the stellar population of the Galactic halo?	contributed
Gary Da Costa	Are the globular clusters with significant internal [Fe/H] spreads all former dwarf galaxy nuclei?	contributed
Douglas Geisler	CaTacylsm in the SMC - star clusters vs. field stars	contributed
Pawel Pietrukowicz	RR Lyrae stars as probes of the Milky Way structure and formation	contributed
Chair: Magda Arnaboldi		
VII - Wednesday, 5 August 02:00-03:30 pm		
Soeren Larsen	Globular clusters in M31, LG and external galaxies	invited
Michael Hilker	Globular clusters as tracers of the halo assembly of nearby central cluster galaxies	contributed
Karoline Gilbert	Recent Results from the SPLASH Survey: Chemical Abundances and Kinematics of Andromeda's Stellar Halo	contributed
Andreas Kupper	Globular Cluster Streams as Galactic High-Precision Scales	contributed
Poster presentation		
Chair: Else Starkenburg		
VIII - Wednesday, 5 August 04:00-06:00 pm		
4. DWARF GALAXIES		
Josh Simon	Satellite systems and halos in the Local Group and beyond	invited
Giuseppina Battaglia	Stellar kinematics and dark matter in dwarf galaxies	invited
Sergey Koposov	Discovery of a large number of Ultra Faint satellites in the vicinity of the Magellanic Clouds	contributed
Eric Peng	Globular Clusters, Ultra-Compact Dwarfs, and the Formation of Galaxy Halos	contributed
Michelle Collins	The Andromeda dwarf galaxies as probes of cosmology and galaxy evolution	contributed
Kim Venn	Chemical abundances in metal-poor stars in Dwarf Galaxies	contributed
Chair: Wako Aoki		
IX - Thursday, 6 August 08:30-10:00 am		
Vanessa Hill	Dwarf galaxies around the Milky Way: linking ages, kinematics and chemistry	invited
Donatella Romano	Chemical enrichment in Ultra-Faint Dwarf galaxies	contributed
Antonino Milone	Multi-wavelength photometry of the M54+Sagittarius stellar system, of NGC1851, M22, M2, and other building blocks of the Galactic Halo	contributed
Else Starkenburg	Investigating the earliest epochs of the Milky Way halo	contributed
Poster presentation		
Chair: Doug Geisler		

X - Thursday, 6 August 10:30-12:30 pm

### 5. PROBING THE DYNAMICS OF GALAXIES WITH SMOOTH HALOS STELLAR SUBSTRUCTURES

Jenny Greene	Metallicity gradient in the halos of external galaxies	invited
Jean Brodie	Constraints from discrete tracers on the assembly histories of ETG halos	invited
Benjamin Cook	Stellar populations of stellar halos: Results from the Illustris Simulation	contributed
Nicola Napolitano	Mass and stellar orbit distribution of Early-Type galaxy haloes	contributed
Bruce Elmegreen	Gas accretion from halos to disks: observations, curiosities, and problems	contributed
Laura Greggio	Studying Stellar Halos with Future Facilities	contributed
Chair: Alan McConnachie		
XI - Thursday, 6 August 02:00-03:30 pm		
Annette Ferguson	Dissecting Galactic Accretion Events within the Local Group and Beyond	invited
Jorge Penarrubia	The formation of the smooth halo component	invited
Oleg Gnedin	Tracing the assembly of stellar halos with globular clusters	contributed
Antonela Monachesi	Resolving the stellar halos of six massive disk galaxies beyond the Local Group	contributed
Chair: Laura Greggio		

XII - Thursday, 6 August 04:00-06:00 pm

### 6. ORIGIN OF STELLAR HALOS

Amina Helmi	The connection between galaxy formation and the assembly of stellar halos in the LG	invited
Gerhard Hensler	The early gaseous and stellar mass assembly of Milky Way-type galaxy haloes	contributed
Allyson Sheffield	Contributions to the Galactic Halo from In-Situ, Kicked-Out, and Accreted Stars	contributed
Roelof de Jong	GHOSTS: the age and structure of stellar halos around nearby disk galaxies	contributed
Michaela Hirschmann	The stellar accretion origin of stellar population gradients at large radii in massive, early-type galaxies	
Carl Grillmair	Stellar Debris Streams in the Galactic Halo	contributed
Myung Gyoon Lee	Dual Stellar Halos in the Standard Elliptical Galaxy M105 and Formation of Massive Galaxies	contributed
Chair: Eric Peng		contributed

XIII - Friday, 7 August 08:30-10:30 pm

### 7. SUMMARY and DISCUSSION

Raffaele Gratton	Summary talk and Discussion
Chair: Ortwin Gerhard	