### ISOLATED SINGULARITIES IN PARTIAL DIFFERENTIAL INEQUALITIES

In this monograph the authors present some powerful methods for dealing with singularities in elliptic and parabolic partial differential inequalities. Here, the authors take the unique approach of investigating differential inequalities rather than equations, the reason being that the simplest way to study an equation is often to study a corresponding inequality; for example, using sub- and superharmonic functions to study harmonic functions. Another unusual feature of the present book is that it is based on integral representation formulae and nonlinear potentials, which have not been widely investigated so far. This approach can also be used to tackle higher-order differential equations.

The book will appeal to graduate students interested in analysis, researchers in pure and applied mathematics, and engineers who work with partial differential equations. Readers will require only a basic knowledge of functional analysis, measure theory, and Sobolev spaces.

### **Encyclopedia of Mathematics and Its Applications**

This series is devoted to significant topics or themes that have wide application in mathematics or mathematical science and for which a detailed development of the abstract theory is less important than a thorough and concrete exploration of the implications and applications.

Books in the **Encyclopedia of Mathematics and Its Applications** cover their subjects comprehensively. Less important results may be summarized as exercises at the ends of chapters. For technicalities, readers can be referred to the bibliography, which is expected to be comprehensive. As a result, volumes are encyclopedic references or manageable guides to major subjects.

### Encyclopedia of Mathematics and its Applications

All the titles listed below can be obtained from good booksellers or from Cambridge University Press. For a complete series listing visit

www.cambridge.org/mathematics.

- 114 J. Beck, Combinatorial Games
- 115 L. Barreira and Y. Pesin, Nonuniform Hyperbolicity
- 116 D. Z. Arov and H. Dym, J-Contractive Matrix Valued Functions and Related Topics
- 117 R. Glowinski, J.-L. Lions, and J. He, Exact and Approximate Controllability for Distributed Parameter Systems
- 118 A. A. Borovkov and K. A. Borovkov, Asymptotic Analysis of Random Walks
- 119 M. Deza and M. Dutour Sikirić, Geometry of Chemical Graphs
- 120 T. Nishiura, Absolute Measurable Spaces
- 121 M. Prest, Purity, Spectra and Localisation
- 122 S. Khrushchev, Orthogonal Polynomials and Continued Fractions
- 123 H. Nagamochi and T. Ibaraki, Algorithmic Aspects of Graph Connectivity
- 124 F. W. King, Hilbert Transforms I
- 125 F. W. King, Hilbert Transforms II
- 126 O. Calin and D.-C. Chang, Sub-Riemannian Geometry
- 127 M. Grabisch et al., Aggregation Functions
- 128 L. W. Beineke and R. J. Wilson (eds.) with J. L. Gross and T. W. Tucker, Topics in Topological Graph Theory
- 129 J. Berstel, D. Perrin, and C. Reutenauer, Codes and Automata
- 130 T. G. Faticoni, Modules over Endomorphism Rings
- 131 H. Morimoto, Stochastic Control and Mathematical Modeling
- 132 G. Schmidt, Relational Mathematics
- 133 P. Kornerup and D. W. Matula, Finite Precision Number Systems and Arithmetic
- 134 Y. Crama and P. L. Hammer (eds.), Boolean Models and Methods in Mathematics, Computer Science, and Engineering
- 135 V. Berthé and M. Rigo (eds.), Combinatorics, Automata and Number Theory
- 136 A. Kristály, V. D. Rădulescu, and C. Varga, Variational Principles in Mathematical Physics, Geometry, and Economics
- 137 J. Berstel and C. Reutenauer, Noncommutative Rational Series with Applications
- 138 B. Courcelle and J. Engelfriet, Graph Structure and Monadic Second-Order Logic
- 139 M. Fiedler, Matrices and Graphs in Geometry
- 140 N. Vakil, Real Analysis through Modern Infinitesimals
- 141 R. B. Paris, Hadamard Expansions and Hyperasymptotic Evaluation
- 142 Y. Crama and P. L. Hammer, Boolean Functions
- 143 A. Arapostathis, V. S. Borkar, and M. K. Ghosh, Ergodic Control of Diffusion Processes
- 144 N. Caspard, B. Leclerc, and B. Monjardet, Finite Ordered Sets
- 145 D. Z. Arov and H. Dym, Bitangential Direct and Inverse Problems for Systems of Integral and Differential Equations
- 146 G. Dassios, Ellipsoidal Harmonics
- 147 L. W. Beineke and R. J. Wilson (eds.) with O. R. Oellermann, Topics in Structural Graph Theory
- 148 L. Berlyand, A. G. Kolpakov, and A. Novikov, Introduction to the Network Approximation Method for Materials Modeling
- 149 M. Baake and U. Grimm, Aperiodic Order I: A Mathematical Invitation
- 150 J. Borwein et al., Lattice Sums Then and Now
- 151 R. Schneider, Convex Bodies: The Brunn-Minkowski Theory (Second Edition)
- 152 G. Da Prato and J. Zabczyk, Stochastic Equations in Infinite Dimensions (Second Edition)
- 153 D. Hofmann, G. J. Seal, and W. Tholen (eds.), Monoidal Topology
- 154 M. Cabrera García and Á. Rodríguez Palacios, Non-Associative Normed Algebras I: The Vidav–Palmer and Gelfand–Naimark Theorems
- 155 C. F. Dunkl and Y. Xu, Orthogonal Polynomials of Several Variables (Second Edition)
- 156 L. W. Beineke and R. J. Wilson (eds.) with B. Toft, Topics in Chromatic Graph Theory
- 157 T. Mora, Solving Polynomial Equation Systems III: Algebraic Solving
- 158 T. Mora, Solving Polynomial Equation Systems IV: Buchberger Theory and Beyond
- 159 V. Berthé and M. Rigo (eds.), Combinatorics, Words and Symbolic Dynamics
- 160 B. Rubin, Introduction to Radon Transforms: With Elements of Fractional Calculus and Harmonic Analysis
- 161 M. Ghergu and S. D. Taliaferro, *Isolated Singularities in Partial Differential Inequalities*
- 162 G. Molica Bisci, V. D. Radulescu, and R. Servadei, Variational Methods for Nonlocal Fractional Problems
- 163 G. Tomkowicz and S. Wagon, The Banach–Tarski Paradox (Second Edition)

ENCYCLOPEDIA OF MATHEMATICS AND ITS APPLICATIONS

# Isolated Singularities in Partial Differential Inequalities

MARIUS GHERGU University College Dublin

STEVEN D. TALIAFERRO Texas A & M University





University Printing House, Cambridge CB2 8BS, United Kingdom

Cambridge University Press is part of the University of Cambridge.

It furthers the University's mission by disseminating knowledge in the pursuit of education, learning and research at the highest international levels of excellence.

www.cambridge.org

Information on this title: www.cambridge.org/9781107138384

© Marius Ghergu and Steven D. Taliaferro 2016

This publication is in copyright. Subject to statutory exception and to the provisions of relevant collective licensing agreements, no reproduction of any part may take place without the written permission of Cambridge University Press.

First published 2016

A catalog record for this publication is available from the British Library

ISBN 978-1-107-13838-4 Hardback

Cambridge University Press has no responsibility for the persistence or accuracy of URLs for external or third-party internet websites referred to in this publication, and does not guarantee that any content on such websites is, or will remain, accurate or appropriate.

# Contents

| Preface   |              |  |    |  |
|---|--------------|--|----|--|
| 1   | Rep          | resentation formulae for singular solutions of polyharmonic      |    |  |
|   | and          | parabolic inequalities   | 1  |  |
|   | 1.1          | Introduction   | 1  |  |
|   | 1.2          | Harmonic inequalities in the punctured ball                      | 1  |  |
|   | 1.3          | Polyharmonic inequalities in the punctured ball                  | 5  |  |
|   | 1.4          | Parabolic inequalities   | 16 |  |
|   | 1.5          | Comments   | 20 |  |
| 2 Isolated singularities of nonlinear second-order elliptic |              |  |    |  |
|   | inequalities |  |    |  |
|   | 2.1          | Introduction   | 22 |  |
|   | 2.2          | Case $n \ge 3$   | 22 |  |
|   | 2.3          | Case $n = 2$   | 48 |  |
|   | 2.4          | Comments   | 63 |  |
| 3   | Mor          | e on isolated singularities for semilinear elliptic inequalities | 65 |  |
|   | 3.1          | Introduction   | 65 |  |
|   | 3.2          | Local behavior of solutions                                      | 65 |  |
|   | 3.3          | Global existence of solutions                                    | 76 |  |
|   | 3.4          | Case $p = \frac{n+2}{n-2}$                                       | 81 |  |
|   | 3.5          | Comments   | 87 |  |
| 4   | Ellip        | otic inequalities for the Laplace operator                       |    |  |
|   | with         | Hardy potential  | 89 |  |
|   | 4.1          | Introduction   | 89 |  |
|   | 4.2          | Some comparison principles for the Laplace operator with         |    |  |
|   |              | $L^1$ potential  | 89 |  |
|   | 4.3          | Elliptic inequalities with Hardy terms in cone-like domains      | 93 |  |

| vi <i>Contents</i> |  |  |     |
|--------------------|--|--|-----|
|                    | 4.4  | Elliptic inequalities with Hardy terms in smooth domains with boundary singularities | 101 |
|                    | 4.5  | Elliptic inequalities with Hardy terms and higher dimensional                        |     |
|                    |  | singularity  | 111 |
|                    | 4.6  | Comments   | 120 |
| 5                  | Sing   | gular solutions for second-order nondivergence type                                  |     |
|                    |  | otic inequalities  | 122 |
|                    | 5.1  | Introduction   | 122 |
|                    | 5.2  | Effective dimension and other important quantities                                   | 123 |
|                    | 5.3  | 1  | 125 |
|                    | 5.4  | L  | 131 |
|                    | 5.5  |  | 136 |
|                    | 5.6  | 1  | 138 |
|                    | 5.7  | Comments   | 143 |
| 6                  | Isol   | ated singularities of polyharmonic inequalities                                      | 144 |
|                    | 6.1  | Introduction   | 144 |
|                    | 6.2  | Polyharmonic inequalities in punctured balls   | 144 |
|                    | 6.3  | Polyharmonic inequalities in exterior domains  | 153 |
|                    | 6.4  | Comments   | 155 |
| 7                  | Nonlinear biharmonic inequalities                    |  |     |
|                    | 7.1  | Introduction   | 158 |
|                    | 7.2  | Main results   | 160 |
|                    | 7.3  | 5  | 161 |
|                    | 7.4  | —  | 168 |
|                    | 7.5  |  | 193 |
|                    | 7.6  | Comments   | 199 |
| 8                  | Initial blow-up for nonlinear parabolic inequalities |  |     |
|                    | 8.1  | Introduction   | 200 |
|                    | 8.2  | Optimal exponents for a priori bounds  | 201 |
|                    | 8.3  | Parabolic inequalities with boundary conditions                                      | 214 |
|                    | 8.4  | Comments   | 234 |
| 9                  | Sem  | ilinear elliptic systems of differential inequalities                                | 235 |
|                    | 9.1  | Introduction   | 235 |
|                    | 9.2  | Case $n = 2$   | 236 |
|                    | 9.3  | Case $n \ge 3$   | 245 |
|                    | 9.4  | Comments   | 259 |
| 10                 | Isol   | ated singularities for nonlocal elliptic systems                                     | 264 |
|                    | 10.1   | Introduction: What is a nonlocal equation?   | 264 |
|                    | 10.2   | A nonlocal elliptic system with convolution terms                                    | 265 |
|                    | 10.3   | Some integral estimates  | 266 |

### CAMBRIDGE

| Cambridge University Press  |
|---|
| 978-1-107-13838-4 - Isolated Singularities in Partial Differential Inequalities |
| Marius Ghergu and Steven D. Taliaferro  |
| Frontmatter   |
| More information  |

|                         | Contents  | vii |  |  |
|-------------------------|---|-----|--|--|
| 10.4 C                  | tase min{ $\alpha, \beta$ } $\leq 2$                  | 270 |  |  |
| 10.5 S                  | ome auxiliary results for integral systems            | 274 |  |  |
| 10.6 C                  | Sase $\alpha, \beta \in (2, n)$                       | 285 |  |  |
| 10.7 C                  | omments   | 292 |  |  |
| 11 Isolate              | d singularities for systems of parabolic inequalities | 294 |  |  |
| 11.1 Iı                 | ntroduction   | 294 |  |  |
| 11.2 Preliminary lemmas |   |     |  |  |
| 11.3 T                  | he main results                                       | 306 |  |  |
| 11.4 C                  | omments   | 317 |  |  |
| Appendix A              | Estimates for the heat kernel                         | 319 |  |  |
| Appendix B              | Heat potential estimates                              | 328 |  |  |
| Appendix C              | Nonlinear potential estimates                         | 338 |  |  |
| References              |   | 341 |  |  |
| Index                   |   | 348 |  |  |

Cambridge University Press 978-1-107-13838-4 - Isolated Singularities in Partial Differential Inequalities Marius Ghergu and Steven D. Taliaferro Frontmatter More information Cambridge University Press 978-1-107-13838-4 - Isolated Singularities in Partial Differential Inequalities Marius Ghergu and Steven D. Taliaferro Frontmatter More information

## Preface

This monograph is intended to present some powerful methods for dealing with singularities in elliptic and parabolic partial differential equations (PDEs). Singularities are a common feature of the qualitative side of mathematics; whether they appear in topology, differential geometry, or PDEs, the understanding of singularities always leads to a more detailed picture of the objects mathematics is dealing with.

This book invites the reader to a journey through modern techniques in dealing with singularities in PDEs and is addressed to researchers and graduate students having some deep interest in analysis. We believe this monograph presents some unique features in comparison with previous books on singular solutions. First, the emphasis throughout the book is on partial differential *inequalities* rather than PDEs. Inequalities are more robust than equations. Every equation is a special case of a non-strict inequality. Moreover, it is often the case that the easiest way to study an equation is to study a corresponding inequality. The simplest example in this respect is the use of sub- and superharmonic functions to study harmonic functions. Second, the present book brings a different approach based on integral representation formulae which has been little investigated so far. Such an approach is also suitable to tackle higher-order differential equations as we illustrate in Chapters 6 and 7.

Let us now provide the reader with an outline of our book.

**Chapter 1:** This chapter is an introductory part which presents the main tools of our approach. We pay particular attention to integral representations of solutions that exhibit isolated singularities. It is well known that if u is nonnegative and satisfies

$$-\Delta u \ge 0$$
 in  $B_2(0) \setminus \{0\} \subset \mathbb{R}^n, n \ge 2$ ,

then *u* can be written as

$$u(x) = m\Phi(|x|) + N(x) + h(x) \quad \text{in } B_1(0) \setminus \{0\}, \tag{1}$$

where *h* is a harmonic function in  $B_1(0)$ ,  $m \ge 0$  is a constant,  $\Phi$  is a fundamental solution of  $-\Delta$ , and *N* is the Newtonian potential of  $f := -\Delta u$ . We derive similar

Х

Preface

representation formulae for the polyharmonic inequality

$$-\Delta^m u \ge 0 \quad \text{in } B_2(0) \setminus \{0\}$$

and the heat inequality

$$u_t - \Delta u \ge 0$$
 in  $B_2(0) \times (0, 1) \subset \mathbb{R}^n \times \mathbb{R}$ .

Chapter 2: Here we are concerned with the semilinear inequality

$$0 \le -\Delta u \le f(u) \quad \text{in } B_1(0) \setminus \{0\}. \tag{2}$$

Our aim is to find optimal conditions on f such that any positive solution u of (2) satisfies

$$u(x) = O(\varphi(|x|)) \quad \text{as } x \to 0 \tag{3}$$

for some continuous function  $\varphi : (0, 1) \to (0, \infty)$ .

Chapter 3: We continue the line of Chapter 2 where (2) is replaced with

$$au^p \leq -\Delta u \leq u^p$$

in various subsets of  $\mathbb{R}^n$   $(n \ge 3)$  where  $a \in (0, 1)$  is a constant. We emphasize that the existence of a pointwise bound as in (3) is intimately related to the size of the constant *a*.

Chapter 4: This chapter deals with the inequality

$$-\Delta u - b(x)u \ge u^p$$
 in  $\mathcal{D}'(\Omega)$ ,

where  $\Omega \subset \mathbb{R}^n$  is a cone-like domain with  $0 \in \partial \Omega$ , p > 1 and  $b \in L^1_{loc}(\Omega)$  is a singular potential of Hardy-type. In the last part of this chapter we present the case where the solutions possess a higher dimensional singularity set.

Chapter 5: In this chapter we shall analyze elliptic inequalities of the type

$$\sum_{i,j=1}^{n} a_{ij}(x) \frac{\partial^2 u}{\partial x_i \partial x_j} + \sum_{i=1}^{n} b_i(x) \frac{\partial u}{\partial x_i} \ge u^p \quad \text{in } B_R(0) \setminus \{0\}.$$

Here we emphasize the role played by the matrix of coefficients  $\{a_{i,j}(x)\}$  as well as the lower-order terms  $\{b_i(x)\}$  which are assumed to be singular at the origin.

We observed an instability of the critical exponent p, a phenomenon that occurs even when the Laplace operator is perturbed by lower-order terms. To be more precise, let us consider the differential inequality

$$\Delta u + \beta \frac{x}{|x|^2} \cdot \nabla u \ge u^p \quad \text{in } B_R \setminus \{0\} \subset \mathbb{R}^n, n \ge 3.$$
(4)

The results in Chapter 5 allow us to deduce that (4) has singular solutions for all  $-\infty if <math>\beta \le 2 - n$  while if  $\beta > 2 - n$  then singular solutions exist if and only if  $-\infty .$ 

#### Preface

xi

**Chapter 6:** This part contains the study of singularities for higher-order inequalities of type

$$-\Delta^m u \ge 0 \quad \text{in } B_1(0) \setminus \{0\} \subset \mathbb{R}^n.$$
(5)

We prove that any positive solution of (5) satisfies (3) if either *m* is even or n < 2m. We also consider the inequality (5) in an exterior domain.

Chapter 7: We shall focus on the inequality

$$-\Delta^2 u \ge f(u)$$

in exterior domains of  $\mathbb{R}^n$ . We give lower bounds on the growth of f(s) at s = 0 and/or  $s = \infty$  such that the above inequality has no  $C^4$  positive solution in any exterior domain of  $\mathbb{R}^n$ . Since the maximum principle does not hold for the biharmonic operator, we adopt a different approach which relies on integral representation formulae established in Chapter 1.

**Chapter 8:** We analyze the parabolic inequality  $0 \le u_t - \Delta u \le f(u)$  in various domains of  $\mathbb{R}^n$ . Our approach relies on deep estimates for the heat kernel as well as on various heat potential estimates which we provide in Appendices A and B.

**Chapter 9:** Chapter 9 of our book is devoted to the study of semilinear elliptic systems of inequalities

$$\begin{cases} 0 \le -\Delta u \le f(v) \\ 0 \le -\Delta v \le g(u) \end{cases} \quad \text{in } B_1(0) \setminus \{0\} \subset \mathbb{R}^n, n \ge 2, \end{cases}$$

where  $f, g: (0, \infty) \to (0, \infty)$  are continuous functions. In using an integral representation such as (1) for nonnegative solutions u and v we end up with various nonlinear potentials of Havin-Maz'ya type which we discuss in Appendix C.

**Chapter 10:** Nonlocal problems have been intensely studied in the last decade. They arise in stochastic control theory, integro-differential equations, fluid mechanics (Boltzmann equation or even Navier–Stokes equation for a viscous fluid).

Chapter 10 of the book sheds some light on nonlocal semilinear systems. Our presentation is motivated by the double inequality

$$0 \leq -\Delta u \leq \left(\frac{1}{|x|^{\alpha}} * u\right)^p \quad \text{in } B_1(0) \setminus \{0\}, \, p \geq 0,$$

which, for p = 1 represents the degenerate Choquard inequality. We are able to relate our study with the Hardy–Littlewood–Sobolev inequality.

**Chapter 11:** Motivated by the results in Chapters 8 and 9 we consider next the parabolic system of inequalities

$$\begin{cases} 0 \le u_t - \Delta u \le v^p \\ 0 \le v_t - \Delta v \le u^q \end{cases} \quad \text{in } \Omega \times (0, 1),$$

where  $\Omega$  is an open subset of  $\mathbb{R}^n$ ,  $n \ge 1$ . In order to carry out our study, new heat potential estimates are employed.

### xii

#### Preface

In order to provide the reader with all necessary tools for our approach, three Appendices are included, in which we present useful estimates for the heat kernel and nonlinear potential estimates for heat and Riesz potentials. To obtain these estimates, we include new Sobolev and Hedberg type inequalities for heat potentials.

The book is self-contained and most of the chapters can be read independently; only basic knowledge of functional analysis, measure theory, and Sobolev spaces is required. In order to offer a better perspective to the material developed in this monograph, each chapter is concluded with a section containing historical notes and related comments. The material in this book stems from the authors' original results in the study of singular phenomena arising in semilinear partial differential inequalities and from their long interest in this field. This monograph is intended for graduate and Ph.D. students interested in modern nonlinear analysis, researchers in pure and applied mathematics, and engineers involved in the field of PDEs.

We are grateful to Roger Astley of Cambridge University Press for his assistance in the preparation of this monograph.

> Marius Ghergu Steven D. Taliaferro May 2015