

## Index

- a priori bounds, 22, 45, 48
- asymptotic behavior
  - around isolated singularity, 34
- blow-up method, 73
- Borel measure, 16, 18, 204, 295
- closed manifold, 111
- cone-like domain, 93, 109
- convolution formula, 267
- Dini function, 137
- Dirac mass, 5
- distribution, 15, 52
- effective dimension, 123, 136
- eigenvalue
  - of Laplace operator, 96
  - of Laplace–Beltrami operator, 94, 97, 109
- equation
  - Choquard–Pekar, 265
  - Euler–Lagrange, 292
  - Lane–Emden, 76, 137
  - nonlocal, 264
  - of heat, 16
  - Schrödinger–Newton, 265
- Fermi coordinates, 101
- Fourier transform, 264
- fundamental solution
  - for biharmonic operator, 159
  - for Laplace operator, 6
  - for polyharmonic operator, 5
  - for the heat operator, 16
- Gilbarg–Serrin matrix, 123, 139
- Green function for the Dirichlet Laplacian, 325
- Hardy
  - inequality
    - generalized, 111
    - local, 105
    - on cone-like domains, 93
    - optimal constant, 93
    - potential, 89
  - Hardy–Littlewood maximal function, 331, 339
  - harmonic function, 2
  - heat
    - ball, 329
    - equation, 16
    - kernel, 16, 214, 227, 294, 328
    - operator, 16
    - potential, 328
  - Hopf boundary point lemma, 72
- inequality
  - biharmonic, 158
  - Cauchy–Schwarz, 125
  - Chebyshev, 139
  - Gagliardo–Nirenberg, 4
  - Hölder, 27, 51, 59, 77, 91, 92, 225, 257
  - Hardy, 93, 112
  - Hardy–Littlewood–Sobolev, 292
  - harmonic, 1
  - Harnack, 27, 38, 93, 98, 322, 323
  - Hedberg, 330, 339
  - Jensen, 51, 57, 271
  - Kantorovich, 125
  - Kato, 4
  - Minkowski, 26
  - Poincaré, 91
  - polyharmonic, 5, 144
  - Sobolev, 25, 202
  - Young, 338

- Lane–Emden  
 equation, 76, 125, 137  
 system, 260  
 transform, 94
- matrix  
 of Gilbarg–Serrin type, 123, 135, 139  
 singular value, 124  
 uniformly elliptic, 122
- maximum principle, 34, 70, 72, 93, 100, 103, 132, 133
- moving plane method, 70
- Newtonian  
 capacity, 4  
 potential, 36, 55, 66, 82, 293
- operator  
 $p$ -Laplace, 199  
 coercive, 90, 97, 116  
 elliptic, 122  
 fractional Laplacian, 264  
 Fuchsian, 130  
 heat, 16  
 integral, 16, 264  
 Laplace, 22, 89, 96, 102, 199, 264  
 Laplace–Beltrami, 94, 97, 99  
 nonlocal, 264  
 of nondivergence type, 122  
 polyharmonic, 5
- pointwise bound, 235, 265, 294
- potential  
 Hardy, 89  
 Havin–Maz'ya, 339  
 heat, 328  
 Newtonian, 36, 55, 66, 82, 293  
 Riesz, 250, 256, 269, 276, 278, 293  
 Wolff, 293
- representation formula, 1, 5, 20, 50  
 reproducing formula for heat kernel, 323, 326
- singularity set  
 at the boundary, 101, 105  
 higher dimensional, 3, 20, 111  
 isolated, 22, 65
- Sobolev  
 hyperbola, 260  
 inequality, 25  
 parabolic inequality, 202
- solution  
 asymptotically harmonic, 40  
 asymptotically radial, 34, 35, 40  
 bubble, 81, 87  
 Delaunay–Fowler type, 87  
 distributional, 21, 89, 96, 111  
 harmonically bounded, 236, 243, 245, 246, 266  
 heat bounded, 295, 312  
 oscillatory, 42  
 radial, 31  
 singular, 122  
 weak, 5, 151  
 weakly polysuperharmonic, 21
- spherical average, 2, 34
- standard mollifier, 90
- Taylor series, 5, 160
- theorem  
 Fubini, 6, 14, 15  
 Keller–Osserman, 133  
 Lax–Milgram, 90  
 Phragmen–Lindelöf, 132  
 Taylor, 13, 102, 145
- transform  
 $m$ -Kelvin, 153  
 Kelvin, 49, 70, 79, 87, 245, 262  
 Lane–Emden, 94