

# Index

- absolute magnitude of hazard, 48–49  
accidental deaths in war, and disaster workers' trauma, 235  
accountability, 5, 329  
Acquired Immunodeficiency Syndrome (AIDS). *See* HIV-1/AIDS  
active shooter incidents, 199  
activities, decreased interest in, 108  
acute care centers (US), 141  
acute care medical setting, and collaborative care, 144–45  
acute medical problems, injuries  
  burn injuries, 129–30  
  crush injuries, 133  
  explosion injuries, 133  
  infectious/bioterrorist exposures, 124  
  life-threatening infections, 124–29  
  musculoskeletal injuries, 130–33  
  near drowning, 133–34  
  toxins and nuclear agents exposures, 124–28  
  traumatic brain injuries, 130  
acute radiation syndrome (radiation sickness), 299  
  and radiation dose, 300t20.4  
  symptoms of, 300t20.3  
acute stress disorder (ASD), 6, 8, 32, 101, 120  
  arousal symptoms, 104t7.1  
  assessment and screening, 114–16  
  associated clinical features, 102  
  avoidance symptoms, 103t7.1  
  core clinical features, 101–06  
  diagnostic criteria for, 103t7.1, 105t7.2  
  differential diagnosis of, 102–09  
  dissociative symptoms, 103t7.1  
  early interventions, 119  
  epidemiology, 109–11  
  generalizing research to post-disaster populations, 120  
  intrusion symptoms, 103t7.1  
  management in disaster setting, 114–16  
  and mass shooting, 200  
  negative mood symptoms, 103t7.1  
  practice guidelines, limitations of, 117t7.7  
  psychopharmacology for, 117  
  psychosocial interventions, 118–19  
  symptoms, 102  
  treatment and prevention, 116–17, 131t8.4  
Acute Stress Disorder Interview (ASDI), 115, 115t7.6  
Acute Stress Disorder Scale (ASDS), 115, 115t7.6  
ADAPT model, 91  
adaptive capacities, 4, 166, 333  
adjustment disorder, 108t7.3, 109  
  and mass shooting, 200  
adolescents  
  behavioral reactions following disasters, 217t14.2  
  cognitive behavioral therapy for, 92  
  developmental characteristics, 220  
  developmental considerations, 214–16  
  prolonged exposure (PE) therapy for adolescents (PE-A), 224  
  and psychological morbidity, 10  
  psychological response to media-based disaster exposure, 184, 185, 186, 189  
  psychopharmacotherapy in, 93  
  PTSD in, 140, 222  
  school-based interventions, 92  
  Trauma and Grief Component Therapy for, 225  
adrenocorticotrophic hormone (ACTH), 61t4.1, 63  
adult  
  PTSD in, 140  
adults  
  age-appropriate decisions about media coverage, 188, 189  
  with childhood trauma histories, 216  
  children's reliance on, 221  
  cognitive behavioral therapy in, 92  
  developmental considerations, 214  
  exposure to graphic images, 186  
  functional impairment, 80  
  guidelines for helping children, 218t14.3  
  impact of shooting incidents, 203  
  intrusive symptoms in, 10  
  occupational health, 265  
  personality disorders, 109  
  psychological response to media-based disaster exposure, 183–84  
  PTSD in, 12, 29, 32, 62, 82, 186, 196, 225  
  and resilience, 16, 273  
  stress-related psychopathology, genetic risk of, 69  
age, and posttraumatic disorders, 12  
airborne diseases, 134  
airplane crash, survivors of, 4, 17, 331  
alcohol use disorders  
  and mass shooting, 200  
  treatment of, 132t8.4  
alcohol use/abuse, 9, 32, 137  
  trajectories for, 83–84  
alpha-2 adrenergic receptor, 62  
American Association of Geriatric Psychiatry, 136  
American College of Surgeons, 145  
amygdala, 64, 65t4.2, 67, 69, 113  
anger, 9, 329, 333  
  and PTSD, 9–10  
anniversaries of a disaster event, 329  
anterior cingulate cortex (ACC), 65–66, 65t4.2, 173  
anthrax, 127t8.2, 193  
anthropogenic disasters, 46, 47, *See also* human-made disasters  
anti-convulsant medications, 117  
antidepressants, 117  
antipsychotic medications, 117  
anxiety, 15  
  and PTSD  
    functional neuroimaging findings, 68–69  
    molecular imaging findings, 69  
    structural MRI findings, 67–68  
anxiety disorders, 32  
  trajectories of, 79t5.1  
area and path, of disaster impact, 53  
armed conflicts, 52, 214  
atomic bomb survivors, 299, 300, 303

## Index

- at-risk populations  
 disaster workers, 11  
 risk communication, 170–71
- attachment behaviors, 335
- autogenic massacre, 204
- availability bias, and risk  
 communication, 164t11.1
- avoidance and numbing symptoms,  
 32, 200
- bacillary dysentery, 134
- basolateral complex, 64
- behavioral changes, 4, 9, 101, 144, 203,  
 231, 302, 325, 328
- beneficial effects of disasters, 6
- benzodiazepines, 117, 137
- bereavement, 10, 328  
 of disaster workers, 238–39  
 persistent complex bereavement  
 disorder (PCBD), 10, 107t7.3
- Bhopal, India poison gas leak disaster,  
 28, 261
- biological disasters, 46, *See also*  
 endemics; pandemics
- bioterrorism, 28, 127t8.2, 195, 325, 329
- blister agents, exposure to, 125t8.1
- blood agents, exposure to, 125t8.1
- body handler, 231, 239
- body handling, coping with stresses  
 of, 240
- body identification process, 240
- bombings, 196–99, 302  
 Boston Marathon bombing, 181,  
 183, 186, 198–99  
 in London, 3, 5, 9, 13, 91, 92  
 in Madrid, Spain, 3  
 in Norway, 201–02  
 Oklahoma City bombing, 8, 12,  
 32, 34, 35, 93, 181, 182, 194,  
 197–98, 214  
 Oslo bombing, 193, 262, 264, 265, 266  
 in Paris, 1, 47  
 terrorist attacks, 28  
 of U.S. Embassy in Nairobi, Kenya,  
 188, 198, 293
- botulism, 127t8.2
- Bounce Back Now, 222
- brain-derived neurotrophic factor  
 (BDNF), 67, 72
- brain regions and associated neural  
 pathways, and resilience, 70t4.4
- brain structures, associated  
 with chronic stress and  
 trauma-response, 64–66
- brief CBT disaster intervention, 92
- Building Resilience Intervention  
 (BRI), 223
- burn injuries, 129–30
- business continuity, 247, 250t16.6,  
 253, 335
- calming, promotion of, 91
- carbamazepine, 117
- care management, 142–43
- care providers. *See* disaster care  
 providers; disaster workers
- care responders, and risk  
 communication, 171–72
- care, barriers to, 93, *See also*  
 interventions and care  
 strategies to counter, 93–94
- catastrophe, 27, 34, 49, 196, *See also*  
 earthquakes; hurricanes  
 technological catastrophe, 48
- catecholamine responses, 62
- Centers for Disease Control and  
 Prevention (CDC), 152
- Crisis & Emergency Risk  
 Communication (CERC)  
 model, 168
- central nucleus, 64
- CERA Wellbeing Survey (CWS), 157
- characterization of disasters events, 48
- chemical, biological, radiological, and  
 nuclear (CBRN) agents/events,  
 28, 193, 195, 207  
 compared with natural disaster and  
 pandemic, 277t18.2  
 individual and community impact  
 of, 195t13.1  
 psychological and behavioral  
 responses, 195–96
- Chernobyl disaster  
 overview, 306–07  
 physical and mental health  
 studies, 307
- Child and Family Traumatic Stress  
 Intervention (CFTSI), 222
- children, 225–26  
 basic guidelines for helping,  
 218t14.3  
 behavioral reactions following  
 disasters, 217t14.2  
 biological considerations, 215–16  
 clinic-based interventions, 223–25  
 cognitive behavioral therapy for, 92  
 cognitive, motor, and language  
 considerations, 216  
 community, culture, and societal  
 risk factors, 220  
 developmental  
 considerations, 214–16  
 disaster-related loss/grief, 221  
 disaster-related outcomes  
 in, 216–18  
 disaster-specific risk factors, 219  
 and disasters, 136  
 experience of death of loved  
 ones, 221  
 exposure to graphic images, 186  
 family risk factors, 220
- family-centered  
 interventions, 221–22
- geographic variability in  
 disasters, 214
- human-made disasters  
 exposure, 213
- impact of bombing on, 197
- individual risk factors, 219–20
- media exposure, 187, 189
- natural disasters exposure, 213
- prevention and intervention  
 settings, 221–23
- prevention approaches, 221
- psychiatric disorders, 220–21
- psychological considerations, 216  
 and psychological morbidity, 10
- psychological response to media-  
 based disaster exposure,  
 184, 186
- psychopharmacotherapy in, 93
- response to terrorism and  
 parents, 13
- risk and protective Factors, 217–20
- school-based interventions,  
 92, 222–23
- sociocultural considerations, 216
- treatment intervention, 223–25
- vulnerability, 13, 215t14.1
- choking agents, exposure to, 125t8.1
- cholera, 134
- chronic dysfunction, 76, 82
- chronic stress, brain structures  
 associated with, 64–66
- civic society, 55
- classifications of disasters, 46–47
- claustrophobia (gas mask phobia),  
 306
- climate change agreements, 150
- climate change threats, risk  
 communication, 176–77
- climate-related disasters, 1
- climatological disasters, 46
- clinical epidemiology, and intervention  
 development, 145
- Clinical Institute Withdrawal  
 Assessment for Alcohol,  
 revised (CIWA-Ar), 137
- clinical interview, for ASD and PTSD  
 assessment, 115
- Clinician-Administered PTSD Scale  
 (CAPS), 115t7.6, 116
- Cognitive Behavioral Intervention  
 for Trauma in Schools  
 (CBITS), 224
- Cognitive Behavioral Therapy  
 for Post-disaster Distress  
 (CBT-PD), 92
- cognitive behavioral treatment (CBT),  
 14, 92, 118
- cognitive processing (CPT), 118

- Cognitive-Behavioral Therapy for Childhood Traumatic Grief (CBT-CTG), 225
- collaborative care, 326
  - and acute care medical setting, 144–45
  - care management, 142–43
  - clinical epidemiology and intervention development, 145
  - definition of, 140
  - elements of, 142
  - global examples, 140–41
  - medication and psychotherapy targeting PTSD, 144
  - policy and research directions, 145–46
  - roles and responsibilities in, 143t9.2
  - U.S. trauma care system, 141–42
- communication science, and risk communication theory, 164
- communities
  - adaptive capacity, 166
  - capacity, rapid increment of, 94
  - cohesion of, 328
  - collective efficacy, 4
  - core principles designing and delivering services for, 246t16.2
  - embeddedness, 4
  - mental health infrastructure, 331
  - optimism of, 333
  - response to disaster, 3–6
  - risk perception of, 333
  - social fabric of, 1
  - surveillance post-disaster, 333
- community
  - mental health surveillance, 334t22.2
- community behavioral health
  - providers, role/responsibilities in collaborative care, 143t9.2
- community disaster care, 244
  - assessment and surveillance, 256
  - community support and development, 254
  - coping and resourcefulness sustainability, 251–52
  - core principles for designing and delivering services, 245–46
  - definitions agreements, 246–47
  - early interventions, 257–58
    - first month, 258
    - first week, 257
  - effective communications, 248–50
  - existing services and skills, building on, 253
  - family and culture, considerations for, 247
  - framework for disaster-related psychosocial and mental health care, 244–45
  - integrated emergency management cycle, 256
  - long-term interventions, 258
  - medium-term interventions, 258
  - prevention programs, 254
  - primary health and social care services, access to, 256
  - psychosocial and mental health care
    - balanced approach to, 249
    - delivery, 247
    - integrated/comprehensive programs, 251
    - normalization of needs, 249–50
    - operational programs for, 256–57
    - for responders, 253
    - responses, 247–49
  - psychosocial stressors, 250–51
  - responders
    - caring for, 258
    - training for, 258
  - secondary health and social care services, access to, 256
  - strategic planning, 254
  - strategic/stepped model, 252, 254
  - tertiary health and social care services, access to, 256
  - timely access to effective care, 252
  - top down and bottom up approaches, 250
  - universal and selective interventions, 254
  - values, ethics, and human rights agreements, 245–46
  - work standards, 253–54
- community-efficacy, 91
- community-level factors, 53–55
- community resilience, 36
  - early interventions, 331
  - economic behaviors, planning for, 333
  - fostering, 330–31
  - leadership, 333
  - mental health surveillance and community preparedness, 333–34
  - strategies to build, 91
- community safety, 194, 331
- community socioeconomic status, ecological context, 54
- comorbidity, 37
  - elements of collaborative interventions, 142t9.1
- company model, 261–63
- Compassion Conviction and Optimism (COO) model, 170
- complementary and alternative medicine (CAM), 118–19
- complex bereavement disorder, 109
- complex emergencies and humanitarian crises, 47
- complexity sciences principles, 45–46
- complicated grief (CG), 10, 107t7.3, 328
- concentration problems, 34, 108
- conditioned stimulus (CS), 66
- confirmation bias, and risk communication, 164t11.1
- connectedness, 91
- Conservation of Resources (COR) theory, 14
- contamination, fears about, 28
- contextual fear conditioning, 69
- coordinated systems approach, 1
- corporate security, 266
- corticotropin-releasing hormone (CRH), 61t4.1, 63
- cortisol, 61t4.1, 63, 64
- counterterrorism, 4
- CRED database, 50
- Crisis & Emergency Risk Communication (CERC) model, 168
- crisis communication, guidelines for, 164
- crisis intervention approach, 244
- Critical Incident Stress Debriefing (CISD), 118, *See also* debriefing
- crush injuries, 133
- cultivation theory, 182
- cultural sensitivity, and treatment effectiveness, 14
- culturally informed interventions, 331
- culture, 55–56, 171
- culture-bound syndromes, 136
- cyclicity, 51
- Davidson Trauma Scale (DTS), 115t7.6
- dead bodies (working with the dead), 231, 233, 234, 235, 236, 238, 239, 280, 294
- definition of disasters, 2
- dehydroepiandrosterone (DHEA), 61t4.1
  - and resilience, 70t4.4, 71
- delayed dysfunction, 76
- delirium, 129, 137
  - risk factors, 130t8.3
  - treatment of, 131t8.4
- demographic risk factors for posttraumatic disorders, 12–14
- dengue fever, 134
- Department of Health in England guidance, 247
- depersonalization, 102
- deployment teams, 278
- depression
  - and pre-existing psychiatric illness, 12
  - trajectories of, 78, 79t5.1

## Index

- depression (*cont.*)  
 treatment of, 131t8.4  
 work-related, 11
- depressive symptoms, 130
- derealization, 102
- developing countries, disaster  
 research in, 28
- diarrheal illnesses, 134
- differential diagnosis, 102–09
- disaster behaviors, 10, 266, 327
- disaster care providers, 136, *See also*  
 disaster workers  
 and moral conscience  
 violations, 321–22  
 working outside primary skills, 320
- disaster complexity, 45–46
- disaster ecology, 44–45  
 area and path, of disaster impact, 53  
 community-level factors, 53–55  
 complexity sciences, 45–46  
 cyclicity, 51  
 disaster frequency, 50  
 trends in, 50  
 disaster magnitude, 46–47  
 disaster types  
 and classification, 46–47  
 and consequences, 47–48  
 and magnitudes, 46–47  
 disaster types and frequency, 50  
 duration of impact and  
 disruption, 51  
 ecological context of disaster risk  
 and protective factors, 53  
 geographic factors, 52–53  
 individual/family factors, 53  
 multiplicity of events, 51–52  
 place dimension, 52–53  
 predictability and warning  
 periods, 52  
 seasonality, 51  
 societal/structural factors, 55–56  
 time dimension, 49–52  
 topography, 52–53
- disaster exposure severity and PTSD, 36
- disaster frequency, 50  
 trends in, 50  
 by type, 50
- disaster hazards, 46, 152
- disaster magnitude, 48–49
- disaster mental health research  
 history of, 28–29  
 mental health sequelae of  
 disasters, 29–36  
 structured diagnostic interviews,  
 30t2.1
- disaster predictability, 52
- disaster research, and ethical  
 dilemmas, 322–23
- disaster risk, 87–88  
 ecological context of, 53
- disaster risk reduction, lessons for  
 from mental health of children,  
 young people and  
 families, 154–55  
 from the mental health  
 consequences of the earthquake  
 sequence in Canterbury, New  
 Zealand, 155–57
- disaster warning, 52
- disaster workers, 231–32, 329, *See also*  
 disaster care providers  
 anticipation of exposure, 233  
 at-risk, 11  
 communication with family of the  
 deceased, 234  
 degree of exposure, 235  
 emotional involvement, 238  
 exposure to traumatic and mass  
 death, 233  
 formal and informal support  
 for, 236–37  
 grief and bereavement of, 238–39  
 identification with the dead/  
 victims, 238  
 inexperienced workers, 240  
 leadership, supervision, and  
 management practices, 237  
 memories, 239  
 moral distress, 314  
 novelty, surprise, and shock, 233  
 nuclear disaster workers, mental and  
 behavioral support of, 304–06  
 personal effects (handling), 234,  
 235, 238, 239  
 personal reactions of, 237t15.4  
 personal safety, 234  
 previous experience with the  
 dead, 235  
 and remains location, 233, *See also*  
 dead bodies; human remains  
 and remains type, 233, *See also* dead  
 bodies; human remains  
 responding to nuclear events,  
 recommendations for mental  
 and behavioral care of, 305t20.7  
 responses to stigmatization, 238  
 rewards and satisfactions, 239  
 sensory stimulation, 233–34  
 sensory stimulation  
 avoidance, 235–36  
 spouses of, 240  
 stressors, 236t15.3  
 training, 236  
 volunteer status, 236  
 war dead trauma, 234–35  
 disruption by terrorists, 193
- distress, 6, 8–10  
 differentiated from psychiatric  
 illness, 37
- distress reactions, acute, 88
- DNA methylation, 69
- DoD/VA guidelines, 118
- domestic abuse, 135
- dopamine receptor polymorphism,  
 and PTSD, 69
- dorsal anterior cingulate cortex  
 (dACC), 67
- dorsomedial prefrontal cortex  
 (DMPFC), 174
- dread risk, 177
- drug use, 9, 32, *See also* substance use/  
 abuse
- duration of impact and disruption, 51
- early interventions, 15, 88–89  
 for ASD and PTSD, 119  
 community disaster care, 257–58  
 for long-term pathology, 91–92  
 psychopharmacotherapy, 93  
 psychosocial interventions, 89–91  
 public health measures, 89
- earthquakes, 1, 4, 52  
 in Canterbury, New  
 Zealand, 155–57  
 in Christchurch, New Zealand,  
 149, 155  
 damage and loss of life caused by, 2  
 Great East Japan Earthquake, 1, 3,  
 49, 51, 307  
 in Haiti, 49, 188, 319  
 in Hanshin-Awaji, 152  
 in Imbabura province of Ecuador, 28  
 in Indian Ocean, 151  
 in Kashmir, Pakistan, 213  
 Kobe earthquake, 261  
 magnitude, 49  
 in Nepal, 213  
 survivors of, 118  
 in Turkey, 222  
 underwater, 48
- Ebola virus, 124–29, 152, 162, 193  
 psychological and behavioral  
 response to, 275–76
- ecological context  
 community-level factors, 53–55  
 individual/family factors, 53  
 societal/structural factors, 55–56
- ecological perspective, 44
- economic impacts of disasters, 4–5
- economic revival, 332
- effective communications, vitality of,  
 250t16.5
- elders, vulnerability, 13, 135–36
- emotional involvement, by disaster  
 workers, 238
- emotional reactions, 34
- enemy deaths, and disaster workers'  
 trauma, 235
- enhanced public health  
 infrastructure, 333

- Enhancing Resiliency Amongst Students Experiencing Stress (ERASE-Stress), 223
- epidemics, 28, 52, 152, 153, 162, 245, 270, 271, 272, 273, 274, 277, 321, 325, 329, 334, *See also* Ebola virus; H1N1 influenza virus; HIV-1/AIDS; severe acute respiratory syndrome (SARS); Zika virus
- epidemiologic research for disaster response, implications of findings from, 37–38
- epidemiology, 109–11
- episodic memories, 113
- ethical issues, 323  
care providers, and moral conscience violations, 321–22  
in disaster research, 322–23  
ethical analysis in disasters, 314–15  
managing limited resources. *See* limited resources, management of  
moral distress, 319–20  
pain relief dilemma, 318–19  
taking short cuts with informed consent, 320–21  
transparency, 316  
utility versus justice, 315  
working outside their primary skills, 320
- ethical issues in disaster psychiatry, 314
- ethnicity. *See* race and ethnicity
- explosions  
in Enschede, the Netherlands, 261  
injuries due to, 133
- explosives, 207  
individual and community impact of, 195t13.1
- exposure  
direct versus indirect, 183–84, 183t12.1  
to hazards, 46, 47t3.2, *See also* disaster ecology  
impact of frequent viewing, 183t12.1  
indirect versus indirect, 189  
public's perceptions, 28
- Extended Parallel Process Model (EPPM), 171
- extinction, and sensitization, 67
- Exxon Valdez oil spill in Alaska, 261
- eye movement desensitization and reprocessing (EMDR), 118, 224  
versus TF-CBT, 224
- family  
centered interventions, for children, 221–22
- conflicts, 15  
role/responsibilities in collaborative care, 143t9.2
- fear, 331  
for personal safety, 183t12.1  
and PTSD  
functional neuroimaging findings, 68–69  
molecular imaging findings, 69  
structural MRI findings, 67–68  
response to, 11, 60, 66  
sensitization, 66  
and terrorism, 265
- fear conditioning, 66–67  
contextual, 69
- FEMA's crisis counseling programs, 94
- fight or flight response, 61, 113
- firearms, 207  
individual and community impact of, 195t13.1
- first responders, 278, 329, *See also* disaster workers
- flash floods, 52
- folic acid (and alcohol abuse), 137
- food safety threats, 128t8.2
- forces of harm, disaster stressors associated with, 47t3.2
- friendly fire deaths, and disaster workers' trauma, 234
- friends, role/responsibilities in collaborative care, 143t9.2
- Fujita scale, 49
- Fukushima nuclear disaster  
disaster-related deaths and suicide, 308  
mental health issues, 308  
mothers of young children concerns, 308  
nuclear power plant workers, 308–09  
overview, 307–08  
radiation fear, 308  
stigma and discrimination, 309
- functional impairment, 32, 78, 80, 102, 114, 116, 145, 197, 264
- gamma-aminobutyric acid (GABA), 113
- gastroenteritis, 134
- gender  
and age, in limited resources management, 318  
burden of disaster vulnerability, 53  
and disaster impacts, 53  
impact of shooting incidents, 203  
and posttraumatic disorders, 12  
and PTSD, 36, 110  
as a risk factor, 10, 13, 110, 202, 219
- generalized anxiety disorder (GAD), 78  
trajectories of, 78, 80
- genetic risk of stress-related psychopathology, 69–70
- genome-wide association studies (GWAS), 70
- geographic factors, 52–53, 55
- geophysical disasters, 46
- glucocorticoid (GC) receptor, 63
- government officials, building trust and credibility in, 282
- graphic images  
exposures to, 189  
active versus passive exposures, 187  
response to, 186–87
- gray matter volume (GMV), 68
- Great East Japan Earthquake, 1, 3, 49, 51, 307
- grief, 10, 108, 120, 129  
anticipatory grief, 323  
in children, 221  
communal, 56  
complicated grief (CG), 107t7.3, 328  
of disaster workers, 238–39  
interventions for, 222  
long-term, recovery from, 280  
prolonged grief disorder (PGD), 107t7.3, 328  
psychotherapy for, 225  
reactions, 6, 9tBox 1.2, 136, 329  
secondary stressors, 8  
and sleep difficulties, 9
- grief leadership, 10, 294, 333
- H1N1 influenza virus, psychological and behavioral response to, 274–75
- Haddon matrix, 330
- health and social services  
infrastructure, 60–61
- Health in 2015, from MDGs (Millennium Development Goals) to SDGs (Sustainable Development Goals)*, 44
- health protective behaviors, 277
- health response behaviors, 277
- health risk behaviors, 6, 8–10
- heavy industry, hazards of, 265
- hemorrhagic viruses, 128t8.2
- hepatitis, 134
- high-risk strategy (and Oslo bombings), 264
- hindsight bias, 333  
and risk communication, 164t11.1, 177
- hippocampus, 64–65, 65t4.2, 67–68, 113
- histone acetylation, 69
- historic remains, and disaster workers' trauma, 235



## Index

- HIV-1/AIDS, psychological and behavioral response to, 271–73
- holocaust victims and survivors, handling of personal effects, 235
- homelessness, 14
- hope (instilling hope as intervention principle), 91
- hospital response plans, 329
- hostility, 9
- 5-HTTLPR, 69, 70
- human-caused disasters. *See* human-made disasters
- humanitarian aid, planning for, 247–49
- human-made disasters, 2
- children exposure, 213
- intentional, 27
- intentional, 214
- human-made threats, risk communication, 177
- human remains, 103t7.1, 197, 231, 232, 233, 234, 235, 238, 328, *See also* dead bodies
- historic remains, 235
- hurricanes
- Hurricane Andrew, 220
- Hurricane Hugo, 136
- Hurricane Ike, 36, 78, 80, 83
- Hurricane Katrina, 1, 3, 5, 13, 16, 27, 33, 47, 51, 83, 93, 119, 135, 151, 165, 170, 188, 224, 261, 318, 322, 325, 327, 333
- Hurricane Sandy, 13, 52
- hybrid disasters, 46
- hydrocortisone, 64, 72, 93, 117
- hydrological disasters, 46
- Hyogo Framework, 150, 150t10.1
- hyperarousal, 220
- hypervigilance, 328, 329
- hypothalamic-pituitary-adrenal (HPA) axis, 60, 63
- alterations in PTSD, 63–64
- stress-related activation, 63
- hypothermia, 134
- identification with the dead/victims, by disaster workers, 11, 195, 201, 231, 238, 239, *See also* overidentification
- illusion of control, and risk communication, 164t11.1
- Impact of Event Scale (IES), 115t7.6
- incapacitating agents (non-lethal), exposure to, 126t8.1
- incident management, 129, 333
- indicated prevention, pediatric, 221
- indicated psychosocial interventions, 252, 258
- individual/family factors and disaster exposure, 53
- infection preparedness, 329
- infectious diseases, 134, 152, *See also* pandemics
- life-threatening infections, 124–29
- information dissemination, 12
- information processing
- cognitive factors in, 172–73
- neuroscience in, 173–74
- injured survivors, collaborative care. *See* collaborative care
- injured trauma survivors, and stress, 11
- inpatient medical team, role/ responsibilities in collaborative care, 143t9.2
- insomnia (as a posttraumatic symptom), 34, 108
- treatment of, 131t8.4
- Integrated Emergency Management (IEM) cycle, 248, 249t16.4
- integrated emergency management cycle, 256
- intentional events, 27, 47, 214
- Inter-Agency Standing Committee (IASC), 129
- International Decade for Natural Disaster Reduction (IDNDR), 150
- international disaster response
- historical background, 149
- lessons for disaster risk reduction, 154–57
- public health needs, 151–53
- Sendai Framework, 149, 153–54, 157–58
- UN policies, 149–51
- International Federation of Red Cross, 258
- International Nuclear and Radiological Event Scale (INES), 299t20.1
- Internet, and risk communication, 175
- interpersonal violence, 2
- interpersonal withdrawal, 15
- interventions and care, 1, 14–16, 37–38, 95–96
- barriers to care, 93
- collaborative care. *See* collaborative care
- do no harm strategies, 90t6.5
- early interventions, 88–93
- expert consensus recommendations, 90t6.4
- implementation
- considerations, 93–94
- knowledge base for, 326
- for mass violence, 909t16.6
- optimal duration of treatment, 119
- promising emerging research, 94–95
- spectrum of, 87t6.1
- studies, 87–88
- intimate partner violence, 135
- Japanese Association for Disaster Medicine, 152
- job loss, 4
- Kaposi sarcoma, 271
- KIDNET, 224
- k-opioid receptor (KOR), 69
- lamotrigine, 117
- landslides, 46, 50, 51, 52
- leaders, post-disaster training program for, 263t17.2
- leadership, 285
- and construction of meaning of disaster, 17
- context of, 285–86
- definition of, 285
- mental health professionals, 286
- considerations, 287–89
- performance and timing, 286–89
- in preparedness phase, 287t19.1
- in recovery phase, 289t19.3
- in response phase, 288t19.2
- preparation for pandemics, 278
- in public mental health, 208
- reminders for leaders, 292
- senior community/organizational leader, 293
- in preparedness phase, 293
- in recovery phase, 295–96
- in response phase, 294–95
- senior health leader, 290
- in preparedness phase, 290–91
- in recovery phase, 292
- in response phase, 291–92
- life changes, 44, 46, 47t3.2, *See also* disaster ecology
- life-threatening infections, 124–29
- limbic circuitry, 113
- limited resources, management of, 315–16
- age and gender dilemmas, 318
- couples and families dilemmas, 316–17
- physically and emotionally disadvantaged people dilemmas, 316–17
- locus coeruleus (LC), 60, 112
- locus coeruleus (LC)-norepinephrine (NE) system, 60
- losses, 14, 44, 46, 47t3.2, *See also* disaster ecology
- loved ones
- death of, 328
- locating after a disaster, 328

- magnitudes of disasters
  - absolute magnitude, 48–49
  - and disasters types, 46–47
  - measures of, 49
  - relative magnitude, 49
- major depression, 8
  - and PTSD, 32
- major depressive episode, 32, 35, 37, 107t7.3
- malaria, 134
- marijuana use, trajectories for, 83–84
- mass killing, 199
  - definition of, 199
  - by terrorists, 193
- mass media, 175
- mass shootings, 196–97, 199–203
  - definition of, 199
  - and distress, 9
  - effect on children, 214
  - Norway case, 201–02
  - Paris case, 200–01
  - risk factors for adverse psychological outcomes, 200
  - in schools. *See* school mass shooting
  - shooters profile, 203–04
  - Washington, DC, sniper killings case, 202–03
- mass sociogenic illness, 195
- mass violence, 3
  - and claming, 91
  - and connectedness, 91
  - and hope instilling, 91
  - and psychological sense of safety, 90
  - and self- and community-efficacy, 91
- maternal care, 69
- meaning and cognitive appraisal of disaster events, 17
- measles, 134
- media exposure, 181–82, 200
  - management, recommendations for, 188–89
  - and psychological response, 184–85
  - types of, 185–86
- media/media coverage, 181, 189–90
  - of CBRN events, 195
  - of nuclear disaster, 303
  - of pandemics
    - pandemics, 280
  - positive role of, 187–88, 189
  - psychological outcomes, 187
  - psychological response to, 182
    - adults, 183–84
    - children and adolescents, 184, 185, 186, 189
  - response to graphic images, 186–87
  - and risk communication, 174–76
- medial prefrontal cortex (mPFC), 67, 112, 173
- medical-psychiatric differential diagnosis, 102–09
- medical record data system,
  - automated, 145
- medical surgical patient, principles of approaching, 135
- memorialization, 6, 329
- memories
  - disaster workers, 239
  - episodic memories, 113
  - of ordinary experience, 113
  - positive memories, 225
  - triggering of, 240
  - unprocessed memories, 113
- memories, traumatic/disaster-related, 62, 63, 112, 114, 118, 199, 220
  - consolidation of, 71, 95
  - and hippocampus, 64
  - and sensitization, 66
- meningitis, 134
- mental and behavioral health
  - burden, 11
- mental disorders, risk factors for, 110–11
- mental health outcomes
  - predictors, 37–38
- mental health sequelae of disasters, 29–36
- mental health surveillance, 281
- messaging, 175. *See also* risk communication
- meteorological disasters, 46
- 3-methoxy-4-hydroxy phenylglycol (MHPG), 62
- Middle East Respiratory Syndrome (MERS), 270
- military populations
  - dead bodies (working with the dead), 235, 236
  - injured survivors, 11
  - moral injury, 314, 321
  - mortuary affairs, 238
  - personal effects handling, 238
  - psychosocial interventions, 118
  - PTSD in, 9, 12
  - PTSD in, treatment guidelines for, 14
  - support for disaster workers, 236
  - trauma-related anger, 10
  - women, 235
- Millennium Development Goals, 150
- mineralocorticoid (MR) receptor, 63
- minority cultures, and disasters, 136
- mirtazapine, 117
- Modified Mercalli Intensity (MMI)
  - index, 49
- monoamine oxidase inhibitors (MAOIs), 117
- mood disorders, 108
- moral distress, 314, 316
  - due to leaving patients with sub-optimal outcomes, 319–20
- moral injury, 314
- motivational interviewing (MI)
  - interventions, 141, 144
- mudslides, 34, 46, 52
- multiple unexplained physical symptoms (MUPS), 301, 328
- multiplicity of events, 51–52
- multivitamins, 137
- musculoskeletal injuries, 130–33
- national continuity, 4
- NATO guidance, 247
- natural disasters, 2, 46
  - children exposure, 213
  - compared with CBRN and pandemic, 277t18.2
  - generic and unique challenges in, 4
- nature of disasters, 2–3
- near drowning, 133–34
- nefazodone, 117
- neighborhood collective efficacy, 13
- nerve agents, exposure to, 125t8.1
- neural circuitry model, 112–14
- neural pathways, and resilience, 71
- neurobiology
  - of posttraumatic symptoms, 112–14
  - of traumatic stress response, 112
- neuroimaging
  - in fear and anxiety, 67–69
  - in information processing, 173–74
- neuropeptide Y (NPY), 61t4.1, 72
- and resilience, 70–71, 70t4.4
- new media, and risk communication, 174–76, 181, 187
- nightmares, 34
- non-intentional events, 47
- noradrenergic system, 113
- norepinephrine (NE), 61, 61t4.1, 112
- norepinephrine transporter (NET), 69
- nuclear disasters, 1, 298
  - Chernobyl disaster, 306–07
  - direct effect of radiation exposure, 298–301
  - disaster workers, mental and behavioral care of, 305t20.7
  - evacuation, risks associated with, 302
  - Fukushima nuclear disaster, 307–09
  - human resource shortage, 306
  - immediate psychological responses, 301
  - indirect effect of radiation exposure, 301
  - long-term psychosocial impact, 302–03
  - mental and behavioral support of nuclear disaster workers, 304–06
  - nuclear agents, exposure to, 3, 126t8.1

## Index

- nuclear disasters (*cont.*)  
 psychosocial responses following, 301t20.6  
 radiation doses received by various sources, 299t20.2  
 responding to, 304  
 risk communication and media, 303  
 stigmatization, discrimination, and scapegoating, 303–04  
 Three Mile Island disaster, 306
- occupational health providers, 266  
 Occupational Health Service (OHS), 262–63, 265
- olanzapine, 117
- older individuals, 10
- older individuals, vulnerability, 13
- OP94 guidance, 247
- opinion leaders, 168–69
- opioid use disorders, treatment of, 132t8.4
- opioids, 117  
 withdrawal of, 137
- orbitofrontal cortex, 113
- organizational disasters. *See* workplace and organizational disasters
- organizational resources, 14
- orthopedic injuries, 130–33
- overconfidence bias, and risk communication, 164t11.1
- overidentification (with victims), 11, *See also* identification
- oxytocin (OT), 72, 93
- pain, treatment of, 132t8.4
- pandemics, 1, 153, 207, 270–71, 281–82, 329  
 compared with natural disasters and CBRN, 277t18.2  
 early response, 279–81  
 Ebola virus, 275–76  
 H1N1 influenza virus, 274–75  
 HIV-1/AIDS, 271–73  
 intervention planning for, 271, 278t18.3  
 later response and recovery, 281  
 preparedness for, 278–79  
 psychological and behavioral responses, 271  
 psychological principles for communities exposed to, 281t18.6  
 psychological principles to support victims and their families, 281t18.5  
 public health management of, 276–77  
 severe acute respiratory syndrome (SARS), 273–74
- panic  
 disorder/attacks, 131t8.4  
 risk factors for, 196
- Patient Health Questionnaire-9 (PHQ-9), 142
- PCL-5 (PTSD Checklist for DSM-5), 116
- pediatric clinic-based interventions, 223–25
- Pediatric Education in Disasters Manual*, 223
- pediatricians, roles in addressing children's disaster-related needs, 223t14.5
- people affected by disaster, characteristics of, 250t16.6
- perceived response-efficacy, 171
- perceived self-efficacy, 171
- perceived susceptibility, 171
- perceived threat and efficacy, 171–72
- peri-disaster determinants, 82
- peri-disaster-related loss, 81
- persistent complex bereavement disorder (PCBD), 10, 107t7.3, 328
- personal experience of trauma, 240
- personal safety, 194, 331
- personality disorders, 109
- phantom limb sensation, 133
- pharmacotherapy, 37
- phases of disasters, 5
- physical environment, 55
- place dimension, 52–53
- plague, 127t8.2
- political structure and governance, 56
- population displacement, 51
- positive attitude and knowledge communication, 34
- positron emission tomography (PET), 69
- post-disaster negative reactions, 88t6.2
- post-disaster time frames, and mental health consequences, 35–36
- post-disaster trajectories, 82  
 determinants, 77  
 empirical evidence, 78–83  
 long-term trajectories, 78  
 for mood and anxiety disorder, determinants of, 80–83  
 psychopathology, 78–81
- post-trauma evaluation, domains of assessment, 115t7.5
- posttraumatic distress, 8–10
- posttraumatic growth (PTG)  
 defined, 16  
 and PTSD, 16  
 and resilience, 16–17
- post-traumatic psychiatric disorders, 10
- posttraumatic stress, 247
- Posttraumatic Stress Checklist (PCL), 142
- posttraumatic stress disorder (PTSD), 3, 6, 7–8, 29–30, 101, 120  
 and anger, 9–10  
 arousal symptoms, 104t7.1  
 assessment and screening, 114–16  
 associated clinical features, 102  
 avoidance symptoms, 103t7.1  
 in children, 220  
 psychopharmacotherapy for, 225  
 psychotherapeutics, 223–25  
 collaborative care, 144  
 core clinical features, 101–06  
 with delayed expression, 16, 102  
 delayed-onset, 35  
 diagnostic criteria for, 103t7.1, 105t7.2  
 differential diagnosis of, 102–09  
 dissociative subtype of, 68  
 dissociative symptoms, 102, 103t7.1  
 dopamine receptor polymorphism, 69  
 DSM-5 diagnostic criteria, 7–8  
 early interventions, 119  
 elements of collaborative interventions, 142t9.1
- epidemiology, 109–11  
 and extinction and sensitization, 67  
 and fear  
 functional neuroimaging findings, 68–69  
 molecular imaging findings, 69  
 structural MRI findings, 67–68
- following mass shootings, 199
- and functioning problems, 36
- generalizing research to post-disaster populations, 120
- hypothalamic-pituitary-adrenal (HPA) axis alterations  
 in, 63–64
- ICD-10 diagnostic criteria, 7
- intrusion symptoms, 103t7.1
- and major depression, 32
- management in disaster setting, 114–16
- negative mood symptoms, 103t7.1
- partial, 32
- posttraumatic growth, 16
- practice guidelines, limitations of, 117t7.7
- predictors of, 36
- and pre-existing psychiatric illness, 12
- prevalence, 7
- psychopharmacology for, 117
- psychosocial interventions, 118–19
- screening, 141
- sympathetic nervous system alterations in, 61–63



- symptom threshold criteria  
     for, 119–20  
 symptoms, 34, 101–02  
 timing of, 35–36  
 trajectories of, 78, 79t5.1, 82  
 trauma-exposed versus and trauma-unexposed groups, 34–35  
 treatment and prevention, 116–17, 131t8.4  
     guidelines for, 14  
     work-related, 11  
 posttraumatic stress symptoms (PTSS),  
     trajectories of, 80  
 posttraumatic stress syndromes, 32  
 posttraumatic symptoms,  
     neurobiology of, 112–14  
 poverty, extremes of, 52  
 prazosin, 62, 117  
 pre-disaster community cohesion, 55  
 pre-disaster determinants, 82  
 pre-disaster life stressors, 80  
 pre-disaster psychopathology, 82  
 pre-existing psychiatric illness, 12  
 prefrontal cortex (PFC), 60, 65, 65t4.2  
 preparedness, 266, 325, 327–29  
     community preparedness, 333–34  
     infection preparedness, 329  
     workplace preparedness, 334  
 preventive medicine, 329  
 preventive pharmacotherapy, in  
     children, 225  
 primary care physicians (PCPs), 141  
     role/responsibilities in collaborative  
     care, 143t9.2  
 prisoner of war experience, 16, 186  
 Problem Management Plus  
     (PM+), 94  
 prolonged exposure (PE) therapy, 14,  
     95, 118  
 prolonged exposure (PE) therapy for  
     adolescents (PE-A), 224  
 prolonged grief disorder (PGD), 10,  
     107t7.3, 328  
 propranolol, 62–63, 93  
 protective factors, 87–88  
 pseudocommando, 204  
 psychiatric disorders, 6, 7–8, *See also*  
     *specific disorders*  
 psychiatric illness, 34  
     differentiated from distress, 37  
 psychiatric interventions, 15  
 psychiatric morbidity, 3  
 psychic organizers, traumatic events'  
     function as, 16  
 psychodynamic trauma-focused  
     psychotherapies, 224  
 psychological casualties, 326  
 psychological debriefing, 118, 240, *See*  
     *also* Critical Incident Stress  
     Debriefing (CISD)  
 psychological factors affecting physical  
     condition, 8  
 psychological first aid (PFA), 15, 37,  
     90, 118, 119, 135, 217, 252, 331  
     principles of, 279t18.4  
 Psychological First Aid (PFA) –  
     Listen, Protect, Connect  
     (PFA-LPC), 222  
 psychological response, 1  
 psychological sense of safety, 90  
 psychopharmacotherapy, 93  
     for ASD, 117  
     for PTSD, 117  
     for PTSD, in children, 225  
 psychosis, 29  
     treatment of, 131t8.4  
 psychosocial and mental health care,  
     framework for, 244–45  
 psychosocial interventions, 28,  
     89–91, 252  
 psychosocial resilience, 247  
 psychotherapeutics  
     for PTSD in children, 223–25  
     for traumatic grief in children, 225  
 psychotherapy, 37  
 PTSD Symptom Scale Interview  
     (PSSI), 115t7.6  
 PTSD Symptom Scale Self-Report  
     (PSS-SR), 115t7.6  
 public education, 335  
 public health announcements, 280  
 public health measures, 89  
     impact assessments, 89  
     public health infrastructure  
         reestablishment, 89  
     public health services  
         delivery, 89  
     shared communication, 89  
     support to impacted health care  
         delivery systems, 89  
 public health needs, 151–53  
 public health planning  
     for fostering community and  
     workplace resilience, 330–34  
     knowledge about, 334–35  
     for psychological consequences of  
     disasters, 329–30  
 public health system, 325  
 public mental health systems, 325  
 public, and risk communication, 168  
  
 quality improvement framework, 91  
 quetiapine, 117  
  
 race/ethnicity  
     and adverse mental health  
     development, 12  
     and posttraumatic disorders, 12  
 radiation exposure, 214, *See also*  
     nuclear disasters  
     direct effect of, 298–301  
     indirect effect of, 301  
 radioactive materials, 300  
 radiologic agents, exposure to, 126t8.1  
 Receive, Accept, Sample (RAS)  
     model, 172–73  
 recovery, 14–16, 76, 81  
     facilitation of, 1  
     and resilience, differentiating  
         between, 16  
 Red Crescent Societies, 258  
 refugees, 136, 186  
 relapsing/remitting, 76  
 relative magnitude, 49  
 rescue and recovery workers. *See also*  
     disaster workers  
     exposures to disasters, 35  
 resilience, 4, 16, 34, 36, 76, 87, 246  
     brain regions and associated neural  
         pathways, 70t4.4  
     of community and  
         workplace, 330–34  
     dehydroepiandrosterone (DHEA),  
         70t4.4, 71  
     neural pathways, 71  
     neurobiology of, 70–71  
     and neuropeptide Y (NPY), 70–71,  
         70t4.4  
     pharmacological approaches for, 73  
     and posttraumatic growth, 16–17  
     psychosocial resilience, 247  
     and recovery, differentiating  
         between, 16  
     and risk communication, 165–68  
     workplace disasters, 265  
 Resilience Activation Framework, 91  
 resistance, 76  
 resource, 14  
 RESPECT-MIL (Re-Engineering  
     Systems of Primary Care  
     Treatment in the Military), 145  
 re-traumatization, 183t12.1, 194  
 ricin toxin, 127t8.2  
 riot control agents (tear gas), exposure  
     to, 126t8.1  
 risk  
     management of, 165  
     socially constructed perceptions  
         of, 165  
 risk communication, 28, 177  
     additional strategies, 169–70  
     at-risk populations targets, 170–71  
     biases affecting, 164t11.1  
     care responders, 171–72  
     CBRN events, 195  
     challenges, 174–75  
     cognitive factors in information  
         processing, 172–73  
     Compassion Conviction and  
     Optimism (COO) model, 170

## Index

- risk communication (*cont.*)  
   dos and don'ts, 170t11.2  
   during pandemics, 278  
   early approaches, 163  
   media and new media, 174–76  
   neuroscience in information  
     processing, 173–74  
   nuclear disaster response, 303  
   opinion leaders, 168–69  
   partnership with the public, 168  
   preparedness challenge to climate  
     change threats, 176–77  
   Receive, Accept, Sample (RAS)  
     model, 172–73  
   recent approaches, 163–66  
   response and recovery challenge to  
     man-made threats, 177  
   role in resilience, 165–68  
 risk factors, 10–12  
   demographic risk factors, 12–14  
 risperidone, 117  
 river floods, 52  
 RORA gene, 70  
 rumors, 5, 327, 328
- safety, 333, *See also* community safety  
 Saffir–Simpson Scale, 49  
 Sandman's model for risk  
   communication, 164–65  
 Save the Children, 155  
 scapegoating, 329  
 school mass shooting, 5, 204–07, *See also* mass shooting  
   global impact of a  
     premeditated, 205–07  
 school violence, 204  
 school-based interventions, 92, 222–23  
 screen and treat approach, for early  
   interventions, 92  
 screening program for stress reactions  
   and functioning, 264  
 seasonality, 51  
 secondary stressors, 8  
 selective prevention, pediatric, 221  
 selective psychosocial  
   interventions, 252  
 selective serotonin reuptake inhibitors  
   (SSRIs), 72, 113, 117  
*Self-Care After Disasters*, 136  
 self-efficacy, 91  
 Sendai Framework, 44, 149, 150,  
   153–54, 244  
   global targets in, 153t10.2  
   implementation of, 157–58  
 sensitization, 66  
 sentience, respecting, 317  
 separation anxiety, 9  
 September 11 attacks, 261, 266  
 serotonergic pathways, 114f7.2  
 serotonin transporter gene, 200  
 serotonin-norepinephrine reuptake  
   inhibitors (SNRIs), 117  
 severe acute respiratory syndrome  
   (SARS), psychological and  
   behavioral response to, 273–74  
 signal value, 177  
 silent victims, 11  
 single nucleotide polymorphisms  
   (SNPs), 70  
 Skills for Psychological Recovery  
   (SPR), 94, 221  
 Skills Training in Affective and  
   Interpersonal Regulation/  
   Modified Prolonged Exposure  
   (STAIR/MPE), 92  
 sleep agents, 117  
 sleep disturbances, 9, 328  
 smallpox, 128t8.2  
 smoking, trajectories for, 83–84  
 sniper attacks, 4, 9, 11, 51, 193, 202–03  
 social capital, 55, 290  
 social cohesion, 13  
 social environment, 54–55  
 social isolation, 15  
 social media, 175, 185, 189  
   in crisis management, 303  
   exposure, 186  
   positive role of, 188  
   versus traditional media, 183t12.1  
 social support system, 14, 36, 247, 252  
   ecological context, 54  
   effect on stress, 14  
   for mass school shootings, 206  
 social withdrawal, 15  
 societal/structural factors, 55–56  
 somatic symptoms, 9, 15  
 somatization, 9, 302  
 somatization disorder, 33–34  
 special populations, and disaster  
   children, 136  
   elders, 135–36  
   minority cultures, 136  
 SPEEDI (System of Prediction of  
   Environmental Emergency  
   Dose Information), 303  
 state-dependent recall, 62  
 stealth terrorism, 28  
 STEPS-UP (Stepped Enhancement of  
   PTSD Services Using Primary  
   Care), 145  
 Stress First Aid (SFA) model, 94, 96  
 stress sensitization, 66  
 stress-induced cortisol release, 63  
 stress-induced SNS activation, 64  
 stressors  
   disaster-related, 36  
   primary and secondary, 251  
   psychosocial stressors, 250–51  
 stress-related psychopathology, genetic  
   risk of, 69–70  
 Structured Clinical Interview for DSM  
   5 (SCID-5), 115t7.6  
 Structured Clinical Interview for  
   DSM-IV (SCID-IV), 116  
 substance use disorders, 9, 33, 109  
 substance use/abuse, 8, 32–33  
   and bombing, 196  
   and pre-existing psychiatric  
     illness, 12  
   trajectories of, 83–84  
   determinants, 84  
 suicide attack, 194  
 supervising psychiatrist/psychologist,  
   role/responsibilities in  
   collaborative care, 143t9.2  
 Support for Students Exposed to  
   Trauma (SSET), 223  
 Sustainable Development Goals  
   (SDGs), 150  
 sympathetic nervous system  
   (SNS), 60–61  
   alterations, in PTSD, 61–63  
 synaptic spine density fluctuations, 68
- technological catastrophe, 48  
 technological disasters, 2, 3, 47, *See also* human-made disasters  
 technology, use in treatment  
   delivery, 94  
 telepresence, 182  
 television exposure, 182, 183t12.1, 185  
 temporoparietal junction (TPJ), 174  
 terror, psychology of, 193–94  
 terrorism, 1, 3, 27, 193, 207–08, 326  
   bombings, 196–99  
   CBRN events, 195–96  
   chemical, biological, radiological,  
     and nuclear devices  
     (CBRN), 193  
   community resilience, 331  
   definition of, 193  
   disruption due to, 193  
   economic impact, 5  
   effect on children, 214  
   effect on economic costs and  
     behaviors, 332, 332f22.4  
   and fear, 265  
   mass shootings, 196–97, 199–200  
   preparedness for the  
     consequences, 327–29  
   school mass shooting, 204–07  
   suicide attack, 194  
   weapons of mass killing and  
     disruption, 194–95  
   and workplace violence, 261  
 tetanus infections, 134  
 thiamine, 137

- Three Mile Island disaster  
  overview, 306  
  physical and mental health studies, 306  
topography, 52–53  
toxic industrial chemicals, exposure to, 126t8.1  
trajectories, 84–85, 326  
  of injury-related PTSD, 11  
  overview of, 76  
  peri-disaster determinants, 77  
  post-disaster determinants, 77  
  pre-disaster determinants, 77  
  of substance use and abuse, 83–84  
  types of, 76–77  
transient distress, 251  
transport of infected patients, 280  
Trauma and Grief Component Therapy for adolescents (TGCT), 225  
trauma exposure, 37  
Trauma-Focused Cognitive Behavioral Therapy (TF-CBT), 224  
  versus EMDR, 224  
trauma-focused therapies, 118  
trauma-related disorders, 7–8  
trauma-response, brain structures associated with, 64–66  
traumatic amputations, 133  
traumatic brain injuries, 130  
traumatic death, 239–41  
  stressors in, 233t15.1  
traumatic play, 10  
traumatic stress responses, 101, 102  
  and NMDA receptors, 113  
  neurobiology of, 112  
treatment, 14–16  
triage, 95, 114, 315  
  decisions-making, 317  
tricyclic antidepressants (TCAs), 117  
tsunamis, 3, 28, 48, 151, 152  
  Asian tsunami, 1, 4, 13, 261, 325  
  Southeast Asia tsunami, 50  
  Southeast Asian tsunami, 119  
tularemia, 127t8.2  
two-step flow theory, 169  
types of disaster  
  and consequences, 47–48  
  and psychological outcomes, 48  
  types of disasters, 2, 27  
    and magnitudes, 46–47  
  types of disaster, 46–47  
  typhoid fever, 134  
  typology of disasters, 27–28  
unconditioned stimulus (US), 66  
United Nations, disaster risk reduction policies, 149–51  
United Nations International Strategy for Disaster Reduction (UNISDR), 150, 153–54  
  Scientific and Technical Advisory Group (STAG), 154, 154t10.3  
universal prevention, pediatric, 221  
universal psychosocial interventions, 252  
vector-borne diseases, 134  
ventral striatum (VS), 174  
ventromedial cortex, 174  
ventromedial prefrontal cortex (vmPFC), 112  
verbal updating, 95  
Vietnam War, 239  
viewing specific images, impact of, 183t12.1  
virtual contact, 281  
vulnerable populations, 10–12  
war stressors, 12  
Washington, DC, sniper attacks, and distress, 9  
water safety threats, 128t8.2  
weapons of mass destructions.  
  *See* chemical, biological, radiological, and nuclear (CBRN) agents/events  
weapons of mass killing and disruption, 194–95  
Wernicke's encephalopathy, 137  
wishful thinking, and risk communication, 164t11.1  
withdrawal syndromes, 137  
women. *See* gender  
  death of, and disaster workers' trauma, 234  
lifetime prevalence of exposure to trauma, 6  
major depression in, 141, 198  
military women, 234  
and psychological morbidity, 10  
PTSD in, 10, 12, 36, 37, 110  
social support for, 14  
vulnerability, 53  
work productivity and attendance, 332  
working in post-disaster environments, 93  
workplace and organizational disasters, 261, 267  
  company model, 261–63  
  high-risk strategy and low threshold service, 264–65  
  leadership training, 263–64  
  occupational health providers, 265–66  
  preparedness and training, 266–67  
  responses, 265  
workplace health programs, 266, 334  
workplace resilience  
  early interventions, 331  
  economic behaviors, planning for, 333  
  fostering, 330–31  
  leadership, 333  
  preparedness, 334  
workplace terrorism, 265  
workplace violence, and terrorism, 261  
work-related exposure in disaster workers, 11  
World Bank  
  *Natural Disaster Hotspots: A Global Risk Analysis*, 52  
World Health Organization (WHO), 153  
  risk communication, 175  
World Trade Center (WTC)  
  attacks, 182  
World Trade Center attacks, 1, 194, 266  
yohimbine, 62  
Zaller's axioms, 172–73  
Zika virus, 270, 282