

## Index

- abelian category, 9, 176, 257, 358, 382
- abelian surface, 3, 9, 32, 47, 70–72, 80, 269, 274, 277, 318–320, 322, 329, 389
  - automorphism group, 329
  - cohomology, 45
  - dual, 46
  - Néron–Severi group, 45
  - nef cone, 168
- abelian variety, 3, 23, 43, 44, 65, 69, 77
  - cohomology, 45
  - dual, 43
- ADE
  - curve, 26, 84, 227, 228
  - graph, 303
  - lattice, 234, 236, 238, 303, 351
    - discriminant, 304
    - Weyl group, 312
  - singularity, 26, 227, 304, 351
    - minimal resolution, 329
- ample cone, 19, 148–151, 155, 156, 158, 160, 161, 167, 339, 380
  - open, 150
  - under deformation, 172
- Artin conjecture, 250, 405, 413, 427
- Artin invariant, 345, 401, 434
- Artin–Tate conjecture, 421
- Atiyah class, 208, 209
- Atiyah flop, 84, 126, 143
- autoequivalence, 145, 147, 270, 349, 364, 366, 367, 379
  - symplectic, 375
- automorphism, 330, 378
  - action on cohomology, 91, 132, 337
  - action on transcendental lattice, 335, 336
  - action on twistor space, 334
  - of finite order, 331
  - fixed point, 331
  - liftable to char. zero, 357
  - non-symplectic, 355
    - order, 356
  - of polarized K3 surface, 84, 91–93
  - symplectic, 271, 330, 331, 333, 344, 384
    - fixed point, 333
    - order, 334
  - tame, 334
- automorphism group, 165, 330, 331, 337, 382
  - of abelian surface, 329
  - not arithmetic, 357
  - discrete, 330
  - of double plane, 342, 343
  - finite, 92, 168, 169, 312, 340, 342
  - finitely generated, 339
  - of general K3 surface, 342
  - infinite, 104, 170, 281, 343
  - in positive characteristic, 334, 338
  - symplectic, 167, 331, 342, 344
    - abelian, 352
    - under base change, 330, 338, 379
    - under derived equivalence, 379
- Azumaya algebra, 382, 410, 415
- B-field, 416
- B-field shift, 129, 377
  - as orthogonal transformation, 314
- Baily–Borel theorem, 82, 104, 105, 113
- Beauville–Bogomolov form, 216
- Beauville–Voisin class, 268
- Beauville–Voisin ring, 268, 270
- Betti number, 12, 135, 431
  - under deformation, 129
- big cone, 174

- Birch–Swinnerton-Dyer conjecture, 250, 261, 404, 421, 423
- Bloch filtration, 271
- Bloch–Beĭlinson conjecture, 261, 270, 275
- Bloch–Illusie spectral sequence, 433
- Bogomolov inequality, 178, 185, 191, 210
- Bogomolov–Mumford theorem, 268, 277, 297
- Brauer class, 411
  - as obstruction, 243, 250
  - transcendental, 414
- Brauer group, 376, 410
  - algebraic versus analytic, 416
  - cohomological, 412, 415
  - equals Tate–Šafarevič group, 247
  - of field, 420
  - finite  $n$ -torsion, 413
  - finiteness, 413, 420
  - formal, 419
    - Dieudonné module, 433
    - height, 429
  - no  $n$ -torsion, 436
  - of function field, 413
  - of moduli space, 208, 218
  - $p$ -primary, 436
  - pairing, 423
  - Tate module, 406, 414, 421, 426
  - torsion, 413
  - for  $\rho = 22$ , 436
- Brauer–Manin obstruction, 437
- Brauer–Severi variety, 383
- Brill–Noether
  - general, 180, 270
  - locus, 183
  - number, 182, 183, 270
- Calabi conjecture, 114, 128, 135, 188, 192, 337
- canonical bundle formula
  - for blow-up, 3
  - for branched covering, 3, 190
  - for elliptic fibration, 221, 246
- category fibred in groupoids (CFG), 94
- chamber, 154, 167, 317, 339
- chamber structure, 154, 317
  - for  $\Pi_{1,25}$ , 326
- Chern class, 201
  - in  $\mathrm{CH}^1$ , 258
  - in crystalline cohomology, 402, 431
  - in de Rham cohomology, 197, 391
  - in étale cohomology, 11, 392
  - first, 92, 201, 255, 264
  - second, 268
- Chern numbers, 7
- Chow group, 254, 255
  - dimension, 260
  - divisible, 256
  - formal completion, 437
  - infinite dimensional, 260
  - Kimura finite-dimensional, 267, 271
  - torsion, 266
  - torsion free, 256
  - trivial over  $\overline{\mathbb{F}}_p$ , 267
  - under base change, 262, 263
- Clifford algebra, 60
- Clifford group, 60
- Clifford index, 184
- complete intersection, 2, 8, 14, 90, 99, 343, 344, 390
- cone, 148
  - circular, 148
  - dual, 158, 160
  - polyhedral, 148, 157, 160
  - positive, 326
- cone conjecture, 165
  - for hyperkähler, 174
- connection
  - Chern, 191
  - Gauss–Manin, 108
  - Hermite–Einstein, 191
  - hermitian, 191
- constant cycle curve, 269
- Conway group, 328, 349
  - order, 328
- Cox ring, 173
- cubic fourfold, 14, 306, 309
  - derived category, 384
  - lattice, 306
- curve
  - 1-connected, 20, 25
  - 2-connected, 26
  - ( $-2$ )-curve, 18, 31, 151, 223, 339, 352
    - as spherical object, 367
    - finiteness, 159, 168
  - arithmetic genus, 17
  - big and nef, 20
  - elliptic
    - family, 283, 297
    - primitive, 30
  - geometric genus, 17
  - hyperelliptic, 17, 22, 28, 187
  - rational, 18, 19, 151, 178, 188, 268, 269
    - density, 296
    - existence, 277, 297
    - infinitely many, 273, 282, 289

- curve (cont.)
  - nodal, 275–277, 282–285, 287, 289, 293
  - stable, 285
  - sum of rational, 281
- cycle, 254
  - degree, 255
- deformation
  - complete, 109
  - equivalence, 128, 129
  - of curve, 283
  - functor, 417, 418
  - of K3 surface, 109, 141, 194
  - of line bundle, 397
  - of line bundle on elliptic fibres, 239
  - of polarized K3 surface, 110, 196
  - of stable map, 283
  - universal, 109, 114, 131, 286
    - of polarized K3 surface, 115
- degree
  - of cycle, 255
  - of polarized K3 surface, 31
  - of sheaf, 184
- Deligne torus, 41
- Deligne–Mumford stack, 84, 85, 92–94, 97, 119, 121, 376
  - as global quotient, 99
- density
  - of elliptic K3 surfaces, 317
  - of elliptic k3 surfaces, 220
  - of Kummer surfaces, 323
- derived category, 147, 176, 214, 257, 349, 358
  - of cubic fourfold, 384
  - of Jacobian fibration, 243
  - under base change, 378
- derived equivalence
  - under base change, 384
  - between K3 surfaces, 364, 371
  - between twisted K3 surfaces, 378
- Dieudonné theory, 432
- diffeomorphism group, 141, 144
  - connected components, 144
- diffeomorphism type, 13
- discriminant, 299
  - discriminant form, 300, 315
    - of Kummer lattice, 319
- discriminant group, 300, 339, 347
  - of ADE lattice, 304
- divisor, vertical, 232
- double plane, 4, 22, 58, 70, 73, 116, 146, 198, 220, 234, 253, 329, 356, 390
  - automorphism group, 342, 343
  - Brauer group, 415
  - over  $\mathbb{Q}$ , 401
  - rational curves, 292, 294
    - with  $\rho = 20$ , 390
- DPC, 80, 404
- Dwork pencil, 389
- Dynkin diagram, 224, 303
- effective cone, 157, 158, 160, 169, 281
- elementary transformation, 253
  - Chern classes, 180
  - locally free, 180
  - simple, 181
  - $\mu$ -stable, 186
- elliptic curve
  - CM, 389
  - isogeneous, 389
  - Newton polygon, 431
  - ordinary, 429
  - supersingular, 429
  - torsion, 238
- elliptic fibration, 219, 274, 281, 282, 316
  - discriminant, 229
  - extremal, 234
  - finitely many, 220
  - isotrivial, 230
  - section, 227, 316
  - semistable, 226
  - torsion section, 354
- endomorphism field, 51
  - CM or RM, 52
  - of Hodge structure, 49
  - RM, 79
- endomorphism of general K3 surface, 356
- Enriques surface, 190, 305, 335, 356
- equivalence
  - linear, 255
  - numerical, 5, 386
  - of period points, 134
  - rational, 255, 259
- Euler number, 11, 226, 231, 246
- Euler pairing, 177
- exponential sequence, 10, 110, 415
- Faltings’s theorem, 405
- Fermat quartic, 2, 12, 220, 272, 297
  - automorphisms, 344
  - elliptic, 29
  - height, 429
  - Kummer, 3, 15, 321

- line, 389
- Picard lattice, 48, 389, 394, 429
- transcendental lattice, 48
- unirational, 272, 394
- finiteness, of K3 surfaces
  - over finite field, 408, 426
  - over number field, 409
- formal group law, 428
  - for  $\widehat{\mathbb{G}}_a, \widehat{\mathbb{G}}_m$ , 428
  - height, 428
- Fourier–Mukai partner, 218
  - again K3 surface, 364
  - finitely many, 373
  - Jacobian fibration as, 366
  - of Kummer surface, 373
  - moduli space as, 365
  - number, 369, 384
  - transcendental lattice, 372
  - unique, 372
- Fourier–Mukai transform, 156, 361
  - adjoint, 361
  - on cohomology, 369
  - fully faithful, 363
  - on numerical Grothendieck group, 368
  - for twisted varieties, 376
- Frobenius, 74, 400, 405, 429, 436
  - semi-simple, 406
- Fujita conjecture, 24, 33
- fundamental domain, 148, 165
  - of orthogonal group, 167
  - rational polyhedral, 166
  - of Weyl group, 326
- fundamental group, 13
- Göttsche’s formula, 294, 297
- genus
  - of lattice, 300
  - of polarized K3 surface, 31
- gerbe, 383
- GIT-quotient, 89, 207
- GIT-stable, 89, 204, 207
- global Torelli theorem, 8, 44, 82, 116–118, 120, 133, 139, 140, 144, 145, 167, 171, 172, 317, 323, 338, 344, 350, 369, 373, 374, 379
  - for curves, 43, 44
  - derived, 45, 371
  - via function field, 147
  - for Kummer surfaces, 116, 145, 146, 321
  - for polarized K3 surfaces, 44
  - for supersingular K3 surfaces, 437
- Golay code, 327, 346
- Green’s conjecture, 184
- Griffiths transversality, 107
- Grothendieck group, 254, 360, 381
  - of category, 257, 271
  - filtration, 259
  - finitely generated, 261
  - of lattices, 305
  - numerical, 206, 360, 370, 381
    - in cohomology, 369
    - equals extended Néron–Severi group, 368
  - of variety, 257
- Grothendieck–Verdier duality, 222
- groupoid, CFG, 94
  - representable, 96
- happy family, 345
- Hasse invariant, 434
  - of elliptic curve, 433
  - of K3 surface, 434
- Hasse principle, 437
- height
  - canonical, 237
  - of elliptic curve, 429
  - of formal Brauer group, 429
  - of formal group law, 428
  - of  $\widehat{\mathbb{G}}_a, \widehat{\mathbb{G}}_m$ , 428
  - of isocrystal, 430
  - of K3 surface, 407, 429
- height stratification, 434
- Hermite–Einstein metric, 188, 191, 192
- Hesse pencil, 220, 225, 230
- Hilbert irreducibility, 399
- Hilbert polynomial, 34, 85, 118, 199, 201, 206
  - reduced, 202
- Hilbert scheme
  - of K3 surfaces, 85, 87, 91, 118
  - of points, 14, 174, 215, 217, 294
- Hochschild–Serre spectral sequence, 393, 414, 420, 422
- Hodge class, 36, 44
- Hodge conjecture, 38, 403
  - Kuga–Satake, 70, 72, 73
  - for product of abelian surfaces, 71
  - for product of K3 surfaces, 38, 408
- Hodge decomposition, 106, 108
- Hodge filtration, 38
- Hodge group, 52
  - commutative, 54
- Hodge index theorem, 5, 11, 26, 149, 210, 222, 237, 323, 348, 386, 401

- Hodge isometry, 39, 44, 115, 116, 120, 132, 140, 143, 172, 315, 318, 321, 336, 337, 339, 350, 370, 372, 373, 378–380
- of abelian surfaces, 46
  - of Jacobian fibration, 242
  - of Kummer surface, 48
  - of moduli space, 215, 217
  - of Mukai lattice, 371
  - orientation preserving, 375, 378
  - of transcendental lattice, 45, 51, 167, 317, 323, 372, 374
  - of twisted K3 surfaces, 378
- Hodge number, 7, 8, 11, 431, 432
- under deformation, 129
  - under derived equivalence, 381
- Hodge polygon, 431
- Hodge structure, 35
- complex conjugate, 37
  - via Deligne torus, 41
  - direct sum, 36
  - dual, 37
    - via Deligne torus, 42
  - exterior product, 37
  - irreducible, 36, 45
  - isogeny, 36
  - of K3 type, 43, 62, 66, 79, 101, 215
  - of Kähler manifold, 38, 106
  - Kuga–Satake, 63
  - of moduli space, 214
  - morphism, 37
  - polarization, 39
  - polarized, 39, 45, 101
  - sub-, primitive, 44
  - Tate, 36
    - via Deligne torus, 42
  - Tate twist, 37
  - tensor product, 36
  - of torus, 115
  - weight one, 42, 62, 67
  - weight two, 43, 67
- Hodge–Frölicher spectral sequence, 11
- Hodge–Riemann pairing, 40
- hyperbolic plane, 302
- orthogonal group, 311
- hyperkähler manifold, 132, 147, 216, 387
- hyperkähler metric, 114
- index
- of Brauer class, 411
  - of elliptic fibration, 240, 242
  - intersection form, 4, 10
    - on Chow, 256, 268
    - on cohomology, 12
    - for line bundles, 4
  - intersection pairing, 4, 5, 11, 39, 41, 50, 68, 75, 214, 304, 386, 391, 406
  - isocrystal, 429
- Jacobian
- of elliptic curve, 238
  - of elliptic fibration, 239
    - as Fourier–Mukai partner, 366
  - relative, 294
- Jacobian fibration, 425
- again K3 surface, 241
  - derived category, 243, 426
  - Euler number, 246
  - Hodge structure, 242
  - as moduli space, 241, 253
  - Picard group, 242, 426
- Jordan–Hölder filtration, 203
- K3 lattice, 100, 304, 306, 308
- K3 surface
- algebraic, 8, 9, 49
    - projective, 1
  - attractive, 386
  - cohomology
    - crystalline, 401
    - de Rham, 391
    - étale, 13, 74, 392, 436
    - singular, 12
    - Witt vector, 423
  - complex, 9
    - algebraic, 11
  - conjugate, 315
  - defined by quadrics, 33
  - of degree
    - 2, 4, 146
    - 4, 2, 28
    - 6, 2
    - 8, 14
    - 10, 14
    - 12, 14
    - 14, 14
    - 2, 4, . . . , 18, 14
    - $\leq 24$ , 99
  - diffeomorphic, 129
  - dominable, 275
  - DPC, 80, 404

- elliptic, 14, 30, 157, 168, 194, 198, 219, 269, 274,  
 281, 282, 294, 298, 386, 391, 404, 407,  
 436  
 dense, 220  
 density, 317  
 no FM-partner, 372  
 general, 226  
 logarithmic transform, 13  
 general, 276, 282  
 generic, 276  
 homotopy, 13  
 lift to characteristic zero, 78, 196  
 non-hyperbolic, 274, 275, 297  
 non-projective, 1, 8, 350, 386, 391  
 automorphisms, 357  
 ordinary, 407, 408, 429, 434  
 over  $\overline{\mathbb{F}}_p$ , 266, 267, 274, 396  
 over  $\mathbb{Q}$ , 261, 270, 275, 280, 289, 291, 293, 298,  
 397  
 over number field, 298, 315  
 polarized, 31, 82, 85, 179  
 deformation, 115  
 projective, 2, 149, 171  
 quasi-polarized, 31, 84, 425  
 Shioda supersingular, 401  
 simply connected, 131  
 singular, 386  
 supersingular, 30, 264, 273, 292, 338, 339, 345,  
 407, 425  
 $\rho = 22$ , 407  
 supersingular (Shioda), 435  
 twisted, 382  
 unirational, 30, 198, 436  
 supersingular, 435  
 $\rho = 22$ , 194, 394  
 uniruled, 189  
 Kähler class, 170, 337, 339  
 invariant, 335, 348  
 very general, 388  
 Kähler cone, 114, 133, 136–138, 144, 147, 155,  
 170, 171, 339, 386  
 under deformation, 172  
 Weyl group of, 172  
 Kähler metric, 114, 135  
 Ricci-flat, 192, 337  
 Kähler–Einstein metric, 188, 192  
 Kawamata–Viehweg vanishing, 20  
 Keel–Mori theorem, 83, 98, 204, 286  
 Kobayashi–Hitchin correspondence, 188, 192  
 Kodaira dimension, of moduli space, 99  
 Kodaira’s table, 225  
 Kodaira–Ramanujam vanishing, 20, 24  
 Kodaira–Spencer map, 108, 208  
 Kuga–Satake class, 70, 405  
 absolute, 80  
 Kuga–Satake construction, 55, 62, 73, 99, 404, 427  
 via Deligne torus, 63  
 infinitesimal, 67  
 motivic nature, 79  
 relative, 122  
 Kuga–Satake variety, 64, 72  
 of abelian surface, 70  
 by base change, 404  
 dimension, 64  
 of double plane, 73  
 field of definition, 68  
 of Kummer surface, 72  
 polarization, 62, 65  
 Kulikov model, 125  
 Kummer lattice, 47, 318, 389  
 embedding into Niemeier lattice, 327  
 generalized, 329  
 primitive embedding, 320  
 unique, 319  
 Kummer sequence, 13, 392, 393, 413, 436  
 Kummer surface, 3, 9, 32, 47, 72, 116, 145, 146,  
 269, 307, 318, 335, 354, 388  
 characterization, 320, 321  
 dense, 146, 323  
 dominant, 275  
 to  $E_1 \times E_2$ , 220, 225, 230, 234, 277, 285, 323,  
 341, 345, 354, 389, 416  
 no FM-partner, 372  
 no Fourier–Mukai partner, 373  
 generalized, 328  
 Hodge structure, 48, 320  
 to  $\text{Jac}(C)$ , 253, 274  
 singular, 15  
 transcendental lattice, 320  
 with  $\rho = 17$ , 322  
 with  $\rho = 18$ , 322  
 with  $\rho = 19$ , 322  
 with  $\rho = 20$ , 69, 322, 323, 341, 344  
 lattice. *see also* Leech lattice  
 coinvariant, 347  
 definite, 299  
 embedding, 307  
 even, 299  
 finiteness, 300  
 genus, 300  
 indefinite, 299

- lattice (cont.)
  - Niemeier, 324
  - odd, 299
  - orthogonal, 301, 307
  - orthogonal group, 311
    - orbit, 308, 309
  - primitive embedding, in Niemeier lattice, 326
  - Rudakov–Šafarevič, 402
  - twist, 303
  - unimodular, 300
    - classification, 305
- Leech lattice, 325, 328, 348, 351
  - orthogonal group, 349
- Lefschetz fixed-point formula, 74, 305, 332, 347
- Lefschetz theorem, 11, 39, 49, 386, 405
- level structure, 97, 119, 121, 399
- line bundle
  - ample, 4, 19, 149, 338
    - $L^2$  is base point free, 23
    - $L^3$  is very ample, 23
  - base point free, 26
  - big and nef, 19, 20, 24, 31, 157, 179, 425
  - hyperelliptic, 22
  - nef, 19, 20, 28, 149
    - $L^k$  is base point free, 29
  - numerically trivial, 5
  - primitive, 30, 31, 82
  - semiample, 30, 33
  - as spherical object, 367
  - not torsion, 7
  - very ample, 33
- linear system, 16
  - base locus, 16
  - contains smooth curve, 27
  - fixed part, 16, 25
  - mobile part, 16, 25
  - only fixed parts, 30
  - projectively normal, 22
- local Torelli theorem, 109, 114, 116, 119, 131
  - for Kummer surfaces, 109
- marking, 107, 113, 132, 133, 388
- Mathieu group, 344, 349
  - order, 328, 346
- Matsusaka’s big theorem, 34, 426
- Matsusaka–Mumford theorem, 90, 97
- Miyaoka–Yau inequality, 192
- moduli functor
  - corepresented, 201, 203
  - as groupoid, CFG, 83
  - of polarized K3 surfaces, 81
    - as groupoid, CFG, 94, 95
    - as stack, 95
  - of sheaves, 200
- moduli space, 201
  - coarse, 82, 88, 89, 94, 118, 201, 203, 204
  - fine, 113, 115, 201, 204
  - of hypersurfaces, 89
  - of lattice polarized K3 surfaces, 99, 127, 279
  - of marked K3 surfaces, 113, 114, 131
    - Hausdorff reduction, 132
    - not Hausdorff, 116, 131
  - of polarized K3 surfaces, 82, 89, 91, 94, 117, 289, 399
    - as algebraic space, 83
    - as DM stack, 94, 97, 121
    - height stratification, 437
    - irreducible, 99
    - Kodaira dimension, 99
    - with level structure, 119, 399
    - as orbifold, 119
    - as quasi-projective variety, 82, 118
    - not smooth, 120
    - supersingular locus, 434, 437
  - of quasi-polarized K3 surfaces, 84, 99, 119
    - cohomology, 127
    - Picard group, 127
  - not separated, 200
  - of sheaves, 203, 241
    - birational, 218
    - Brauer group, 208, 218
    - derived category, 213, 218
    - as Fourier–Mukai partner, 213
    - Hodge structure, 214
    - K3 surface, 213
    - non-empty, 207, 211, 212
    - Picard number, 426
    - relative, 203
    - symplectic resolution, 217
    - symplectic structure, 209
    - tangent bundle, 208
    - two-dimensional, 212, 214
    - zero-dimensional, 212
  - of stable curves, 285
  - of stable maps, 285
  - tangent space, 204, 206
- moduli stack
  - of polarized K3 surfaces, 95
    - as DM stack, 97

- monodromy, 140–142
  - quasi-unipotent, 126
- monodromy group, 142, 144, 399
  - algebraic, 121
  - big, 77
  - of elliptic fibration, 231
  - finite index, 121
  - $\ell$ -adic algebraic, 54
  - versus Mumford–Tate group, 122
- Mordell–Weil group, 168, 233, 274, 354, 391, 424
  - of elliptic curve, 250
  - finitely generated, 233
  - rank, 237, 253
  - torsion, 236, 237, 355
- Mordell–Weil lattice, 236, 237
- Mori cone, 158
  - circular, 163
  - locally polyhedral, 160
- Mukai lattice, 178, 304, 314, 318
- Mukai pairing, 178, 214, 304
- Mukai vector, 177, 206, 209, 241, 426
  - in Chow, 268
  - in cohomology
    - integral, 370
  - in extended Néron–Severi group, 368
  - non-primitive, 217
  - primitive, 209
  - of spherical object, 270
- Mumford–Tate conjecture, 55, 405
- Mumford–Tate group, 52, 388
  - versus monodromy group, 122
- Murre decomposition, 265
  
- Néron model, 232, 238
- Néron–Severi group, 5, 10, 137, 290, 341
  - via exponential sequence, 10
  - extended, 368
  - finitely generated, 5
  - of Jacobian, 243, 369
  - specialization
    - injective, 315
- Néron–Severi lattice, 148, 385
  - embedding, 315
  - primitive embedding
    - unique, 315
- Nakai–Moishezon–Kleiman criterion, 19, 149
- nef cone, 148, 149, 157, 158, 160, 166–168, 170, 172
  - boundary, 151
  - boundary of, 160
  - closed, 150
  - effective, 149, 166
  - locally polyhedral, 157, 160
  - rational polyhedral, 163, 170
  - under deformation, 172
- Newton polygon, 430, 432
- Nielsen realization problem, 145
- Niemeier lattice, 320, 345, 351, 387
  - classification, 325
  - orthogonal group, 328, 347
  - root lattice, 325, 328, 347, 351
- Nikulin involution, 353
- Noether formula, 8
- Noether theorem, 17, 23
- Noether–Lefschetz divisors, generate Picard group, 127
- Noether–Lefschetz locus, 105, 111, 290, 397
  - density, 110, 387
- non-isotrivial family, 105, 110, 387
  
- obstruction class
  - to deformation, 195, 205
  - to existence of universal sheaf, 208, 426
  - to lift, 195
- orthogonal group, 153
  - arithmetic subgroup, 104, 113
    - torsion free, 104
  - commensurable subgroup, 104
  - fixing polarization, 113, 121, 399
  - generators, 314
- orthogonal transformation, as product of reflections, 312
  
- Pell’s equation, 164, 311
- period, of Brauer class, 411
- period domain, 101, 132
  - arithmetic quotient, 105, 118
  - connected component, 103
  - discrete group action, 104
  - as Grassmannian, 102
  - quotient, 399
    - (not) Hausdorff, 104, 112
    - quasi-projective, 104, 113
    - by torsion-free group, 104
  - as tube domain, 102
- period map, 107, 132, 279, 286
  - covering map, 139
  - generic injectivity, 139
  - global, 112, 114, 115
  - image, 117
  - surjectivity, 114, 138, 171, 173, 237, 315, 344, 350



- period map (cont.)  
 for Kummer surfaces, 48, 307, 320  
 for tori, 46
- Picard functor, 199, 239, 416
- Picard group, 5, 10, 341, 386  
 via exponential sequence, 10  
 Galois invariant, 393, 414  
 of moduli space, 127  
 specialization, 111, 396, 399  
 is injective, 315  
 torsion free cokernel, 397  
 torsion free, 7, 194, 392, 393  
 under base change, 205, 391  
 finite, 393  
 inseparable, 392
- Picard lattice, *see* Néron–Severi lattice
- Picard number, 5, 11, 69, 334, 432  
 even, 11, 51, 292, 315, 396  
 in family, 110, 388, 397, 408  
 geometric, 392, 396  
 odd, 292  
 $\rho = 0$ , 136, 171, 340, 357, 391  
 autoequivalences, 381  
 automorphism group, 382  
 $\rho = 1$ , 173, 182, 185, 276, 278, 341, 384, 400  
 autoequivalences, 376  
 automorphism group, 341, 342  
 Fourier–Mukai partners, 384  
 over  $\overline{\mathbb{Q}}$ , 399  
 $\rho \geq 1$ , 133  
 $\rho = 2$ , 160, 163, 170, 279, 293, 337, 342, 384, 400  
 automorphism group, 341  
 Fourier–Mukai partners, 384  
 $\rho \geq 2$ , 282  
 $\rho = 3$ , 341  
 $\rho \geq 3$ , 163, 281  
 $\rho = 4$ , 293, 341  
 $\rho \leq 4$ , 163  
 $\rho \geq 5$ , 164, 194, 220  
 $\rho \geq 9$ , 353  
 $\rho \leq 10$ , 197, 315  
 $\rho = 11$ , 316  
 $\rho \leq 11$ , 163, 387  
 $\rho \geq 11$ , 316  
 $\rho \geq 12$ , 220, 316, 317, 373, 387  
 $\rho = 16$ , 390  
 $\rho \geq 16$ , 48  
 $\rho = 17$ , 322  
 $\rho \geq 17$ , 321, 388  
 $\rho = 18$ , 322, 343, 388
- $\rho = 19$ , 72, 238, 322, 328, 350, 388  
 $\rho \geq 19$ , 354  
 $\rho = 20$ , 54, 68, 72, 234, 238, 316, 322, 323, 341, 344, 350, 387–389, 416, 435  
 over  $\overline{\mathbb{Q}}$ , 398  
 $\rho < 20$ , 173  
 $\rho \leq 20$ , 11, 316, 386  
 $\rho = 21$ , 395, 403  
 $\rho \leq 21$ , 11  
 $\rho \neq 21$ , 436  
 $\rho = 22$ , 30, 194, 273, 341, 394, 401, 407, 436  
 $\rho < 22$ , 264  
 $\rho \leq 22$ , 13, 391
- Picard scheme, 86, 95, 199, 205, 212, 217, 238, 417
- Picard–Lefschetz, 143
- polarization, 31, 82, 210  
 generic, 217
- positive cone, 5, 19, 133, 136, 138, 149, 151, 152, 157, 165, 171, 339, 374, 386
- potential density, 275
- pseudo-polarization, *see* quasi-polarization
- quartic, 2, 12, 28, 32, 99, 129, 130, 214, 253, 269, 270, 343, 389  
 degree of discriminant, 295, 389  
 GIT-stable, 89  
 line, 297, 389  
 as moduli space, 214  
 over  $\mathbb{Q}$ , 401, 408  
 rational curves, 295  
 universal, 261  
 $\rho = 1$ , 390  
 $\rho = 2$ , 343
- quasi-polarization, 31, 84, 99, 117, 119, 127, 157
- Quot-scheme, 204
- quotient  
 as algebraic space, 90, 204  
 categorical, 88, 90, 118  
 good, 94  
 of K3 surface, 351  
 slice of, 94
- quotient stack, 96
- Ramanujam’s lemma, 25
- reflection, 30, 61, 142, 153, 312, 340
- regulator, 237
- Riemann–Roch theorem, 176, 177, 213  
 for line bundles, 4, 6, 18, 150, 156, 199  
 for sheaves, 7

- root, 153, 311
  - Leech, 326
  - positive, 153
- root lattice, 311
  - of Niemeier lattice, 347
- Rudakov–Šafarevič lattice, 402
- S-equivalence, 203
- Selmer group, 248
- semistable degeneration, 125
- Serre duality, 6, 20, 176, 177, 206, 209, 360, 362, 366
- Serre functor, 176, 361, 364
- Seshadri constant, 34
- Severi variety, 295, 356
- sheaf
  - degree, 184
  - polystable, 192
  - pure, 202
  - reflexive hull, 175, 186
  - rigid, 180, 212, 270
  - simple, 178, 180, 185
  - spherical, 270
  - stable, 209
  - torsion free, 175, 202
  - twisted, 207, 382, 426
- Shioda–Inose structure, 220, 234, 344, 354, 390
- Shioda–Tate formula, 226, 233, 424
- signature, 299
- simple singularity, 229, 304
- Skolem–Noether theorem, 411
- slope
  - of isocrystal, 430
  - of sheaf, 185, 202
- spanning class, 362
- spherical object, 270, 367, 392
  - orthogonal of, 384
  - realizing  $(-2)$ -class, 369
  - under base change, 379
- spherical sheaf, 198, 379
  - $\mu$ -stable, 384
- spherical twist, 214, 253, 367
  - on cohomology, 371
  - on extended Néron–Severi group, 368
- spin group, 61
  - orthogonal representation, 61, 67
- spinor norm, 142, 312
- spread, 77, 289, 392, 398
- stability
  - condition, 384
  - GIT-stability, 204, 207
  - of sheaves, 202
  - $\mu$ -stability, 184, 201
- stable map, 285
- rigid, 287
- Steiner system, 346
- sub-Hodge structure, 44
- symmetric product, 204, 215, 256, 260
- symplectic structure, 331
  - algebraic, 2
  - on Hilbert scheme, 216
  - on K3 surface, 2
  - on moduli space, 209
- real, 147, 174
- as residue, 2
- tangent bundle
  - of Hilbert scheme, 91
  - of K3 surface, 1
    - simple, 179
    - symmetric powers, 193
  - $\mu$ -stable, 187, 192
  - of Kähler manifold, 192
  - of moduli space, 208
  - of period domain, 101
- tangent-obstruction theory, 418
- Tate conjecture, 55, 75, 197, 292, 403, 423
  - for DPC, 404
  - for elliptic, 404, 407, 425, 436
  - integral, 405
  - for product, 403, 408
  - for supersingular, 407, 435
  - for unirational, 395
  - over function field, 408
- Tate–Šafarevič group, 246, 425
  - analytic, 250
  - equals Brauer group, 247
  - torsion, 248
- transcendental lattice, 44, 68, 69, 72, 167, 331, 335
  - versus Brauer group, 416
  - of conjugate K3 surface, 315, 393
- embedding, 315
- endomorphism
  - cyclic, 51
  - field, 51
  - of Fourier–Mukai partner, 372
- Hodge isometry, 318
- of K3 with  $\rho = 20$ , 322
- of Kummer surface, 320
- $= \text{NS}(X)^\perp$ , 49
- primitive embedding
  - unique, 316, 317

- triangulated category, 257
  - bounded  $t$ -structure, 271
- trope, 15
- tube domain, 103
- twistor line, 133
  - generic, 134, 137, 138
- twistor space, 8, 136, 172, 334, 350, 388
- universal family, 85, 95, 97, 114, 118, 119, 121, 208, 388
  - obstruction, 376
- universal sheaf, 207, 208, 243, 249, 365, 372
  - twisted, 207, 377
- variety, 1
  - irreducible symplectic, 34, 79, 147, 216, 271, 427
- vector bundle
  - on  $\mathbb{P}^1$ , 200
  - rigid, 180, 270
  - simple, 181
- vector field, 8, 11, 179, 188, 189, 191, 193, 330
- vertical divisor, 232
- VHS, 76, 106, 122–124
- wall, 153
- Wedderburn theorem, 393, 411, 420
- Weierstrass equation
  - for elliptic curve, 226
  - for elliptic K3 surface, 228, 232
- Weierstrass normal form, 14
- Weil conjectures, 73, 75, 395, 400, 421, 424
  - for abelian variety, 78
- Weil operator, 39, 41
- Weil–Châtelet group, 244
- Weyl group, 154, 155, 157, 165, 169, 172, 312, 317, 337, 340, 350, 387
  - of ADE lattice, 312
  - of Néron–Severi lattice, 341
  - of Niemeier lattice, 328, 347
  - transitive action, 154
- Witt ring, 194, 402, 429
- Yau–Zaslow formula, 276, 293, 297
- Zariski decomposition, 33, 174
- Zariski lemma, 221, 225
- zeta function, 74, 380, 405, 423
  - independence, 406
  - under derived equivalence, 380