

## Notation Index

- $A^i$ , 132
- $A^{idio, \mathcal{I}}$ , 135
- $\hat{A}_u$ , 16
- $\bar{A}^j$ , 16
- $\mathcal{A}, A_u$ , 246
- $\mathcal{A}$ , 15
- $\tilde{\mathcal{A}}, \tilde{A}_u$ , 247
  
- $\mathcal{B}^j$ , 19
- $\mathbb{B}(\mathbb{R}^m)$ , 246
- $\mathcal{B}(\mathbb{R}_+)$ , 197
  
- cMMFH*, 9
- $c_j(x_j)$ , 82
- $C^\infty(\mathbb{R}^m)$ , 255
- $C^{i,*}$ , 41
- $C_0(\mathbb{R}^m)$ , 246, 255
- $C_0^\infty(\mathbb{R}^m)$ , 255
- $C_b(\mathbb{R}^m)$ , 255
- $C_c(\mathbb{R}^m)$ , 255
- $C_c^\infty(\mathbb{R}^m)$ , 255
  
- $d_j^0(x_j)$ , 83
- $d_j(x_j)$ , 82
- $\mathcal{D}(A_u)$ , 246
- $\mathcal{D}(\tilde{A}_u)$ , 247
- $\partial$ , 132
  
- $e_j$ , 16
- $E^\Delta$ , 131
- $E_t^\Delta$ , 131
- $E_t^\partial$ , 132
- $E_t^\partial$ , 132
- $E^{idio, \mathcal{J}}$ , 150
- $\mathbb{E}_{s,x}, \mathbb{E}_{s,x_j}^j$ , 10, 214
- $\mathbb{E}_x, \mathbb{E}_{x_j}^j$ , 10
- $\mathcal{E}^\Delta$ , 132
- $\mathcal{E}_t^\Delta$ , 131
  
- $\mathcal{E}^\partial$ , 132
- $\mathcal{E}_t^\partial$ , 132
- $\hat{f}$ , 256
- $f(t, s, x, dy)$ , 129
- $f^i(t, s, x_i, dz)$ , 169
- $f_t$ , 124
- $\hat{\mathbb{F}}$ , 251
- $(\mathbb{F}, \mathbb{G})$ -CMC, 223
- $(\mathbb{F}, \mathbb{G})$ -CDMC, 228
- $(\mathbb{F}, \mathbb{G})$ -DMC, 228
- $\mathbb{F}$ , 209
- $\mathbb{F} \nabla \mathbb{G}$ , 197
- $\mathbb{F} \vee \mathbb{G}$ , 197
- $\mathbb{F}^N$ , 129
- $\mathbb{R}^X$ , 197
- $\mathbb{F}_s^i$ , 213
- $\mathbb{F}^{N^i}$ , 133
- $\mathbb{F}_s$ , 209, 211
- $\mathcal{F}_t^N$ , 129
- $\mathcal{F}_t^{N^i}$ , 133
- $\mathcal{F}_{s,t}^i, \mathcal{F}_{s,\infty}^i$ , 213
- $\mathcal{F}_{\tau^+}, \mathcal{F}_{\tau^-}$ , 199
- $\mathcal{F}_{s,t}, \mathcal{F}_{s,\infty}$ , 209, 211
  
- $g_{i,j}$ , 145
  
- $H_t^x, H_t^{xy}$ , 223
  
- $I_{a,b}$ , 187
  
- $L^p(\mathbb{R}^m)$ , 256
- $L^p(\mathbb{R}^m; \mathbb{C})$ , 256
  
- $M^f$ , 250
- $M^{v_j}$ , 17
- $\mathcal{MFH}$ , 215
- $\mathcal{MFH}^i$ , 80

$\mathcal{MMF}$ , 8	$\mathcal{WMMF}^j$ , 12
$\mathcal{MMFH} \rightsquigarrow \mathcal{MFH}^j$ , 80	$X(\omega)$ , 198
$\mathcal{MMFH} \rightsquigarrow \mathcal{MFH}^j$ , 21	$\langle X \rangle^{\mathbb{F}}$ , 201
$\mathcal{MMH}$ , 212	$\langle X, Y \rangle$ , 201
$\mathcal{MMP}$ , 13	$(X, \mathbb{P})$ , 108, 112
$\mathcal{MMP}_s$ , 212	$\mathcal{Y}$ , 50
$\mathcal{MP}, \mathcal{MP}_s$ , 212	$\dot{Z}$ , 251
$\mathcal{MPH}$ , 212	$[[\theta, \eta]]$ , 199
$\widetilde{\mathcal{MMF}}$ , 16	$\Delta X_t$ , 198
$N, N(dt, dx), N((0, t], A)$ , 129	$\eta(t, dy)$ , 129
$N^i$ , 132	$\eta^i(t, dz)$ , 169
$N^{idio, \mathcal{I}}$ , 135	$\kappa(t, dy)$ , 129
$N_{vw}$ , 218	$\kappa^i, \kappa^i(t, A)$ , 134
$N_{xy}, N_{x_1 y_1}^1$ , 220	$\kappa^i(t, dz)$ , 169
$P$ , 210, 214	$\lambda_{x_1 y_1}^1, \Lambda^1$ , 39
$P(s, x, t, B)$ , 214	$\lambda_{x_2 y_2}^2, \Lambda^2$ , 40
$P(u, x, t, B)$ , 210	$\lambda_t^{k_x k_y k}$ , $\Lambda^k$ , 52
$P(x, t, B)$ , 210	$\lambda_t^{xy}, \Lambda_t$ , 223
$P^j(s, x_j, t, B_j)$ , 11	$\lambda_{xy}(t), \Lambda(t)$ , 38
$\mathbb{P}^Z$ , 252	$\Lambda$ , 220
$\mathbb{P}_s^{j, \mathcal{W}^j}(A_j)$ , 12	$(\Lambda, \xi)$ , 109
$\mathbb{P}_{s, x_j}^j$ , 10	$\mu^X$ , 204
$\mathbb{P}_v$ , 131, 138	$\mu_j(x_j, dz_j)$ , 82
$\mathbb{P}_{s, x}$ , 214	$\mu_s$ , 209
$\mathbb{Q}$ , 210	$v(\omega, dt, dy)$ , 129
$\mathbb{Q}_s$ , 209	$v^i, v^i(\omega, dt, dy_i)$ , 133
$\mathbb{Q}_s^{\mathcal{F}_s}$ , 215	$v_{xy}, v_{x_1 y_1}^1, v_{x_1 y_1}^1$ , 220
$q$ , 256	$\pi_n$ , 138
$q(x, \xi)$ , 22	$\rho_j$ , 29, 82
$S(\mathbb{R}^m)$ , 255	$\mathcal{X}, \mathcal{X}_i$ , 38
$SMMFH^j$ , 13	$\Psi_t^{k_x k_y k}, \Psi_t^k$ , 54
$SMMF^j$ , 12	$(v^i)^{\rho, \mathbb{P}^{N^i}}$ , 134
$T_{\infty}^i$ , 133	$\tilde{v}^i, \tilde{v}^i(\omega, dt, dy_i)$ , 134
$T_{\infty}$ , 129	$\chi_n$ , 138
$T_{s,t}$ , 15, 246	$\Psi_t$ , 124
$\mathcal{T}$ , 246	$\varpi_{\mathcal{I}, \mathcal{J}}$ , 150
$\mathcal{T}^j$ , 19	$\hat{\Omega}$ , 251
$w_{i,j}$ , 145	$\text{card}(\cdot)$ , 38
$W * \mu, W * \mu_t(\omega)$ , 203	$\top$ , 223
$\mathcal{WMMFH}^j$ , 13	$\langle \cdot, \cdot \rangle$ , 256

## Subject Index

- Archimedean survival process (ASP), 125
  - structure, 126
    - decision functional, 186
    - maintenance management, 187
- canonical mapping, 211
- canonical space, 211
- compensator,  $\mathbb{F}$ -compensator, 201
- Condition (ASM- $k$ ), 54
- Condition (M), 40
- Condition (SM- $k$ ), 51
- Condition (WM- $k$ ), 59
- conditional doubly stochastic Markov chain
  - $(\mathbb{F}, \mathbb{G})$ -CDMC, 228, 235
  - $\mathbb{F}$ -intensity, 235
- conditional Markov chain
  - $(\mathbb{F}, \mathbb{G})$ -CMC, 222
  - $\mathbb{F}$ -intensity matrix process, 223
  - canonical conditions relative to the pair
    - $(\mathcal{X}, \mathbb{F})$ , 242
  - construction, 242
  - equivalence with respect to  $X$ , 226
  - strong Markov consistency property with respect to  $(\mathbb{F}, \mathcal{Y})$ , 50
  - strong Markov consistency with respect to  $(X^k, \mathbb{F})$ , 49
  - strong Markov consistency with respect to  $(X^k, \mathbb{F}, Y^k)$ , 50
  - strong Markov consistency with respect to  $\mathbb{F}$ , 50
  - weak Markov consistency with respect to  $(\mathbb{F}, \mathcal{Y})$ , 59
  - weak Markov consistency with respect to  $(X^k, \mathbb{F})$ , 59
  - weak Markov consistency with respect to  $(X^k, \mathbb{F}, Y^k)$ , 59
  - weak Markov consistency with respect to  $\mathbb{F}$ , 59
- $(\mathbb{F}, \mathbb{Q})$ -CMC prestructure
  - strong, 109
- conditional Markov chain (CMC) structure
  - strong, 108
  - weak, 112
- conditional Markov structure
  - unemployment insurance products, 182
- conditions
  - A1(j)–A3(j)**, 17
  - C1(j)–C4(j)**, 24
  - CMC-1–CMC-4**, 109
  - H0(n)–H4(n)**, 32
  - S1(n)–S4(n)**, 34
- copula, 208
- copula structure, 2
- counting process, 205
  - $n$ -variate, 205
  - counting (point) process, 205
- doubly stochastic Markov chain
  - $(\mathbb{F}, \mathbb{G})$ -DMC, 228
  - conditional transition probability matrix field,
    - $c$ -transition field, 230
  - intensity, 231
  - martingale characterization, 233
- evolution system, 246
- family of filtrations, 209
- filtrations
  - base, 222
  - $\mathbb{P}$ -immersion, 201
  - quasi-left-continuous, 199
  - reference, 222
- Fourier transform, 256
- function
  - decay, 143
  - decay and impact, 143
  - optional,  $\mathbb{F}$ -optional, 203
  - predictable,  $\mathbb{F}$ -predictable, 203

- gamma process, 123
- gamma random bridge, 124
- generating law
  - of the Archimedean survival process, 125
  - of the gamma random bridge, 124
- generator
  - core, 248
  - strong, 247
  - weak, 247
- generator system
  - strong, 246
  - symbol, 16
  - weak, 246
- Hawkes kernel, 130
  - canonical, 140
- Hawkes process
  - decay and impact functions, 150
  - decay function, 145
  - ETAS model, 189
  - generalized, 130
  - generalized  $\mathbb{G}$ , 130
  - generalized multivariate, 132
    - canonical, 140
    - common event times, 132
    - explosion time of  $N^i$ , 133
    - Hawkes consistency, 169
    - Hawkes consistency with respect to coordinate  $N^i$ , 169
    - $i$ th coordinate, 132
  - genuine-multivariate process, 137
  - impact functions, 145
  - multivariate, 136
  - pseudo-multivariate, 136
  - $\mathbb{G}$ -Hawkes kernel, 130
- idiosyncratic group of coordinates, 135
- infinitesimal generator function, 38, 248
- initial law, 209
- intensity
  - Hawkes intensity kernel, 130
  - $\mathbb{F}$ -intensity of  $(\mathbb{F}, \mathbb{G})$ -CMC, 223
  - $\mathbb{F}$ -intensity of  $(\mathbb{F}, \mathbb{G})$ -CDMC, 228
  - measure, 204
  - of a marked point process, 205
  - of a point process, 205
  - of  $(\mathbb{F}, \mathbb{G})$ -DMC, 231
  - of transition of  $X$ , 249
- intensity of an event, 131
- intensity of marks, 131
- jump measure of  $X$ , 204
  - (jump) intensity, 204
  - (jump) intensity function, 204
  - (jump) intensity process, 204
- jumps, intensity of, 205
- kernel, measurable, 207
  - stochastic, 208
- local martingale, 200
  - continuous part, 201
  - orthogonality, 201, 203
  - purely discontinuous, 201
  - strict, 200
- localizing sequence,  $(\mathbb{F}, \mathcal{C})$ -localizing sequence, 200
- locally square integrable martingale
  - oblique bracket between  $X$  and  $Y$ , 201
  - predictable quadratic co-variation between  $X$  and  $Y$ , 201
  - predictable quadratic variation process, 201
- marginal kernel, 134
- marked point process
  - explosion time, 129
  - $\mathbb{F}$ -intensity, 205
  - intensity, 205
  - multivariate
    - canonical mapping, 138
    - canonical space, 138
- Markov chain
  - intensity of transition, 249
  - semimartingale characterization, 219
  - strictly weak Markov chain structure, 100
  - strictly weak Markov consistency, 43
    - with respect to the coordinate, 43
  - strong Markov chain structure, 98
  - strong Markov consistency, 39
    - with respect to the coordinate, 39
  - weak Markov chain structure, 99
  - weak Markov consistency, 43
    - with respect to the coordinate, 43
- Markov family
  - associated with the process  $\mathcal{M}\mathcal{P}_s$ , 217
  - canonical, 213
  - multivariate, 8
  - non-canonical, 12
  - timehomogeneous
    - family or process, 9, 215
- Markov process
  - associated with  $\mathcal{M}\mathcal{F}$  starting at time  $s$  and with initial law  $\gamma_s$ , 216
  - canonical, 212
    - multivariate, 212
    - time-homogeneous, 212
  - conservative, 209
  - multivariate
    - strongly Markov consistent, 13
    - strongly Markov consistent with respect to the coordinate  $X^j$ , 13
  - non-canonical associated, 12

- Markov process (Cont.)
  - starting at time  $s$ , 209
  - admitting transition function, 210
  - time-homogeneous, 210
- Markov structures
  - counter-party risk, 182
  - portfolio credit risk, 181
  - step-up bonds, 181
- martingale,  $\mathbb{F}$ -martingale,  $(\mathbb{F}, \mathbb{P})$ -martingale, 200
  - locally square integrable, 201
  - square integrable, 200
  - uniformly integrable (UI), 200
- martingale problem
  - $D$ -martingale problem
    - solution, 251
    - solution (timehomogeneous), 253
    - well-posedness, 252
    - well-posedness (timehomogeneous), 254
  - solution, 250
  - solution with respect to  $(\mathbb{F}, \mathbb{P})$ , 250
  - well-posedness, 251
- $\mathcal{MMF}$ , 8
  - $\mathbb{R}^n$ -Feller–Markov evolution family, 15
    - rich, 15
  - $j$ th coordinate
    - strong, 12
    - weak, 12
  - generator system, 16
  - standard version, 16
  - strong Markov consistency with respect to  $X^j$ , 8
  - strongly Markov consistent, 8
  - weak Markov consistency with respect to  $X^j$ , 8
  - weakly Markov consistent, 9
- $\mathcal{MMFH}$ , 9
  - $\mathbb{R}^n$ -Feller–Markov family, 21
    - nice, 21
  - independence Markov structure, 85
  - predetermined margins, 80
  - product structure, 84
  - strong Markov consistency with respect to  $X^j$ 
    - relative to  $\mathcal{MFH}^j$ , 21
  - strong Markov copula structure, 80
  - strong Markov family structure, 80
  - strong Markov structure, 80
- $\mathcal{MMH}$ , 212
- $\mathcal{MMPH}$ 
  - strong Markov process copula structure, 81
  - strong Markov process structure, 81
- multivariate Hawkes process
  - Hawkes structure, 165
- multivariate Markov family
  - strong Markov consistency with respect to  $X^j$ , 8
  - strongly Markov consistent, 8
- negative-definite function, 256
- point process, 204
  - $\mathbb{F}$ -intensity, 205
  - intensity, 205
  - jump intensity, 205
- Poisson random measure, 204
  - intensity measure, 204
- positive-definite function, 256
- predictable stopping times, 199
- Projection
  - optional, 68
  - predictable, 68
- pseudo-differential operator (PDO), 256
  - symbol of PDO, 257
- quasi-Hawkes process, 164
- random measure, 203
  - $\bar{\mathcal{P}}$ - $\sigma$ -finite, 203
  - compensator,  $\mathbb{F}$ -compensator,  $(\mathbb{F}, \mathbb{P})$ -compensator, 203
  - dual predictable projection, 69, 203
  - integer-valued measure, jump measure of  $X$ , 204
  - optional,  $\mathbb{F}$ -optional, 203
  - predictable,  $\mathbb{F}$ -predictable, 203
- rate parameter  $\lambda$ , 123
- semimartingale
  - $\mathbb{F}$ -semimartingale, 201
    - change of probability measure, Girsanov theorem, 207
    - consistency with respect to  $X^j$ , 67
    - cut-off (truncation) function, 206
    - semi-strong consistency with respect to  $X^j$ , 68
    - special, 202
  - square bracket, quadratic variation, 202
  - stochastic integral, 206
  - stochastic integration by parts, 207
  - strong consistency with respect to  $X^j$ , 72
  - triple of (predictable) characteristics,  $\mathbb{F}$ -characteristic triple, 206
- semimartingale structure, 117
  - semi-strong, 118
  - strong, 118
- shape parameter  $\alpha$ , 123
- special semimartingale structure
  - Poisson structure, 184
- stochastic intervals, 199
- stochastic process, 197
  - $\mathbb{F}$ -adapted, 197
  - càdlàg, 198
  - continuity, 198
  - finite-variation, 198
  - increasing, 198
  - natural filtration, 197

*Subject Index*

269

- optional  $\sigma$ -field, 198
- path (trajectory), 198
- predictable  $\sigma$ -field, 198
- pure jump process, 198
- stopping times, 199
- submartingale,  $\mathbb{F}$ -submartingale, 200
- supermartingale,  $\mathbb{F}$ -supermartingale, 200
- symbol  $q$ 
  - type I representation, 23
  - type II representation, 23
- transition function, 210
  - associated with in family, 214
  - time-homogeneous, 210